(19) World Intellectual Property Organization International Bureau



(43) International Publication Date 4 January 2001 (04.01.2001)

PCT

(10) International Publication Number WO 01/00804 A2

(51) International Patent Classification?	: C12N 15/00	ZELDER, Oskar; Rossmarktstrasse 27, D-67346
		Speyer (DE). HABERHAUER, Gregor; Moselstrasse
(21) International Application Number: PCT/IB00/00922		42, D-67117 Limburgerhof (DE). LEE, Heung-Shick;
		Korea University, Graduate School of Biotechnology,
(22) International Filing Date: 23 June 2000 (23.06.2000)		Anam Dong, Sungbook-Gu, Seoul 136-701 (KR). KIM,
•	, ,	Hyung-Joon; Korea University, Graduate School of
(25) Filing Language:	English	Biotechnology, Anam Dong, Sungbook-Gu, Seoul
, , , , , , , , , , , , , , , , , , , ,		136-701 (KR).
(26) Publication Language: English		
()	B	(81) Designated States (national): AE, AG, AL, AM, AT, AU,
(30) Priority Data:		AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ,
•	3 (25 OC 1000) TIO	DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR,
, .	9 (25.06.1999) US	HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR,

- 60/142,692 1 July 1999 (01.07.1999) US 199 30 429.7 1 July 1999 (01.07.1999) DE 199 31 541.8 8 July 1999 (08.07.1999) DE 199 31 413.6 8 July 1999 (08.07.1999) DE 199 31 457.8 8 July 1999 (08.07.1999) DE 199 32 230.9 9 July 1999 (09.07.1999) DE 199 32 209.0 9 July 1999 (09.07.1999) DE 199 32 914.1 14 July 1999 (14.07.1999) DE 60/151,214 27 August 1999 (27.08.1999) US 199 40 764.9 27 August 1999 (27.08.1999) DE 199 41 382.7 31 August 1999 (31.08.1999)
- (84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

TR, TT, TZ, UA, UG, UZ, VN, YU, ZA, ZW.

LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ,

NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM,

(71) Applicant: BASF AKTIENGESELLSCHAFT [DE/DE]; D-67056 Ludwigshafen (DE).

Published:

(72) Inventors: POMPEJUS, Markus; Wenjenstrasse 21, D-67251 Freinsheim (DE). KRÖGER, Burkhard; Im Waldhof 1, D-67117 Limburgerhof (DE). SCHRÖDER, Hartwig; Goethestrasse 5, D-69226 Nussloch (DE). Without international search report and to be republished upon receipt of that report.

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

A2

(54) Title: CORYNEBACTERIUM GLUTAMICUM GENES ENCODING STRESS, RESISTANCE AND TOLERANCE PROTEINS

(57) Abstract: Isolated nucleic acid molecules, designated SRT nucleic acid molecules, which encode novel SRT proteins from Corynebacterium glutamicum are described. The invention also provides antisense nucleic acid molecules, recombinant expression vectors containing SRT nucleic acid molecules, and host cells into which the expression vectors have been introduced. The invention still further provides isolated SRT proteins, mutated SRT proteins, fusion proteins, antigenic peptides and methods for the improvement of production of a desired compound from C. glutamicum based on genetic engineering of SRT genes in this organism.

CORYNEBACTERIUM GLUTAMICUM GENES ENCODING STRESS, RESISTANCE AND TOLERANCE PROTEINS

Related Applications

This application claims priority to prior filed U.S. Provisional Patent Application Serial No. 60/141031, filed June 25, 1999, U.S. Provisional Patent Application Serial No. 60/142692, filed July 1, 1999, and also to U.S. Provisional Patent Application Serial No. 60/151214, filed August 27, 1999. This application also claims priority to German Patent Application No. 19930429.7, filed July 1, 1999, German Patent Application No. 19931475.8, filed July 8, 1999, German Patent Application No. 19931457.8, filed July 8, 1999, German Patent Application No. 19931541.8, filed July 8, 1999, German Patent Application No. 19932230.9, filed July 9, 1999, German Patent Application No. 19932230.9, filed July 9, 1999, German Patent Application No. 19932914.1, filed July 14, 1999, German Patent Application No. 19940764.9, filed August 27, 1999, and German Patent Application No. 19941382.7, filed August 31, 1999. The entire contents of all of the aforementioned applications are hereby expressly incorporated herein in their entirety by this reference.

Background of the Invention

20

30

Certain products and by-products of naturally-occurring metabolic processes in cells have utility in a wide array of industries, including the food, feed, cosmetics, and pharmaceutical industries. These molecules, collectively termed 'fine chemicals', include organic acids, both proteinogenic and non-proteinogenic amino acids, nucleotides and nucleosides, lipids and fatty acids, diols, carbohydrates, aromatic compounds, vitamins and cofactors, and enzymes. Their production is most conveniently performed through large-scale culture of bacteria developed to produce and secrete large quantities of a particular desired molecule. One particularly useful organism for this purpose is *Corynebacterium glutamicum*, a gram positive, nonpathogenic bacterium. Through strain selection, a number of mutant strains have been developed which produce an array of desirable compounds. However, selection of strains improved for the production of a particular molecule is a time-consuming and difficult process.

- 2 -

PCT/IB00/00922

Summary of the Invention

10

15

20

30

The invention provides novel bacterial nucleic acid molecules which have a variety of uses. These uses include the identification of microorganisms which can be used to produce fine chemicals, the modulation of fine chemical production in C. glutamicum or related bacteria, the typing or identification of C. glutamicum or related bacteria, as reference points for mapping the C. glutamicum genome, and as markers for transformation. These novel nucleic acid molecules encode proteins, referred to herein as stress, resistance and tolerance (SRT) proteins.

C. glutamicum is a gram positive, aerobic bacterium which is commonly used in industry for the large-scale production of a variety of fine chemicals, and also for the degradation of hydrocarbons (such as in petroleum spills) and for the oxidation of terpenoids. The SRT nucleic acid molecules of the invention, therefore, can be used to identify microorganisms which can be used to produce fine chemicals, e.g., by fermentation processes. Modulation of the expression of the SRT nucleic acids of the invention, or modification of the sequence of the SRT nucleic acid molecules of the invention, can be used to modulate the production of one or more fine chemicals from a microorganism (e.g., to improve the yield or production of one or more fine chemicals from a Corynebacterium or Brevibacterium species).

The SRT nucleic acids of the invention may also be used to identify an organism as being Corynebacterium glutamicum or a close relative thereof, or to identify the presence of C. glutamicum or a relative thereof in a mixed population of microorganisms. The invention provides the nucleic acid sequences of a number of C. glutamicum genes; by probing the extracted genomic DNA of a culture of a unique or mixed population of microorganisms under stringent conditions with a probe spanning a region of a C. glutamicum gene which is unique to this organism, one can ascertain whether this organism is present. Although Corynebacterium glutamicum itself is nonpathogenic, it is related to species pathogenic in humans, such as Corynebacterium diphtheriae (the causative agent of diphtheria); the detection of such organisms is of significant clinical relevance.

The SRT nucleic acid molecules of the invention may also serve as reference points for mapping of the C. glutamicum genome, or of genomes of related organisms.

- 3 -

Similarly, these molecules, or variants or portions thereof, may serve as markers for genetically engineered Corynebacterium or Brevibacterium species.

The SRT proteins encoded by the novel nucleic acid molecules of the invention are capable of, for example, permitting C. glutamicum to survive in a setting which is either chemically or environmentally hazardous to this microorganism. Given the availability of cloning vectors for use in Corynebacterium glutamicum, such as those disclosed in Sinskey et al., U.S. Patent No. 4,649,119, and techniques for genetic manipulation of C. glutamicum and the related Brevibacterium species (e.g., lactofermentum) (Yoshihama et al, J. Bacteriol. 162: 591-597 (1985); Katsumata et al., J. Bacteriol. 159: 306-311 (1984); and Santamaria et al., J. Gen. Microbiol. 130: 2237-2246 (1984)), the nucleic acid molecules of the invention may be utilized in the genetic engineering of this organism to make it a better or more efficient producer of one or more fine chemicals, through the ability of these proteins to permit growth and multiplication of C. glutamicum (and also continuous production of one or more fine chemicals) under circumstances which would normally impede growth of the organism, 15 such as those conditions frequently encountered during large-scale fermentative growth. For example, by overexpressing or engineering a heat-shock induced protease molecule such that it is optimized in activity, one may increase the ability of the bacterium to degrade incorrectly folded proteins when the bacterium is challenged with high temperatures. By having fewer misfolded (and possibly misregulated or nonfunctional) proteins to interfere with normal reaction mechanisms in the cell, the cell is increased in its ability to function normally in such a culture, which should in turn provide increased viability. This overall increase in number of cells having greater viability and activity in the culture should also result in an increase in yield, production, and/or efficiency of production of one or more desired fine chemicals, due at least to the relatively greater number of cells producing these chemicals in the culture.

This invention provides novel SRT nucleic acid molecules which encode SRT proteins which are capable of, for example, permitting *C. glutamicum* to survive in a setting which is either chemically or environmentally hazardous to this microorganism. Nucleic acid molecules encoding an SRT protein are referred to herein as SRT nucleic acid molecules. In a preferred embodiment, the SRT protein participates in metabolic pathways permitting *C. glutamicum* to survive in a setting which is either chemically or

- 4 -

environmentally hazardous to this microorganism. Examples of such proteins include those encoded by the genes set forth in Table 1.

Accordingly, one aspect of the invention pertains to isolated nucleic acid molecules (e.g., cDNAs, DNAs, or RNAs) comprising a nucleotide sequence encoding an SRT protein or biologically active portions thereof, as well as nucleic acid fragments suitable as primers or hybridization probes for the detection or amplification of SRTencoding nucleic acid (e.g., DNA or mRNA). In particularly preferred embodiments, the isolated nucleic acid molecule comprises one of the nucleotide sequences set forth as the odd-numbered SEQ ID NOs in the Sequence Listing (e.g., SEQ ID NO:1, SEO ID NO:3, SEQ ID NO:5, SEQ ID NO:7....), or the coding region or a complement thereof of one of these nucleotide sequences. In other particularly preferred embodiments, the isolated nucleic acid molecule of the invention comprises a nucleotide sequence which hybridizes to or is at least about 50%, preferably at least about 60%, more preferably at least about 70%, 80% or 90%, and even more preferably at least about 95%, 96%, 97%, 98%, 99% or more homologous to a nucleotide sequence set forth as an odd-numbered SEQ ID NO in the Sequence Listing (e.g., SEQ ID NO:1, SEQ ID NO:3, SEO ID NO:5, SEQ ID NO:7....), or a portion thereof. In other preferred embodiments, the isolated nucleic acid molecule encodes one of the amino acid sequences set forth as an evennumbered SEQ ID NO in the Sequence Listing (e.g., SEQ ID NO:2, SEQ ID NO:4, SEQ ID NO:6, SEQ ID NO:8....).. The preferred SRT proteins of the present invention also preferably possess at least one of the SRT activities described herein.

In another embodiment, the isolated nucleic acid molecule encodes a protein or portion thereof wherein the protein or portion thereof includes an amino acid sequence which is sufficiently homologous to an amino acid sequence of the invention (e.g., a sequence having an even-numbered SEQ ID NO: in the Sequence Listing), e.g., sufficiently homologous to an amino acid sequence of the invention such that the protein or portion thereof maintains an SRT activity. Preferably, the protein or portion thereof encoded by the nucleic acid molecule maintains the ability to increase the survival of C. glutamicum in a setting which is either chemically or environmentally hazardous to this microorganism. In one embodiment, the protein encoded by the nucleic acid molecule is at least about 50%, preferably at least about 60%, and more preferably at least about 70%, 80%, or 90% and most preferably at least about 95%, 96%, 97%, 98%, or 99% or

20

30

- 5 -

more homologous to an amino acid sequence of the invention (e.g., an entire amino acid sequence selected from those having an even-numbered SEQ ID NO in the Sequence Listing). In another preferred embodiment, the protein is a full length *C. glutamicum* protein which is substantially homologous to an entire amino acid sequence of the invention (encoded by an open reading frame shown the corresponding odd-numbered SEQ ID NOs in the Sequence Listing (e.g., SEQ ID NO:1, SEQ ID NO:3, SEQ ID NO:5, SEQ ID NO:7....).

In another preferred embodiment, the isolated nucleic acid molecule is derived from *C. glutamicum* and encodes a protein (*e.g.*, an SRT fusion protein) which includes a biologically active domain which is at least about 50% or more homologous to one of the amino acid sequences of the invention (*e.g.*, a sequence of one of the even-numbered SEQ ID NOs in the Sequence Listing) and has the ability to increase the survival of *C. glutamicum* in a setting which is either chemically or environmentally hazardous to this microorganism, or possesses one or more of the activities set forth in Table 1, and which also includes heterologous nucleic acid sequences encoding a heterologous polypeptide or regulatory regions.

10

15

20

25

30

In another embodiment, the isolated nucleic acid molecule is at least 15 nucleotides in length and hybridizes under stringent conditions to a nucleic acid molecule comprising a nucleotide sequence of the invention (e.g., a sequence of an odd-numbered SEQ ID NO in the Sequence Listing). Preferably, the isolated nucleic acid molecule corresponds to a naturally-occurring nucleic acid molecule. More preferably, the isolated nucleic acid encodes a naturally-occurring C. glutamicum SRT protein, or a biologically active portion thereof.

Another aspect of the invention pertains to vectors, e.g., recombinant expression vectors, containing the nucleic acid molecules of the invention, and host cells into which such vectors have been introduced. In one embodiment, such a host cell is used to produce an SRT protein by culturing the host cell in a suitable medium. The SRT protein can be then isolated from the medium or the host cell.

Yet another aspect of the invention pertains to a genetically altered microorganism in which an SRT gene has been introduced or altered. In one embodiment, the genome of the microorganism has been altered by the introduction of a nucleic acid molecule of the invention encoding wild-type or mutated SRT sequence as

a transgene. In another embodiment, an endogenous SRT gene within the genome of the microorganism has been altered, e.g., functionally disrupted, by homologous recombination with an altered SRT gene. In another embodiment, an endogenous or introduced SRT gene in a microorganism has been altered by one or more point mutations, deletions, or inversions, but still encodes a functional SRT protein. In still another embodiment, one or more of the regulatory regions (e.g., a promoter, repressor, or inducer) of a SRT gene in a microorganism has been altered (e.g., by deletion, truncation, inversion, or point mutation) such that the expression of the SRT gene is modulated. In a preferred embodiment, the microorganism belongs to the genus Corynebacterium or Brevibacterium, with Corynebacterium glutamicum being particularly preferred. In a preferred embodiment, the microorganism is also utilized for the production of a desired compound, such as an amino acid, with lysine being particularly preferred.

In another aspect, the invention provides a method of identifying the presence or activity of *Cornyebacterium diphtheriae* in a subject. This method includes detection of one or more of the nucleic acid or amino acid sequences of the invention (e.g., the sequences set forth in the Sequence Listing as SEQ ID NOs 1 through 304)) in a subject, thereby detecting the presence or activity of *Corynebacterium diphtheriae* in the subject.

15

20

Still another aspect of the invention pertains to an isolated SRT protein or a portion, e.g., a biologically active portion, thereof. In a preferred embodiment, the isolated SRT protein or portion thereof possesses the ability to increase the survival of C. glutamicum in a setting which is either chemically or environmentally hazardous to this microorganism. In another preferred embodiment, the isolated SRT protein or portion thereof is sufficiently homologous to an amino acid sequence of the invention (e.g., a sequence of an even-numbered SEQ ID NO: in the Sequence Listing) such that the protein or portion thereof maintains the ability to increase the survival of C. glutamicum in a setting which is either chemically or environmentally hazardous to this microorganism.

The invention also provides an isolated preparation of an SRT protein. In preferred embodiments, the SRT protein comprises an amino acid sequence of the invention (e.g., a sequence of an even-numbered SEQ ID NO: of the Sequence Listing). In another preferred embodiment, the invention pertains to an isolated full length protein

-7-

which is substantially homologous to an entire amino acid sequence of the invention (e.g., a sequence of an even-numbered SEQ ID NO: of the Sequence Listing) (encoded by an open reading frame set forth in a corresponding odd-numbered SEQ ID NO: of the Sequence Listing).). In yet another embodiment, the protein is at least about 50%, preferably at least about 60%, and more preferably at least about 70%, 80%, or 90%, and most preferably at least about 95%, 96%, 97%, 98%, or 99% or more homologous to an entire amino acid sequence of the invention (e.g., a sequence of an even-numbered SEQ ID NO: of the Sequence Listing). In other embodiments, the isolated SRT protein comprises an amino acid sequence which is at least about 50% or more homologous to one of the amino acid sequences of the invention (e.g., a sequence of an even-numbered SEQ ID NO: of the Sequence Listing) and is able to improve the survival rate of C. glutamicum in a setting which is either chemically or environmentally hazardous to this microorganism, or has one or more of the activities set forth in Table 1.

Alternatively, the isolated SRT protein can comprise an amino acid sequence which is encoded by a nucleotide sequence which hybridizes, e.g., hybridizes under stringent conditions, or is at least about 50%, preferably at least about 60%, more preferably at least about 70%, 80%, or 90%, and even more preferably at least about 95%, 96%, 97%, 98,%, or 99% or more homologousto a nucleotide sequence of one of the even-numbered SEQ ID NOs set forth in the Sequence Listing. It is also preferred that the preferred forms of SRT proteins also have one or more of the SRT bioactivities described herein.

15

20

30

The SRT polypeptide, or a biologically active portion thereof, can be operatively linked to a non-SRT polypeptide to form a fusion protein. In preferred embodiments, this fusion protein has an activity which differs from that of the SRT protein alone. In other preferred embodiments, this fusion protein results in increased yields, production, and/or efficiency of production of a desired fine chemical from *C. glutamicum*. In particularly preferred embodiments, integration of this fusion protein into a host cell modulates the production of a desired compound from the cell.

In another aspect, the invention provides methods for screening molecules which modulate the activity of an SRT protein, either by interacting with the protein itself or a substrate or binding partner of the SRT protein, or by modulating the transcription or translation of an SRT nucleic acid molecule of the invention.

- 8 -

Another aspect of the invention pertains to a method for producing a fine chemical. This method involves the culturing of a cell containing a vector directing the expression of an SRT nucleic acid molecule of the invention, such that a fine chemical is produced. In a preferred embodiment, this method further includes the step of obtaining a cell containing such a vector, in which a cell is transfected with a vector directing the expression of an SRT nucleic acid. In another preferred embodiment, this method further includes the step of recovering the fine chemical from the culture. In a particularly preferred embodiment, the cell is from the genus *Corynebacterium* or *Brevibacterium*, or is selected from those strains set forth in Table 3.

10

20

Another aspect of the invention pertains to methods for modulating production of a molecule from a microorganism. Such methods include contacting the cell with an agent which modulates SRT protein activity or SRT nucleic acid expression such that a cell associated activity is altered relative to this same activity in the absence of the agent. In a preferred embodiment, the cell is modulated in resistance to one or more toxic chemicals or in resistance to one or more environmental stresses, such that the yields or rate of production of a desired fine chemical by this microorganism is improved. The agent which modulates SRT protein activity can be an agent which stimulates SRT protein activity or SRT nucleic acid expression. Examples of agents which stimulate SRT protein activity or SRT nucleic acid expression include small molecules, active SRT proteins, and nucleic acids encoding SRT proteins that have been introduced into the cell. Examples of agents which inhibit SRT activity or expression include small molecules, and antisense SRT nucleic acid molecules.

Another aspect of the invention pertains to methods for modulating yields of a desired compound from a cell, involving the introduction of a wild-type or mutant SRT gene into a cell, either maintained on a separate plasmid or integrated into the genome of the host cell. If integrated into the genome, such integration can random, or it can take place by homologous recombination such that the native gene is replaced by the introduced copy, causing the production of the desired compound from the cell to be modulated. In a preferred embodiment, said yields are increased. In another preferred embodiment, said chemical is a fine chemical. In a particularly preferred embodiment, said fine chemical is an amino acid. In especially preferred embodiments, said amino acid is L-lysine.

10

Detailed Description of the Invention

The present invention provides SRT nucleic acid and protein molecules which are involved in the survival of *C. glutamicum* upon exposure of this microorganism to chemical or environmental hazards. The molecules of the invention may be utilized in the modulation of production of fine chemicals from microorganisms, since these SRT proteins provide a means for continued growth and multiplication of *C. glutamicum* in the presence of toxic chemicals or hazardous environmental conditions, such as may be encountered during large-scale fermentative growth. By increasing the growth rate or at least maintaining normal growth in the face of poor, if not toxic, conditions, one may increase the yield, production, and/or efficiency of production of one or more fine chemicals from such a culture, at least due to the relatively greater number of cells producing the fine chemical in the culture. Aspects of the invention are further explicated below.

15 I. Fine Chemicals

The term 'fine chemical' is art-recognized and includes molecules produced by an organism which have applications in various industries, such as, but not limited to, the pharmaceutical, agriculture, and cosmetics industries. Such compounds include organic acids, such as tartaric acid, itaconic acid, and diaminopimelic acid, both 20 proteinogenic and non-proteinogenic amino acids, purine and pyrimidine bases, nucleosides, and nucleotides (as described e.g. in Kuninaka, A. (1996) Nucleotides and related compounds, p. 561-612, in Biotechnology vol. 6, Rehm et al., eds. VCH: Weinheim, and references contained therein), lipids, both saturated and unsaturated fatty acids (e.g., arachidonic acid), diols (e.g., propane diol, and butane diol), carbohydrates (e.g., hyaluronic acid and trehalose), aromatic compounds (e.g., aromatic amines, 25 vanillin, and indigo), vitamins and cofactors (as described in Ullmann's Encyclopedia of Industrial Chemistry, vol. A27, "Vitamins", p. 443-613 (1996) VCH: Weinheim and references therein; and Ong, A.S., Niki, E. & Packer, L. (1995) "Nutrition, Lipids, Health, and Disease" Proceedings of the UNESCO/Confederation of Scientific and Technological Associations in Malaysia, and the Society for Free Radical Research -30 Asia, held Sept. 1-3, 1994 at Penang, Malaysia, AOCS Press, (1995)), enzymes, polyketides (Cane et al. (1998) Science 282: 63-68), and all other chemicals described in WO 01/00804

Gutcho (1983) Chemicals by Fermentation, Noyes Data Corporation, ISBN: 0818805086 and references therein. The metabolism and uses of certain of these fine chemicals are further explicated below.

- 10 -

PCT/IB00/00922

5 A. Amino Acid Metabolism and Uses

25

30

Amino acids comprise the basic structural units of all proteins, and as such are essential for normal cellular functioning in all organisms. The term "amino acid" is artrecognized. The proteinogenic amino acids, of which there are 20 species, serve as structural units for proteins, in which they are linked by peptide bonds, while the 10 nonproteinogenic amino acids (hundreds of which are known) are not normally found in proteins (see Ulmann's Encyclopedia of Industrial Chemistry, vol. A2, p. 57-97 VCH: Weinheim (1985)). Amino acids may be in the D- or L- optical configuration, though Lamino acids are generally the only type found in naturally-occurring proteins. Biosynthetic and degradative pathways of each of the 20 proteinogenic amino acids have been well characterized in both prokaryotic and eukaryotic cells (see, for example, 15 Stryer, L. Biochemistry, 3rd edition, pages 578-590 (1988)). The 'essential' amino acids (histidine, isoleucine, leucine, lysine, methionine, phenylalanine, threonine, tryptophan, and valine), so named because they are generally a nutritional requirement due to the complexity of their biosyntheses, are readily converted by simple biosynthetic pathways. to the remaining 11 'nonessential' amino acids (alanine, arginine, asparagine, aspartate, 20 cysteine, glutamate, glutamine, glycine, proline, serine, and tyrosine). Higher animals do retain the ability to synthesize some of these amino acids, but the essential amino acids must be supplied from the diet in order for normal protein synthesis to occur.

Aside from their function in protein biosynthesis, these amino acids are interesting chemicals in their own right, and many have been found to have various applications in the food, feed, chemical, cosmetics, agriculture, and pharmaceutical industries. Lysine is an important amino acid in the nutrition not only of humans, but also of monogastric animals such as poultry and swine. Glutamate is most commonly used as a flavor additive (mono-sodium glutamate, MSG) and is widely used throughout the food industry, as are aspartate, phenylalanine, glycine, and cysteine. Glycine, L-methionine and tryptophan are all utilized in the pharmaceutical industry. Glutamine, valine, leucine, isoleucine, histidine, arginine, proline, serine and alanine are of use in

- 11 -

both the pharmaceutical and cosmetics industries. Threonine, tryptophan, and D/ L-methionine are common feed additives. (Leuchtenberger, W. (1996) Amino aids – technical production and use, p. 466-502 in Rehm *et al.* (eds.) Biotechnology vol. 6, chapter 14a, VCH: Weinheim). Additionally, these amino acids have been found to be useful as precursors for the synthesis of synthetic amino acids and proteins, such as N-acetylcysteine, S-carboxymethyl-L-cysteine, (S)-5-hydroxytryptophan, and others described in Ulmann's Encyclopedia of Industrial Chemistry, vol. A2, p. 57-97, VCH: Weinheim, 1985.

The biosynthesis of these natural amino acids in organisms capable of 10 producing them, such as bacteria, has been well characterized (for review of bacterial amino acid biosynthesis and regulation thereof, see Umbarger, H.E.(1978) Ann. Rev. Biochem. 47: 533-606). Glutamate is synthesized by the reductive amination of α ketoglutarate, an intermediate in the citric acid cycle. Glutamine, proline, and arginine are each subsequently produced from glutamate. The biosynthesis of serine is a three-15 step process beginning with 3-phosphoglycerate (an intermediate in glycolysis), and resulting in this amino acid after oxidation, transamination, and hydrolysis steps. Both cysteine and glycine are produced from serine; the former by the condensation of homocysteine with serine, and the latter by the transferal of the side-chain β -carbon atom to tetrahydrofolate, in a reaction catalyzed by serine transhydroxymethylase. Phenylalanine, and tyrosine are synthesized from the glycolytic and pentose phosphate pathway precursors erythrose 4-phosphate and phosphoenolpyruvate in a 9-step biosynthetic pathway that differ only at the final two steps after synthesis of prephenate. Tryptophan is also produced from these two initial molecules, but its synthesis is an 11step pathway. Tyrosine may also be synthesized from phenylalanine, in a reaction catalyzed by phenylalanine hydroxylase. Alanine, valine, and leucine are all biosynthetic products of pyruvate, the final product of glycolysis. Aspartate is formed from oxaloacetate, an intermediate of the citric acid cycle. Asparagine, methionine, threonine, and lysine are each produced by the conversion of aspartate. Isoleucine is formed from threonine. A complex 9-step pathway results in the production of histidine 30 from 5-phosphoribosyl-1-pyrophosphate, an activated sugar.

Amino acids in excess of the protein synthesis needs of the cell cannot be stored, and are instead degraded to provide intermediates for the major metabolic pathways of

the cell (for review see Stryer, L. Biochemistry 3rd ed. Ch. 21 "Amino Acid Degradation and the Urea Cycle" p. 495-516 (1988)). Although the cell is able to convert unwanted amino acids into useful metabolic intermediates, amino acid production is costly in terms of energy, precursor molecules, and the enzymes necessary to synthesize them.

5 Thus it is not surprising that amino acid biosynthesis is regulated by feedback inhibition, in which the presence of a particular amino acid serves to slow or entirely stop its own production (for overview of feedback mechanisms in amino acid biosynthetic pathways, see Stryer, L. Biochemistry, 3rd ed. Ch. 24: "Biosynthesis of Amino Acids and Heme" p. 575-600 (1988)). Thus, the output of any particular amino acid is limited by the amount of that amino acid present in the cell.

B. Vitamin, Cofactor, and Nutraceutical Metabolism and Uses

20

25

30

Vitamins, cofactors, and nutraceuticals comprise another group of molecules which the higher animals have lost the ability to synthesize and so must ingest, although they are readily synthesized by other organisms, such as bacteria. These molecules are either bioactive substances themselves, or are precursors of biologically active substances which may serve as electron carriers or intermediates in a variety of metabolic pathways. Aside from their nutritive value, these compounds also have significant industrial value as coloring agents, antioxidants, and catalysts or other processing aids. (For an overview of the structure, activity, and industrial applications of these compounds, see, for example, Ullman's Encyclopedia of Industrial Chemistry, "Vitamins" vol. A27, p. 443-613, VCH: Weinheim, 1996.) The term "vitamin" is artrecognized, and includes nutrients which are required by an organism for normal functioning, but which that organism cannot synthesize by itself. The group of vitamins may encompass cofactors and nutraceutical compounds. The language "cofactor" includes nonproteinaceous compounds required for a normal enzymatic activity to occur. Such compounds may be organic or inorganic; the cofactor molecules of the invention are preferably organic. The term "nutraceutical" includes dietary supplements having health benefits in plants and animals, particularly humans. Examples of such molecules are vitamins, antioxidants, and also certain lipids (e.g., polyunsaturated fatty acids).

- 13 -

The biosynthesis of these molecules in organisms capable of producing them, such as bacteria, has been largely characterized (Ullman's Encyclopedia of Industrial Chemistry, "Vitamins" vol. A27, p. 443-613, VCH: Weinheim, 1996; Michal, G. (1999) Biochemical Pathways: An Atlas of Biochemistry and Molecular Biology, John Wiley & Sons; Ong, A.S., Niki, E. & Packer, L. (1995) "Nutrition, Lipids, Health, and Disease" Proceedings of the UNESCO/Confederation of Scientific and Technological Associations in Malaysia, and the Society for Free Radical Research – Asia, held Sept. 1-3, 1994 at Penang, Malaysia, AOCS Press: Champaign, IL X, 374 S).

10

20

25

Thiamin (vitamin B₁) is produced by the chemical coupling of pyrimidine and thiazole moieties. Riboflavin (vitamin B₂) is synthesized from guanosine-5'-triphosphate (GTP) and ribose-5'-phosphate. Riboflavin, in turn, is utilized for the synthesis of flavin mononucleotide (FMN) and flavin adenine dinucleotide (FAD). The family of compounds collectively termed 'vitamin B₆' (e.g., pyridoxine, pyridoxamine, pyridoxa-5'-phosphate, and the commercially used pyridoxin hydrochloride) are all derivatives of the common structural unit, 5-hydroxy-6-methylpyridine. Pantothenate (pantothenic acid, (R)-(+)-N-(2,4-dihydroxy-3,3-dimethyl-1-oxobutyl)-β-alanine) can be produced either by chemical synthesis or by fermentation. The final steps in pantothenate biosynthesis consist of the ATP-driven condensation of β-alanine and pantoic acid. The enzymes responsible for the biosynthesis steps for the conversion to pantoic acid, to βalanine and for the condensation to panthotenic acid are known. The metabolically active form of pantothenate is Coenzyme A, for which the biosynthesis proceeds in 5 enzymatic steps. Pantothenate, pyridoxal-5'-phosphate, cysteine and ATP are the precursors of Coenzyme A. These enzymes not only catalyze the formation of panthothante, but also the production of (R)-pantoic acid, (R)-pantolacton, (R)panthenol (provitamin B₅), pantetheine (and its derivatives) and coenzyme A.

Biotin biosynthesis from the precursor molecule pimeloyl-CoA in microorganisms has been studied in detail and several of the genes involved have been identified. Many of the corresponding proteins have been found to also be involved in Fe-cluster synthesis and are members of the nifS class of proteins. Lipoic acid is derived from octanoic acid, and serves as a coenzyme in energy metabolism, where it becomes part of the pyruvate dehydrogenase complex and the α -ketoglutarate dehydrogenase complex. The folates are a group of substances which are all derivatives

5

15

of folic acid, which is turn is derived from L-glutamic acid, p-amino-benzoic acid and 6-methylpterin. The biosynthesis of folic acid and its derivatives, starting from the metabolism intermediates guanosine-5'-triphosphate (GTP), L-glutamic acid and p-amino-benzoic acid has been studied in detail in certain microorganisms.

Corrinoids (such as the cobalamines and particularly vitamin B₁₂) and porphyrines belong to a group of chemicals characterized by a tetrapyrole ring system. The biosynthesis of vitamin B₁₂ is sufficiently complex that it has not yet been completely characterized, but many of the enzymes and substrates involved are now known. Nicotinic acid (nicotinate), and nicotinamide are pyridine derivatives which are also termed 'niacin'. Niacin is the precursor of the important coenzymes NAD (nicotinamide adenine dinucleotide) and NADP (nicotinamide adenine dinucleotide phosphate) and their reduced forms.

The large-scale production of these compounds has largely relied on cell-free chemical syntheses, though some of these chemicals have also been produced by large-scale culture of microorganisms, such as riboflavin, Vitamin B₆, pantothenate, and biotin. Only Vitamin B₁₂ is produced solely by fermentation, due to the complexity of its synthesis. *In vitro* methodologies require significant inputs of materials and time, often at great cost.

20 C. Purine, Pyrimidine, Nucleoside and Nucleotide Metabolism and Uses

Purine and pyrimidine metabolism genes and their corresponding proteins are important targets for the therapy of tumor diseases and viral infections. The language "purine" or "pyrimidine" includes the nitrogenous bases which are constituents of nucleic acids, co-enzymes, and nucleotides. The term "nucleotide" includes the basic structural units of nucleic acid molecules, which are comprised of a nitrogenous base, a pentose sugar (in the case of RNA, the sugar is ribose; in the case of DNA, the sugar is D-deoxyribose), and phosphoric acid. The language "nucleoside" includes molecules which serve as precursors to nucleotides, but which are lacking the phosphoric acid moiety that nucleotides possess. By inhibiting the biosynthesis of these molecules, or their mobilization to form nucleic acid molecules, it is possible to inhibit RNA and DNA synthesis; by inhibiting this activity in a fashion targeted to cancerous cells, the ability of tumor cells to divide and replicate may be inhibited. Additionally, there are

nucleotides which do not form nucleic acid molecules, but rather serve as energy stores (i.e., AMP) or as coenzymes (i.e., FAD and NAD).

Several publications have described the use of these chemicals for these medical indications, by influencing purine and/or pyrimidine metabolism (e.g. Christopherson, R.I. and Lyons, S.D. (1990) "Potent inhibitors of de novo pyrimidine and purine biosynthesis as chemotherapeutic agents." Med. Res. Reviews 10: 505-548). Studies of enzymes involved in purine and pyrimidine metabolism have been focused on the development of new drugs which can be used, for example, as immunosuppressants or anti-proliferants (Smith, J.L., (1995) "Enzymes in nucleotide synthesis." Curr. Opin. Struct. Biol. 5: 752-757; (1995) Biochem Soc. Transact. 23: 877-902). However, purine and pyrimidine bases, nucleosides and nucleotides have other utilities: as intermediates in the biosynthesis of several fine chemicals (e.g., thiamine, S-adenosyl-methionine, folates, or riboflavin), as energy carriers for the cell (e.g., ATP or GTP), and for chemicals themselves, commonly used as flavor enhancers (e.g., IMP or GMP) or for several medicinal applications (see, for example, Kuninaka, A. (1996) Nucleotides and Related Compounds in Biotechnology vol. 6, Rehm et al., eds. VCH: Weinheim, p. 561-612). Also, enzymes involved in purine, pyrimidine, nucleoside, or nucleotide metabolism are increasingly serving as targets against which chemicals for crop protection, including fungicides, herbicides and insecticides, are developed.

The metabolism of these compounds in bacteria has been characterized (for reviews see, for example, Zalkin, H. and Dixon, J.E. (1992) "de novo purine nucleotide biosynthesis", in: Progress in Nucleic Acid Research and Molecular Biology, vol. 42, Academic Press:, p. 259-287; and Michal, G. (1999) "Nucleotides and Nucleosides", Chapter 8 in: Biochemical Pathways: An Atlas of Biochemistry and Molecular Biology, Wiley: New York). Purine metabolism has been the subject of intensive research, and is essential to the normal functioning of the cell. Impaired purine metabolism in higher animals can cause severe disease, such as gout. Purine nucleotides are synthesized from ribose-5-phosphate, in a series of steps through the intermediate compound inosine-5'-phosphate (IMP), resulting in the production of guanosine-5'-monophosphate (GMP) or adenosine-5'-monophosphate (AMP), from which the triphosphate forms utilized as nucleotides are readily formed. These compounds are also utilized as energy stores, so their degradation provides energy for many different biochemical processes in the cell.

20

- 16 -

Pyrimidine biosynthesis proceeds by the formation of uridine-5'-monophosphate (UMP) from ribose-5-phosphate. UMP, in turn, is converted to cytidine-5'-triphosphate (CTP). The deoxy- forms of all of these nucleotides are produced in a one step reduction reaction from the diphosphate ribose form of the nucleotide to the diphosphate deoxyribose form of the nucleotide. Upon phosphorylation, these molecules are able to participate in DNA synthesis.

D. Trehalose Metabolism and Uses

Trehalose consists of two glucose molecules, bound in α, α-1,1 linkage. It is commonly used in the food industry as a sweetener, an additive for dried or frozen foods, and in beverages. However, it also has applications in the pharmaceutical, cosmetics and biotechnology industries (see, for example, Nishimoto *et al.*, (1998) U.S. Patent No. 5,759,610; Singer, M.A. and Lindquist, S. (1998) *Trends Biotech*. 16: 460-467; Paiva, C.L.A. and Panek, A.D. (1996) *Biotech. Ann. Rev.* 2: 293-314; and Shiosaka, M. (1997) J. Japan 172: 97-102). Trehalose is produced by enzymes from many microorganisms and is naturally released into the surrounding medium, from which it can be collected using methods known in the art.

II. Resistance to Damage from Chemicals, Environmental Stress, and Antibiotics

Production of fine chemicals is typically performed by large-scale culture of bacteria developed to produce and secrete large quantities of these molecules. However, this type of large-scale fermentation results in the subjection of the microorganisms to stresses of various kinds. These stresses include environmental stress and chemical stress.

25

20

10

A. Resistance to Environmental Stress

Examples of environmental stresses typically encountered in large-scale fermentative culture include mechanical stress, heat stress, stress due to limited oxygen, stress due to oxygen radicals, pH stress, and osmotic stress. The stirring mechanism used in most large-scale fermentors to ensure aeration of the culture produces heat, thus increasing the temperature of the culture. Increases in temperature induce the well-characterized heat shock response, in which a set of proteins are expressed which not

- 17 -

only aid in the survival of the bacterium in the face of high temperatures, but also increase survival in response to a number of other environmental stresses (see Neidhardt, F.C., et al., eds. (1996) E. coli and Salmonella. ASM Press: Washington, D.C., p. 1382-1399; Wosten, M. M. (1998) FEMS Microbiology Reviews 22(3): 127-50; Bahl, H. et al. (1995) FEMS Microbiology Reviews 17(3): 341-348; Zimmerman, J.L., Cohill, P.R. (1991) New Biologist 3(7): 641-650; Samali, A., and Orrenius, S. (1998) Cell. Stress Chaperones 3(4): 228-236, and references contained therein from each of these citations). Regulation of the heat shock response in bacteria is facilitated by specific sigma factors and other cellular regulators of gene expression (Hecker, M., Volker, U (1998). Molecular Microbiology 29(5): 1129-1136). One of the largest problems that the cell encounters when exposed to high temperature is that protein folding is impaired; nascent proteins have sufficient kinetic energy in high temperature circumstances that it is difficult for the growing polypeptide chain to remain in a stable conformation long enough to fold properly. Thus, two of the key types of proteins expressed during the heat shock response consist of chaperones (proteins which assist in the folding or unfolding of other proteins - see, e.g., Fink, A.L. (1999) Physiol. Rev. 79(2): 425-449), and proteases, which can destroy any improperly folded proteins. Examples of chaperones expressed during the heat shock response include GroEL and DNAK; proteases known to be expressed during this cellular reaction to heat shock include Lon, FtsH, and ClpB. 20

Other environmental stresses besides heat may also provoke a stress response. Though the fermentor stirring process is meant to introduce oxygen into the culture, oxygen may remain in limited supply, particularly when the culture is advanced in growth and the oxygen needs of the culture are thereby increased; an insufficient supply of oxygen is another stress for the microorganism. Cells in fermentor cultures are also subjected to a number of osmotic stresses, particularly when nutrients are added to the culture, resulting in a high extracellular and low intracellular concentration of these molecules. Further, the large quantities of the desired molecules produced by these organisms in culture may contribute to osmotic stress of the bacteria. Lastly, aerobic metabolism such as that used by *C. glutamicum* results in carbon dioxide as a waste product; secretion of this molecule may acidify the culture medium due to conversion of this molecule to carboxylic acid. Thus, bacteria in culture are also frequently subjected

to acidic pH stress. The converse may also be true – when high levels of basic waste molecules such as ammonium are present in the culture medium, the bacteria in culture may be subjected to basic pH stress as well.

To combat such environmental stresses, bacteria have elegant gene systems which are expressed upon exposure to one or more stresses, such as the aforementioned heat shock system. Genes expressed in response to osmotic stress, for example, encode proteins capable of transporting or synthesizing compatible solutes such that osmotic intake or export of a particular molecule is slowed to manageable levels. Other examples of stress-induced bacterial proteins are those involved in trehalose biosynthesis, those encoding enzymes involved in ppGpp metabolism, those involved in signal transduction, particularly those encoding two-component systems which are sensitive to osmotic pressure, and those encoding transcription factors which are responsive to a variety of stress factors (e.g., RssB analogues and/or sigma factors). Many other such genes and their protein products are known in the art.

15

20

B. Resistance to Chemical Stress

Aside from environmental stresses, cells may also experience a number of chemical stresses. These may fall into two categories. The first are natural wasteproducts of metabolism and other cellular processes which are secreted by the cell to the surrounding medium. The second are chemicals present in the extracellular medium which do not originate from the cell. Generally, when cells excrete toxic waste products from the concentrated intracellular cytoplasm into the relatively much more dilute extracellular medium, these products dissipate such that extracellular levels of the possibly toxic compound are quite low. However, in large-scale fermentative culture of the bacterium, this may not be the case: so many bacteria are grown in a relatively small environment and at such a high metabolic rate that waste products may accumulate in the medium to nearly toxic levels. Examples of such wastes are carbon dioxide, metal ions, and reactive oxygen species such as hydrogen peroxide. These compounds may interfere with the activity or structure of cell surface molecules, or may re-enter the cell, where they can seriously damage proteins and nucleic acids alike. Certain other chemicals hazardous to the normal functioning of cells may be naturally found in the extracellular medium. For example, metal ions such as mercury, cadmium, nickel or

- 19 -

copper are frequently found in water sources, and may form tight complexes with cellular enzymes which prevent the normal functioning of these proteins.

C. Resistance to Antibiotics

5

20

Bacteriocidal proteins or antibiotics, may also be found in the extracellular milieu, either through the intervention of the researcher, or as a natural product from another organism, utilized to gain a competitive advantage. Microorganisms have several art-known mechanisms to protect themselves against antimicrobial chemicals. Degradation, modification, and export of compounds toxic to the cell are common methods by which microorganisms eliminate or detoxify antibiotics. Cytoplasmic 'efflux-pumps' are known in several prokaryotes and show similarities to the so-called 'multidrug resistance' proteins from higher eukaryotes (Neyfakh, A. A., et al. (1991) Proc. Natl. Acad. Sci. USA 88: 4781-4785). Examples of such proteins include emrAB from E. coli (Lomovskaya, O. and K. Lewis (1992) Proc. Natl. Acad. Sci. USA 89: 8938-8942), lmrB from B. subtilis (Kumano, M. et al. (1997) Microbiology 143: 2775-2782), smr from S. aureus (Grinius, L.G. et al. (1992) Plasmid 27: 119-129) or cmr from C. glutamicum (Kaidoh, K. et al. (1997) Micro. Drug Resist. 3: 345-350). C. glutamicum itself is non-pathogenic, in contrast to several other members of the genus Corynebacterium, such as C. diphtheriae or C. pseudotuberculosis. Several pathogenic Corynebacteria are known to have multiple resistances against a variety of antibiotics, such as C. jeikeium and C. urealyticum (Soriano, F. et al. (1995) Antimicrob. Agents Chemother. 39: 208-214).

Lincosamides are recognized as effective antibiotics against Corynebacterium species (Soriano, F. et al. (1995) Antimicrob. Agents Chemother. 39: 208-214). An unexpected result of the present invention was the identification of a gene encoding a lincosamide-resistance protein (in particular, a lincomycin-resistance protein). The LMRB protein from C. glutamicum shows 40% homology to the product of the lmrB gene from B. subtilis (see Genbank accession no. AL009126), as calculated using version 1.7 of the program CLUSTALW (Thompson, J.D., Higgins, D.G., Gibson, T. J. (1994) Nucl. Acids Res. 22: 4673-4680) using standard parameters (PAIRWISE ALIGNMENT PARAMETERS: slow/accurate alignments: Gap Open Penalty = 10.00, Gap Extension Penalty = 0.10, Protein weight matrix = BLOSUM 30, DNA weight

matrix = IUB, Fast/Approximate alignments: Gap penalty = 3, K-tuple (word) size = 1, No. of top diagonals = 5, Window size = 5, Toggle Slow/Fast pairwise alignments = slow. Multiple alignment parameters: Gap Opening Penalty = 10.00, Gap Extension Penalty = 0.05, Delay divergent sequences = 40%, DNA transitions weight = 0.50, Protein weight matrix = BLOSUM series, DNA weight matrix = IUB, Use negative matrix = OFF).

Environmental stress, chemical stress, and antibiotic or other antimicrobial stress may influence the behavior of the microorganisms during fermentor culture, and may have an impact on the production of the desired compound from these organisms.

For example, osmotic stress of a microorganism may cause inappropriate or inappropriately rapid uptake of one or more compounds which can ultimately lead to cellular damage or death due to osmotic shock. Similarly, chemicals present in the culture, either exogenously added (e.g., antimicrobial compounds intended to eliminate unwanted microbes) or generated by the bacteria themselves (e.g., waste compounds such as heavy metals or oxygen radicals, or even antimicrobial compounds) may result in inhibition of fine chemical production or even death of the organism. The genes of the invention encode C. glutamicum proteins which act to prevent cell damage or death, by specifically counteracting the source or effect of the environmental or chemical stress.

20

25

30

III. Elements and Methods of the Invention

The present invention is based, at least in part, on the discovery of novel molecules, referred to herein as SRT nucleic acid and protein molecules, which increase the ability of *C. glutamicum* to survive in chemically or environmentally hazardous settings. In one embodiment, the SRT molecules function to confer resistance to one or more environmental or chemical stresses to *C. glutamicum*. In a preferred embodiment, the activity of the SRT molecules of the present invention has an impact on the production of a desired fine chemical by this organism. In a particularly preferred embodiment, the SRT molecules of the invention are modulated in activity, such that the yield, production, and/or efficiency of production of one or more fine chemicals from *C. glutamicum* is also modulated.

- 21 -

The language, "SRT protein" or "SRT polypeptide" includes proteins which participate in the resistance of C. glutamicum to one or more environmental or chemical stresses. Examples of SRT proteins include those encoded by the SRT genes set forth in Table 1 and by the odd-numbered SEQ ID NOs. The terms "SRT gene" or "SRT nucleic acid sequence" include nucleic acid sequences encoding an SRT protein, which consist of a coding region and also corresponding untranslated 5' and 3' sequence regions. Examples of SRT genes include those set forth in Table 1. The terms "production" or "productivity" are art-recognized and include the concentration of the fermentation product (for example, the desired fine chemical) formed within a given 10 time and a given fermentation volume (e.g., kg product per hour per liter). The term "efficiency of production" includes the time required for a particular level of production to be achieved (for example, how long it takes for the cell to attain a particular rate of output of a fine chemical). The term "yield" or "product/carbon yield" is art-recognized and includes the efficiency of the conversion of the carbon source into the product (i.e., fine chemical). This is generally written as, for example, kg product per kg carbon 15 source. By increasing the yield or production of the compound, the quantity of recovered molecules, or of useful recovered molecules of that compound in a given amount of culture over a given amount of time is increased. The terms "biosynthesis" or a "biosynthetic pathway" are art-recognized and include the synthesis of a compound, preferably an organic compound, by a cell from intermediate compounds in what may be a multistep and highly regulated process. The terms "degradation" or a "degradation pathway" are art-recognized and include the breakdown of a compound, preferably an organic compound, by a cell to degradation products (generally speaking, smaller or less complex molecules) in what may be a multistep and highly regulated process. The language "metabolism" is art-recognized and includes the totality of the biochemical 25 reactions that take place in an organism. The metabolism of a particular compound, then, (e.g., the metabolism of an amino acid such as glycine) comprises the overall biosynthetic, modification, and degradation pathways in the cell related to this compound. The terms "resistance" and "tolerance" are art-known and include the ability of a cell to not be affected by exposure to a chemical or an environment which would otherwise be detrimental to the normal functioning of these organisms. The terms "stress" or "hazard" include factors which are detrimental to the normal functioning of

cells such as *C. glutamicum*. Examples of stresses include "chemical stress", in which a cell is exposed to one or more chemicals which are detrimental to the cell, and "environmental stress" where a cell is exposed to an environmental condition outside of those to which it is adapted. Chemical stresses may be either natural metabolic waste products such as, but not limited to reactive oxygen species or carbon dioxide, or chemicals otherwise present in the environment, including, but not limited to heavy metal ions or bacteriocidal proteins such as antibiotics. Environmental stresses may be, but are not limited to temperatures outside of the normal range, suboptimal oxygen availability, osmotic pressures, or extremes of pH, for example.

10

In another embodiment, the SRT molecules of the invention are capable of modulating the production of a desired molecule, such as a fine chemical, in a microorganism such as C. glutamicum. Using recombinant genetic techniques, one or more of the SRT proteins of the invention may be manipulated such that its function is modulated. The alteration of activity of stress response, resistance or tolerance genes such that the cell is increased in tolerance to one or more stresses may improve the ability of that cell to grow and multiply in the relatively stressful conditions of largescale fermentor culture. For example, by overexpressing or engineering a heat-shock induced chaperone molecule such that it is optimized in activity, one may increase the ability of the bacterium to correctly fold proteins in the face of nonoptimal temperature conditions. By having fewer misfolded (and possibly misregulated or nonfunctional) proteins, the cell is increased in its ability to function normally in such a culture, which should in turn provide increased viability. This overall increase in number of cells having greater viability and activity in the culture should also result in an increase in the yield, production, and/or efficiency of production of one or more desired fine chemicals, due at least to the relatively greater number of cells producing these chemicals in the culture.

The isolated nucleic acid sequences of the invention are contained within the genome of a Corynebacterium glutamicum strain available through the American Type Culture Collection, given designation ATCC 13032. The nucleotide sequence of the isolated C. glutamicum SRT DNAs and the predicted amino acid sequences of the C. glutamicum SRT proteins are shown the Sequence Listing as odd-numbered SEQ ID NOs and even-numbered SEQ ID NOs, respectively...

Computational analyses were performed which classified and/or identified these nucleotide sequences as sequences which encode chemical and environmental stress, resistance, and tolerance proteins.

The present invention also pertains to proteins which have an amino acid sequence which is substantially homologous to an amino acid sequence of the invention (e.g., the sequence of an even-numbered SEQ ID NO of the Sequence Listing). As used herein, a protein which has an amino acid sequence which is substantially homologous to a selected amino acid sequence is least about 50% homologous to the selected amino acid sequence, e.g., the entire selected amino acid sequence. A protein which has an amino acid sequence which is substantially homologous to a selected amino acid sequence can also be least about 50-60%, preferably at least about 60-70%, and more preferably at least about 70-80%, 80-90%, or 90-95%, and most preferably at least about 96%, 97%, 98%, 99% or more homologous to the selected amino acid sequence. Ranges and identity values intermediate to the above-recited values, (e.g., 75%-80% identical, 85-87% identical, 91-92% identical) are also intended to be encompassed by the present invention. For example, ranges of identity values using a combination of any of the above values recited as upper and/or lower limits are intended to be included.

The SRT proteins or biologically active portions or fragments thereof of the invention can confer resistance or tolerance to one or more chemical or environmental stresses, or may have one or more of the activities set forth in Table 1.

Various aspects of the invention are described in further detail in the following subsections:

A. Isolated Nucleic Acid Molecules

5

15

20

25

One aspect of the invention pertains to isolated nucleic acid molecules that encode SRT polypeptides or biologically active portions thereof, as well as nucleic acid fragments sufficient for use as hybridization probes or primers for the identification or amplification of SRT-encoding nucleic acid (e.g., SRT DNA). As used herein, the term "nucleic acid molecule" is intended to include DNA molecules (e.g., cDNA or genomic DNA) and RNA molecules (e.g., mRNA) and analogs of the DNA or RNA generated using nucleotide analogs. This term also encompasses untranslated sequence located at both the 3' and 5' ends of the coding region of the gene: at least about 100 nucleotides

of sequence upstream from the 5' end of the coding region and at least about 20 nucleotides of sequence downstream from the 3'end of the coding region of the gene. The nucleic acid molecule can be single-stranded or double-stranded, but preferably is double-stranded DNA. An "isolated" nucleic acid molecule is one which is separated from other nucleic acid molecules which are present in the natural source of the nucleic acid. Preferably, an "isolated" nucleic acid is free of sequences which naturally flank the nucleic acid (*i.e.*, sequences located at the 5' and 3' ends of the nucleic acid) in the genomic DNA of the organism from which the nucleic acid is derived. For example, in various embodiments, the isolated SRT nucleic acid molecule can contain less than about 5 kb, 4kb, 3kb, 2kb, 1 kb, 0.5 kb or 0.1 kb of nucleotide sequences which naturally flank the nucleic acid molecule in genomic DNA of the cell from which the nucleic acid is derived (*e.g.*, a *C. glutamicum* cell). Moreover, an "isolated" nucleic acid molecule, such as a DNA molecule, can be substantially free of other cellular material, or culture medium when produced by recombinant techniques, or chemical precursors or other chemicals when chemically synthesized.

15

A nucleic acid molecule of the present invention, e.g., a nucleic acid molecule having a nucleotide sequence of an odd-numbered SEQ ID NO of the Sequence Listing, or a portion thereof, can be isolated using standard molecular biology techniques and the sequence information provided herein. For example, a C. glutamicum SRT DNA can be 20 isolated from a C. glutamicum library using all or portion of one of the odd-numbered SEQ ID NO sequences of the Sequence Listing as a hybridization probe and standard hybridization techniques (e.g., as described in Sambrook, J., Fritsh, E. F., and Maniatis, T. Molecular Cloning: A Laboratory Manual. 2nd, ed., Cold Spring Harbor Laboratory, Cold Spring Harbor Laboratory Press, Cold Spring Harbor, NY, 1989). Moreover, a nucleic acid molecule encompassing all or a portion of one of the nucleic acid sequences of the invention (e.g., an odd-numbered SEQ ID NO:) can be isolated by the polymerase chain reaction using oligonucleotide primers designed based upon this sequence (e.g., a nucleic acid molecule encompassing all or a portion of one of the nucleic acid sequences of the invention (e.g., an odd-numbered SEQ ID NO of the Sequence Listing) can be isolated by the polymerase chain reaction using oligonucleotide primers designed based upon this same sequence). For example, mRNA can be isolated from normal endothelial cells (e.g., by the guanidinium-thiocyanate

extraction procedure of Chirgwin et al. (1979) Biochemistry 18: 5294-5299) and DNA can be prepared using reverse transcriptase (e.g., Moloney MLV reverse transcriptase, available from Gibco/BRL, Bethesda, MD; or AMV reverse transcriptase, available from Seikagaku America, Inc., St. Petersburg, FL). Synthetic oligonucleotide primers for polymerase chain reaction amplification can be designed based upon one of the nucleotide sequences shown in the Sequence Listing. A nucleic acid of the invention can be amplified using cDNA or, alternatively, genomic DNA, as a template and appropriate oligonucleotide primers according to standard PCR amplification techniques. The nucleic acid so amplified can be cloned into an appropriate vector and characterized by DNA sequence analysis. Furthermore, oligonucleotides corresponding to an SRT nucleotide sequence can be prepared by standard synthetic techniques, e.g., using an automated DNA synthesizer.

10

In a preferred embodiment, an isolated nucleic acid molecule of the invention comprises one of the nucleotide sequences shown in the Sequence Listing. The nucleic acid sequences of the invention, as set forth in the Sequence Listing, correspond to the Corynebacterium glutamicum SRT DNAs of the invention. This DNA comprises sequences encoding SRT proteins (i.e., the "coding region", indicated in each odd-numbered SEQ ID NO: sequence in the Sequence Listing), as well as 5' untranslated sequences and 3' untranslated sequences, also indicated in each odd-numbered SEQ ID NO: in the Sequence Listing. Alternatively, the nucleic acid molecule can comprise only the coding region of any of the nucleic acid sequences of the Sequence Listing.

For the purposes of this application, it will be understood that each of the nucleic acid and amino acid sequences set forth in the Sequence Listing has an identifying RXA, RXN, or RXS number having the designation "RXA", "RXN", or "RXS" followed by 5 digits (i.e., RXA01524, RXN00493, or RXS01027). Each of the nucleic acid sequences comprises up to three parts: a 5' upstream region, a coding region, and a downstream region. Each of these three regions is identified by the same RXA, RXN, or RXS designation to eliminate confusion. The recitation "one of the odd-numbered sequences of the Sequence Listing", then, refers to any of the nucleic acid sequences in the Sequence Listing, , which may be also be distinguished by their differing RXA, RXN, or RXS designations. The coding region of each of these sequences is translated into a corresponding amino acid sequence, which is also et forth in the Sequence Listing, as an

even-numbered SEQ ID NO: immediately following the corresponding nucleic acid sequence. For example, the coding region for RXA01524 is set forth in SEQ ID NO:1, while the amino acid sequence which it encodes is set forth as SEQ ID NO:2. The sequences of the nucleic acid molecules of the invention are identified by the same

5 RXA, RXN, or RXS designations as the amino acid molecules which they encode, such that they can be readily correlated. For example, the amino acid sequence designated RXA01524 is a translation of the coding region of the nucleotide sequence of nucleic acid molecule RXA01524, the amino acid sequence designated RXN00034 is a translation of the coding region of the nucleotide sequence of nucleic acid molecule RXN00034, and the amino acid sequence in designated RXS00568 is a translation of the coding region of the nucleotide sequence of nucleic acid molecule RXS00568. The correspondence between the RXA, RXN, and RXS nucleotide and amino acid sequences of the invention and their assigned SEQ ID NOs is set forth in Table 1.

Several of the genes of the invention are "F-designated genes". An F-designated gene includes those genes set forth in Table 1 which have an 'F' in front of the RXA, RXN, or RXS designation. For example, SEQ ID NO:7, designated, as indicated on Table 1, as "F RXA00498", is an F-designated gene, as are SEQ ID NOs: 25, 33, and 37 (designated on Table 1 as "F RXA01345", "F RXA02543", and "F RXA02282", respectively).

15

20

In one embodiment, the nucleic acid molecules of the present invention are not intended to include those compiled in Table 2. In the case of the dapD gene, a sequence for this gene was published in Wehrmann, A., et al. (1998) J. Bacteriol. 180(12): 3159-3165. However, the sequence obtained by the inventors of the present application is significantly longer than the published version. It is believed that the published version relied on an incorrect start codon, and thus represents only a fragment of the actual coding region.

In another preferred embodiment, an isolated nucleic acid molecule of the invention comprises a nucleic acid molecule which is a complement of one of the nucleotide sequences of the invention (e.g., a sequence of an odd-numbered SEQ ID NO: of the Sequence Listing, or a portion thereof. A nucleic acid molecule which is complementary to one of the nucleotide sequences of the invention is one which is sufficiently complementary to one of the nucleotide sequences shown in the Sequence

Listing (e.g., the sequence of an odd-numbered SEQ ID NO:) such that it can hybridize to one of the nucleotide sequences of the invention, thereby forming a stable duplex.

In still another preferred embodiment, an isolated nucleic acid molecule of the invention comprises a nucleotide sequence which is at least about 50%, 51%, 52%, 53%, 54%, 55%, 56%, 57%, 58%, 59%, or 60%, preferably at least about 61%, 62%, 63%, 64%, 65%, 66%, 67%, 68%, 69%, or 70%%, more preferably at least about 71%, 72%, 73%, 74%, 75%, 76%, 77%, 78%, 79%, or 80%, 81%, 82%, 83%, 84%, 85%, 86%, 87%, 88%, 89%, or 90%, or 91%, 92%, 93%, 94%, and even more preferably at least about 95%, 96%, 97%, 98%, 99% or more homologous to a nucleotide sequence of the invention (e.g., a sequence of an odd-numbered SEQ ID NO: of the Sequence Listing), or a portion thereof. Ranges and identity values intermediate to the above-recited ranges, (e.g., 70-90% identical or 80-95% identical) are also intended to be encompassed by the present invention. For example, ranges of identity values using a combination of any of the above values recited as upper and/or lower limits are intended to be included. In an additional preferred embodiment, an isolated nucleic acid molecule of the invention comprises a nucleotide sequence which hybridizes, e.g., hybridizes under stringent conditions, to one of the nucleotide sequences of the invention,, or a portion thereof.

10

15

20

25

30

Moreover, the nucleic acid molecule of the invention can comprise only a portion of the coding region of the sequence of one of the odd-numbered SEQ ID NOs of the Sequence Listing for example a fragment which can be used as a probe or primer or a fragment encoding a biologically active portion of an SRT protein. The nucleotide sequences determined from the cloning of the SRT genes from *C. glutamicum* allows for the generation of probes and primers designed for use in identifying and/or cloning SRT homologues in other cell types and organisms, as well as SRT homologues from other *Corynebacteria* or related species. The probe/primer typically comprises substantially purified oligonucleotide. The oligonucleotide typically comprises a region of nucleotide sequence that hybridizes under stringent conditions to at least about 12, preferably about 25, more preferably about 40, 50 or 75 consecutive nucleotides of a sense strand of one of the nucleotide sequences of the invention (*e.g.*, a sequence of one of the odd-numbered SEQ ID NOs of the Sequence Listing),, an anti-sense sequence of one of these sequences, or naturally occurring mutants thereof. Primers based on a nucleotide sequence of the invention can be used in PCR reactions to clone SRT homologues.

Probes based on the SRT nucleotide sequences can be used to detect transcripts or genomic sequences encoding the same or homologous proteins. In preferred embodiments, the probe further comprises a label group attached thereto, e.g. the label group can be a radioisotope, a fluorescent compound, an enzyme, or an enzyme cofactor. Such probes can be used as a part of a diagnostic test kit for identifying cells which misexpress an SRT protein, such as by measuring a level of an SRT-encoding nucleic acid in a sample of cells, e.g., detecting SRT mRNA levels or determining whether a genomic SRT gene has been mutated or deleted.

In one embodiment, the nucleic acid molecule of the invention encodes a protein 10 or portion thereof which includes an amino acid sequence which is sufficiently homologous to an amino acid sequence of the invention (e.g., a sequence of an evennumbered SEQ ID NO of the Sequence Listing) such that the protein or portion thereof maintains the ability to confer resistance or tolerance of C. glutamicum to one or more chemical or environmental stresses. As used herein, the language "sufficiently homologous" refers to proteins or portions thereof which have amino acid sequences 15 which include a minimum number of identical or equivalent (e.g., an amino acid residue which has a similar side chain as an amino acid residue in a sequence of one of the evennumbered SEQ ID NOs of the Sequence Listing) amino acid residues to an amino acid sequence of the invention such that the protein or portion thereof is capable of 20 participating in the resistance of C. glutamicum to one or more chemical or environmental stresses. Protein members of such metabolic pathways, as described herein, function to increase the resistance or tolerance of C. glutamicum to one or more environmental or chemical hazards or stresses. Examples of such activities are also described herein. Thus, "the function of an SRT protein" contributes to the overall resistance of C. glutamicum to elements of its surroundings which may impede its normal growth or functioning, and/or contributes, either directly or indirectly, to the yield, production, and/or efficiency of production of one or more fine chemicals. Examples of SRT protein activities are set forth in Table 1.

In another embodiment, the protein is at least about 50-60%, preferably at least about 60-70%, and more preferably at least about 70-80%, 80-90%, 90-95%, and most preferably at least about 96%, 97%, 98%, 99% or more homologous to an entire amino acid sequence of the invention (e.g., a sequence of an even-numbered SEQ ID NO: of

30

- 29 -

the Sequence Listing). Ranges and identity values intermediate to the above-recited values, (e.g., 75%-80% identical, 85-87% identical, or 91-92% identical) are also intended to be encompassed by the present invention. For example, ranges of identity values using a combination of any of the above values recited as upper and/or lower limits are intended to be included.

Portions of proteins encoded by the SRT nucleic acid molecules of the invention are preferably biologically active portions of one of the SRT proteins. As used herein, the term "biologically active portion of an SRT protein" is intended to include a portion, e.g., a domain/motif, of an SRT protein that is capable of imparting resistance or tolerance to one or more environmental or chemical stresses or hazards, or has an activity as set forth in Table 1. To determine whether an SRT protein or a biologically active portion thereof can increase the resistance or tolerance of C. glutamicum to one or more chemical or environmental stresses or hazards, an assay of enzymatic activity may be performed. Such assay methods are well known to those of ordinary skill in the art, as detailed in Example 8 of the Exemplification.

Additional nucleic acid fragments encoding biologically active portions of an SRT protein can be prepared by isolating a portion of one of the amino acid sequences of the invention (e.g., a sequence of an even-numbered SEQ ID NO: of the Sequence Listing), expressing the encoded portion of the SRT protein or peptide (e.g., by recombinant expression in vitro) and assessing the activity of the encoded portion of the SRT protein or peptide.

20

The invention further encompasses nucleic acid molecules that differ from one of the nucleotide sequences of the invention (e.g., a sequence of an odd-numbered SEQ ID NO: of the Sequence Listing) (and portions thereof) due to degeneracy of the genetic code and thus encode the same SRT protein as that encoded by the nucleotide sequences of the invention. In another embodiment, an isolated nucleic acid molecule of the invention has a nucleotide sequence encoding a protein having an amino acid sequence shown in the Sequence Listing (e.g., an even-numbered SEQ ID NO:).. In a still further embodiment, the nucleic acid molecule of the invention encodes a full length C. glutamicum protein which is substantially homologous to an amino acid sequence of the invention (encoded by an open reading frame shown in an odd-numbered SEQ ID NO: of the Sequence Listing).

It will be understood by one of ordinary skill in the art that in one embodiment the sequences of the invention are not meant to include the sequences of the prior art, such as those Genbank sequences set forth in Tables 2 or 4 which were available prior to the present invention. In one embodiment, the invention includes nucleotide and amino acid sequences having a percent identity to a nucleotide or amino acid sequence of the invention which is greater than that of a sequence of the prior art (e.g., a Genbank sequence (or the protein encoded by such a sequence) set forth in Tables 2 or 4). For example, the invention includes a nucleotide sequence which is greater than and/or at least 39% identical to the nucleotide sequence designated RXA00084 (SEQ ID NO:189), a nucleotide sequence which is greater than and/or at least 56% identical to the nucleotide sequence designated RXA00605 (SEQ ID NO:11), and a nucleotide sequence which is greater than and/or at least 50% identical to the nucleotide sequence designated RXA00886 (SEQ ID NO:39). One of ordinary skill in the art would be able to calculate the lower threshold of percent identity for any given sequence of the invention by examining the GAP-calculated percent identity scores set forth in Table 4 for each of the three top hits for the given sequence, and by subtracting the highest GAP-calculated percent identity from 100 percent. One of ordinary skill in the art will also appreciate that nucleic acid and amino acid sequences having percent identities greater than the lower threshold so calculated (e.g., at least 50%, 51%, 52%, 53%, 54%, 55%, 56%, 57%, 58%, 59%, or 60%, preferably at least about 61%, 62%, 63%, 64%, 65%, 66%, 67%, 68%, 69%, or 70%, more preferably at least about 71%, 72%, 73%, 74%, 75%, 76%, 77%, 78%, 79%, or 80%, 81%, 82%, 83%, 84%, 85%, 86%, 87%, 88%, 89%, or 90%, or 91%, 92%, 93%, 94%, and even more preferably at least about 95%, 96%, 97%, 98%, 99% or more identical) are also encompassed by the invention.

In addition to the *C. glutamicum* SRT nucleotide sequences set forth in the Sequence Listing as odd-numbered SEQ ID NOs, it will be appreciated by one of ordinary skill in the art that DNA sequence polymorphisms that lead to changes in the amino acid sequences of SRT proteins may exist within a population (*e.g.*, the *C. glutamicum* population). Such genetic polymorphism in the SRT gene may exist among individuals within a population due to natural variation. As used herein, the terms "gene" and "recombinant gene" refer to nucleic acid molecules comprising an open reading frame encoding an SRT protein, preferably a *C. glutamicum* SRT protein. Such

25

5

20

25

30

- 31 -

natural variations can typically result in 1-5% variance in the nucleotide sequence of the SRT gene. Any and all such nucleotide variations and resulting amino acid polymorphisms in SRT that are the result of natural variation and that do not alter the functional activity of SRT proteins are intended to be within the scope of the invention.

Nucleic acid molecules corresponding to natural variants and non-C. glutamicum homologues of the C. glutamicum SRT DNA of the invention can be isolated based on their homology to the C. glutamicum SRT nucleic acid disclosed herein using the C. glutamicum DNA, or a portion thereof, as a hybridization probe according to standard hybridization techniques under stringent hybridization conditions. Accordingly, in another embodiment, an isolated nucleic acid molecule of the invention is at least 15 nucleotides in length and hybridizes under stringent conditions to the nucleic acid molecule comprising a nucleotide sequence of an odd-numbered SEQ ID NO: of the Sequence Listing. In other embodiments, the nucleic acid is at least 30, 50, 100, 250 or more nucleotides in length. As used herein, the term "hybridizes under stringent conditions" is intended to describe conditions for hybridization and washing under which nucleotide sequences at least 60% homologous to each other typically remain hybridized to each other. Preferably, the conditions are such that sequences at least about 65%, more preferably at least about 70%, and even more preferably at least about 75% or more homologous to each other typically remain hybridized to each other. Such stringent conditions are known to those of ordinary skill in the art in the art and can be found in Ausubel et al., Current Protocols in Molecular Biology, John Wiley & Sons, N.Y. (1989), 6.3.1-6.3.6. A preferred, non-limiting example of stringent hybridization conditions are hybridization in 6X sodium chloride/sodium citrate (SSC) at about 45°C, followed by one or more washes in 0.2 X SSC, 0.1% SDS at 50-65°C. Preferably, an isolated nucleic acid molecule of the invention that hybridizes under stringent conditions to a nucleotide sequence of the invention corresponds to a naturally-occurring nucleic acid molecule. As used herein, a "naturally-occurring" nucleic acid molecule refers to an RNA or DNA molecule having a nucleotide sequence that occurs in nature (e.g., encodes a natural protein). In one embodiment, the nucleic acid encodes a natural C. glutamicum SRT protein.

In addition to naturally-occurring variants of the SRT sequence that may exist in the population, one of ordinary skill in the art will further appreciate that changes can be

introduced by mutation into a nucleotide sequence of the invention, thereby leading to changes in the amino acid sequence of the encoded SRT protein, without altering the functional ability of the SRT protein. For example, nucleotide substitutions leading to amino acid substitutions at "non-essential" amino acid residues can be made in a nucleotide sequence of the invention. A "non-essential" amino acid residue is a residue that can be altered from the wild-type sequence of one of the SRT proteins (e.g., an even-numbered SEQ ID NO: of the Sequence Listing) without altering the activity of said SRT protein, whereas an "essential" amino acid residue is required for SRT protein activity. Other amino acid residues, however, (e.g., those that are not conserved or only semi-conserved in the domain having SRT activity) may not be essential for activity and thus are likely to be amenable to alteration without altering SRT activity.

10

20

30

Accordingly, another aspect of the invention pertains to nucleic acid molecules encoding SRT proteins that contain changes in amino acid residues that are not essential for SRT activity. Such SRT proteins differ in amino acid sequence from a sequence of an even-numbered SEQ ID NO: of the Sequence Listing yet retain at least one of the SRT activities described herein. In one embodiment, the isolated nucleic acid molecule comprises a nucleotide sequence encoding a protein, wherein the protein comprises an amino acid sequence at least about 50% homologous to an amino acid sequence of the invention and is capable of increasing the resistance or tolerance of C. glutamicum to one or more environmental or chemical stresses, or has one or more of the activities set forth in Table 1. Preferably, the protein encoded by the nucleic acid molecule is at least about 50-60% homologous to the amino acid sequence of one of the odd-numbered SEQ ID NOs of the Sequence Listing, more preferably at least about 60-70% homologous to one of these sequences, even more preferably at least about 70-80%, 80-90%, 90-95% homologous to one of these sequences in, and most preferably at least about 96%, 97%, 98%, or 99% homologous to one of the amino acid sequences of the invention.

To determine the percent homology of two amino acid sequences (e.g., one of the amino acid sequences of the invention and a mutant form thereof) or of two nucleic acids, the sequences are aligned for optimal comparison purposes (e.g., gaps can be introduced in the sequence of one protein or nucleic acid for optimal alignment with the other protein or nucleic acid). The amino acid residues or nucleotides at corresponding amino acid positions or nucleotide positions are then compared. When a position in one

sequence (e.g., one of the amino acid sequences of the invention) is occupied by the same amino acid residue or nucleotide as the corresponding position in the other sequence (e.g., a mutant form of the amino acid sequence), then the molecules are homologous at that position (i.e., as used herein amino acid or nucleic acid "homology" is equivalent to amino acid or nucleic acid "identity"). The percent homology between the two sequences is a function of the number of identical positions shared by the sequences (i.e., % homology = # of identical positions/total # of positions x 100).

10

20

An isolated nucleic acid molecule encoding an SRT protein homologous to a protein sequence of the invention (e.g., a sequence of an even-numbered SEQ ID NO: of the Sequence Listing)can be created by introducing one or more nucleotide substitutions, additions or deletions into a nucleotide sequence of the invention such that one or more amino acid substitutions, additions or deletions are introduced into the encoded protein. Mutations can be introduced into one of the nucleotide sequences of the invention by standard techniques, such as site-directed mutagenesis and PCRmediated mutagenesis. Preferably, conservative amino acid substitutions are made at one or more predicted non-essential amino acid residues. A "conservative amino acid substitution" is one in which the amino acid residue is replaced with an amino acid residue having a similar side chain. Families of amino acid residues having similar side chains have been defined in the art. These families include amino acids with basic side chains (e.g., lysine, arginine, histidine), acidic side chains (e.g., aspartic acid, glutamic acid), uncharged polar side chains (e.g., glycine, asparagine, glutamine, serine, threonine, tyrosine, cysteine), nonpolar side chains (e.g., alanine, valine, leucine, isoleucine, proline, phenylalanine, methionine, tryptophan), beta-branched side chains (e.g., threonine, valine, isoleucine) and aromatic side chains (e.g., tyrosine, phenylalanine, tryptophan, histidine). Thus, a predicted nonessential amino acid residue in an SRT protein is preferably replaced with another amino acid residue from the same side chain family. Alternatively, in another embodiment, mutations can be introduced randomly along all or part of an SRT coding sequence, such as by saturation mutagenesis, and the resultant mutants can be screened for an SRT activity described herein to identify mutants that retain SRT activity. Following mutagenesis of one the nucleotide sequence of one of the odd-numbered SEQ ID NOs of the Sequence Listing, the encoded protein can be expressed recombinantly and the activity of the protein can

be determined using, for example, assays described herein (see Example 8 of the Exemplification).

In addition to the nucleic acid molecules encoding SRT proteins described above, another aspect of the invention pertains to isolated nucleic acid molecules which are antisense thereto. An "antisense" nucleic acid comprises a nucleotide sequence which is complementary to a "sense" nucleic acid encoding a protein, e.g., complementary to the coding strand of a double-stranded DNA molecule or complementary to an mRNA sequence. Accordingly, an antisense nucleic acid can hydrogen bond to a sense nucleic acid. The antisense nucleic acid can be complementary to an entire SRT coding strand, or to only a portion thereof. In one embodiment, an antisense nucleic acid molecule is antisense to a "coding region" of the coding strand of a nucleotide sequence encoding an SRT protein. The term "coding region" refers to the region of the nucleotide sequence comprising codons which are translated into amino acid residues (e.g., the entire coding region of SEQ ID NO.: 120 (RXA00600) comprises nucleotides 1 to 1098). In another embodiment, the antisense nucleic acid molecule is antisense to a "noncoding region" of the coding strand of a nucleotide sequence encoding SRT. The term "noncoding region" refers to 5' and 3' sequences which flank the coding region that are not translated into amino acids (i.e., also referred to as 5' and 3' untranslated regions).

Given the coding strand sequences encoding SRT disclosed herein (e.g., the sequences set forth as odd-numbered SEQ ID NOs in the Sequence Listing), antisense nucleic acids of the invention can be designed according to the rules of Watson and Crick base pairing. The antisense nucleic acid molecule can be complementary to the entire coding region of SRT mRNA, but more preferably is an oligonucleotide which is antisense to only a portion of the coding or noncoding region of SRT mRNA. For example, the antisense oligonucleotide can be complementary to the region surrounding the translation start site of SRT mRNA. An antisense oligonucleotide can be, for example, about 5, 10, 15, 20, 25, 30, 35, 40, 45 or 50 nucleotides in length. An antisense nucleic acid of the invention can be constructed using chemical synthesis and enzymatic ligation reactions using procedures known in the art. For example, an antisense nucleic acid (e.g., an antisense oligonucleotide) can be chemically synthesized using naturally occurring nucleotides or variously modified nucleotides designed to

20

- 35 -

increase the biological stability of the molecules or to increase the physical stability of the duplex formed between the antisense and sense nucleic acids, e.g., phosphorothioate derivatives and acridine substituted nucleotides can be used. Examples of modified nucleotides which can be used to generate the antisense nucleic acid include 5-

fluorouracil, 5-bromouracil, 5-chlorouracil, 5-iodouracil, hypoxanthine, xanthine, 4acetylcytosine, 5-(carboxyhydroxylmethyl) uracil, 5-carboxymethylaminomethyl-2thiouridine, 5-carboxymethylaminomethyluracil, dihydrouracil, beta-Dgalactosylqueosine, inosine, N6-isopentenyladenine, 1-methylguanine, 1-methylinosine,
2,2-dimethylguanine, 2-methyladenine, 2-methylguanine, 3-methylcytosine, 5methylcytosine, N6-adenine, 7-methylguanine, 5-methylaminomethyluracil, 5methoxyaminomethyl-2-thiouracil, beta-D-mannosylqueosine, 5'methoxycarboxymethyluracil, 5-methoxyuracil, 2-methylthio-N6-isopentenyladenine,
uracil-5-oxyacetic acid (v), wybutoxosine, pseudouracil, queosine, 2-thiocytosine, 5methyl-2-thiouracil, 2-thiouracil, 4-thiouracil, 5-methyluracil, uracil-5- oxyacetic acid
methylester, uracil-5-oxyacetic acid (v), 5-methyl-2-thiouracil, 3-(3-amino-3-N-2carboxypropyl) uracil, (acp3)w, and 2,6-diaminopurine. Alternatively, the antisense

nucleic acid has been subcloned in an antisense orientation (i.e., RNA transcribed from the inserted nucleic acid will be of an antisense orientation to a target nucleic acid of interest, described further in the following subsection).

20

30

nucleic acid can be produced biologically using an expression vector into which a

The antisense nucleic acid molecules of the invention are typically administered to a cell or generated *in situ* such that they hybridize with or bind to cellular mRNA and/or genomic DNA encoding an SRT protein to thereby inhibit expression of the protein, *e.g.*, by inhibiting transcription and/or translation. The hybridization can be by conventional nucleotide complementarity to form a stable duplex, or, for example, in the case of an antisense nucleic acid molecule which binds to DNA duplexes, through specific interactions in the major groove of the double helix. The antisense molecule can be modified such that it specifically binds to a receptor or an antigen expressed on a selected cell surface, *e.g.*, by linking the antisense nucleic acid molecule to a peptide or an antibody which binds to a cell surface receptor or antigen. The antisense nucleic acid molecule can also be delivered to cells using the vectors described herein. To achieve sufficient intracellular concentrations of the antisense molecules, vector constructs in

which the antisense nucleic acid molecule is placed under the control of a strong prokaryotic, viral, or eukaryotic promoter are preferred.

In yet another embodiment, the antisense nucleic acid molecule of the invention is an α-anomeric nucleic acid molecule. An α-anomeric nucleic acid molecule forms specific double-stranded hybrids with complementary RNA in which, contrary to the usual β-units, the strands run parallel to each other (Gaultier *et al.* (1987) *Nucleic Acids*. *Res.* 15:6625-6641). The antisense nucleic acid molecule can also comprise a 2'-o-methylribonucleotide (Inoue *et al.* (1987) *Nucleic Acids Res.* 15:6131-6148) or a chimeric RNA-DNA analogue (Inoue *et al.* (1987) *FEBS Lett.* 215:327-330).

10

20

25

30

In still another embodiment, an antisense nucleic acid of the invention is a ribozyme. Ribozymes are catalytic RNA molecules with ribonuclease activity which are capable of cleaving a single-stranded nucleic acid, such as an mRNA, to which they have a complementary region. Thus, ribozymes (e.g., hammerhead ribozymes (described in Haselhoff and Gerlach (1988) Nature 334:585-591)) can be used to catalytically cleave SRT mRNA transcripts to thereby inhibit translation of SRT mRNA. A ribozyme having specificity for an SRT-encoding nucleic acid can be designed based upon the nucleotide sequence of an SRT cDNA disclosed herein (i.e., SEQ ID NO:119 (RXA00600)). For example, a derivative of a Tetrahymena L-19 IVS RNA can be constructed in which the nucleotide sequence of the active site is complementary to the nucleotide sequence to be cleaved in an SRT-encoding mRNA. See, e.g., Cech et al. U.S. Patent No. 4,987,071 and Cech et al. U.S. Patent No. 5,116,742. Alternatively, SRT mRNA can be used to select a catalytic RNA having a specific ribonuclease activity from a pool of RNA molecules. See, e.g., Bartel, D. and Szostak, J.W. (1993) Science 261:1411-1418.

Alternatively, SRT gene expression can be inhibited by targeting nucleotide sequences complementary to the regulatory region of an SRT nucleotide sequence (e.g., an SRT promoter and/or enhancers) to form triple helical structures that prevent transcription of an SRT gene in target cells. See generally, Helene, C. (1991)

Anticancer Drug Des. 6(6):569-84; Helene, C. et al. (1992) Ann. N.Y. Acad. Sci. 660:27-36; and Maher, L.J. (1992) Bioassays 14(12):807-15.

- 37 -

B. Recombinant Expression Vectors and Host Cells

20

Another aspect of the invention pertains to vectors, preferably expression vectors, containing a nucleic acid encoding an SRT protein (or a portion thereof). As used herein, the term "vector" refers to a nucleic acid molecule capable of transporting another nucleic acid to which it has been linked. One type of vector is a "plasmid", which refers to a circular double stranded DNA loop into which additional DNA segments can be ligated. Another type of vector is a viral vector, wherein additional DNA segments can be ligated into the viral genome. Certain vectors are capable of autonomous replication in a host cell into which they are introduced (e.g., bacterial vectors having a bacterial origin of replication and episomal mammalian vectors). Other vectors (e.g., non-episomal mammalian vectors) are integrated into the genome of a host cell upon introduction into the host cell, and thereby are replicated along with the host genome. Moreover, certain vectors are capable of directing the expression of genes to which they are operatively linked. Such vectors are referred to herein as "expression vectors". In general, expression vectors of utility in recombinant DNA techniques are often in the form of plasmids. In the present specification, "plasmid" and "vector" can be used interchangeably as the plasmid is the most commonly used form of vector. However, the invention is intended to include such other forms of expression vectors, such as viral vectors (e.g., replication defective retroviruses, adenoviruses and adenoassociated viruses), which serve equivalent functions.

The recombinant expression vectors of the invention comprise a nucleic acid of the invention in a form suitable for expression of the nucleic acid in a host cell, which means that the recombinant expression vectors include one or more regulatory sequences, selected on the basis of the host cells to be used for expression, which is operatively linked to the nucleic acid sequence to be expressed. Within a recombinant expression vector, "operably linked" is intended to mean that the nucleotide sequence of interest is linked to the regulatory sequence(s) in a manner which allows for expression of the nucleotide sequence (e.g., in an in vitro transcription/translation system or in a host cell when the vector is introduced into the host cell). The term "regulatory sequence" is intended to include promoters, enhancers and other expression control elements (e.g., polyadenylation signals). Such regulatory sequences are described, for example, in Goeddel; Gene Expression Technology: Methods in Enzymology 185,

Academic Press, San Diego, CA (1990). Regulatory sequences include those which direct constitutive expression of a nucleotide sequence in many types of host cell and those which direct expression of the nucleotide sequence only in certain host cells. Preferred regulatory sequences are, for example, promoters such as cos-, tac-, trp-, tet-, 5 trp-tet-, lpp-, lac-, lpp-lac-, lacI^q-, T7-, T5-, T3-, gal-, trc-, ara-, SP6-, arny, SPO2, λ-P_Ror λ P_L, which are used preferably in bacteria. Additional regulatory sequences are, for example, promoters from yeasts and fungi, such as ADC1, MFα, AC, P-60, CYC1, GAPDH, TEF, rp28, ADH, promoters from plants such as CaMV/35S, SSU, OCS, lib4. usp, STLS1, B33, nos or ubiquitin- or phaseolin-promoters. It is also possible to use artificial promoters. It will be appreciated by one of ordinary skill in the art that the design of the expression vector can depend on such factors as the choice of the host cell to be transformed, the level of expression of protein desired, etc. The expression vectors of the invention can be introduced into host cells to thereby produce proteins or peptides, including fusion proteins or peptides, encoded by nucleic acids as described herein (e.g., SRT proteins, mutant forms of SRT proteins, fusion proteins, etc.).

15

The recombinant expression vectors of the invention can be designed for expression of SRT proteins in prokaryotic or eukaryotic cells. For example, SRT genes can be expressed in bacterial cells such as C. glutamicum, insect cells (using baculovirus expression vectors), yeast and other fungal cells (see Romanos, M.A. et al. (1992) "Foreign gene expression in yeast: a review", Yeast 8: 423-488; van den Hondel, C.A.M.J.J. et al. (1991) "Heterologous gene expression in filamentous fungi" in: More Gene Manipulations in Fungi, J.W. Bennet & L.L. Lasure, eds., p. 396-428: Academic Press: San Diego; and van den Hondel, C.A.M.J.J. & Punt, P.J. (1991) "Gene transfer systems and vector development for filamentous fungi, in: Applied Molecular Genetics of Fungi, Peberdy, J.F. et al., eds., p. 1-28, Cambridge University Press: Cambridge), algae and multicellular plant cells (see Schmidt, R. and Willmitzer, L. (1988) High efficiency Agrobacterium tumefaciens - mediated transformation of Arabidopsis thaliana leaf and cotyledon explants" Plant Cell Rep.: 583-586), or mammalian cells. Suitable host cells are discussed further in Goeddel, Gene Expression Technology: 30 Methods in Enzymology 185, Academic Press, San Diego, CA (1990). Alternatively, the recombinant expression vector can be transcribed and translated in vitro, for example using T7 promoter regulatory sequences and T7 polymerase.

- 39 -

Expression of proteins in prokaryotes is most often carried out with vectors containing constitutive or inducible promoters directing the expression of either fusion or non-fusion proteins. Fusion vectors add a number of amino acids to a protein encoded therein, usually to the amino terminus of the recombinant protein. Such fusion vectors typically serve three purposes: 1) to increase expression of recombinant protein; 2) to increase the solubility of the recombinant protein; and 3) to aid in the purification of the recombinant protein by acting as a ligand in affinity purification. Often, in fusion expression vectors, a proteolytic cleavage site is introduced at the junction of the fusion moiety and the recombinant protein to enable separation of the recombinant protein from the fusion moiety subsequent to purification of the fusion protein. Such enzymes, and their cognate recognition sequences, include Factor Xa, thrombin and enterokinase.

Typical fusion expression vectors include pGEX (Pharmacia Biotech Inc; Smith, D.B. and Johnson, K.S. (1988) *Gene* 67:31-40), pMAL (New England Biolabs, Beverly, MA) and pRIT5 (Pharmacia, Piscataway, NJ) which fuse glutathione S-transferase (GST), maltose E binding protein, or protein A, respectively, to the target recombinant protein. In one embodiment, the coding sequence of the SRT protein is cloned into a pGEX expression vector to create a vector encoding a fusion protein comprising, from the N-terminus to the C-terminus, GST-thrombin cleavage site-X protein. The fusion protein can be purified by affinity chromatography using glutathione-agarose resin. Recombinant SRT protein unfused to GST can be recovered by cleavage of the fusion protein with thrombin.

15

20

Examples of suitable inducible non-fusion *E. coli* expression vectors include pTrc (Amann *et al.*, (1988) *Gene* 69:301-315) pLG338, pACYC184, pBR322, pUC18, pUC19, pKC30, pRep4, pHS1, pHS2, pPLc236, pMBL24, pLG200, pUR290, pIN-III113-B1, λgt11, pBdCl, and pET 11d (Studier *et al.*, *Gene Expression Technology: Methods in Enzymology* 185, Academic Press, San Diego, California (1990) 60-89; and Pouwels *et al.*, eds. (1985) Cloning Vectors. Elsevier: New York IBSN 0 444 904018). Target gene expression from the pTrc vector relies on host RNA polymerase transcription from a hybrid trp-lac fusion promoter. Target gene expression from the pET 11d vector relies on transcription from a T7 gn10-lac fusion promoter mediated by a coexpressed viral RNA polymerase (T7 gn1). This viral polymerase is supplied by host strains BL21(DE3) or HMS174(DE3) from a resident λ prophage harboring a T7

gn1 gene under the transcriptional control of the lacUV 5 promoter. For transformation of other varieties of bacteria, appropriate vectors may be selected. For example, the plasmids pIJ101, pIJ364, pIJ702 and pIJ361 are known to be useful in transforming Streptomyces, while plasmids pUB110, pC194, or pBD214 are suited for transformation of Bacillus species. Several plasmids of use in the transfer of genetic information into Corynebacterium include pHM1519, pBL1, pSA77, or pAJ667 (Pouwels *et al.*, eds. (1985) Cloning Vectors. Elsevier: New York IBSN 0 444 904018).

One strategy to maximize recombinant protein expression is to express the protein in a host bacteria with an impaired capacity to proteolytically cleave the recombinant protein (Gottesman, S., Gene Expression Technology: Methods in Enzymology 185, Academic Press, San Diego, California (1990) 119-128). Another strategy is to alter the nucleic acid sequence of the nucleic acid to be inserted into an expression vector so that the individual codons for each amino acid are those preferentially utilized in the bacterium chosen for expression, such as C. glutamicum (Wada et al. (1992) Nucleic Acids Res. 20:2111-2118). Such alteration of nucleic acid sequences of the invention can be carried out by standard DNA synthesis techniques.

10

15

30

In another embodiment, the SRT protein expression vector is a yeast expression vector. Examples of vectors for expression in yeast *S. cerevisiae* include pYepSec1 (Baldari, *et al.*, (1987) *Embo J.* 6:229-234), 2 μ, pAG-1, Yep6, Yep13, pEMBLYe23, pMFa (Kurjan and Herskowitz, (1982) *Cell* 30:933-943), pJRY88 (Schultz *et al.*, (1987) *Gene* 54:113-123), and pYES2 (Invitrogen Corporation, San Diego, CA). Vectors and methods for the construction of vectors appropriate for use in other fungi, such as the filamentous fungi, include those detailed in: van den Hondel, C.A.M.J.J. & Punt, P.J. (1991) "Gene transfer systems and vector development for filamentous fungi, in:

25 Applied Molecular Genetics of Fungi, J.F. Peberdy, *et al.*, eds., p. 1-28, Cambridge University Press: Cambridge, and Pouwels *et al.*, eds. (1985) Cloning Vectors. Elsevier: New York (IBSN 0 444 904018).

Alternatively, the SRT proteins of the invention can be expressed in insect cells using baculovirus expression vectors. Baculovirus vectors available for expression of proteins in cultured insect cells (e.g., Sf 9 cells) include the pAc series (Smith et al. (1983) Mol. Cell Biol. 3:2156-2165) and the pVL series (Lucklow and Summers (1989) Virology 170:31-39).

In another embodiment, the SRT proteins of the invention may be expressed in unicellular plant cells (such as algae) or in plant cells from higher plants (e.g., the spermatophytes, such as crop plants). Examples of plant expression vectors include those detailed in: Becker, D., Kemper, E., Schell, J. and Masterson, R. (1992) "New plant binary vectors with selectable markers located proximal to the left border", *Plant Mol. Biol.* 20: 1195-1197; and Bevan, M.W. (1984) "Binary *Agrobacterium* vectors for plant transformation", *Nucl. Acid. Res.* 12: 8711-8721, and include pLGV23, pGHlac+, pBlN19, pAK2004, and pDH51 (Pouwels et al., eds. (1985) Cloning Vectors. Elsevier: New York IBSN 0 444 904018).

In yet another embodiment, a nucleic acid of the invention is expressed in mammalian cells using a mammalian expression vector. Examples of mammalian expression vectors include pCDM8 (Seed, B. (1987) *Nature* 329:840) and pMT2PC (Kaufman *et al.* (1987) *EMBO J.* 6:187-195). When used in mammalian cells, the expression vector's control functions are often provided by viral regulatory elements.

For example, commonly used promoters are derived from polyoma, Adenovirus 2, cytomegalovirus and Simian Virus 40. For other suitable expression systems for both prokaryotic and eukaryotic cells see chapters 16 and 17 of Sambrook, J., Fritsh, E. F., and Maniatis, T. *Molecular Cloning: A Laboratory Manual. 2nd, ed., Cold Spring Harbor Laboratory*, Cold Spring Harbor Laboratory Press, Cold Spring Harbor, NY, 1989.

In another embodiment, the recombinant mammalian expression vector is capable of directing expression of the nucleic acid preferentially in a particular cell type (e.g., tissue-specific regulatory elements are used to express the nucleic acid). Tissue-specific regulatory elements are known in the art. Non-limiting examples of suitable tissue-specific promoters include the albumin promoter (liver-specific; Pinkert et al. (1987) Genes Dev. 1:268-277), lymphoid-specific promoters (Calame and Eaton (1988) Adv. Immunol. 43:235-275), in particular promoters of T cell receptors (Winoto and Baltimore (1989) EMBO J. 8:729-733) and immunoglobulins (Banerji et al. (1983) Cell 33:729-740; Queen and Baltimore (1983) Cell 33:741-748), neuron-specific promoters (e.g., the neurofilament promoter; Byrne and Ruddle (1989) PNAS 86:5473-5477), pancreas-specific promoters (Edlund et al. (1985) Science 230:912-916), and mammary gland-specific promoters (e.g., milk whey promoter; U.S. Patent No. 4,873,316 and

25

5

20

30

European Application Publication No. 264,166). Developmentally-regulated promoters are also encompassed, for example the murine hox promoters (Kessel and Gruss (1990) Science 249:374-379) and the α -fetoprotein promoter (Campes and Tilghman (1989) Genes Dev. 3:537-546).

The invention further provides a recombinant expression vector comprising a DNA molecule of the invention cloned into the expression vector in an antisense orientation. That is, the DNA molecule is operatively linked to a regulatory sequence in a manner which allows for expression (by transcription of the DNA molecule) of an RNA molecule which is antisense to SRT mRNA. Regulatory sequences operatively linked to a nucleic acid cloned in the antisense orientation can be chosen which direct the continuous expression of the antisense RNA molecule in a variety of cell types, for instance viral promoters and/or enhancers, or regulatory sequences can be chosen which direct constitutive, tissue specific or cell type specific expression of antisense RNA. The antisense expression vector can be in the form of a recombinant plasmid, phagemid or attenuated virus in which antisense nucleic acids are produced under the control of a high efficiency regulatory region, the activity of which can be determined by the cell type into which the vector is introduced. For a discussion of the regulation of gene expression using antisense genes see Weintraub, H. et al., Antisense RNA as a molecular tool for genetic analysis, Reviews - Trends in Genetics, Vol. 1(1) 1986.

Another aspect of the invention pertains to host cells into which a recombinant expression vector of the invention has been introduced. The terms "host cell" and "recombinant host cell" are used interchangeably herein. It is understood that such terms refer not only to the particular subject cell but to the progeny or potential progeny of such a cell. Because certain modifications may occur in succeeding generations due to either mutation or environmental influences, such progeny may not, in fact, be identical to the parent cell, but are still included within the scope of the term as used herein.

A host cell can be any prokaryotic or eukaryotic cell. For example, an SRT protein can be expressed in bacterial cells such as *C. glutamicum*, insect cells, yeast or mammalian cells (such as Chinese hamster ovary cells (CHO) or COS cells). Other suitable host cells are known to those of ordinary skill in the art. Microorganisms related

to Corynebacterium glutamicum which may be conveniently used as host cells for the nucleic acid and protein molecules of the invention are set forth in Table 3.

Vector DNA can be introduced into prokaryotic or eukaryotic cells via conventional transformation or transfection techniques. As used herein, the terms "transformation" and "transfection" are intended to refer to a variety of art-recognized techniques for introducing foreign nucleic acid (e.g., linear DNA or RNA (e.g., a linearized vector or a gene construct alone without a vector) or nucleic acid in the form of a vector (e.g., a plasmid, phage, phasmid, phagemid, transposon or other DNA)) into a host cell, including calcium phosphate or calcium chloride co-precipitation, DEAE-dextran-mediated transfection, lipofection, or electroporation. Suitable methods for transforming or transfecting host cells can be found in Sambrook, et al. (Molecular Cloning: A Laboratory Manual. 2nd, ed., Cold Spring Harbor Laboratory, Cold Spring Harbor Laboratory Press, Cold Spring Harbor, NY, 1989), and other laboratory manuals.

10

15

For stable transfection of mammalian cells, it is known that, depending upon the expression vector and transfection technique used, only a small fraction of cells may integrate the foreign DNA into their genome. In order to identify and select these integrants, a gene that encodes a selectable marker (e.g., resistance to antibiotics) is generally introduced into the host cells along with the gene of interest. Preferred selectable markers include those which confer resistance to drugs, such as G418, hygromycin and methotrexate. Nucleic acid encoding a selectable marker can be introduced into a host cell on the same vector as that encoding an SRT protein or can be introduced on a separate vector. Cells stably transfected with the introduced nucleic acid can be identified by drug selection (e.g., cells that have incorporated the selectable marker gene will survive, while the other cells die).

To create a homologous recombinant microorganism, a vector is prepared which contains at least a portion of an SRT gene into which a deletion, addition or substitution has been introduced to thereby alter, e.g., functionally disrupt, the SRT gene.

Preferably, this SRT gene is a Corynebacterium glutamicum SRT gene, but it can be a homologue from a related bacterium or even from a mammalian, yeast, or insect source.

In a preferred embodiment, the vector is designed such that, upon homologous recombination, the endogenous SRT gene is functionally disrupted (i.e., no longer encodes a functional protein; also referred to as a "knock out" vector). Alternatively,

- 44 -

the vector can be designed such that, upon homologous recombination, the endogenous SRT gene is mutated or otherwise altered but still encodes functional protein (e.g., the upstream regulatory region can be altered to thereby alter the expression of the endogenous SRT protein). In the homologous recombination vector, the altered portion of the SRT gene is flanked at its 5' and 3' ends by additional nucleic acid of the SRT gene to allow for homologous recombination to occur between the exogenous SRT gene carried by the vector and an endogenous SRT gene in a microorganism. The additional flanking SRT nucleic acid is of sufficient length for successful homologous recombination with the endogenous gene. Typically, several kilobases of flanking DNA (both at the 5' and 3' ends) are included in the vector (see e.g., Thomas, K.R., and Capecchi, M.R. (1987) Cell 51: 503 for a description of homologous recombination vectors). The vector is introduced into a microorganism (e.g., by electroporation) and cells in which the introduced SRT gene has homologously recombined with the endogenous SRT gene are selected, using art-known techniques.

In another embodiment, recombinant microorganisms can be produced which contain selected systems which allow for regulated expression of the introduced gene. For example, inclusion of an SRT gene on a vector placing it under control of the lac operon permits expression of the SRT gene only in the presence of IPTG. Such regulatory systems are well known in the art.

15

20

In another embodiment, an endogenous SRT gene in a host cell is disrupted (e.g., by homologous recombination or other genetic means known in the art) such that expression of its protein product does not occur. In another embodiment, an endogenous or introduced SRT gene in a host cell has been altered by one or more point mutations, deletions, or inversions, but still encodes a functional SRT protein. In still another embodiment, one or more of the regulatory regions (e.g., a promoter, repressor, or inducer) of an SRT gene in a microorganism has been altered (e.g., by deletion, truncation, inversion, or point mutation) such that the expression of the SRT gene is modulated. One of ordinary skill in the art will appreciate that host cells containing more than one of the described SRT gene and protein modifications may be readily produced using the methods of the invention, and are meant to be included in the present invention.

A host cell of the invention, such as a prokaryotic or eukaryotic host cell in culture, can be used to produce (i.e., express) an SRT protein. Accordingly, the invention further provides methods for producing SRT proteins using the host cells of the invention. In one embodiment, the method comprises culturing the host cell of invention (into which a recombinant expression vector encoding an SRT protein has been introduced, or into which genome has been introduced a gene encoding a wild-type or altered SRT protein) in a suitable medium until SRT protein is produced. In another embodiment, the method further comprises isolating SRT proteins from the medium or the host cell.

10

20

C. Isolated SRT Proteins

Another aspect of the invention pertains to isolated SRT proteins, and biologically active portions thereof. An "isolated" or "purified" protein or biologically active portion thereof is substantially free of cellular material when produced by recombinant DNA techniques, or chemical precursors or other chemicals when chemically synthesized. The language "substantially free of cellular material" includes preparations of SRT protein in which the protein is separated from cellular components of the cells in which it is naturally or recombinantly produced. In one embodiment, the language "substantially free of cellular material" includes preparations of SRT protein having less than about 30% (by dry weight) of non-SRT protein (also referred to herein as a "contaminating protein"), more preferably less than about 20% of non-SRT protein, still more preferably less than about 10% of non-SRT protein, and most preferably less than about 5% non-SRT protein. When the SRT protein or biologically active portion thereof is recombinantly produced, it is also preferably substantially free of culture medium, i.e., culture medium represents less than about 20%, more preferably less than about 10%, and most preferably less than about 5% of the volume of the protein preparation. The language "substantially free of chemical precursors or other chemicals" includes preparations of SRT protein in which the protein is separated from chemical precursors or other chemicals which are involved in the synthesis of the protein. In one embodiment, the language "substantially free of chemical precursors or other chemicals" includes preparations of SRT protein having less than about 30% (by dry weight) of chemical precursors or non-SRT chemicals, more preferably less than

10

15

20

25

30

- 46 -

about 20% chemical precursors or non-SRT chemicals, still more preferably less than about 10% chemical precursors or non-SRT chemicals, and most preferably less than about 5% chemical precursors or non-SRT chemicals. In preferred embodiments, isolated proteins or biologically active portions thereof lack contaminating proteins from the same organism from which the SRT protein is derived. Typically, such proteins are produced by recombinant expression of, for example, a *C. glutamicum* SRT protein in a microorganism such as *C. glutamicum*.

An isolated SRT protein or a portion thereof of the invention can contribute to the resistance or tolerance of C. glutamicum to one or more chemical or environmental stresses or hazards, or has one or more of the activities set forth in Table 1. In preferred embodiments, the protein or portion thereof comprises an amino acid sequence which is sufficiently homologous to an amino acid sequence of the invention (e.g., a sequence of an even-numbered SEQ ID NO: of the Sequence Listing) such that the protein or portion thereof maintains the ability to mediate the resistance or tolerance of C. glutamicum to one or more chemical or environmental stresses or hazards. The portion of the protein is preferably a biologically active portion as described herein. In another preferred embodiment, an SRT protein of the invention has an amino acid sequence set forth as an even-numbered SEQ ID NO: of the Sequence Listing. In yet another preferred embodiment, the SRT protein has an amino acid sequence which is encoded by a nucleotide sequence which hybridizes, e.g., hybridizes under stringent conditions, to a nucleotide sequence of the invention (e.g., a sequence of an odd-numbered SEQ ID NO: of the Sequence Listing). In still another preferred embodiment, the SRT protein has an amino acid sequence which is encoded by a nucleotide sequence that is at least about 50%, 51%, 52%, 53%, 54%, 55%, 56%, 57%, 58%, 59%, or 60%, preferably at least about 61%, 62%, 63%, 64%, 65%, 66%, 67%, 68%, 69%, or 70%, more preferably at least about 71%, 72%, 73%, 74%, 75%, 76%, 77%, 78%, 79%, or 80%, 81%, 82%, 83%, 84%, 85%, 86%, 87%, 88%, 89%, or 90%, or 91%, 92%, 93%, 94%, and even more preferably at least about 95%, 96%, 97%, 98%, 99% or more homologous to one of the nucleic acid sequences of the invention, or a portion thereof. Ranges and identity values intermediate to the above-recited values, (e.g., 70-90% identical or 80-95% identical) are also intended to be encompassed by the present invention. For example, ranges of identity values using a combination of any of the above values recited as upper

and/or lower limits are intended to be included. The preferred SRT proteins of the present invention also preferably possess at least one of the SRT activities described herein. For example, a preferred SRT protein of the present invention includes an amino acid sequence encoded by a nucleotide sequence which hybridizes, e.g., hybridizes under stringent conditions, to a nucleotide sequence of the invention, and which can increase the resistance or tolerance of C. glutamicum to one or more environmental or chemical stresses, or which has one or more of the activities set forth in Table 1.

In other embodiments, the SRT protein is substantially homologous to an amino acid sequence of the invention (e.g., a sequence of an even-numbered SEQ ID NO: of the Sequence Listing) and retains the functional activity of the protein of one of the amino acid sequences of the invention yet differs in amino acid sequence due to natural variation or mutagenesis, as described in detail in subsection I above. Accordingly, in another embodiment, the SRT protein is a protein which comprises an amino acid sequence which is at least about 50%, 51%, 52%, 53%, 54%, 55%, 56%, 57%, 58%, 59%, or 60%, preferably at least about 61%, 62%, 63%, 64%, 65%, 66%, 67%, 68%, 69%, or 70%, more preferably at least about 71%, 72%, 73%, 74%, 75%, 76%, 77%, 78%, 79%, or 80%, 81%, 82%, 83%, 84%, 85%, 86%, 87%, 88%, 89%, or 90%, or 91%, 92%, 93%, 94%, and even more preferably at least about 95%, 96%, 97%, 98%, 99% or more homologous to an entire amino acid sequence of the invention and which has at least one of the SRT activities described herein. Ranges and identity values intermediate to the above-recited values, (e.g., 70-90% identical or 80-95% identical) are also intended to be encompassed by the present invention. For example, ranges of identity values using a combination of any of the above values recited as upper and/or lower limits are intended to be included. In another embodiment, the invention pertains to a full length C. glutamicum protein which is substantially homologous to an entire amino acid sequence of the invention.

15

20

30

Biologically active portions of an SRT protein include peptides comprising amino acid sequences derived from the amino acid sequence of an SRT protein, e.g., an amino acid sequence of an even-numbered SEQ ID NO: of the Sequence Listing or the amino acid sequence of a protein homologous to an SRT protein, which include fewer amino acids than a full length SRT protein or the full length protein which is homologous to an SRT protein, and exhibit at least one activity of an SRT protein.

- 48 -

Typically, biologically active portions (peptides, e.g., peptides which are, for example, 5, 10, 15, 20, 30, 35, 36, 37, 38, 39, 40, 50, 100 or more amino acids in length) comprise a domain or motif with at least one activity of an SRT protein. Moreover, other biologically active portions, in which other regions of the protein are deleted, can be prepared by recombinant techniques and evaluated for one or more of the activities described herein. Preferably, the biologically active portions of an SRT protein include one or more selected domains/motifs or portions thereof having biological activity.

SRT proteins are preferably produced by recombinant DNA techniques. For example, a nucleic acid molecule encoding the protein is cloned into an expression vector (as described above), the expression vector is introduced into a host cell (as described above) and the SRT protein is expressed in the host cell. The SRT protein can then be isolated from the cells by an appropriate purification scheme using standard protein purification techniques. Alternative to recombinant expression, an SRT protein, polypeptide, or peptide can be synthesized chemically using standard peptide synthesis techniques. Moreover, native SRT protein can be isolated from cells (e.g., endothelial cells), for example using an anti-SRT antibody, which can be produced by standard techniques utilizing an SRT protein or fragment thereof of this invention.

10

20

The invention also provides SRT chimeric or fusion proteins. As used herein, an SRT "chimeric protein" or "fusion protein" comprises an SRT polypeptide operatively linked to a non-SRT polypeptide. An "SRT polypeptide" refers to a polypeptide having an amino acid sequence corresponding to SRT, whereas a "non-SRT polypeptide" refers to a polypeptide having an amino acid sequence corresponding to a protein which is not substantially homologous to the SRT protein, e.g., a protein which is different from the SRT protein and which is derived from the same or a different organism. Within the fusion protein, the term "operatively linked" is intended to indicate that the SRT polypeptide and the non-SRT polypeptide are fused in-frame to each other. The non-SRT polypeptide can be fused to the N-terminus or C-terminus of the SRT polypeptide. For example, in one embodiment the fusion protein is a GST-SRT fusion protein in which the SRT sequences are fused to the C-terminus of the GST sequences. Such fusion proteins can facilitate the purification of recombinant SRT proteins. In another embodiment, the fusion protein is an SRT protein containing a heterologous signal sequence at its N-terminus. In certain host cells (e.g., mammalian host cells), expression

- 49 -

and/or secretion of an SRT protein can be increased through use of a heterologous signal sequence.

Preferably, an SRT chimeric or fusion protein of the invention is produced by standard recombinant DNA techniques. For example, DNA fragments coding for the 5 different polypeptide sequences are ligated together in-frame in accordance with conventional techniques, for example by employing blunt-ended or stagger-ended termini for ligation, restriction enzyme digestion to provide for appropriate termini, filling-in of cohesive ends as appropriate, alkaline phosphatase treatment to avoid undesirable joining, and enzymatic ligation. In another embodiment, the fusion gene can be synthesized by conventional techniques including automated DNA synthesizers. Alternatively, PCR amplification of gene fragments can be carried out using anchor primers which give rise to complementary overhangs between two consecutive gene fragments which can subsequently be annealed and reamplified to generate a chimeric gene sequence (see, for example, Current Protocols in Molecular Biology, eds. Ausubel et al. John Wiley & Sons: 1992). Moreover, many expression vectors are commercially available that already encode a fusion moiety (e.g., a GST polypeptide). An SRTencoding nucleic acid can be cloned into such an expression vector such that the fusion moiety is linked in-frame to the SRT protein.

10

20

25

30

Homologues of the SRT protein can be generated by mutagenesis, e.g., discrete point mutation or truncation of the SRT protein. As used herein, the term "homologue" refers to a variant form of the SRT protein which acts as an agonist or antagonist of the activity of the SRT protein. An agonist of the SRT protein can retain substantially the same, or a subset, of the biological activities of the SRT protein. An antagonist of the SRT protein can inhibit one or more of the activities of the naturally occurring form of the SRT protein, by, for example, competitively binding to a downstream or upstream member of the SRT system which includes the SRT protein. Thus, the C. glutamicum SRT protein and homologues thereof of the present invention may increase the tolerance or resistance of C. glutamicum to one or more chemical or environmental stresses.

In an alternative embodiment, homologues of the SRT protein can be identified by screening combinatorial libraries of mutants, e.g., truncation mutants, of the SRT protein for SRT protein agonist or antagonist activity. In one embodiment, a variegated library of SRT variants is generated by combinatorial mutagenesis at the nucleic acid

level and is encoded by a variegated gene library. A variegated library of SRT variants can be produced by, for example, enzymatically ligating a mixture of synthetic oligonucleotides into gene sequences such that a degenerate set of potential SRT sequences is expressible as individual polypeptides, or alternatively, as a set of larger fusion proteins (e.g., for phage display) containing the set of SRT sequences therein. There are a variety of methods which can be used to produce libraries of potential SRT homologues from a degenerate oligonucleotide sequence. Chemical synthesis of a degenerate gene sequence can be performed in an automatic DNA synthesizer, and the synthetic gene then ligated into an appropriate expression vector. Use of a degenerate set of genes allows for the provision, in one mixture, of all of the sequences encoding the desired set of potential SRT sequences. Methods for synthesizing degenerate oligonucleotides are known in the art (see, e.g., Narang, S.A. (1983) Tetrahedron 39:3; Itakura et al. (1984) Annu. Rev. Biochem. 53:323; Itakura et al. (1984) Science 198:1056; Ike et al. (1983) Nucleic Acid Res. 11:477.

In addition, libraries of fragments of the SRT protein coding can be used to generate a variegated population of SRT fragments for screening and subsequent selection of homologues of an SRT protein. In one embodiment, a library of coding sequence fragments can be generated by treating a double stranded PCR fragment of an SRT coding sequence with a nuclease under conditions wherein nicking occurs only about once per molecule, denaturing the double stranded DNA, renaturing the DNA to form double stranded DNA which can include sense/antisense pairs from different nicked products, removing single stranded portions from reformed duplexes by treatment with S1 nuclease, and ligating the resulting fragment library into an expression vector. By this method, an expression library can be derived which encodes N-terminal, C-terminal and internal fragments of various sizes of the SRT protein.

15

20

Several techniques are known in the art for screening gene products of combinatorial libraries made by point mutations or truncation, and for screening cDNA libraries for gene products having a selected property. Such techniques are adaptable for rapid screening of the gene libraries generated by the combinatorial mutagenesis of SRT homologues. The most widely used techniques, which are amenable to high through-put analysis, for screening large gene libraries typically include cloning the gene library into replicable expression vectors, transforming appropriate cells with the resulting library of

20

vectors, and expressing the combinatorial genes under conditions in which detection of a desired activity facilitates isolation of the vector encoding the gene whose product was detected. Recursive ensemble mutagenesis (REM), a new technique which enhances the frequency of functional mutants in the libraries, can be used in combination with the screening assays to identify SRT homologues (Arkin and Yourvan (1992) PNAS 89:7811-7815; Delgrave et al. (1993) Protein Engineering 6(3):327-331).

In another embodiment, cell based assays can be exploited to analyze a variegated SRT library, using methods well known in the art.

10 D. Uses and Methods of the Invention

The nucleic acid molecules, proteins, protein homologues, fusion proteins, primers, vectors, and host cells described herein can be used in one or more of the following methods: identification of *C. glutamicum* and related organisms; mapping of genomes of organisms related to *C. glutamicum*; identification and localization of *C. glutamicum* sequences of interest; evolutionary studies; determination of SRT protein regions required for function; modulation of an SRT protein activity; modulation of the activity of an SRT pathway; and modulation of cellular production of a desired compound, such as a fine chemical.

The SRT nucleic acid molecules of the invention have a variety of uses. First, they may be used to identify an organism as being Corynebacterium glutamicum or a close relative thereof. Also, they may be used to identify the presence of C. glutamicum or a relative thereof in a mixed population of microorganisms. The invention provides the nucleic acid sequences of a number of C. glutamicum genes; by probing the extracted genomic DNA of a culture of a unique or mixed population of microorganisms under stringent conditions with a probe spanning a region of a C. glutamicum gene which is unique to this organism, one can ascertain whether this organism is present.

Although Corynebacterium glutamicum itself is nonpathogenic, it is related to pathogenic species, such as Corynebacterium diphtheriae. Corynebacterium diphtheriae is the causative agent of diphtheria, a rapidly developing, acute, febrile infection which involves both local and systemic pathology. In this disease, a local lesion develops in the upper respiratory tract and involves necrotic injury to epithelial cells; the bacilli secrete toxin which is disseminated through this lesion to distal susceptible tissues of the

body. Degenerative changes brought about by the inhibition of protein synthesis in these tissues, which include heart, muscle, peripheral nerves, adrenals, kidneys, liver and spleen, result in the systemic pathology of the disease. Diphtheria continues to have high incidence in many parts of the world, including Africa, Asia, Eastern Europe and the independent states of the former Soviet Union. An ongoing epidemic of diphtheria in the latter two regions has resulted in at least 5,000 deaths since 1990.

In one embodiment, the invention provides a method of identifying the presence or activity of *Cornyebacterium diphtheriae* in a subject. This method includes detection of one or more of the nucleic acid or amino acid sequences of the invention (e.g., the sequences set forth as odd-numbered or even-numbered SEQ ID NOs, respectively, in the Sequence Listing) in a subject, thereby detecting the presence or activity of *Corynebacterium diphtheriae* in the subject. *C. glutamicum* and *C. diphtheriae* are related bacteria, and many of the nucleic acid and protein molecules in *C. glutamicum* are homologous to *C. diphtheriae* nucleic acid and protein molecules, and can therefore be used to detect *C. diphtheriae* in a subject.

10

15

20

30

The nucleic acid and protein molecules of the invention may also serve as markers for specific regions of the genome. This has utility not only in the mapping of the genome, but also for functional studies of *C. glutamicum* proteins. For example, to identify the region of the genome to which a particular *C. glutamicum* DNA-binding protein binds, the *C. glutamicum* genome could be digested, and the fragments incubated with the DNA-binding protein. Those which bind the protein may be additionally probed with the nucleic acid molecules of the invention, preferably with readily detectable labels; binding of such a nucleic acid molecule to the genome fragment enables the localization of the fragment to the genome map of *C. glutamicum*, and, when performed multiple times with different enzymes, facilitates a rapid determination of the nucleic acid sequence to which the protein binds. Further, the nucleic acid molecules of the invention may be sufficiently homologous to the sequences of related species such that these nucleic acid molecules may serve as markers for the construction of a genomic map in related bacteria, such as *Brevibacterium lactofermentum*.

The SRT nucleic acid molecules of the invention are also useful for evolutionary and protein structural studies. The resistance processes in which the molecules of the invention participate are utilized by a wide variety of cells; by comparing the sequences

- 53 -

of the nucleic acid molecules of the present invention to those encoding similar enzymes from other organisms, the evolutionary relatedness of the organisms can be assessed. Similarly, such a comparison permits an assessment of which regions of the sequence are conserved and which are not, which may aid in determining those regions of the protein which are essential for the functioning of the enzyme. This type of determination is of value for protein engineering studies and may give an indication of what the protein can tolerate in terms of mutagenesis without losing function.

The genes of the invention, e.g., the gene encoding LMRB (SEQ ID NO:1) or other gene of the invention encoding a chemical or environmental resistance or tolerance protein (e.g., resistance against one or more antibiotics), may be used as genetic markers for the genetic transformation of (e.g., the transfer of additional genes into or disruption of preexisting genes of) organisms such as C. glutamicum or other bacterial species. Use of these nucleic acid molecules permits efficient selection of organisms which have incorporated a given transgene cassette (e.g., a plasmid, phage, phasmid, phagemid, transposon, or other nucleic acid element), based on a trait which permits the survival of the organism in an otherwise hostile or toxic environment (e.g., in the presence of an antimicrobial compound). By employing one or more of the genes of the invention as genetic markers, the speed and ease with which organisms having desirable transformed traits (e.g., modulated fine chemical production) are engineered and isolated are improved. While it is advantageous to use the genes of the invention for selection of transformed C. glutamicum and related bacteria, it is possible, as described herein, to use homologs (e.g., homologs from other organisms), allelic variants or fragments of the gene retaining desired activity. Furthermore, 5' and 3' regulatory elements of the genes of the invention may be modified as described herein (e.g., by nucleotide substitution, insertion, deletion, or replacement with a more desirable genetic element) to modulate the transcription of the gene. For example, an LMRB variant in which the nucleotide sequence in the region from -1 to -2005' to the start codon has been altered to modulate (preferably increase) the transcription and/or translation of LMRB may be employed, as can constructs in which a gene of the invention (e.g., the LMRB gene (SEQ ID NO:1)) is functionally coupled to one or more regulatory signals (e.g., inducer or repressor binding sequences) which can be used for modulating gene expression.

15

30

- 54 -

Similarly, more than one copy of a gene (functional or inactivated) of the invention may be employed.

An additional application of the genes of the invention (e.g., the gene encoding LMRB (SEQ ID NO:1) or other drug- or antibiotic-resistance gene) is in the discovery of new antibiotics which are active against Corynebacteria and/or other bacteria. For example, a gene of the invention may be expressed (or overexpressed) in a suitable host to generate an organism with increased resistance to one or more drugs or antibiotics (in the case of LMRB, lincosamides in particular, especially lincomycin). This type of resistant host can subsequently be used to screen for chemicals with bacteriostatic and/or bacteriocidal activity, such as novel antibiotic compounds. It is possible, in particular, to use the genes of the invention (e.g., the LMRB gene) to identify new antibiotics which are active against those microorganisms which are already resistant to standard antibiotic compounds.

The invention provides methods for screening molecules which modulate the activity of an SRT protein, either by interacting with the protein itself or a substrate or binding partner of the SRT protein, or by modulating the transcription or translation of SRT nucleic acid molecule of the invention. In such methods, a microorganism expressing one or more SRT proteins of the invention is contacted with one or more test compounds, and the effect of each test compound on the activity or level of expression of the SRT protein is assessed.

20

Manipulation of the SRT nucleic acid molecules of the invention may result in the production of SRT proteins having functional differences from the wild-type SRT proteins. These proteins may be improved in efficiency or activity, may be present in greater numbers in the cell than is usual, or may be decreased in efficiency or activity. The goal of such manipulations is to increase the viability and activity of the cell when the cell is exposed to the environmental and chemical stresses and hazards which frequently accompany large-scale fermentative culture. Thus, by increasing the activity or copy number of a heat-shock-regulated protease, one may increase the ability of the cell to destroy incorrectly folded proteins, which may otherwise interfere with normal cellular functioning (for example, by continuing to bind substrates or cofactors although the protein lacks the activity to act on these molecules appropriately). The same is true for the overexpression or optimization of activity of one or more chaperone molecules

- 55 -

induced by heat or cold shock. These proteins aid in the correct folding of nascent polypeptide chains, and thus their increased activity or presence should increase the percentage of correctly folded proteins in the cell, which in turn should increase the overall metabolic efficiency and viability of the cells in culture. The overexpression or optimization of the transporter molecules activated by osmotic shock should result in an increased ability on the part of the cell to maintain intracellular homeostasis, thereby increasing the viability of these cells in culture. Similarly, the overproduction or increase in activity by mutagenesis of proteins involved in the development of cellular resistance to chemical stresses of various kinds (either by transport of the offending chemical out of the cell or by modification of the chemical to a less hazardous substance) should increase the fitness of the organism in the environment containing the hazardous substance (i.e., large-scale fermentative culture), and thereby may permit relatively larger numbers of cells to survive in such a culture. The net effect of all of these mutagenesis strategies is to increase the quantity of fine-chemical-producing compounds in the culture, thereby increasing the yield, production, and/or efficiency of production of one or more desired fine chemicals from the culture.

15

30

This aforementioned list of mutagenesis strategies for SRT proteins to result in increased yields of a desired compound is not meant to be limiting; variations on these mutagenesis strategies will be readily apparent to one of ordinary skill in the art. By these mechanisms, the nucleic acid and protein molecules of the invention may be utilized to generate *C. glutamicum* or related strains of bacteria expressing mutated SRT nucleic acid and protein molecules such that the yield, production, and/or efficiency of production of a desired compound is improved. This desired compound may be any natural product of *C. glutamicum*, which includes the final products of biosynthesis pathways and intermediates of naturally-occurring metabolic pathways, as well as molecules which do not naturally occur in the metabolism of *C. glutamicum*, but which are produced by a *C. glutamicum* strain of the invention.

This invention is further illustrated by the following examples which should not be construed as limiting. The contents of all references, patent applications, patents, published patent applications, Tables, and the sequence listing cited throughout this application are hereby incorporated by reference.

TABLE 1: Genes Included in the Application

Function Lincomycine RESISTANCE PROTEIN 10 KD CHAPERONIN 60 KD CHAPERONIN 60 KD CHAPERONIN CATALSTRESS PROTEIN CTC CATALASE (EC 1.11.16) CARBON STARVATION PROTEIN A SUPEROXIDE DISMUTASE [MN] (EC 1.15.1.1) SUPEROXIDE DISMUTASE [MN] (EC 1.15.1.1) PHOSPHINOTHRICIN-RESISTANCE PROTEIN PHOSPHINOTHRICIN-RESISTANCE PROTEIN	Function Moleculares chaperon (HSP70/DnaK family) Molecular chaperones (HSP70/DnaK family) DNAJ PROTEIN GRPE PROTEIN GRPE PROTEIN DNAK PROTEIN TRAP1 Molecular chaperone, HSP90 family DNAJ PROTEIN TRIGGER FACTOR PS1 PROTEIN VORLÄUFER PS1 PROTEIN SECD S1 PROTEIN SECD Signal Erkennung particle GTPase //O/C Thioredoxin-ahnliche oxidoreductase THIOL PEROXIDASE (EC 1.11.1)
NT Stop 30483 348 16002 1601 203 5865 594 87008 87476 15252 1648	NT Stop 3432 6 12473 13865 20178 14522 26 1480 13541 1582 43666 631 1069 3366 31575 13749 6058
NT Start 29041 52 14389 363 802 7412 2909 887351 14716 2130	NT Start 4883 1172 13657 14518 22031 16375 1849 1145 12396 2928 42941 2 761 2 761 2 761 2 761 1936 31243 11932 7795 5363
GR00124 VV0086 GR00124 VV0086 GR00129 GR00159 GR00159 VV0098 VV0098 VV0098 GR00156	Contig. VV0123 GR00391 GR00726 GR00726 VV0057 GR00726 VV00152 GR00659 GR00242 VV0018 VV0018 VV00124 VV00126 VV0026 VV0026 VV0019
Identification Code RXA01524 RXA00493 F RXA00498 RXA01217 RXA00605 RXA00404 RXN03119 RXN03120 RXN0575 F RXA00575	Identification Code RXN01345 F RX401345 F RX402541 RX402543 F RXA02543 F RXA02280 F RXA02280 F RXA0388 F RXA03038 F RXN03039 F RXN03039 F RXN03040 F RXN03040 F RXN03040 F RXN03040 F RXN03054 F RXN03040 F RXN03054
Amino Acid SEQ ID NO 10 112 114 118 20 22	Amino Acid SEQ ID NO SEQ 10 NO SEQ 1
Nucleic Acid SEQ ID NO 1 3 5 7 7 11 13 15 17 19	Chaperones Nucleic Acid Am 25 24 25 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 45 46 47 48 49 50 51 55 55 56 57 56 61 62 62 63 63 64

	Function	THIOL:DISULFIDE AUSTAUSCH PROTEIN DSBD THIOL:DISULFIDE AUSTAUSCH PROTEIN TLPA	THIOREDOXIN	THIOREDOXIN	PEPTIDYL-PROLYL CIS-TRANS ISOMERASE (EC 5.2.1.8)	PEPTID KETTE RELEASE FACTOR 3	PEPTID KETTE RELEASE FACTOR 3	PUTATIVES OXPPCYCLE PROTEIN OPCA	SMALL COLD-SHOCK PROTEIN SMALL COLD-SHOCK PROTEIN			Function	COLD SHOCK-LIKE PROTEIN CSPC	SMALL COLD-SHOCK PROTEIN	TROBABLE TIDAGGEN TEROAIDE-INDOCIBLE GENEO ACTIVATOR	OSMOTICALLY INDUCIBLE PROTEIN C	probable metallothionein u0308aa - Mycobacterium leprae	GTP PYROPHOSPHOKINASE (EC 2.7.6.5)	LYTB PROTEIN DIADENOSING 6: 5" B4 D4 TETDADUOSDUATE UNDBOLIASE 770 9 6 4 420	DIADENOSINE 5,5 1,74-1ETRAPHOSPHATE HTDROLASE (EC. 3,6,1,17) DIADENOSINE 5,5"-P1,P4-TETRAPHOSPHATE HYDROLASE (EC. 3,6,1,17)	EXOPOLYPHOSPHATASE (EC 3.6.1.11)	GUANOSINE-3',5'-BIS(DIPHOSPHATE) 3'-PYROPHOSPHOHYDROLASE (EC 3.1.7.2) EXOPOLYDHASE (EC 3.4.11)	EXOPOLYPHOSPHATASE (EC 3.6.1.11)		Function	ARGININE HYDROXIMATE RESISTANCE PROTEIN	ARVENATE REDUCTAVE ADSENIÇAT DESISTANCE DECITEIN ACD3	ARSENICAL-RESISTANCE PROTEIN ACR3	ARSENICAL-RESISTANCE PROTEIN ACR3	ARSENICAL-REGISTANCE PROTEIN ACKS BACITRACIN RESISTANCE PROTEIN (PUTATIVE UNDECAPRENOL KINASE) (EC 2.7.1.66)	BICYCLOMYCIN RESISTANCE PROTEIN
ned)	NT Stop	11304 216	42706	6393	7879	741	518	14556	3665			NT Stop	19248	992	1192	11206	1633	4017	90,0	16749	2774	10045	2353	•	NT Stop	6743	4467	1843	5760	8993	3201
Table 1 (continued)	NT Start	12059 836	42335	5527	7103	-	141	13600	3465			NT Start	19628	792	٥/٥	11640	551	3388	1580	17276	3259	10575	2763		NT Start	6231	283/	2940	4651	9871	4052
Table	Contig.	VV0179 VV0223	W0079	W0047	0.0320	VV0284	W0111	VV0074	GR00549	9	202	Contig.	GR00641	GR00218	GR00708	GR00709	GR10006	GR00276	VV0321	W0050	W0319	W0143	W0319		Contig.	GR00640	GK00646	GR00159	GR00646	GR00646	GR00245
	Identification Code	RXN01676 RXN00380	RXN00937	RXN02325	RXN01837	RXN01926	RXN02002	RXN02736	RXS03217 F RXA01917	Proteine involved in effect reconst	odeal ecane i	Identification Code	RXA02184	EXA00810	RXA02431	RXA02446	RXA02861	EXA00981	KXN0U/86	RXS01528	RXS01716	RXS01835	RXS02972	erance	Identification Code	RXA02159	EXAU2201	RXA00600	RXA02200	RXA02205	RXA00900
	Amino Acid SEO ID NO	99 89	20	72	74	76	78	80	28 28	i bevlovni		Amino Acid SEQ ID NO	86	88 6	26	26	96	88	35	<u>\$</u>	106	108	112	Resistance and tolerance	Amino Acid	114	0 T	120	122	<u> </u>	128
	Nucleic Acid	65 67	69	7.	23	75	77	62	83 83	Drofeine		Nucleic Acid SEQ ID NO	85	87	8 6	93	95	97	D .	<u> </u>	105	107	111	Resistan	Nucleic Acid	113	113	119	121	125	127

		BICYCLOMYCIN RESISTANCE PROTEIN	BICYCLOMYCIN RESISTANCE PROTEIN	CHLORAMPHENICOL RESISTANCE PROTEIN	CHLORAMPHENICOL RESISTANCE PROTEIN	CHLORAMPHENICOL RESISTANCE PROTEIN	COPPER RESISTANCE PROTEIN C PRECURSOR	COPPER RESISTANCE PROTEIN C PRECURSOR	DACING ACTION ACTION AND A PROBLEM OF ACTION O	UBICIN RESISTANCE TROTEIN	DALINORIBICIN RESISTANCE PROTEIN	DAUNORUBICIN RESISTANCE TRANSMEMBRANE PROTEIN	METHYLENOMYCIN A RESISTANCE PROTEIN	METHY ENOMYCH A PROPERTANCE TROCKER	AICIN, RESISTANCE PROTEIN MYRA	MACROLIDE-EFFLUX PROTEIN	NICKEL RESISTANCE PROTEIN	NICKEL RESISTANCE PROTEIN	QUINOLONE RESISTANCE NORA PROTEIN	QUINOLONE RESISTANCE NORA PROTEIN	NE RESISTANCE NORA PROTEIN	QUINOLONE RESISTANCE NORA PROTEIN	QUINOLONE RESISTANCE NORA PROTEIN	QUINOLONE RESISTANCE NORA PROTEIN	FELLORIUM REGIO ANCE PROTEIN TERO	DAGNOMYCIN C-14 HTCKOATEASE VIBBIORACTIN LITH IZATION DROTEIN VIHB	ARSENATE REDUCTASE	MERCURIC REDUCTASE (EC 1.16.1.1)	IC REDUCTASE (EC 1.16.1.1)	IC REDUCTASE (EC 1.16.1.1)	HEAVY METAL TOLERANCE PROTEIN PRECURSOR	MENT METAL TOLERANCE TRUIDIN TRECORSON MANY DROTTEIN teicnalenin resistance protein	Hypothetical Drug Resistance Protein	Hypothetical Drug Resistance Protein	MULTIDRUG RESISTANCE PROTEIN B	Hypothetical Drug Resistance Protein	Hypothetical Drug Transporter							
	Function	BICYCLO	BICYCLO	CHLORA	CHLORA	CHLORA	COPPER		S C C C C C C C C C C C C C C C C C C C	S CN C	DAUNOR	DAUNOR	METHYLI	METHYL	METHYL	METHYL		MACINA	MACROL	NICKEL F	NICKEL F	ONINO	QUINOLO	QUINOLO	ONINO	ONINO	OCINOL	IELLURI	VIBBIOR	ARSENA	MERCUR	MERCUR	MERCUR	HEAVY N	VAN7 PR	Hypotheti	Hypotheti	MULTIDA	Hypotheti	Hypotheti	Hypotheti	Hypotheti	Hypotheti	Hypotheti
uned)	NT Stop	8168	3980	4438	1811	4	265	265 403	570	286	2025	283	52629	5162	3028	4184	3102	330	41387	8975	9821	4894	4	4612	2917	6714	9	7417	20/07	3580	3706	4191	4717	1245	2690	819	1946	18381	9005	3216	2120	14101	963	765
Table 1 (continued)	NT Start	8581	4357	3263	1515	282	9/11	11/6	200	008/	463	1023	53858	4560	3918	4384	- - - - - - - - - - - - - - - - - - -) -	40116	946	10246	3776	774	5754	3807	7931	911	1680	7367	3236	3398	3772	4229	808	220g	2054	855	16933	8028	2491	1395	16290	4	4
Table	Contig.	VV0140	GR00245	GR00046	0000	GR00574	GK00015	GK00015	GRUUZ63	GROOZ4	GR00225	GR00283	6000	GR00214	GR00410	GR00410	CBOOSES	GROOFS	W0127	GR00555	GR00555	VV0209	GR00288	W0136	GR00323	W0102	GR00636	GR00233	GRUUG63	GR00228	GR00296	GR00296	GR00296	W0106	GR00282	VV0248	GR00535	VV0020	GR00655	VV0042	GR10044	GR00119	W0108	GR00336
	Identification Code	RXN00901	F RXA00901	RXA00289	RXN01984	F RXA01984	KXA00109	EXA00109	KAMU0990	F RYADOR29	F RX A00834	RXA00995	RXN00803	F RXA00803	RXA01407	RXA01408	E DY A01922	PX A02060	RXN01936	F RXA01936	F RXA01937	RXN01010	F RXA01010	RXN03142	F RXA01150	RXN02964	F RXA02116	KXAU0838	EXA02305	RXA00843	RXA01052	RXA01053	RXA01054	RXN03123	P KANUSSS DYA01051	EXN01873	F RXA01873	RXN00034	F RXA02273	RXN03075	F RXA02907	RXA00479	RXN03124	F RXA01180
	Amino Acid	130	132	2 8	136	138	140	142	<u> </u>	0 4 6 0 8 6	5 5	152	72	156	158	160	7 7 7	£ 4	168	170	172	174	176	178	8	182	2 6	8 8	8 6	192	26	196	198	200	202	208	208	210	212	214	216	218	220	222
	Nucleic Acid	129	131	133	135	137	139	141	243	143	149	151	153	155	157	159	101	. 44 74	167	169	171	173	175	177	179	181	1 83		18/	191	193	195	197	199	5 6	202	202	209	211	213	215	217	219	221

	Function	Hypothetical Drug Transporter	Hypothetical Drug Transporter	Hypothetical Drug Transporter	Hypothetical Drug Transporter	MULTIDRUG EFFLUX PROTEIN QACB	MULTIDRUG RESISTANCE PROTEIN	MULTIDRUG RESISTANCE PROTEIN B		MULTIDRUG RESISTANCE PROTEIN B		MULTIDRUG RESISTANCE PROTEIN B		MULTIDRUG RESISTANCE PROTEIN B	BMRU PROTEIN Bacillus subtilis bmrU, multidrug efflux transporter	Hypothetical Drug Transporter	Hypothetical Drug Permease	Hypothetical Drug Resistance Protein	Hypothetical Drug Transporter	Hypothetical Drug Transporter	MULTIDRUG RESISTANCE PROTEIN B	MYCINAMICIN-RESISTANCE PROTEIN MYRA	LYSOSTAPHIN IMMUNITY FACTOR	MULTIDRUG RESISTANCE-LIKE ATP-BINDING PROTEIN MDL	MULTIDRUG RESISTANCE-LIKE ATP-BINDING PROTEIN MDL	QUINOLONE RESISTANCE NORA PROTEIN	CHLORAMPHENICOL RESISTANCE PROTEIN	A201A-RESISTANCE ATP-BINDING PROTEIN	DAUNORUBICIN RESISTANCE TRANSMEMBRANE PROTEIN	MAZG PROTEIN	MERCURIC TRANSPORT PROTEIN PERIPLASMIC COMPONENT PRECURSOR	MERCURIC TRANSPORT PROTEIN PERIPLASMIC COMPONENT PRECURSOR	CADMIUM EFFLUX SYSTEM ACCESSORY PROTEIN HOMOLOG							
ed)	Stop	10027	10253	1835	1236	203	3683	11855	15294	6223	5884	1481	1304	11500	4	1200	9866	4	53					_			8	511	4			_ ~			•	5610		2383		4424 (
Table 1 (continued)	NT Start	10296	12343	2440	1 <u>8</u> 1	1684	2307	13252	13834	4892	4892	1837	2713	13146	744	1979	11497	1197	1423	7076	8294	3284	972	25201	5155	1173	13120	65	489	547	3275	8992	6128	3424	11242	7124	267	2150	527	4056
Table	Contig.	GR00741	GR00741	W0018	GR10035	GR00450	GR00463	GR00009	GR00032	VV0038	GR00151	GR10016	GR00169	VV0082	GR00382	GR00383	W0082	GR00383	GR00439	GR00629	GR00629	GR00204	VV0108	W0135	W0219	W0076	W0171	W0002	W0163	VV0358	VV0232	W0169	W0059	W0321	70107	W0137	VV0326	W0149	VV0234	VV0057
	Identification Code	RXA02586	RXA02587	RXN03042	F RXA02893	RXA01616	RXA01666	RXA00062	RXA00215	RXN03064	F RXA00565	F RXA02878	RXA00648	RXN01320	F RXA01314	F RXA01320	RXN02926	F RXA01319	RXA01578	RXA02087	RXA02088	RXA00764	RXN03125	RXN01553	RXN00535	RXN00453	RXN00932	RXN03022	RXN03151	RXN02832	RXN00165	RXN01190	RXN01102	RXN00788	RXN02119	RXN01605	RXN01091	RXS02979	RXS02987	RXS03095
	Amino Acid SEQ ID NO	224	226	228	230	232	234	236	238	240	242	244	246	248	250	252	254	256	258	260	262	264	566	268	270	272	274	276	278	. 580	282	284	286	288	290	292	294	296	298	300
	Nucleic Acid	223	225	227	229	231	233	235	237	239	241	243	245	247	249	251	253	255	257	259	261	263	265	267	269	271	273	275	277	279	281	283	285	287	289	291	293	295	297	299

		TABLE 2 - Excluded Genes	ded Genes
GenBank TM Accession No.	Gene Name	Gene Function	Reference
A09073	Bdd	Phosphoenol pyruvate carboxylase	Bachmann, B. et al. "DNA fragment coding for phosphoenolpyruvat corboxylase, recombinant DNA carrying said fragment, strains carrying the recombinant DNA and method for producing L-aminino acids using said strains," Patent: EP 0358940-A 3 03/21/90
A45579, A45581, A45583, A45585		Threonine dehydratase	Moeckel, B. et al. "Production of L-isoleucine by means of recombinant micro-organisms with deregulated threonine dehydratase," Patent: WO 9519442-A 5 07/20/95
AB003132	murC; fisQ; fisZ		Kobayashi, M. et al. "Cloning, sequencing, and characterization of the ftsZ gene from coryneform bacteria," Biochem. Biophys. Res. Commun., 236(2):383-388 (1997)
AB015023	murC; ftsQ		Wachi, M. et al. "A murC gene from Coryneform bacteria," Appl. Microbiol. Biotechnol., 51(2):223-228 (1999)
AB018530	dtsR		Kimura, E. et al. "Molecular cloning of a novel gene, dtsR, which rescues the detergent sensitivity of a mutant derived from <i>Brevibacterium lactofermentum</i> ," Biosci. Biotechnol. Biochem., 60(10):1565-1570 (1996)
AB018531	dtsR1; dtsR2		
AB020624	murl	D-glutamate racemase	
AB023377	tkt	transketolase	
AB024708	gltB; gltD	Glutamine 2-oxoglutarate aminotransferase large and small subunits	
AB025424	acn	aconitase	
AB027714	rep	Replication protein	
AB027715	rep; aad	Replication protein; aminoglycoside adenyltransferase	
AF005242	argC	N-acety/glutamate-5-semialdehyde dehydrogenase	
AF005635	glnA	Glutamine synthetase	
AF030405	hisF	cyclase	
AF030520	argG	Argininosuccinate synthetase	
AF031518	argF	Ornithine carbamolytransferase	
AF036932	aroD	3-dehydroquinate dehydratase	
AF038548	pyc	Pyruvate carboxylase	

		Table 2 (continued)	nied)
AF038651	dciAE; apt; rel	orotein; a sferase; (Wehmeier, L. et al. "The role of the Corynebacterium glutamicum rel gene in (p)ppGpp metabolism," <i>Microbiology</i> , 144:1853-1862 (1998)
AF041436	argR	Arginine repressor	
AF045998	impA	Inositol monophosphate phosphatase	
AF048764	argH	Argininosuccinate lyase	
AF049897	argC; argJ; argB;	N-acetylglutamylphosphate reductase;	
	argU; argr; argk; argG: argH	ornithine acetyltransterase; N- acetylelutamate kinase: acetylomithine	
		transminase; ornithine	
		carbamoyltransferase; arginine repressor;	
		argininosuccinate synthase;	
		argininosuccinate lyase	
AF050109	inhA	Enoyl-acyl carrier protein reductase	
AF050166	hisG	ATP phosphoribosyltransferase	
AF051846	hisA	Phosphoribosylformimino-5-amino-1-	
		pnospnoribosyl-4-imidazoiecarooxamide isomerase	
AF052652	metA	Homoserine O-acetyltransferase	Park, S. et al. "Isolation and analysis of metA, a methionine biosynthetic gene encoding homoserine acetyltransferase in Corynebacterium glutamicum," Mol. Cells., 8(3):286-294 (1998)
AF053071	aroB	Dehydroquinate synthetase	
AF060558	hisH	Glutamine amidotransferase	
AF086704	hisE	Phosphoribosyl-ATP- pyrophosphohydrolase	
AF114233	aroA	5-enolpyruvylshikimate 3-phosphate synthase	
AF116184	panD	L-aspartate-alpha-decarboxylase precursor	Dusch, N. et al. "Expression of the Corynebacterium glutamicum panD gene encoding L-aspartate-alpha-decarboxylase leads to pantothenate overproduction in Escherichia coli," <i>Appl. Environ. Microbiol.</i> , 65(4)1530-1539 (1999)
AF124518	aroD; aroE	3-dehydroquinase; shikimate dehydrogenase	
AF124600	aroC; aroK; aroB; pepQ	Chorismate synthase; shikimate kinase; 3-dehydroquinate synthase; putative cytoplasmic peptidase	
AF145897	inhA		
AF145898	inhA		

		Table 2 (continued)	nued)
AJ001436	ectP	Transport of ectoine, glycine betaine, proline	Peter, H. et al. "Corynebacterium glutamicum is equipped with four secondary carriers for compatible solutes: Identification, sequencing, and characterization of the proline/ectoine uptake system, ProP, and the ectoine/proline/glycine betaine carrier, EctP," J. Bacteriol., 180(22):6005-6012 (1998)
AJ004934	фар	Tetrahydrodipicolinate succinylase (incomplete')	Wehrmann, A. et al. "Different modes of diaminopimelate synthesis and their role in cell wall integrity: A study with Corynebacterium glutamicum," J. Bacteriol., 180(12):3159-3165 (1998)
AJ007732	ppc; secG; amt; ocd; soxA	Phosphoenolpyruvate-carboxylase; ?; high affinity ammonium uptake protein; putative ornithine-cyclodecarboxylase; sarcosine oxidase	
AJ010319	ftsY, glnB, glnD; srp; amtP	Involved in cell division; PII protein; uridylyltransferase (uridylyl-removing enzmye); signal recognition particle; low affinity ammonium uptake protein	Jakoby, M. et al. "Nitrogen regulation in Corynebacterium glutamicum; Isolation of genes involved in biochemical characterization of corresponding proteins," FEMS Microbiol, 173(2):303-310 (1999)
AJ132968	cat	Chloramphenicol aceteyl transferase	
AJ224946	овш	L-malate: quinone oxidoreductase	Molenaar, D. et al. "Biochemical and genetic characterization of the membrane-associated malate dehydrogenase (acceptor) from Corynebacterium glutamicum," Eur. J. Biochem., 254(2):395-403 (1998)
AJ238250	upu	NADH dehydrogenase	
AJ238703	porA	Porin	Lichtinger, T. et al. "Biochemical and biophysical characterization of the cell wall porin of Corynebacterium glutamicum: The channel is formed by a low molecular mass polypeptide," <i>Biochemistry</i> , 37(43):15024-15032 (1998)
D17429		Transposable element IS31831	Vertes et al. "Isolation and characterization of IS31831, a transposable element from Corynebacterium glutamicum," Mol. Microbiol., 11(4):739-746 (1994)
D84102	Adho	2-oxoglutarate dehydrogenase	Usuda, Y. et al. "Molecular cloning of the Corynebacterium glutamicum (Brevibacterium lactofermentum AJ12036) odhA gene encoding a novel type of 2-oxoglutarate dehydrogenase," Microbiology, 142:3347-3354 (1996)
E01358	hdh; hk	Homoserine dehydrogenase; homoserine kinase	Katsumata, R. et al. "Production of L-thereonine and L-isoleucine," Patent: JP 1987232392-A 10/12/87
E01359		Upstream of the start codon of homoserine kinase gene	Katsumata, R. et al. "Production of L-thereonine and L-isoleucine," Patent: JP 1987232392-A 2 10/12/87
E01375		Tryptophan operon	
E01376	trp.L; trp.E	Leader peptide; anthranilate synthase	Matsui, K. et al. "Tryptophan operon, peptide and protein coded thereby, utilization of tryptophan operon gene expression and production of tryptophan," Patent: JP 1987244382-A 1 10/24/87

	Table 2 (continued)	nued)
E01377	Promoter and operator regions of tryptophan operon	Matsui, K. et al. "Tryptophan operon, peptide and protein coded thereby, utilization of tryptophan operon gene expression and production of tryptophan "Detent ID 108724182.A. 1 1073487
E03937	Biotin-synthase	Hatakeyama, K. et al. "DNA fragment containing gene capable of coding biotin synthetase and its utilization," Patent: JP 1992278088-A 1 10/02/92
E04040	Diamino pelargonic acid aminotransferase	Kohama, K. et al. "Gene coding diaminopelargonic acid aminotransferase and desthiobiotin synthetase and its utilization," Patent: JP 1992330284-A 1 11/18/92
E04041	Desthiobiotinsynthetase	Kohama, K. et al. "Gene coding diaminopelargonic acid aminotransferase and desthiobiotin synthetase and its utilization," Patent: JP 1992330284-A 1 11/18/92
E04307	Flavum aspartase	Kurusu, Y. et al. "Gene DNA coding aspartase and utilization thereof," Patent: JP 1993030977-A 1 02/09/93
E04376	Isocitric acid Iyase	Katsumata, R. et al. "Gene manifestation controlling DNA," Patent: JP 1993056782-A 3 03/09/93
E04377	Isocitric acid Iyase N-terminal fragment	Katsumata, R. et al. "Gene manifestation controlling DNA," Patent: JP 1993056782-A 3 03/09/93
E04484	Prephenate dehydratase	Sotouchi, N. et al. "Production of L-phenylalanine by fermentation," Patent: JP 1993076352-A 2 03/30/93
E05108	Aspartokinase	Fugono, N. et al. "Gene DNA coding Aspartokinase and its use," Patent: JP 1993184366-A 1 07/27/93
E05112	Dihydro-dipichorinate synthetase	Hatakeyama, K. et al. "Gene DNA coding dihydrodipicolinic acid synthetase and its use," Patent: JP 1993184371-A 1 07/27/93
E05776	Diaminopimelic acid dehydrogenase	Kobayashi, M. et al. "Gene DNA coding Diaminopimelic acid dehydrogenase and its use," Patent: JP 1993284970-A 1 11/02/93
E05779	Threonine synthase	Kohama, K. et al. "Gene DNA coding threonine synthase and its use," Patent: JP 1993284972-A 1 11/02/93
E06110	Prephenate dehydratase	Kikuchi, T. et al. "Production of L-phenylalanine by fermentation method," Patent: JP 1993344881-A 1 12/27/93
E06111	Mutated Prephenate dehydratase	Kikuchi, T. et al. "Production of L-phenylalanine by fermentation method," Patent: JP 1993344881-A 1 12/27/93
E06146	Acetohydroxy acid synthetase	Inui, M. et al. "Gene capable of coding Acetohydroxy acid synthetase and its use," Patent: JP 1993344893-A 1 12/27/93
E06825	Aspartokinase	Sugimoto, M. et al. "Mutant aspartokinase gene," patent: JP 1994062866-A 1 03/08/94
E06826	Mutated aspartokinase alpha subunit	Sugimoto, M. et al. "Mutant aspartokinase gene," patent: JP 1994062866-A 1 03/08/94

		Table 2 (continued)	nued)
E13655		ehyd	Hatakeyama, K. et al. "Glucose-6-phosphate dehydrogenase and DNA capable of coding the same," Patent: JP 1997224661-A 1 09/02/97
<u>L01508</u>	livA	Threonine dehydratase	Moeckel, B. et al. "Functional and structural analysis of the threonine dehydratase of Corynebacterium glutamicum," <i>J. Bacteriol.</i> , 174:8065-8072 (1992)
L07603	EC 4.2.1.15	3-deoxy-D-arabinoheptulosonate-7- phosphate synthase	Chen, C. et al. "The cloning and nucleotide sequence of Corynebacterium glutamicum 3-deoxy-D-arabinoheptulosonate-7-phosphate synthase gene," FEMS Microbiol. Lett., 107:223-230 (1993)
L09232	IIvB; iIvN; iIvC	Acetohydroxy acid synthase large subunit; Acetohydroxy acid synthase small subunit; Acetohydroxy acid isomeroreductase	Keilhauer, C. et al. "Isoleucine synthesis in Corynebacterium glutamicum: molecular analysis of the ilvB-ilvN-ilvC operon," <i>J. Bacteriol.</i> , 175(17):5595-5603 (1993)
L18874	PtsM	Phosphoenolpyruvate sugar phosphotransferase	Fouet, A et al. "Bacillus subtilis sucrose-specific enzyme II of the phosphotransferase system: expression in Escherichia coli and homology to enzymes II from enteric bacteria," PNAS USA, 84(24):8773-8777 (1987); Lee, J.K. et al. "Nucleotide sequence of the gene encoding the Corynebacterium glutamicum mannose enzyme II and analyses of the deduced protein sequence," FEMS Microbiol. Lett., 119(1-2):137-145 (1994)
L27123	aceB	Malate synthase	Lee, H-S. et al. "Molecular characterization of aceB, a gene encoding malate synthase in Corynebacterium glutamicum," J. Microbiol. Biotechnol., 4(4):256-263 (1994)
L27126		Pyruvate kinase	Jetten, M. S. et al. "Structural and functional analysis of pyruvate kinase from Corynebacterium glutamicum," <i>Appl. Environ. Microbiol.</i> , 60(7):2501-2507 (1994)
L28760	aceA	Isocitrate lyase	
L35906	dtxr	Diphtheria toxin repressor	Oguiza, J.A. et al. "Molecular cloning, DNA sequence analysis, and characterization of the Corynebacterium diphtheriae dtxR from Brevibacterium lactofermentum," J. Bacteriol., 177(2):465-467 (1995)
M13774		Prephenate dehydratase	Follettie, M.T. et al. "Molecular cloning and nucleotide sequence of the Corynebacterium glutamicum pheA gene," J. Bacteriol., 167:695-702 (1986)
M16175	SS rRNA		Park, Y-H. et al. "Phylogenetic analysis of the coryneform bacteria by 56 rRNA sequences," J. Bacteriol, 169:1801-1806 (1987)
M16663	трЕ	Anthranilate synthase, 5' end	Sano, K. et al. "Structure and function of the trp operon control regions of Brevibacterium lactofermentum, a glutamic-acid-producing bacterium," <i>Gene</i> , 52:191-200 (1987)
M16664	трА	Tryptophan synthase, 3'end	Sano, K. et al. "Structure and function of the trp operon control regions of Brevibacterium lactofermentum, a glutamic-acid-producing bacterium," Gene, 52:191-200 (1987)

		Table 2 (continued	ned)
M25819		enolpyruvate carbo	O'Regan, M. et al. "Cloning and nucleotide sequence of the Phosphoenolpyruvate carboxylase-coding gene of Corynebacterium glutamicum ATCC13032," Gene, 77(2):237-251 (1989)
M85106		23S rRNA gene insertion sequence	Roller, C. et al. "Gram-positive bacteria with a high DNA G+C content are characterized by a common insertion within their 23S rRNA genes," J. Gen. Microbiol., 138:1167-1175 (1992)
M85107, M85108		23S rRNA gene insertion sequence	Roller, C. et al. "Gram-positive bacteria with a high DNA G+C content are characterized by a common insertion within their 23S rRNA genes," J. Gen. Microbiol., 138:1167-1175 (1992)
M89931	aecD; bmQ; yhbw	Beta C-S lyase; branched-chain amino acid uptake carrier; hypothetical protein yhbw	Rossol, I. et al. "The Corynebacterium glutamicum aecD gene encodes a C-S lyase with alpha, beta-elimination activity that degrades aminoethylcysteine," J. Bacteriol., 174(9):2968-2977 (1992); Tauch, A. et al. "Isoleucine uptake in Corynebacterium glutamicum ATCC 13032 is directed by the brnQ gene product," Arch. Microbiol., 169(4):303-312 (1998)
859299	££	Leader gene (promoter)	Herry, D.M. et al. "Cloning of the trp gene cluster from a tryptophan-hyperproducing strain of Corynebacterium glutamicum: identification of a mutation in the trp leader sequence," Appl. Environ. Microbiol., 59(3):791-799 (1993)
U11545	ιφΩ	Anthranilate phosphoribosyltransferase	O'Gara, J.P. and Dunican, L.K. (1994) Complete nucleotide sequence of the Corynebacterium glutamicum ATCC 21850 tpD gene." Thesis, Microbiology Department, University College Galway, Ireland.
U13922	cgilM; cgilR; clgilR	Putative type II 5-cytosoine methyltransferase; putative type II restriction endonuclease; putative type I or type III restriction endonuclease	Schafer, A. et al. "Cloning and characterization of a DNA region encoding a stress-sensitive restriction system from Corynebacterium glutamicum ATCC 13032 and analysis of its role in intergeneric conjugation with Escherichia coli," J. Bacteriol., 176(23):7309-7319 (1994); Schafer, A. et al. "The Corynebacterium glutamicum cglIM gene encoding a 5-cytosine in an McrBC-deficient Escherichia coli strain," Gene, 203(2):95-101 (1997)
U31224	ррх		Ankri, S. et al. "Mutations in the Corynebacterium glutamicumproline biosynthetic pathway: A natural bypass of the proA step," J. Bacteriol., 178(15):4412-4419 (1996)
U31225	proC	L-proline: NADP+ 5-oxidoreductase	Ankri, S. et al. "Mutations in the Corynebacterium glutamicumproline biosynthetic pathway: A natural bypass of the proA step," J. Bacteriol., 178(15):4412-4419 (1996)
U31230	obg; proB; unkdh	?;gamma glutamyl kinase;similar to D- isomer specific 2-hydroxyacid dehydrogenases	Ankri, S. et al. "Mutations in the Corynebacterium glutamicumproline biosynthetic pathway: A natural bypass of the proA step," J. Bacteriol., 178(15):4412-4419 (1996)

		Table 2 (continued)	nued)
U31281	bioB	ynthase	Serebriiskii, I.G., "Two new members of the bio B superfamily: Cloning, sequencing and expression of bio B genes of Methylobacillus flagellatum and Corynebacterium glutamicum," <i>Gene</i> , 175:15-22 (1996)
U35023	thtR; accBC	Thiosulfate sulfurtransferase; acyl CoA carboxylase	Jager, W. et al. "A Corynebacterium glutamicum gene encoding a two-domain protein similar to biotin carboxylases and biotin-carboxyl-carrier proteins," <i>Arch. Microbiol.</i> , 166(2);76-82 (1996)
U43535	cmr	Multidrug resistance protein	Jager, W. et al. "A Corynebacterium glutamicum gene conferring multidrug resistance in the heterologous host Escherichia coli," J. Bacteriol., 179(7):2449-2451 (1997)
U43536	clpB	Heat shock ATP-binding protein	
U53587	aphA-3	3'5"-aminoglycoside phosphotransferase	
U89648		Corynebacterium glutamicum unidentified sequence involved in histidine biosynthesis, partial sequence	
X04960	trpA; trpB; trpC; trpD; trpE; trpG; trpL	Tryptophan operon	Matsui, K. et al. "Complete nucleotide and deduced amino acid sequences of the Brevibacterium lactofermentum tryptophan operon," <i>Nucleic Acids Res.</i> , 14(24):10113-10114 (1986)
X07563	lys A	DAP decarboxylase (meso-diaminopimelate decarboxylase, EC 4.1.1.20)	Yeh, P. et al. "Nucleic sequence of the lysA gene of Corynebacterium glutamicum and possible mechanisms for modulation of its expression," Mol. Gen. Genet., 212(1):112-119 (1988)
X14234	EC 4.1.1.31	Phosphoenolpyruvate carboxylase	Eikmanns, B.J. et al. "The Phosphoenolpyruvate carboxylase gene of Corynebacterium glutamicum: Molecular cloning, nucleotide sequence, and expression," Mol. Gen. Genet., 218(2):330-339 (1989); Lepiniec, L. et al. "Sorghum Phosphoenolpyruvate carboxylase gene family: structure, function and molecular evolution," Plant. Mol. Biol., 21 (3):487-502 (1993)
X17313	fda	Fructose-bisphosphate aldolase	Von der Osten, C.H. et al. "Molecular cloning, nucleotide sequence and fine- structural analysis of the Corynebacterium glutamicum fda gene: structural comparison of C. glutamicum fructose-1, 6-biphosphate aldolase to class I and class II aldolases," Mol. Microbiol.,
X53993	dapA	L-2, 3-dihydrodipicolinate synthetase (EC 4.2, 1.52)	Bonnassie, S. et al. "Nucleic sequence of the dapA gene from Corynebacterium glutamicum," Nucleic Acids Res., 18(21):6421 (1990)
X54223		AttB-related site	Cianciotto, N. et al. "DNA sequence homology between att B-related sites of Corynebacterium diphtheriae, Corynebacterium ulcerans, Corynebacterium glutamicum, and the attP site of lambdacorynephage," FEMS. Microbiol, Lett., 66:299-302 (1990)
X54740	argS; lysA	Arginyl-tRNA synthetase; Diaminopimelate decarboxylase	Marcel, T. et al. "Nucleotide sequence and organization of the upstream region of the Corynebacterium glutamicum lysA gene," Mol. Microbiol., 4(11):1819-1830 (1990)

		Table 2 (continued	nued)
X55994	trpL; trpE	Putative leader peptide; anthranilate synthase component 1	Heery, D.M. et al. "Nucleotide sequence of the Corynebacterium glutamicum trpE gene," Nucleic Acids Res., 18(23):7138 (1990)
X56037	thrC	Threonine synthase	Han, K.S. et al. "The molecular structure of the Corynebacterium glutamicum threonine synthase gene," Mol. Microbiol, 4(10):1693-1702 (1990)
X56075	attB-related site	Attachment site	Cianciotto, N. et al. "DNA sequence homology between att B-related sites of Corynebacterium diphtheriae, Corynebacterium ulcerans, Corynebacterium glutamicum, and the att Site of lambdacorynephage," FEMS. Microbiol, Lett., 66:299-302 (1990)
X57226	lysC-alpha; lysC-beta; asd	Aspartokinase-alpha subunit; Aspartokinase-beta subunit; aspartate beta semialdehyde dehydrogenase	Kalinowski, J. et al. "Genetic and biochemical analysis of the Aspartokinase from Corynebacterium glutamicum," <i>Mol. Microbiol.</i> , 5(5):1197-1204 (1991); Kalinowski, J. et al. "Aspartokinase genes lysC alpha and lysC beta overlap and are adjacent to the aspertate beta-semialdehyde dehydrogenase gene asd in Corynebacterium glutamicum," <i>Mol. Gen. Genet.</i> , 224(3):317-324 (1990)
X59403	gap;pgk; tpi	Glyceraldehyde-3-phosphate; phosphoglycerate kinase; triosephosphate isomerase	Eikmanns, B.J. "Identification, sequence analysis, and expression of a Corynebacterium glutamicum gene cluster encoding the three glycolytic enzymes glyceraldehyde-3-phosphate dehydrogenase, 3-phosphoglycerate kinase, and triosephosphate isomeras," J. Bacteriol., 174(19):6076-6086 (1992)
X59404	dbg	Glutamate dehydrogenase	Bormann, E.R. et al. "Molecular analysis of the Corynebacterium glutamicum gdh gene encoding glutamate dehydrogenase," Mol. Microbiol., 6(3):317-326 (1992)
X60312	lysl	L-lysine permease	Seep-Feldhaus, A.H. et al. "Molecular analysis of the Corynebacterium glutamicum lysl gene involved in lysine uptake," <i>Mol. Microbiol.</i> , 5(12):2995-3005 (1991)
X66078	[do	Ps1 protein	Joliff, G. et al. "Cloning and nucleotide sequence of the csp1 gene encoding PS1, one of the two major secreted proteins of Corynebacterium glutamicum: The deduced N-terminal region of PS1 is similar to the Mycobacterium antigen 85 complex," Mol. Microbiol., 6(16):2349-2362 (1992)
X66112	glt	Citrate synthase	Eikmanns, B.J. et al. "Cloning sequence, expression and transcriptional analysis of the Corynebacterium glutamicum gltA gene encoding citrate synthase," <i>Microbiol.</i> , 140:1817-1828 (1994)
X69103	dapB csp2	Dihydrodipicolinate reductase Surface layer protein PS2	Peyret, J.L. et al. "Characterization of the cspB gene encoding PS2, an ordered surface-layer protein in Corynebacterium glutamicum," Mol. Microbiol., 9(1):97-109 (1993)
X69104		IS3 related insertion element	Bonamy, C. et al. "Identification of IS1206, a Corynebacterium glutamicum IS3-related insertion sequence and phylogenetic analysis," Mol. Microbiol., 14(3):571-581 (1994)

		Table 2 (continued)	nued)
X70959	leuA	Isopropylmalate synthase	Patek, M. et al. "Leucine synthesis in Corynebacterium glutamicum: enzyme activities, structure of leuA, and effect of leuA inactivation on lysine synthesis," Appl. Environ. Microbiol., 60(1):133-140 (1994)
X71489	י וכ ק	Isocitrate dehydrogenase (NADP+)	Eikmanns, B.J. et al. "Cloning sequence analysis, expression, and inactivation of the Corynebacterium glutamicum icd gene encoding isocitrate dehydrogenase and biochemical characterization of the enzyme," J. Bacteriol., 17(3):774-782 (1995)
X72855	GDHA	Glutamate dehydrogenase (NADP+)	
X75083, X70584	mtrA	5-methyltryptophan resistance	Heery, D.M. et al. "A sequence from a tryptophan-hyperproducing strain of Corynebacterium glutamicum encoding resistance to 5-methyltryptophan," Biochem. Biophys. Res. Commun., 201(3):1255-1262 (1994)
X75085	recA		Fitzpatrick, R. et al. "Construction and characterization of recA mutant strains of Corynebacterium glutamicum and Brevibacterium lactofermentum," Appl. Microbiol. Biolechnol., 42(4):575-580 (1994)
X75504	aceA; thiX	Partial Isocitrate lyase; ?	Reinscheid, D.J. et al. "Characterization of the isocitrate lyase gene from Corynebacterium glutamicum and biochemical analysis of the enzyme," J. Bacteriol., 176(12):3474-3483 (1994)
X76875		ATPase beta-subunit	Ludwig, W. et al. "Phylogenetic relationships of bacteria based on comparative sequence analysis of elongation factor Tu and ATP-synthase beta-subunit genes," Antonie Van Leeuwenhoek, 64:285-305 (1993)
X77034 	tuf	Elongation factor Tu	Ludwig, W. et al. "Phylogenetic relationships of bacteria based on comparative sequence analysis of elongation factor Tu and ATP-synthase beta-subunit genes," Antonie Van Leeuwenhoek, 64:285-305 (1993)
X77384	recA		Billman-Jacobe, H. "Nucleotide sequence of a recA gene from Corynebacterium glutamicum," DNA Seq., 4(6):403-404 (1994)
X78491	aceB	Malate synthase	Reinscheid, D.J. et al. "Malate synthase from Corynebacterium glutamicum pta-ack operon encoding phosphotransacetylase: sequence analysis," <i>Microbiology</i> , 140:3099-3108 (1994)
X80629	16S rDNA	16S ribosomal RNA	Rainey, F.A. et al. "Phylogenetic analysis of the genera Rhodococcus and Norcardia and evidence for the evolutionary origin of the genus Norcardia from within the radiation of Rhodococcus species," <i>Microbiol.</i> , 141:523-528 (1995)
	gluA; gluB; gluC; gluD	Glutamate uptake system	Kronemeyer, W. et al. "Structure of the gluABCD cluster encoding the glutamate uptake system of Corynebacterium glutamicum," J. Bacteriol., 177(5):1152-1158 (1995)
X81379	dapE	Succinyldiaminopimelate desuccinylase	Wehrmann, A. et al. "Analysis of different DNA fragments of Corynebacterium glutamicum complementing dapE of Escherichia coli," <i>Microbiology</i> , 40:3349-56 (1994)

Table 2 (continued)	16S rDNA Robosomal RNA Ruimy, R. et al. "Phylogeny of the genus Corynebacterium deduced from analyses of small-subunit ribosomal DNA sequences," Int. J. Syst. Bacteriol., 45(4):740-746 (1995)	asd; lysC Aspartate-semialdehyde dehydrogenase; ? Serebrijski, I. et al. "Multicopy suppression by asd gene and osmotic stress-dependent complementation by heterologous proA mutants," J. Bacteriol., 177(24):7255-7260 (1995)	proA Gamma-glutamyl phosphate reductase Serebrijski, I. et al. "Multicopy suppression by asd gene and osmotic stress-dependent complementation by heterologous proA mutants," J. Bacteriol., 177(24):7255-7260 (1995)	16S rDNA 16S ribosomal RNA Pascual, C. et al. "Phylogenetic analysis of the genus Corynebacterium based on 16S rRNA gene sequences," <i>Int. J. Syst. Bacteriol.</i> , 45(4):724-728 (1995)	aroP; dapE Aromatic amino acid permease; ? Blutamicum proline reveals the presence of aroP, which encodes the aromatic amino acid transporter," J. Bacteriol., 177(20):5991-5993 (1995)	Sakanyan, V. et al. "Genes and enzymes of the acetyl cycle of arginine biosynthesis in Corynebacterium glutamicum: enzyme evolution in the early steps of the arginine pathway," <i>Microbiology</i> , 142:99-108 (1996)	pta; ackA Phosphate acetyltransferase; acetate kinase of the Corynebacterium glutamicum pta-ack operon encoding phosphotransacetylase and acetate kinase," Microbiology, 145:503-513 (1999)	attB Attachment site Le Marrec, C. et al. "Genetic characterization of site-specific integration functions of phi AAU2 infecting "Arthrobacter aureus C70," J. Bacteriol., 178(7):1996-2004 (1996)	Promoter fragment F1 Patek, M. et al. "Promoters from Corynebacterium glutamicum: cloning, molecular analysis and search for a consensus motif," <i>Microbiology</i> , 142:1297-1309 (1996)	Promoter fragment F2 Patek, M. et al. "Promoters from Corynebacterium glutamicum: cloning, molecular analysis and search for a consensus motif," <i>Microbiology</i> , 142:1297-1309 (1996)	Promoter fragment F10 Patek, M. et al. "Promoters from Corynebacterium glutamicum: cloning, molecular analysis and search for a consensus motif," <i>Microbiology</i> , 142:1297-1309 (1996)	Promoter fragment F13 Patek, M. et al. "Promoters from Corynebacterium glutamicum: cloning, molecular analysis and search for a consensus motif," <i>Microbiology</i> , 142:1297-1309 (1996)	
	16S rDN∤	asd; lysC	proA	16S rDN	aroP; dap	argB; argl argF; argJ	pta; ackA	attB					
	X82061	X82928	X82929	X84257	X85965	X86157	X89084	X89850	X90356	X90357	X90358	X90359	

		Table 2 (continued)	nued)
X90360			Patek, M. et al. "Promoters from Corynebacterium glutamicum: cloning, molecular analysis and search for a consensus motif," Microbiology, 142:1297-1309 (1996)
X90361		Promoter fragment F34	Patek, M. et al. "Promoters from Corynebacterium glutamicum: cloning, molecular analysis and search for a consensus motif," <i>Microbiology</i> , 142:1297-1309 (1996)
X90362		Promoter fragment F37	Patek, M. et al. "Promoters from C. glutamicum: cloning, molecular analysis and search for a consensus motif," Microbiology, 142:1297-1309 (1996)
X90363		Promoter fragment F45	Patek, M. et al. "Promoters from Corynebacterium glutamicum: cloning, molecular analysis and search for a consensus motif," <i>Microbiology</i> , 142:1297-1309 (1996)
X90364		Promoter fragment F64	Patek, M. et al. "Promoters from Corynebacterium glutamicum: cloning, molecular analysis and search for a consensus motif," <i>Microbiology</i> , 142:1297-1309 (1996)
X90365		Promoter fragment F75	Patek, M. et al. "Promoters from Corynebacterium glutamicum: cloning, molecular analysis and search for a consensus motif," <i>Microbiology</i> , 142:1297-1309 (1996)
X90366		Promoter fragment PF101	Patek, M. et al. "Promoters from Corynebacterium glutamicum: cloning, molecular analysis and search for a consensus motif," <i>Microbiology</i> , 142:1297-1309 (1996)
X90367		Promoter fragment PF104	Patek, M. et al. "Promoters from Corynebacterium glutamicum: cloning, molecular analysis and search for a consensus motif," <i>Microbiology</i> , 142:1297-1309 (1996)
X90368		Promoter fragment PF109	Patek, M. et al. "Promoters from Corynebacterium glutamicum: cloning, molecular analysis and search for a consensus motif," <i>Microbiology</i> , 142:1297-1309 (1996)
X93513	amt	Ammonium transport system	Siewe, R.M. et al. "Functional and genetic characterization of the (methyl) ammonium uptake carrier of Corynebacterium glutamicum," J. Biol. Chem., 271(10):5398-5403 (1996)
X93514	betP	Glycine betaine transport system	Peter, H. et al. "Isolation, characterization, and expression of the Corynebacterium glutamicum betP gene, encoding the transport system for the compatible solute glycine betaine," J. Bacteriol., 178(17):5229-5234 (1996)
X95649	orf4		Patek, M. et al. "Identification and transcriptional analysis of the dapB-ORF2-dapA-ORF4 operon of Corynebacterium glutamicum, encoding two enzymes involved in L-lysine synthesis," Biotechnol. Lett., 19:1113-1117 (1997)
X96471	lysE; lysG	Lysine exporter protein; Lysine export regulator protein	Vrljic, M. et al. "A new type of transporter with a new type of cellular function: L-lysine export from Corynebacterium glutamicum," Mol. Microbiol., 22(5):815-826 (1996)

		Table 2 (continued)	nued)
X96580	panB; panC; xylB	3-methyl-2-oxobutanoate hydroxymethyltransferase; pantoate-beta-alanine ligase; xylulokinase	Sahm, H. et al. "D-pantothenate synthesis in Corynebacterium glutamicum and use of panBC and genes encoding L-valine synthesis for D-pantothenate overproduction," <i>Appl. Environ. Microbiol.</i> , 65(5):1973-1979 (1999)
X96962		Insertion sequence IS1207 and transposase	
X99289		Elongation factor P	Ramos, A. et al. "Cloning, sequencing and expression of the gene encoding elongation factor P in the amino-acid producer Brevibacterium lactofermentum (Corynebacterium glutamicum ATCC 13869)," Gene, 198:217-222 (1997)
Y00140	thrB	Homoserine kinase	Mateos, L.M. et al. "Nucleotide sequence of the homoserine kinase (thrB) gene of the Brevibacterium lactofermentum," Nucleic Acids Res., 15(9):3922 (1987)
Y00151	qpp	Meso-diaminopimelate D-dehydrogenase (EC 1.4.1.16)	Ishino, S. et al. "Nucleotide sequence of the meso-diaminopimelate D-dehydrogenase gene from Corynebacterium glutamicum," <i>Nucleic Acids Res.</i> , 15(9):3917 (1987)
Y00476	thrA	Homoserine dehydrogenase	Mateos, L.M. et al. "Nucleotide sequence of the homoserine dehydrogenase (thrA) gene of the Brevibacterium lactofermentum," <i>Nucleic Acids Res.</i> , 15(24):10598 (1987)
Y00546	hom; thrB	Homoserine dehydrogenase; homoserine kinase	Peoples, O.P. et al. "Nucleotide sequence and fine structural analysis of the Corynebacterium glutamicum hom-thrB operon," <i>Mol. Microbiol.</i> , 2(1):63-72 (1988)
Y08964	murC; ftsQ/divD; ftsZ	UPD-N-acetylmuramate-alanine ligase; division initiation protein or cell division protein; cell division protein	Honrubia, M.P. et al. "Identification, characterization, and chromosomal organization of the ftsZ gene from Brevibacterium lactofermentum," Mol. Gen. Genet., 259(1):97-104 (1998)
Y09163	putP	High affinity proline transport system	Peter, H. et al. "Isolation of the putP gene of Corynebacterium glutamicumproline and characterization of a low-affinity uptake system for compatible solutes," <i>Arch. Microbiol.</i> , 168(2):143-151 (1997)
Y09548	pyc	Pyruvate carboxylase	Peters-Wendisch, P.G. et al. "Pyruvate carboxylase from Corynebacterium glutamicum: characterization, expression and inactivation of the pyc gene," <i>Microbiology</i> , 144:915-927 (1998)
Y09578	leuB	3-isopropylmalate dehydrogenase	Patek, M. et al. "Analysis of the leuB gene from Corynebacterium glutamicum," Appl. Microbiol. Biotechnol., 50(1):42-47 (1998)
Y12472		Attachment site bacteriophage Phi-16	Moreau, S. et al. "Site-specific integration of corynephage Phi-16. The construction of an integration vector," <i>Microbiol.</i> , 145:539-548 (1999)
Y12537	proP	Proline/ectoine uptake system protein	Peter, H. et al. "Corynebacterium glutamicum is equipped with four secondary carriers for compatible solutes: Identification, sequencing, and characterization of the proline/ectoine uptake system, ProP, and the ectoine/proline/glycine betaine carrier, EctP," J. Bacteriol., 180(22):6005-6012 (1998)

. .

-	Anla		
	giiiA	Glutamine synthetase I	Jakoby, M. et al. "Isolation of Corynebacterium glutamicum glnA gene encoding glutamine synthetase I," FEMS Microbiol. Lett., 154(1):81-88 (1997)
	pdl	Dihydrolipoamide dehydrogenase	
Y18059			Moreau, S. et al. "Analysis of the integration functions of φ304L: An integrase module among corynephages," Virology, 255(1):150-159 (1999)
Z21501 a	argS; lysA	Arginyl-tRNA synthetase; diaminopimelate decarboxylase (partial)	Oguiza, J.A. et al. "A gene encoding arginyl-tRNA synthetase is located in the upstream region of the lysA gene in Brevibacterium lactofermentum: Regulation of argS-lysA cluster expression by arginine," J. Bacteriol, 175(22):7356-7362 (1993)
Z21502 d	dapA, dapB	Dihydrodipicolinate synthase; dihydrodipicolinate reductase	Pisabarro, A. et al. "A cluster of three genes (dapA, orf2, and dapB) of Brevibacterium lactofermentum encodes dihydrodipicolinate reductase, and a third polypeptide of unknown function," J. Bacteriol., 175(9):2743-2749 (1993)
-	thrC	Threonine synthase	Malumbres, M. et al. "Analysis and expression of the thrC gene of the encoded threonine synthase," Appl. Environ. Microbiol., 60(7)2209-2219 (1994)
	16S rDNA	Gene for 16S ribosomal RNA	
	sigA	SigA sigma factor	Oguiza, J.A. et al "Multiple sigma factor genes in Brevibacterium lactofermentum: Characterization of sigA and sigB," J. Bacteriol., 178(2):550-553 (1996)
Z49823 g	galE; dtxR	Catalytic activity UDP-galactose 4- epimerase; diphtheria toxin regulatory protein	Oguiza, J.A. et al "The galE gene encoding the UDP-galactose 4-epimerase of Brevibacterium lactofermentum is coupled transcriptionally to the dmdR gene," <i>Gene</i> , 177:103-107 (1996)
249824 0	orfl; sigB	?; SigB sigma factor	Oguiza, J.A. et al "Multiple sigma factor genes in Brevibacterium lactofermentum: Characterization of sigA and sigB," J. Bacteriol., 178(2):550-553 (1996)
Z66534		Transposase	Correia, A. et al. "Cloning and characterization of an IS-like element present in the genome of Brevibacterium lactofermentum ATCC 13869," <i>Gene</i> , 170(1):91-94 (1996)
A sequence for this the published versio	' A sequence for this gene was published in the indic the published version. It is believed that the publish	the indicated reference. However, the sequence published version relied on an incorrect start co	A sequence for this gene was published in the indicated reference. However, the sequence obtained by the inventors of the present application is significantly longer than he published version. It is believed that the published version relied on an incorrect start codon, and thus represents only a fragment of the actual coding region.

TABLE 3: Corynebacterium and Brevibacterium Strains Which May be Used in the Practice of the Invention

Genus # # 1	spēcies军。 上電 畫	*ATCG	FERM	NRRL	CECT	NEIMB	EBS	NCTE	DSMZ
Brevibacterium	ammoniagenes	21054							
Brevibacterium	ammoniagenes	19350							
Brevibacterium	ammoniagenes	19351							
Brevibacterium	ammoniagenes	19352							
Brevibacterium	ammoniagenes	19353							
Brevibacterium	ammoniagenes	19354							
Brevibacterium	ammoniagenes	19355							
Brevibacterium	ammoniagenes	19356							
Brevibacterium	ammoniagenes	21055							
Brevibacterium	ammoniagenes	21077							
Brevibacterium	ammoniagenes	21553							
Brevibacterium	ammoniagenes	21580							
Brevibacterium	ammoniagenes	39101							
Brevibacterium	butanicum	21196							
Brevibacterium	divaricatum	21792	P928						
Brevibacterium	flavum	21474							
Brevibacterium	flavum	21129							
Brevibacterium	flavum	21518							
Brevibacterium	flavum			B11474					
Brevibacterium	flavum			B11472					
Brevibacterium	flavum	21127							
Brevibacterium	flavum	21128							
Brevibacterium	flavum	21427		_					
Brevibacterium	flavum	21475							
Brevibacterium	flavum	21517							
Brevibacterium	flavum	21528							
Brevibacterium	flavum	21529							
Brevibacterium	flavum			B11477					
Brevibacterium	flavum			B11478					
Brevibacterium	flavum	21127							
Brevibacterium	flavum			B11474					
Brevibacterium	healii	15527							
Brevibacterium	ketoglutamicum	21004							
Brevibacterium	ketoglutamicum	21089							
Brevibacterium	ketosoreductum	21914							
Brevibacterium	lactofermentum				70				
Brevibacterium	lactofermentum				74				
Brevibacterium	lactofermentum				77				
Brevibacterium	lactofermentum	21798							
Brevibacterium	lactofermentum	21799							
Brevibacterium	lactofermentum	21800							
Brevibacterium	lactofermentum	21801							
Brevibacterium	lactofermentum			B11470					
Brevibacterium	lactofermentum			B11471					

WO 01/00804

Genus Alexander	species in 1	E ATCC	FERM	INRRL	CECT	NCIMB	* CBS	NCTG	DSMZ
Brevibacterium	lactofermentum	21086	· · · · · · ·	3	- 175	<u> </u>	- F75 F	-1 -1	
Brevibacterium	lactofermentum	21420		· · · · · · · · · · · · · · · · · · ·	 				
Brevibacterium	lactofermentum	21086		· · · · · · · · · · · · · · · · · · ·					
Brevibacterium	lactofermentum	31269			!				
Brevibacterium	linens	9174							
Brevibacterium	linens	19391							
Brevibacterium	linens	8377							
Brevibacterium	paraffinolyticum					11160			
Brevibacterium	spec.				<u> </u>		717.73		
Brevibacterium	spec.						717.73		
Brevibacterium	spec.	14604							
Brevibacterium	spec.	21860							
Brevibacterium	spec.	21864							
Brevibacterium	spec.	21865							
Brevibacterium	spec.	21866				_			
Brevibacterium	spec.	19240							
Corynebacterium	acetoacidophilum	21476							
Corynebacterium	acetoacidophilum	13870							
Corynebacterium	acetoglutamicum			B11473					
Corynebacterium	acetoglutamicum			B11475					
Corynebacterium	acetoglutamicum	15806							
Corynebacterium	acetoglutamicum	21491							
Corynebacterium	acetoglutamicum	31270							
Corynebacterium	acetophilum			B3671					
Corynebacterium	ammoniagenes	6872						2399	
Corynebacterium	ammoniagenes	15511							
Corynebacterium	fujiokense	21496							
Corynebacterium	glutamicum	14067							
Corynebacterium	glutamicum	39137							
	glutamicum	21254							
Corynebacterium	glutamicum	21255							
Corynebacterium	glutamicum	31830							
Corynebacterium	glutamicum	13032							
	glutamicum	14305							
	glutamicum	15455							
Corynebacterium	glutamicum	13058							
	glutamicum	13059							
	glutamicum	13060							
	glutamicum	21492							
	glutamicum	21513							
	glutamicum	21526							
	glutamicum	21543							
	glutamicum	13287							
	glutamicum	21851							
	glutamicum	21253							
	glutamicum	21514							
	glutamicum	21516							
Corynebacterium	glutamicum	21299						<u>_</u>	

Genus (2004)	species #	ATCC	EERM:	NRRIE	CEGE	NCIMB	FERSE	NCTG	DSM7
Corynebacterium	glutamicum	21300	Barrer Tree	Fit In Education	7.00	3.VX****	E COLLEGE		
Corynebacterium	glutamicum	39684			ļ				
Corynebacterium	glutamicum	21488		_					
Corynebacterium	glutamicum	21649			 -		ļ		
Corynebacterium	glutamicum	21650							
Corynebacterium	glutamicum	19223							
Corynebacterium	glutamicum	13869							
Corynebacterium	glutamicum	21157	<u> </u>			_			
Corynebacterium	glutamicum	21158							
Corynebacterium	glutamicum	21159							
Corynebacterium	glutamicum	21355							
Corynebacterium	glutamicum	31808							
Corynebacterium	glutamicum	21674							
Corynebacterium	glutamicum	21562							
Corynebacterium	glutamicum	21563							
Corynebacterium	glutamicum	21564							
Corynebacterium	glutamicum	21565							
Corynebacterium	glutamicum	21566							
Corynebacterium	glutamicum	21567							
Corynebacterium	glutamicum	21568							
Corynebacterium	glutamicum	21569							
Corynebacterium	glutamicum	21570							
Corynebacterium	glutamicum	21571							
Corynebacterium	glutamicum	21572	_						
Corynebacterium	glutamicum	21573					-		
Corynebacterium	glutamicum	21579							
Corynebacterium	glutamicum	19049							
Corynebacterium	glutamicum	19050							
Corynebacterium	glutamicum	19051							
Corynebacterium	glutamicum	19052							
Corynebacterium	glutamicum	19053							
Corynebacterium	glutamicum	19054							
Corynebacterium	glutamicum	19055							
Corynebacterium	glutamicum	19056							
Corynebacterium	glutamicum	19057							
Corynebacterium	glutamicum	19058							
Corynebacterium	glutamicum	19059		· · · · · · · · · · · · · · · · · · ·					
Corynebacterium	glutamicum	19060							
Corynebacterium	glutamicum	19185							
Corynebacterium	glutamicum	13286		_					
Corynebacterium	glutamicum	21515			-				
Corynebacterium	glutamicum	21527							
Corynebacterium	glutamicum	21544							
Corynebacterium	glutamicum	21492	_	_					
Corynebacterium	glutamicum			B8183					
Corynebacterium	glutamicum	-		B8182					
Corynebacterium	glutamicum			B12416					
Corynebacterium	glutamicum			B12417					
22.7.10000010110111	D			J. J. 7. 7	l		l		

.....

Genus Service	species La	FATCC.	FERM	NRRL	CECT	NEIMB	F CBS	NCTE	DSMZ
Corynebacterium	glutamicum			B12418		1			
Corynebacterium	glutamicum			B11476	1				<u> </u>
Corynebacterium	glutamicum	21608							
Corynebacterium	lilium		P973						
Corynebacterium	nitrilophilus	21419				11594			
Corynebacterium	spec.		P4445			ĺ	Ì		
Corynebacterium	spec.		P4446			1			
Corynebacterium	spec.	31088				<u> </u>	1		<u> </u>
Corynebacterium	spec.	31089			1				
Corynebacterium	spec.	31090							
Corynebacterium	spec.	31090							i
Corynebacterium	spec.	31090							i
Corynebacterium	spec.	15954							20145
Corynebacterium	spec.	21857				<u> </u>			
Corynebacterium	spec.	21862							
Corynebacterium	spec.	21863					1	1	

ATCC: American Type Culture Collection, Rockville, MD, USA

FERM: Fermentation Research Institute, Chiba, Japan

NRRL: ARS Culture Collection, Northern Regional Research Laboratory, Peoria, IL, USA

CECT: Coleccion Espanola de Cultivos Tipo, Valencia, Spain

NCIMB: National Collection of Industrial and Marine Bacteria Ltd., Aberdeen, UK

CBS: Centraalbureau voor Schimmelcultures, Baarn, NL NCTC: National Collection of Type Cultures, London, UK

DSMZ: Deutsche Sammlung von Mikroorganismen und Zellkulturen, Braunschweig, Germany

For reference see Sugawara, H. et al. (1993) World directory of collections of cultures of microorganisms: Bacteria, fungi and yeasts (4th edn), World federation for culture collections world data center on microorganisms, Saimata, Japen.

WO 01	/00804						PCT/II	300/00922	
Date of Deposit	5-Jun-99	18-DEC-1997 6-Feb-97 18-DEC-1997	13-OCT-1999	13-OCT-1999	12-Jan-99 1 2-Aug-99 02-	29-MAR-1996 30-MAR-1998	30-MAR-1998 17-Jun-98	15-Jan-97 12-Nov-98 13-Jul-99	26-Jul-99
% homology Date of (GAP)	39,080	39,264 36,725 38 957	45,066	. 36,589	44,444 36,313 44,159	40,420	40,420 60,271	54,256 54,256 36,245	. 37,573
Source of Genbank Hit	Homo sapiens	Homo sapiens Brassica nigra Homo sapiens	Homo sapiens 45,066 Drosophila melanogaster 36,589	Drosophila melanogaster 36,589	Streptomyces coelicolor Streptomyces coelicolor Burkholderia pseudomallei	Homo sapiens Homo sapiens	Homo sapiens Mycobacterium tuberculosis	Escherichia coli Escherichia coli Streptomyces coelicolor A3(2)	3 Drosophila melanogaster
TABLE 4: ALIGNMENT RESULTS Length Accession Name of Genbank Hit	Homo sapiens done NH0501G22, *** SEQUENCING IN PROGRESS ***, 3 unordered pieces.	Homo sapiens CAGH44 mRNA, partial cds. B.nigra DNA for tRNA like gene.	HS_2245_A1_F07_MF CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2245 Col=13 Row=K, genomic survey sequence. Drosophila melanogaster chromosome 2 clone BACR45O18 (D527) RPCI-98 45.O.18 map 41E-41E strain y; cn bw sp, *** SEQUENCING IN PROGRESS****,	13 unordered pieces. Drosophila melanogaster chromosome 2 clone BACR45O18 (D527) RPCI-98 45.O.18 map 41E-41E strain y; cn bw sp, *** SEQUENCING IN PROGRESS***, 13 unordered pieces.	Is unoldered pleases. Streptomyces coelicolor cosmid 9C7. Streptomyces coelicolor cosmid E94. Streptomyces coelicolor cosmid E94. Burkholderia pseudomallei strain 1026b DbhB (dbhB), general secretory pathway protein D (gspD), general secretory pathway protein E (gspE), general secretory pathway protein G (gspG), general secretory pathway protein G (gspG), general secretory pathway protein I (gspJ), general secretory pathway protein I (gspJ), general secretory pathway protein I (gspL), general	(gspN) genes, complete cds, and unknown genes. za65g02.s1 Soares fetal liver spleen 1NFLS Homo sapiens cDNA clone IMAGE:297458 3', mRNA sequence. SHGC-56832 Human Homo sapiens STS genomic, sequence tagged site.	SHGC-56832 Human Homo sapiens STS genomic, sequence tagged site. Mycobacterium tuberculosis H37Rv complete genome; segment 133/162.	Escherichia coli genomic sequence of minutes 9 to 12. Escherichia coli K-12 MG1655 section 55 of 400 of the complete genome. Streptomyces coelicolor cosmid F43A.	Drosophila melanogaster genome survey sequence SP6 end of BAC BACN14G08 Drosophila melanogaster 37,573 of DrosBAC library from Drosophila melanogaster (fruit fly), genomic survey sequence.
Accession	185001 AC007366	U80741 X89901	388 AQ163721 171979 AC007054	171979 AC007054	AL035161 AL049628 AF110185	N80167 G37084	G37084 Z83866	U82598 AE000165 AL096837	AL105910
Length	185001	912 1732 012	388 171979	171979	31360 38532 20302	384 384	384 31859	136742 12003 35437	1036
<u>length. Genbank Hit</u> (NT)	GB_HTG2:AC007366	⋖	GB_GSS9:AQ163721 GB_HTG4:AC007054	GB_HTG4:AC007054	GB_BA1:SC9C7 GB_BA1:SCE94 GB_BA2:AF110185	GB_EST6:N80167 GB_STS:G37084	GB_STS:G37084 GB_BA1:MTCY22D7	GB_BA1:ECU82598 GB_BA2:AE000165 GB_BA1:SCF43A	GB_GSS2:CNS015U4 1036
ID# length (NT)	rxa00062 1521	ка00084 948	ка00109 735		rxa00215 1449	ка00289 1299	rxa00404 2439	rxa00479 2313	

WO 01/00804

PCT/1B00/00922

WO 01/00804			-79-		PC	T/1B00/00922
23-Nov-99 17-Jun-98 16-Aug-98 23-Apr-92	20-Apr-99 27-MAY-1997	25-Jun-99 18-Jun-98 10-DEC-1996	26-Nov-97 25-Nov-98 26-Nov-98	11-Jun-99 27-Aug-99 27-Aug-99 [}]	27-Aug-99 27-Jul-99 23-Jun-98	23-Jun-98 28-OCT-1998 24-Jun-99 24-Jun-99
36,475 40,250 64,439 62,857	42,657	42,657 56,183 37,217	36,553 55,396 55,396	39,530 36,327 36,327	35,119 n 34,323 35,895	41,417 34,152 37,472 37,472
Homo sapiens Mycobacterium tuberculosis Mycobacterium avium Mycobacterium tuberculosis	Homo sapiens Homo sapiens	Homo sapiens Mycobacterium tuberculosis Mycobacterium	tuberculosis Bacillus subtilis endosymbiont of Onchocerca volvulus endosymbiont of	Onchocerca Volvitus Streptomyces coelicolor Homo sapiens Homo sapiens	Homo sapiens 35,119 Lycopersicon esculentum 34,323 Pseudomonas 35,895	aeruginosa Pseudomonas aeruginosa Caenorhabditis elegans Homo sapiens
Human DNA sequence from clone 494016 on chromosome 22, complete sequence. Sequence. Mycobacterium tuberculosis H37Rv complete genome, segment 145/162. Mycobacterium avium GroESL operon, partial sequence. Mytuberculosis groE gene for KCS and 10-kDa products.	439 AQ199703 RPCI11-46O13.TJ RPCI-11 Homo sapiens genomic clone RPCI-11-46O13, genomic survey sequence. 144165 AC002127 Human BAC clone RG305H12 from 7q21, complete sequence.	SHGC-80708 Human Homo sapiens STS genomic, sequence tagged site. Mycobacterium tuberculosis H37Rv complete genome, segment 118/162. Mycobacterium tuberculosis sequence from clone y223.	Bacillus subtilis complete genome (section 14 of 21): from 2599451 to 2812870. Endosymbiont of Onchocerca volvulus catalase gene, complete cds. Onchocerca volvulus endobacterial mRNA for catalase.	Streptomyces coelicolor cosmid 2G5. Homo sapiens chromosome 21 clone RPCIP704O1674 map 21q21, *** SEQUENCING IN PROGRESS ***, in unordered pieces. Homo sapiens chromosome 21 clone RPCIP704O1674 map 21q21, *** SEQUENCING IN PROGRESS *** in unordered pieces.	Homo sapiens chromosome 21 clone RPCIP704O1674 map 21q21, *** SEQUENCING IN PROGRESS ***, in unordered pieces. EST267450 tomato ovary, TAMU Lycopersicon esculentum cDNA clone cLED31K22, mRNA sequence. Pseudomonas aeruginosa YafE (yafE), LeuB (leuB), Asd (asd), FimV (fimV), and	HisT (hisT) genes, complete cds; TrpF (trpF) gene, partial cds; and unknown Pseudomonas aeruginosa YafE (yafE), LeuB (leuB), Asd (asd), FimV (fimV), and HisT (hisT) genes, complete cds; TrpF (trpF) gene, partial cds; and unknown Caenorhabditis elegans cosmid H34C03. Homo sapiens chromosome 16q24.3 clone PAC 754F23, *** SEQUENCING IN PROGRESS ***, 33 unordered pieces. Homo sapiens chromosome 16q24.3 clone PAC 754F23, *** SEQUENCING IN PROGRESS ***, 33 unordered pieces.
AL117328 Z77165 AF079544 X60350	AQ199703 AC002127	G51234 Z80225 AD000019	299117 AF069070 X82176	38404 AL035478 169401 AL110119 169401 AL110119	169401 AL110119 609 AI898007 8008 U93274	8008 U93274 27748 AF100662 100722 AC007905 100722 AC007905
50502 33818 817 2987	439	439 35187 42061	213420 2776 1845	38404 169401 169401	169401 609 8008	
GB_PR3:HSA494016 GB_BA1:MTCY78 GB_BA2:AF079544 GB_BA1:MTGROEOP	GB_GSS10.AQ199703 439 GB_PR2.AC002127 144	GB_STS:G51234 GB_BA1:MTCY441 GB_BA1:MSGY223	GB_BA1:BSUB0014 GB_BA2:AF069070 GB_BA1:OVCAT	GB_BA1:SC2G5 GB_HTG1:HS74O16 GB_HTG1:HS74O16	GB_HTG1:HS74016 GB_EST36:Al898007 GB_BA2:PAU93274	GB_BA2:PAU93274 GB_IN2:CELH34C03 GB_HTG2:AC007905 GB_HTG2:AC007905
rxa00497 420 rxa00575	xa00599 510	rxa00600 1221	гха00605 1603	ка00648 1533	ка00764 1239	rxa00803 1353

pra00810.324	GR BA1-MTY15C10	33050	795436	Table 4 (continued) Myrohaderium Inheratiosis H3789 complete genome: serment 154/162	Mycobacterium	34 615	17. lun-98	• •
3			20100	my conduction to the complete gallone, segment the form	tuberculosis	2 t	00000	
g	GB_BA1:MLCB2548	38916	AL023093	Mycobacterium leprae cosmid B2548.	Mycobacterium leprae	34,615	27-Aug-99	
8	GB_BA1:ECOUW76	225419	00003	E. coli chromosomal region from 76.0 to 81.5 minutes.	Escherichia coli	52,997	7-Nov-96	
8	_BA1:SC5C7	41906	AL031515	Streptomyces coelicolor cosmid 5C7.	Streptomyces coelicolor	65,269	7-Sep-98	
B.	_BA1:SC5F2A	40105	AL049587	Streptomyces coelicolar cosmid 5F2A.	Streptomyces coelicolor	37,490	24-MAY-1999	
8	GB_BA1:STMDRRC	3374	L76359	Streptomyces peucetius daunorubicin resistance protein (drrC) gene, complete	Streptomyces peucetius	55,279	24-DEC-1996	
5	BA1:MTCY9C4	15916	277250	Mycobacterium tuberculosis H37Rv complete genome; segment 113/162.	Mycobacterium tuberculosis	40,000	17-Jun-98	
5	GB_BA1:MTCY9C4	15916	277250	Mycobacterium tuberculosis H37Rv complete genome; segment 113/162.	Mycobacterium tuberculosis	37,773	17-Jun-98	
ಠ	GB_BA1:SCC54	30753	AL035591	Streptomyces coelicolor cosmid C54.	Streptomyces coelicolor	39,602	11-Jun-99	
ច	3_EST18:N96610	547	N96610	21285 Lambda-PRL1 Arabidopsis thaliana cDNA clone F10G3T7, mRNA	Arabidopsis thaliana	37,801	5-Jan-98	
ō	B_EST18:T45493	436	T45493	8756 Lambda-PRL2 Arabidopsis thaliana cDNA clone 133C14T7, mRNA	Arabidopsis thaliana	34,194	4-Aug-98	
Ö	B_BA1:SYCSLLLH	132106	D64006	Synechocystis sp. PCC6803 complete genome, 25/27, 3138604-3270709.	Synechocystis sp.	37,459	13-Feb-99	
ত	B_BA1:SCDNAJ	5611	X77458	S.coelicolor dnaK, grpE and dnaJ genes.	Streptornyces coelicolor	49,744	21-Nov-96	
Ö	3_BA1:STMDNAK	4648	L46700	Streptomyces coelicolor (strain A3(2)) dnaK operon encoding molecular	Streptomyces coelicotor	49,583	22-Nov-96	
Č	0 73/01/073-049	4	7000411	chaperones (dnaK, dnaJ), grpE and hspR genes, complete cds's.		110.00	- 200011	
5 6	OB_BAS:COOMS/_V 110000 01039/		010997	Cacherical Current Carrottion and Taglior Foundation of the Communication		20,014		
5 c	BAZ:ECOUW6/_0	110000	018997	Escherichia coli K-12 chromosomal region from 67.4 to 76.0 minutes.	Escherichia coli	37,759	U18997 1	
5 8	GB_BAZ:AE000393	01001	AE000393	Escherichia coli N-12 Mc1055 Section 265 of 400 of the complete genome.	Escherichia coll	36,314	12-Nov-98	
5	GB_H1G3.AC010737	1/22/1	AC010/3/	nomo sapiens chromosome 18 clone 126_C_16 map 18, Sequencing in PROGRESS ***, 20 unordered pieces.	nomo sapiens	34,837	66-dac-77	
ច	GB_HTG3:AC010757	175571	AC010757	Homo sapiens chromosome 18 clone 128_C_18 map 18, *** SEQUENCING IN	Homo sapiens	34,857	22-Sep-99	
Ö	GB_HTG3:AC011283	87295	AC011283	PROGRESS ***, 20 unordered pieces. Homo sapiens clone MS2016A09, *** SEQUENCING IN PROGRESS ***, 1	Homo sapiens	35,448	07-OCT-1999	
				unordered pieces.	•			
ত	GB_OV:GGA245664	512	AJ245664	Gallus gallus partial mRNA for ATP-citrate lyase (ACL gene).	Gallus gallus	37,538	28-Sep-99	
ত	GB_PL2:AC007887	159434	159434 AC007887	Genomic sequence for Arabidopsis thaliana BAC F1504 from chromosome I,	Arabidopsis thaliana	37,600	04-OCT-1999	
ပ	GB_GSS1:CNS00RNW542	1542	AL087338	Arabidopsis thaliana genome survey sequence T7 end of BAC F14D7 of IGF	Arabidopsis thaliana	41,264	28-Jun-99	
C	GB EST29-A1553951	450	A!553951	library from strain Columbia of Arabidopsis thaliana, genomic survey sequence.	7 Homo saniens	42 627	13.Anr.99	
)		<u>}</u>		3' similar to gb:X02067 H.sapiens mRNA for 7SL RNA pseudogene (HUMAN);,		į	<u>.</u>	
				mRNA sequence.				
Ö	GB_PR3:AC003029	139166	139166 AC003029	Homo sapiens Chromosome 12q24 PAC RPCI3-462E2 (Roswell Park Cancer	Homo sapiens	38,915	17-Sep-98	
Ö		į		Institute Human PAC library) complete sequence.	:			
<u> </u>	BA1:EAY14603	4479	Y14603	Erwinia amylovora srtA, srtE, srtB, srtD, srtM and srtK genes.	Erwinia amylovora	37,694	6-Jan-98	
3 6	GB_BAZ:AE001001	10/30	AE001001 AV018764	Archaeoglobus fulgidus section 105 of 172 of the complete genome. AV018764 Mus musculus 18-day embryo C5781/6 I Mus musculus cDNA clone.	Archaeoglobus fulgidus	41,078 39,669	15-DEC-1997	
))		ŧ		1190006M16, mRNA sequence.	2000	20,50	55.65.07	

| νo | 01/ | 00804 | ı | | | | | | |

 | | - | -81 | |
 | | | | | |
 | | | |] | PC
 | T / | '1B | 800 | /00 |)92 | 22
 | | | |
|--|--|--|--|---|--|--|---|---|---
--
--
--
--
--|--
--|---|--|--|--|--
--|---|--|---|---
--|--|--|---|---|------------------------------------
--|---|--|--
--|--|---|
| 10-001-1997 | 12-Jul-97 | 19-DEC-1996 | ; | 12-Sep-96 | 244.5 | 6661-1 WW-17 | 04-DEC-1999 | 10 100 | 66.50 | 2-Aug-97

 | 2-Aug-97 | 7-Feb-99 | | 07-DEC-1999 |
 | 07-DEC-1999 | ; | 10-Feb-99 | 03-DEC-1999 | 0007 | 03-DEC-1999
 | 08-OCT-1999 | 08-OCT-1999 | 10-Jun-94 | | 21-Apr-98
 | 19-Aug-99 | | 19-Aug-99 | | 14-Aug-98 |
14-Aug-98 | AC011500 | | 23-Sep-99 |
| 44,385 | 46,629 | 38,677 | ; | 28,696 | 100 | 100'/0 | 36,011 | 38 640 | 5 | 39,344

 | 38,780 | 39,205 | | 32,961 |
 | 38,476 | | 42,925 | 36,825 | 100 | 30,825
 | 35,794 | 40,625 | 37,793 | | 35,014
 | 17,697 | | 17,697 | | 38,195 | 36,611
 | 36,446 | | 35,764 |
| Arabidopsis maliana | Coturnix coturnix | Mus musculus | | Mus musculus | | singles onlor | f Homo sapiens | Homo capiene | 200 | Caenorhabditis elegans

 | Caenorhabditis elegans | Gallus gallus | • | Homo sapiens |
 | Homo sapiens | : | Ipomoea nil | Homo sapiens | | romo sapiens
 | Caenorhabditis elegans | Caenorhabditis elegans | Mus musculus | | Neisseria meningitidis
 | Plasmodium falciparum | | Plasmodium falciparum | | Homo sapiens | Homo
sapiens | Homo sapiens | | Homo sapiens |
| F19E161F IGF Afabidopsis thallana genomic cione F19E15, genomic survey | Sequence. Coturnix cotumix arylalkylamine N-acetyltransferase mRNA, partial cds. | ms50c09.r1 Life Tech mouse embryo 13 5dpc 10666014 Mus musculus cDNA clone IMAGE:614992 5' similar to SW:NEST_RAT P21263 NESTIN:, mRNA | sednence. | mf64g11.r1 Soares mouse embryo NbME13.5 14.5 Mus musculus cDNA clone IMAGE:419108 5' similar to SW:NEST_RAT P21263 NESTIN. [1];, mRNA | Sequence. | APOINT 1537 10.10 KTOT I TOTALO SAPIRATS BENOME CIONE KTOT I 1537 10, | genomic survey sequence. Homo sapiens clone RP11-544J22, WORKING DRAFT SEQUENCE, 1 unordere | pieces.
BC 6538 A1 A11 T7A BBCI 11 Human Male BAC I ikram Homo emisee | genomic clone Plate=1114 Col=21 Row=A, genomic survey sequence. | Caenorhabditis elegans cosmid C13D9.

 | Caenorhabdilis elegans cosmid C13D9. | Chicken novel maf-related gene mafG encoding bZip nuclear protein MafG, | promoter region and exon 1. | Homo sapiens clone RP11-115N6, *** SEQUENCING IN PROGRESS ***, 26 | unordered pieces.
 | Homo sapiens clone RP11-115N6, *** SEQUENCING IN PROGRESS ***, 26 | unordered pieces. | Pharbitis nil mRNA for Pharbitis nil Germin-like protein precursor, complete cds. | Homo sapiens chromosome 6 clone RP3-402N21 map p21.1-21.31, | SECCENCING IN PROGRESS , III Uniquered pieces. | nomo sapiens ciriomosome o cione KP3-40zNz1 map pz1.1-z1.31,
***SEQUENCING IN
PROGRESS ***, in unordered pieces. | Caenorhabditis elegans cosmid F18A12. | Caenorhabditis elegans cosmid F18A12. | Mouse cystic fibrosis transmembrane conductance regulator (CFTR) mRNA, | complete cds. | Neisseria meningitidis chloramphenicol acetyltransferase gene, complete cds.
 | Plasmodium falciparum chromosome 13 strain 3D7, *** SEQUENCING IN | PROGRESS ***, in unordered pieces. | Plasmodium falciparum chromosome 13 strain 3D7, *** SEQUENCING IN | PROGRESS ***, in unordered pieces. | Homo sapiens chromosome 17, clone hRPK.214_O_1, complete sequence. |
Homo sapiens chromosome 17, clone hRPK.214_O_1, complete sequence. | Homo sapiens chromosome 19 clone CIT978SKB_60E11, *** SEQUENCING IN | PROGRESS ***, 246 unordered pieces. | Homo sapiens clone 6_L_24, LOW-PASS SEQUENCE SAMPLING. |
| 624189 | AF007068 | AA166324 | | W89968 | 00000 | 74201423 | AC010901 | A C) 746032 | 70307 | AF016420

 | AF016420 | D28601 | | AC010765 |
 | AC010765 | | D45425 | AL049553 | 010000 | AL049553
 | AF016688 | AF016688 | M60493 | | AF031037
 | AL109815 | | AL109815 | | AC005224 | AC005224
 | AC011500 | | AC010831 |
| 3// | 356 | 514 | ; | 94 | 9 | n (c) | 206121 | 750 | 3 | 43487

 | 43487 | 1316 | | 146468 |
 | 146468 | į | 362 | 170302 | 410000 | 1/0302
 | 29784 | 29784 | 6304 | | 1472
 | 80518 | | 80518 | | 166687 | 166687
 | 1300851 | | |
| GB_GSS3:B24189 | GB_OV:AF007068 | GB_EST10:AA166324 | | GB_EST7:W89968 | 000000000000000000000000000000000000000 | GD_GGG1K.AG361423 | GB_HTG6:AC010901 | GB GSCK: AO746932 | 2000-UNIVERSE | GB IN1:CELC13D9

 | GB_IN1.CELC13D9 | GB_OV:CHKMAFG1 | Į. | GB_HTG6:AC010765 |
 | GB_HTG6:AC010765 | | GB_PL1:PHNPNGLP | GB_HTG2:HSJ402N21 | ACINCON OF LACTION | GB_H1GZ:HSJ4UZNZ1
 | GB_IN2:CELF18A12 | GB_IN2:CELF18A12 | GB_RO:MUSMCFTR | | GB_BA2:AF031037
 | GB_HTG1:PFMAL13P4 | | GB_HTG1:PFMAL13P/ | | GB_PR3:AC005224 |
GB_PR3:AC005224 | GB_HTG3:AC011500_ | | GB_HTG3:AC010831 70233 |
| • | rxa01010 1242 G | J | • | | | | J | | • |

 | | rxa01053 543 G | | J |
 | • | | | • | | •
 | rxa01217 723 G | J | 9 | |
 | • | | • | | | •
 | J | | rxa01407 1014 C |
| | IF IGF Arabidopsis thaliana genomic cione F19E16, genomic survey Arabidopsis thaliana 44,385 10-OCT-1997 | GB_GSS3:BZ4189 377 BZ4189 F19E161F IGF Arabidopsis thaliana genomic clone F19E16, genomic survey Arabidopsis thaliana 44,385 10-OC1-1997 sequence. GB_OV:AF007068 356 AF007068 Coturnix coturnix arylalkylamine N-acetyltransferase mRNA, partial cds. Coturnix coturnix 46,629 12-Jul-97 | GB_GSS3:BZ4189 377 BZ4189 F19E161F IGF Arabidopsis thaliana genomic clone F19E16, genomic survey Arabidopsis thaliana 44,385 10-OC1-1997 sequence. GB_OV:AF007068 356 AF007068 Coturnix coturnix arylalkylamine N-acetyltransferase mRNA, partial cds. Coturnix coturnix 46,629 12-Jul-97 GB_EST10:AA166324 514 AA166324 ms50c09.r1 Life Tech mouse embryo 13 5dpc 10666014 Mus musculus cDNA Mus musculus 38,677 19-DEC-1996 clone IMAGE:614992 5' similar to SW:NEST_RAT P21263 NESTIN.; mRNA | GB_GSS3:B24189 377 B24189 F19E161F IGF Arabidopsis thallana genomic clone F19E16, genomic survey Arabidopsis thallana 44,385 sequence. GB_OV.AF007068 356 AF007068 Coturnix cotumix arylalkylamine N-acetyltransferase mRNA, partial cds. Coturnix cotumix 46,629 GB_EST10.AA166324 514 AA166324 ms50c09.r1 Life Tech mouse embryo 13 5dpc 10666014 Mus musculus cDNA Mus musculus 38,677 clone IMAGE:614992 5' similar to SW:NEST_RAT P21263 NESTIN :; mRNA sequence. | GB_CSS3:BZ4189 377 BZ4189 F19E161F IGF Arabidopsis thaliana genomic clone F19E16, genomic survey Arabidopsis thaliana 44,385 10-OC1-1997 sequence. GB_OV:AF007068 356 AF007068 Coturnix coturnix arylalkylamine N-acetyltransferase mRNA, partial cds. Coturnix coturnix 46,629 12-Jul-97 GB_EST10:AA166324 514 AA166324 ms50c09.r1 Life Tech mouse embryo 13 5dpc 10666014 Mus musculus CDNA Mus musculus 38,677 19-DEC-1996 clone IMAGE:614992 5' similar to SW:NEST_RAT P21263 NESTIN :; mRNA sequence. GB_EST7:W89968 46 W89968 mf64g11.r1 Soares mouse embryo NbME13.5 14.5 Mus musculus CDNA clone Mus musculus 58,696 12-Sep-96 IMAGE:419108 5' similar to SW:NEST_RAT P21263 NESTIN. [1] :; mRNA | GB_CSS3:B24189 377 B24189 F19E161F IGF Arabidopsis thaliana genomic clone F19E16, genomic survey Arabidopsis thaliana 44,385 10-OC1-1997 sequence. GB_OV:AF007068 356 AF007068 Coturnix coturnix arylalkylamine N-acetyltransferase mRNA, partial cds. Coturnix coturnix 46,629 12-Jul-97 GB_EST10:A4166324 514 AA166324 ms50c09.r1 Life Tech mouse embryo 13 5dpc 10666014 Mus musculus cDNA Mus musculus 38,677 19-DEC-1996 sequence. GB_EST7:W89968 46 W89968 mif64g11.r1 Soares mouse embryo NbME13.5 14.5 Mus musculus cDNA clone Mus musculus 58,696 12-Sep-96 sequence. GB_EST7:W89968 46 W89968 imf64g11.r1 Soares mouse embryo NbME13.5 14.5 Mus musculus cDNA clone Mus musculus 58,696 12-Sep-96 sequence. Sequence. GB_EST7:W89968 46 W89968 imf64g11.r1 Soares mouse embryo NbME13.5 14.5 Mus musculus cDNA clone control co | CB_CSS3:B24189 377 B24189 1719E161F1GF Arabidopsis thaliana genomic clone F19E16, genomic survey Arabidopsis thaliana 44,385 10-OC1-1997 acquence. Sequence. Sequence. A 166324 514 | GB_CSS3:B24189 377 B24189 F19E16IF IGF Arabidopsis thaliana genomic clone F19E16, genomic survey Arabidopsis thaliana 44,385 10-OCT-1997 GB_CV:AF007068 356 AF007068 Coturnix coturnix arylalkylamine N-acetyltransferase mRNA, partial cds. Coturnix coturnix 46,629 12-Jul-97 GB_EST10:AA166324 514 AA166324 AA166324 AA166324 514 AA166324 AA16626324 AA166324 AA16626324 AA1662632 | GB_GSS3:BZ4189 377 B24189 F19E161F IGF Arabidopsis thaliana genomic clone F19E16, genomic survey Arabidopsis thaliana 44,385 10-OC1-1997 sequence. GB_OV:AF007068 356 AF007068 Coturnix cotumix arylalkylamine N-acetyltransferase mRNA, partial cds. Coturnix cotumix defect to mouse embryo 13 5dpc 10666014 Mus musculus cDNA Mus musculus 38,677 19-DEC-1996 clone Mac miscalus and miscalus consistence. GB_EST10:AA166324 514 AA166324 514 AA166329 5' similar to SW:NEST_RAT P21263 NESTIN :; mRNA sequence. GB_EST7:W89968 46 W89968 mif64g11.1 Soares mouse embryo NbME13.5 14.5 Mus musculus cDNA clone Mus musculus 58,696 12-Sep-96 lMAGE:419108 5' similar to SW:NEST_RAT P21263 NESTIN : i mRNA sequence. GB_GSS12:AQ381423 579 AQ381423 RPC111-135F10.TJ RPCI-11 Homo sapiens genomic clone RPCI-11-135F10, Homo sapiens 37,651 21-MAY-1999 genomic survey sequence. GB_HTG6:AC010901 206121 AC010901 Homo sapiens clone RP11-544J22, WORKING DRAFT SEQUENCE, 1 unordered Homo sapiens 36,011 04-DEC-1999 pieces. | CB_GSS3:B24189 377 B24189 F19E-161F IGF Arabidopsis thaliana genomic clone F19E-16, genomic survey Arabidopsis thaliana 44,385 10-OC1-1997 CB_CV:AF007068 AF007068 Coturnix de,629 12-Jul-97 GB_EST10:AA166324 514 AA166324 14 AA166324 AA166324 15 AA166324 16 AA162324 16 AA166324 17 AA1177A RAPCI-11 Human Male BAC Library Homo sapiens 16 AA166324 16 AA166324 <t< td=""><td>CB_GSS3:EZ4189 377 BZ4189 F19E16IF IGF Arabidopsis thaliana genomic done F19E16, genomic survey Arabidopsis thaliana 44,385 10-CC1-1997 CB_CVX-F007068 356 AF007068 Columix cotumix cotumi</td><td>CB_CSS3:B24189 377 B24189 F19E161 IGF Arabidopsis thaliana genomic done F19E16, genomic survey Arabidopsis thaliana a sequence. 41,385 10-OC1-1997 GB_CST30-A766324 514 AA166324 ms50c09.r1 Life Tech mouse embryo 13 5dp c 10666014 Mus musculus cDNA done iMAGE:614992 5' similar to SW:NEST_RAT P21263 NESTIN :; mRNA sequence. Cotumix cotumix any alk/ylamine N acetyltransferase mRNA, partial cds. Cotumix cotumix any alk/ylamine N acetyltransferase mRNA, partial cds. 12-Jul-97 19-DEC-1996 GB_EST7:W89968 46 W89968 mf64g1.r1 Soares mouse embryo NbME13.5 14.5 Mus musculus cdna RAGE:61490 5' similar to SW:NEST_RAT P21263 NESTIN :; mRNA sequence. Mus musculus cdna RDCI-11-135F10. 58,696 12-Sep-96 GB_GSS12:AQ381423 579 AQ381423 RPCI-11 Homo sapiens genomic clone RPCI-11-135F10. Homo sapiens done RPCI-11-135F10. Homo sapiens done RPCI-11-135F10. Homo sapiens done RPCI-11 Human Mate BAC Library Homo sapiens done place-114 Col=21 Row-A, genomic survey sequence. Genome sapiens done Palae-114 Col=21 Row-A, genomic survey sequence. Genome sapiens done place-114 Col=21 Row-A, genomic survey sequence. Genome papiens dogans dogans</td><td>CB_CSS3:B24189 377 BZ4189 F19E16 IT IGF Arabidopsis thailana genomic clone F19E16, genomic survey Arabidopsis thailana 44,385 10-OC1-1997 CB_CST3:B24189 356 AF007068 Coturnix cotumix cotumix anylalkylamine N-acetylitransferase mRNA, partial cds. Coturnix cotumix cotumix cotumix anylalkylamine N-acetylitransferase mRNA, partial cds. Coturnix cotumix cotumix cotumix anylalkylamine N-acetylitransferase mRNA, partial cds. 10-OC1-1997 GB_EST7:W89968 AF007068 Coturnix cotumix cotumi</td><td> CB_CSS3:BZ4189 377 B24189 T19E16F IGF Arabidopsis thaliana genomic clone F19E16 genomic survey Arabidopsis thaliana 44,385 10-OCI-1997 </td><td>GB_CSS12A24189 377 BC24189 F19ET BIT 1GF Arabidopsis thaliana genomic clone F19E16, genomic survey Arabidopsis thaliana 44.385 10-OCT-1997 GB_CSS12A24189 356 AF007088 Cotumix cotumix cotumix anylalivylamine N-acetylitransferase mRNA, partial cds. Cotumix cotumix 46,629 12-Jul-97 GB_EST10.A4166324 514 AA166324 mr50c09.rt Life Tech mouse embryo 13 5pc 10666014 Mus musculus cDNA Mus musculus Cotumix cotumix 46,629 12-Jul-97 GB_EST7:W89968 46 W88968 Cotumix cotumix cotumix anylalitylamine N-acetylitransferase mRNA, partial cds. Cotumix cotumix 46,629 12-Jul-97 GB_EST7:W89968 46 W88968 Cotumix cotumix anylalitylamine N-acetylitransferase mRNA, partial cds. RAT P21263 NESTIN.;; mRNA Assertions 19-DEC-1996 GB_GSS12-AQ381423 579 MAGE-419108 5 similar to SW:NEST_RAT P21263 NESTIN.;; mRNA Assertions 12-Jul-97 19-DEC-1996 GB_HTG6:AC010901 Lono sapiens connection connec</td><td> Caronic Survey 17 1824 189 17 1824 189 17 1824 189 </td><td>GB_CSSS:BA189 377 BA189 F19E161 Tigh Tigh Anabidopsis thailaning genomic done F19E16, genomic survey Anabidopsis thailaning acquence of the control of the</td><td>GB_CSS126A189 377 E24189 F19E18I F16F Tex Anabodopsis finaliana genomic clone F19E18, genomic survey F19E18I F16F Tex Anabodopsis finaliana genomic clone F19E18, genomic survey F19E18I F16F Tex Anabodopsis finaliana genomic clone F19E18, genomic survey F19E18I F16F Anabodopsis finaliana genomic clone F19E18, genomic survey F19E18I F16F Anabodopsis finaliana genomic clone RPCI-11.13F10 Anabodopsis finaliana de Acuta Anabodopsis finaliana genomic clone RPCI-11.13F10 Anabodopsis finaliana de Acuta Anabodopsis finaliana de Acuta Anabodopsis finaliana de Acuta Anabodopsis finaliana de Acuta Anabodopsis de Musiculus control anabodo de La Anabodopsis finaliana de Acuta Anabodopsis finaliana</td><td>GB_CSS3:BZ4189 377 BZ4189 P19EIDED FLEEK Arabidopsis thailand genomic clone F19E16, genomic survey Arabidopsis thailand 44,385 10-OCT-1997 GB_CVAF007068 3.56 AF007088 Cotumix cotumix arylalkylamine N acetylitransferase mRNA, partial cds. Cotumix cotumix 46,629 12-Jul-97 GB_CST2CA0581423 3.56 AF007088 Cotumix cotumix arylalkylamine N acetylitransferase mRNA, partial cds. Cotumix cotumix 46,629 12-Jul-97 GB_EST7.W89968 46 W89968 mf64g11.1 Seases mouse embyon NME13.5 14.5 Mus musculus cDNA clone Mus musculus 38,677 19-DEC-1996 GB_GSS1ZAQ381423 579 AQ381423 FROTI 1.13FF10.1 RPCI.1 Homo sapiens genomic clone RPCI.11.13FF10. Homo sapiens 37,651 21-MAY-1999 GB_LTG6AC010901 MAGE-4191080 File-1114 Col-21 RRWA-4.J22, WORKING DRAFT SEQUENCE, 1 unordered Homo sapiens ACC1990 Homo sapiens 38,640 19-Jul-97 GB_LN1.CELC13D9 43487 AC0144020 Caenonhabditis elegans cosmid C13D9. Genombabditis elegans 38,640 19-Jul-99 GB_UNI.CELC13D9 43467 AC016420 Caenonhabditis elegans cosmid C13D9. AC016420 Caenonhabditis elegans cosmid C13D</td><td> CB_CSS12EA189 377 B24189 F19E bit 110F Abaldopsis thalana genomic clone F19E bit 2007 Columix columi</td><td> Columnic columnic and performed some 19th 16, genomic clone 19th 16, genomic some 19th 16, genomic some 2002/AF007088 356 AF007088 Columnic columnic anylalkylamine Nacetyltransferase mRNA, partial cds. Antial 27 Antial</td><td> CB_ESTIZATION STATION BZATION BZATION</td><td> CB_2SS1824199 377 824199 1916 1617</td><td>GB_ESTI-MA1863143 317 BEAT 1889 FIRETINE IT IGH Anabodopsis Inaliana genomic concertable. Anabodopsis Inaliana genomic concert</td><td> Packer P</td><td> Column Column</td><td> Columb 2017 Columb 2017 </td><td> Columb Columb State</td><td>GB_ESTITAM9988 36 AF007088 AF19181 II For Amontogos that almain agentime concert Place II, gardeness and a sequence. Columnit columnit columnit and application of the Amontogos that almost a sequence. Columnit columnit columnit columnit and application of the Amontogos that almost a sequence. P191810 II For Amontogos that almost a sequence. Columnit colu</td><td> Part 1972 </td><td> California 277 2547189 277 2547189 277 2547189 277 2547189 277 2547189 277 2547189 277 2547189 277 2547189 277 2547189 277 2547189 277 2547189 277 2</td><td> Columix column Co</td><td> California 277 2671199 1716-181 17</td><td> Columb C</td><td> Column Column</td></t<> | CB_GSS3:EZ4189 377 BZ4189 F19E16IF IGF Arabidopsis thaliana genomic done F19E16, genomic survey Arabidopsis thaliana 44,385 10-CC1-1997 CB_CVX-F007068 356 AF007068 Columix cotumix cotumi | CB_CSS3:B24189 377 B24189 F19E161 IGF Arabidopsis thaliana genomic done F19E16, genomic survey Arabidopsis thaliana a sequence. 41,385 10-OC1-1997 GB_CST30-A766324 514 AA166324 ms50c09.r1 Life Tech mouse embryo 13 5dp c 10666014 Mus musculus cDNA done iMAGE:614992 5' similar to SW:NEST_RAT P21263 NESTIN :; mRNA sequence. Cotumix cotumix any alk/ylamine N acetyltransferase mRNA, partial cds. Cotumix cotumix any alk/ylamine N acetyltransferase mRNA, partial cds. 12-Jul-97 19-DEC-1996 GB_EST7:W89968 46 W89968 mf64g1.r1 Soares mouse embryo NbME13.5 14.5 Mus musculus cdna RAGE:61490 5' similar to SW:NEST_RAT P21263 NESTIN :; mRNA sequence. Mus musculus cdna RDCI-11-135F10. 58,696 12-Sep-96 GB_GSS12:AQ381423 579 AQ381423 RPCI-11 Homo sapiens genomic clone RPCI-11-135F10. Homo sapiens done RPCI-11-135F10. Homo sapiens done RPCI-11-135F10. Homo sapiens done RPCI-11 Human Mate BAC Library Homo sapiens done place-114 Col=21 Row-A, genomic survey sequence. Genome sapiens done Palae-114 Col=21 Row-A, genomic survey sequence. Genome sapiens done place-114 Col=21 Row-A, genomic survey sequence. Genome papiens dogans | CB_CSS3:B24189 377 BZ4189 F19E16 IT IGF Arabidopsis thailana genomic clone F19E16, genomic survey Arabidopsis thailana 44,385 10-OC1-1997 CB_CST3:B24189 356 AF007068 Coturnix cotumix cotumix anylalkylamine N-acetylitransferase mRNA, partial cds. Coturnix cotumix cotumix cotumix anylalkylamine N-acetylitransferase mRNA, partial cds. Coturnix cotumix cotumix cotumix anylalkylamine N-acetylitransferase mRNA, partial cds. 10-OC1-1997 GB_EST7:W89968 AF007068 Coturnix cotumix cotumi | CB_CSS3:BZ4189 377 B24189 T19E16F IGF Arabidopsis thaliana genomic clone F19E16 genomic survey Arabidopsis thaliana 44,385 10-OCI-1997 | GB_CSS12A24189 377 BC24189 F19ET BIT 1GF Arabidopsis thaliana genomic clone F19E16, genomic survey Arabidopsis thaliana 44.385 10-OCT-1997 GB_CSS12A24189 356 AF007088 Cotumix cotumix cotumix anylalivylamine N-acetylitransferase mRNA, partial cds. Cotumix cotumix 46,629 12-Jul-97 GB_EST10.A4166324 514 AA166324 mr50c09.rt Life Tech mouse embryo 13 5pc 10666014 Mus musculus cDNA Mus musculus Cotumix cotumix 46,629 12-Jul-97 GB_EST7:W89968 46 W88968 Cotumix cotumix cotumix anylalitylamine N-acetylitransferase mRNA, partial cds. Cotumix cotumix 46,629 12-Jul-97 GB_EST7:W89968 46 W88968 Cotumix cotumix anylalitylamine N-acetylitransferase mRNA, partial cds. RAT P21263 NESTIN.;; mRNA Assertions 19-DEC-1996 GB_GSS12-AQ381423 579 MAGE-419108 5 similar to SW:NEST_RAT P21263 NESTIN.;; mRNA Assertions 12-Jul-97 19-DEC-1996 GB_HTG6:AC010901 Lono sapiens connection connec | Caronic Survey 17 1824 189 17 1824 189 17 1824 189 | GB_CSSS:BA189 377 BA189 F19E161 Tigh Tigh Anabidopsis thailaning genomic done F19E16, genomic survey Anabidopsis thailaning acquence of the control of the | GB_CSS126A189 377 E24189 F19E18I F16F Tex Anabodopsis finaliana genomic clone F19E18, genomic survey F19E18I F16F Tex Anabodopsis finaliana genomic clone F19E18, genomic survey F19E18I F16F Tex Anabodopsis finaliana genomic clone F19E18, genomic survey F19E18I F16F Anabodopsis finaliana genomic clone F19E18, genomic survey F19E18I F16F Anabodopsis finaliana genomic clone RPCI-11.13F10 Anabodopsis finaliana de Acuta Anabodopsis finaliana genomic clone RPCI-11.13F10 Anabodopsis finaliana de Acuta Anabodopsis finaliana de Acuta Anabodopsis finaliana de Acuta Anabodopsis finaliana de Acuta Anabodopsis de Musiculus control anabodo de La Anabodopsis finaliana de Acuta Anabodopsis finaliana | GB_CSS3:BZ4189 377 BZ4189 P19EIDED FLEEK Arabidopsis thailand genomic clone F19E16, genomic survey Arabidopsis thailand 44,385 10-OCT-1997 GB_CVAF007068 3.56 AF007088 Cotumix cotumix arylalkylamine N acetylitransferase mRNA, partial cds. Cotumix cotumix 46,629 12-Jul-97 GB_CST2CA0581423 3.56 AF007088 Cotumix cotumix arylalkylamine N acetylitransferase mRNA, partial cds. Cotumix cotumix 46,629 12-Jul-97 GB_EST7.W89968 46 W89968 mf64g11.1 Seases mouse embyon NME13.5 14.5 Mus musculus cDNA clone Mus musculus 38,677 19-DEC-1996 GB_GSS1ZAQ381423 579 AQ381423 FROTI 1.13FF10.1 RPCI.1 Homo sapiens genomic clone RPCI.11.13FF10. Homo sapiens 37,651 21-MAY-1999 GB_LTG6AC010901 MAGE-4191080 File-1114 Col-21 RRWA-4.J22, WORKING DRAFT SEQUENCE, 1 unordered Homo sapiens ACC1990 Homo sapiens 38,640 19-Jul-97 GB_LN1.CELC13D9 43487 AC0144020 Caenonhabditis elegans cosmid C13D9. Genombabditis elegans 38,640 19-Jul-99 GB_UNI.CELC13D9 43467 AC016420 Caenonhabditis elegans cosmid C13D9. AC016420 Caenonhabditis elegans cosmid C13D | CB_CSS12EA189 377 B24189 F19E bit 110F Abaldopsis thalana genomic clone F19E bit 2007 Columix columi | Columnic columnic and performed some 19th 16, genomic clone 19th 16, genomic some 19th 16, genomic some 2002/AF007088 356 AF007088 Columnic columnic anylalkylamine Nacetyltransferase mRNA, partial cds. Antial 27 Antial | CB_ESTIZATION STATION BZATION BZATION | CB_2SS1824199 377 824199 1916 1617 | GB_ESTI-MA1863143 317 BEAT 1889 FIRETINE IT IGH Anabodopsis Inaliana genomic concertable. Anabodopsis Inaliana genomic concert | Packer P | Column | Columb 2017 Columb 2017 | Columb Columb State | GB_ESTITAM9988 36 AF007088 AF19181 II For Amontogos that almain agentime concert Place II, gardeness and a sequence. Columnit columnit columnit and application of the Amontogos that almost a sequence. Columnit columnit columnit columnit and application of the Amontogos that almost a sequence. P191810 II For Amontogos that almost a sequence. Columnit colu | Part 1972 | California 277 2547189 277 2547189 277 2547189 277 2547189 277 2547189 277 2547189 277 2547189 277 2547189 277 2547189 277 2547189 277 2547189 277 2 | Columix column Co | California 277 2671199 1716-181 17 | Columb C | Column |

				Table 4 (continued)			
	GB_HTG3:AC010831	70233	AC010831	Homo sapiens clone 6_L_24, LOW-PASS SEQUENCE SAMPLING.	Homo sapiens	35,764	23-Sep-99
	GB_PR3:AC004058	38400	AC004058	Homo sapiens chromosome 4 clone B241P19 map 4q25, complete sequence.	Homo sapiens	40,778	30-Sep-98
rxa01408 324	GB_PR4:AF152365	246546	AF152365	Homo sapiens constitutive fragile region FRA3B sequence.	Homo sapiens	41,234	1-Aug-99
	GB_HTG3:AC007890	121256	AC007890	Drosophila melanogaster chromosome 3 clone BACR02G21 (D722) RPCI-98 02.G.21 map 90E-91A strain y; cn bw sp. *** SEQUENCING IN PROGRESS***, 89 unordered pieces.	Drosophila melanogaster 39,432	r 39,432	3-Sep-99
	GB_HTG3:AC007890	121256	121256 AC007890	Drosophila melanogaster chromosome 3 clone BACR02G21 (D722) RPCI-98 02.G.21 map 90E-91A strain y; cn bw sp, *** SEQUENCING IN PROGRESS****	Drosophila melanogaster 39,432	r 39,432	3-Sep-99
0000	24.0001120.440	0770	20044	89 unordered pieces.		,00	100
rxa01524 1566	GB_BA1:BSUB0015	218410	218410 299118	Bacallus subtilis complete genome (section 15 of 21): from 2/95131 to 3013540.	Bacillus subtilis	38,201	26-Nov-97
	GB_H1GZ:AC008260	10/439	10/439 AC008260	•	Drosophila melanogaster 38,302 82	r 38,302	Z-Aug-99
				unordered pieces.			
	GB_HTG2:AC008260		107439 AC008260	Drosophila melanogaster chromosome 2 clone BACR13J10 (D924) RPCI-98 13.J.10 map 478-47C strain y; cn bw sp, *** SEQUENCING IN PROGRESS ***,	Drosophila melanogaster 38,302	r 38,302	2-Aug-99
				82 unordered pieces.			
rxa01578 1510	GB_PR4:AF111170	148083		Homo sapiens 14q32 Jagged2 gene, complete cds; and unknown gene.	Homo sapiens	37,873	14-Jul-99
	GB_PR4:AF111170	148083		Homo sapiens 14q32 Jagged2 gene, complete cds; and unknown gene.	Homo sapiens	40,220	14-Jul-99
	GB_BA1:AEY13732	6740	Y13732	Alcaligenes eutrophus genes for ureases, ureD1, ureD2, ureA, ureB, and ORF1, ORF2.	Ralstonia eutropha	42,960	23-Sep-97
xa01616 1605	GB BA2:AF088857	2908	AF088857	Vogesella indigofera indigoidine biosynthesis regulatory locus, complete	Vogesella indigofera	37,626	10-Sep-99
	GB_IN1:CEM04D8	21552	Z32682	Caenorhabditis elegans cosmid M04D8, complete sequence.	Caenorhabditis elegans	37,237	23-Nov-98
	GB_EST25:AI281910	276	AI281910	qt82d04.x1 NCI_CGAP_Co14 Homo sapiens cDNA clone IMAGE:1961767 3;	Homo sapiens	38,406	21-DEC-1998
				mRNA sequence.			
rxa01666 1500	GB_BA1:CGU43535	2531	U43535	Corynebacterium glutamicum multidrug resistance protein (cmr) gene, complete	Corynebacterium	99,933	9-Apr-97
				gs.	glutamicum		•
	GB_HTG3:AC009213		114735 AC009213	Drosophila melanogaster chromosome 3 clone BACR09F18 (D812) RPCI-98 09.F.18 map 98D-98D strain y; cn bw sp, *** SEQUENCING IN PROGRESS ***, 109 unordered pieces	Drosophila melanogaster 36,111	r 36,111	23-Aug-99
	GB_HTG3:AC009213 114735 AC009213	114735	AC009213		Drosophila melanogaster 36,111	r 36,111	23-Aug-99
				US.P. 10 map 90D-90D strain y, on bw sp, SEQUENCING IN PROGRESS, 109 unordered pieces.			
xa01674 1017	GB_PL1:AB017159	1859	AB017159	Daucus carota mRNA for citrate synthase, complete cds.	Daucus carota	39,537	01-MAY-1999
	GB_PR1:HUMGNOS4823142	823142	D26607	Homo sapiens endothelial nitric oxide synthase gene, complete cds.	Homo sapiens	36,419	13-Jul-99
	GB_HTG3:AC011234 154754	154754	AC011234	Homo sapiens clone NH0166D23, *** SEQUENCING IN PROGRESS ***, 7	Homo sapiens	36,317	04-OCT-1999
			0.000	unordered pieces.		6	
EXACIBYS 1339	GB_n1GS:AC009430		124337 AC009450	Homo sapens chromosome 9 clone 50_C_Z3 map 9, SEQUENCING IN PROGRESS ***, 20 unordered pieces.	romo sapiens	50,503	66-6n y- 77
	GB_HTG3:AC009450	124337	124337 AC009450	Homo sapiens chromosome 9 clone 30 C 23 map 9, *** SEQUENCING IN	Homo sapiens	35,303	22-Aug-99
	ı			PROGRESS ***, 20 unordered pieces.			•
	GB_HTG3:AC009919	134724	134724 AC009919	Homo sapiens clone 115_1_23, LOW-PASS SEQUENCE SAMPLING.	Homo sapiens	35,409	8-Sep-99
rxa01922 1275	GB_BA1:ECONEUC	1676	M84026	E.coli protein p7 (neu C) gene, complete cds.	Escherichia coli	35,189	26-Apr-93

WO 01/00804	<u>o</u>	<u>0</u>	ž.				-83-					PC1/	IROO	/0092	22
2-Aug-99 2-Aug-99	16-OCT-1999	16-OCT-1999	26-Nov-98 18-OCT-1995	6-Jul-94	16-Jul-96		25-Sep-98	24-MAR-1999	27-Aug-99 3-Aug-99	3-Aug-99	3-Aug-99	1-Jul-98	5-Jan-99	5-Jan-99	24-Jun-98 21-Jul-99
er 34,365 er 34,365	er 38,534	er 38,534	36,249 45,679	36,232	42,969		35,724	35,890	38,128 36,662	36,662	34,768	99,843	88,679	100,000	38,951 36,774
Drosophila melanogaster 34,365 0 Drosophila melanogaster 34,365	Drosophila melanogaster 38,534	Drosophila melanogaster 38,534	Homo sapiens Homo sapiens	Saccharopolyspora erythraea	Mus musculus		Homo sapiens	Arabidopsis thaliana	Arabidopsis thaliana Homo sapiens	Homo sapiens	Homo sapiens	Corynebacterium e glutamicum	Corynebacterium glutamicum	Corynebacterium glutamicum	
Drosophila melanogaster chromosome 3 clone BACR03L02 (D766) RPCI-98 03.L.2 map 96B-96C strain y; cn bw sp, *** SEQUENCING IN PROGRESS ***, 80 unordered pieces. Drosophila melanogaster chromosome 3 clone BACR03L02 (D766) RPCI-98 03.L.2 map 96B-96C strain y; cn bw sp, *** SEQUENCING IN PROGRESS***, 80 unordered bieces.	Drosophila melanogaster chromosome 3U66B6 clone RPCI9B-6E4, *** SEQUENCING IN PROGRESS ***, 52 unordered pieces.	Drosophila melanogaster chromosome 3L/66B6 clone RPCI98-6E4, *** SEQUENCING IN PROGRESS ***, 52 unordered pieces.	Homo sapiens chromosome 17, clone hRPK.212_E_8, complete sequence. H.sapiens CpG island DNA genomic Mse1 fragment, clone 169c8, forward read	cpg rosco.rr.ra. Saccharopolyspora erythraea excisionase (xis) gene, integrase (int) gene, complete cds's and attB site.	mf98a09.r1 Soares mouse embryo NbME13.5 14.5 Mus musculus cDNA clone IMAGE.422296 5. mRNA sequence.		Homo sapiens chromosome 17, clone hRPK.349_A_8, complete sequence.	Arabidopsis thaliana DNA chromosome 4, BAC clone F20B18 (ESSA project).	Arabidopsis thaliana DNA chromosome 4, BAC clone (ESSA project). Homo sapiens chromosome 5 clone CIT978SKB_70D3, *** SEQUENCING IN PROGRESS ***, 54 unordered pieces.	Homo sapiens chromosome 5 clone CIT978SKB_70D3, *** SEQUENCING IN PROGRESS ***, 54 unordered pieces.	Homo sapiens chromosome 5 clone CIT978SKB_76P12, *** SEQUENCING IN PROGRESS ***, 54 unordered pieces.	Corynebacterium glutamicum N-acetylglutamylphosphate reductase (argC), Corynebact ornithine acetyltransferase (argJ), N-acetylglutamate kinase (argB), acetylornithine glutamicum transaminase (argD), ornithine carbamoyltransferase (argF), arginine repressor (argR), argininosuccinate synthase (argG), and argininosuccinate lyase (argH) genes, complete cds.	Corynebacterium glutamicum ornithine carbamolytransferase (argF) gene, complete cds.	Corynebacterium glutamicum arginine repressor (argR) gene, complete cds.	B.subtilis yws[A,B,C] genes and rbs[A,C,D,K,R] genes. fc57a12.y1 Zebrafish WashU MPIMG EST Danio renio cDNA 5' similar to TR:Q13151 Q13151 HETEROGENEOUS NUCLEAR RIBONUCLEOPROTEIN A0 ;, mRNA sequence.
116280 AC007853 116280 AC007853	166249 AC010037	166249 AC010037	167228 AC005552 245 Z57239	L11597	W97557		169045 AC005544	AL049483	89904 AL049171 167932 AC008697	167932 AC008697	213971 AC008703	AF049897	AF031518	AF041436	Z92953 AI878071
116280	166249	166249	167228 245	3255	267		169045	104738	89904 167932	167932	213971	9196	2045	516	8164 593
GB_HTG2:AC007853 116280 AC007853 GB_HTG2:AC007853 116280 AC007853	GB_HTG4:AC010037	GB_HTG4:AC010037	GB_PR4:AC005552 GB_PR1:HS169C8F	GB_BA1:SERATTBXIS 3255	GB_EST7:W97557		GB_PR3:AC005544	GB_PL1:ATF20B18	GB_PL2:ATT25K17 GB_HTG3:AC008697	GB_HTG3.AC008697	GB_HTG3:AC008703	GB_BA2:AF049897	GB_BA2:AF031518	GB_BA2:AF041436	GB_BA1:BS292953 GB_EST36:AI878071
	rxa01936 1395		rxa01984 420			rxa02060	rxa02087 1470		rxa02088 1338			ка02159 636			rxa02184 504

PCT/IB00/00922

WO 01/00804

## 01/0000T			-84-				
20-Aug-99 23-Nov-99 28-Jul-99 28-Jul-99	29-Jun-95 29-Jun-95	08-DEC-1995 25-Jun-99 28-Jul-99	11-Nov-98 11-Nov-98 26-Apr-93	10-Feb-99 13-Jan-95 27-Aug-99 2-Apr-98	23-Nov-99 23-Nov-99 19-MAY-1998	28-DEC-1995 28-DEC-1995	17-Jan-98 06-MAY-1999 20-Aug-99
36,774 38,648 35,938 35,938	38,267	41,678 43,348 35,568	40,310 40,310 37,703	38,420 42,188 42,000 39,098	39,456 39,456 5,49,369	35,417	42,115 52,059 45,438
Danio rerio 0 Homo sapiens Mus musculus Mus musculus	5, Homo sapiens 5, Homo sapiens	Caenorhabditis elegans Mus musculus Homo sapiens	Homo sapiens Homo sapiens Brudia pahanoì	Mus musculus Homo sapiens Mycobacterium leprae Rattus sp.	Homo sapiens 39,456 Homo sapiens 39,456 Xanthomonas campestris 49,369	Homo sapiens Homo sapiens	Deinococcus proteolyticus Danio rerio Danio rerio
fe91f01.y1 Zebrafish WashU MPIMG EST Danio rerio cDNA 5' similar to TR:Q13151 Q13151 HETEROGENEOUS NUCLEAR RIBONUCLEOPROTEIN A0 .; mRNA sequence. Human DNA sequence from done 494O16 on chromosome 22, complete sequence. Mus musculus clone 182_H_5, *** SEQUENCING IN PROGRESS ***, 29 unordered pieces. Mus musculus clone 182_H_5, *** SEQUENCING IN PROGRESS ***, 29 Mus musculus clone 182_H_5, *** SEQUENCING IN PROGRESS ***, 29	unordered pieces. ym34a11.r1 Soares infant brain 1NIB Homo sapiens cDNA clone IMAGE:50010 5', Homo sapiens mRNA sequence. ym34a11.r1 Soares infant brain 1NIB Hómo sapiens cDNA clone IMAGE:50010 5', Homo sapiens mRNA sequence.	Caenorhabditis elegans cosmid C41A3. AV080151 Mus musculus stomach C57BL/6J adult Mus musculus cDNA clone 2210413B04, mRNA sequence. HS_2017_B2_B08_MR CIT Approved Human Genomic Sperm Library D Homo saniens genomic clone Plate=2017 Col=16 Row=D. genuing segments	Homo sapiens, *** SEQUENCING IN PROGRESS ***, 2 ordered pieces. Homo sapiens, *** SEQUENCING IN PROGRESS ***, 2 ordered pieces. B.pahanqi beta-tubulin gene, complete cds.	Mouse gene for platelet activating factor receptor, complete cds. Homo sapiens ARL1 mRNA, complete cds. Mycobacterium leprae cosmid B2533. EST111890 Rat PC-12 cells, NGF-treated (9 days) Rattus sp. cDNA clone RPNCO03, mRNA sequence.	Homo sapiens chromosome 20 clone RP4-791K14, *** SEQUENCING IN PROGRESS ***, in unordered pieces. Homo sapiens chromosome 20 clone RP4-791K14, *** SEQUENCING IN PROGRESS ***, in unordered pieces. Xanthomonas campestris organic hydroperoxide resistance protein (ohr) gene, complete cds.	yx19d10.r1 Soares melanocyte 2NbHM Homo sapiens cDNA clone IMAGE:262195 5', mRNA sequence. yx19d10.r1 Soares melanocyte 2NbHM Homo sapiens cDNA clone IMAGE:262195 5', mRNA sequence.	Deinococcus proteolyticus 40 kDa heat shock chaperone protein (dnaJ) gene, complete cds. fc14c09.y1 Zebrafish WashU MPIMG EST Danio rerio cDNA 5' similar to SW:DNJ2_HUMAN P31689 DNAJ PROTEIN HOMOLOG 2.;, mRNA sequence. fd25h11.y1 Zebrafish WashU MPIMG EST Danio rerio cDNA 5' similar to SW:DNJ2_HUMAN P31689 DNAJ PROTEIN HOMOLOG 2.;, mRNA sequence.
641 Al958166 50502 AL117328 158440 AC008161 158440 AC008161	H16949 H16949	U41541 AV080151 AQ766877	127587 AC005959 127587 AC005959 4571 M36380	D50872 L28997 AL035310 H35255	155318 AL035685 155318 AL035685 895 AF036166	N25122 N25122	U93358 Al658096 Al959242
641 50502 158440 158440	465	37149 236 545	127587 127587 4571		155318 155318 895	620	1267 343 545
GB_EST37:Al958166 GB_PR3:HSA494016 GB_HTG2:AC008161 GB_HTG2:AC008161	GB_EST4:H16949 GB_EST4:H16949	GB_IN1:CELC41A3 GB_EST33:AV080151 GB_GSS5:AQ766877	GB_HTG2:AC005959 GB_HTG2:AC005959 GB_IN1:BRPTUBBA	GB_RO:MUSPAFR GB_PR3:HUMARL1A GB_BA1:MLCB2533 GB_EST4:H35255	GB_HTG1:HS791K14 GB_HTG1:HS791K14 GB_BA2:AF036166	GB_EST5:N25122 GB_EST5:N25122	GB_EST30.Al658096 GB_EST37.Al959242
κa02200 1233	יאפע 186 מפסיים	ra02202 762	rxa02205 1002	rxa02305 975 rxa02431 899	ка02446 558		ra02541 1308

PCT/IB00/00922

WO 01/00804

				Table 4 (continued)			
rxa02542 777	EM_PAT:E10832	1856	E10832	DNA encoding Dnak protein which is one of heat shock protein from	Corynebacterium glutamicum	000'66	08-OCT-1997 (Rel. 52, Created)
	GB_EST24:Z82017	396	Z 82017	SSZ82017 Porcine small intestine cDNA library Sus scrofa cDNA clone c12c06 5' similar to eukaryotic initiation factor 4 gamma, mRNA sequence.	Sus scrofa	37,067	30-Apr-99
	GB_OM:CATERYTHR0681	0681	L10606		Felis catus	39,409	14-OCT-1993
rxa02543 1977	EM_PAT:E10832	1856	E10832	DNA encoding Dnak protein which is one of heat shock protein from	Corynebacterium	906,76	08-OCT-1997
					glutamicum		(Rel. 52,
							Created)
	GB_BA1:MPHSP70	2179	X59437	M.paratuberculosis gene for 70 kD heat shock protein.	Mycobacterium avium	73,404	23-Apr-92
					subsp. paratuberculosis		
	GB_BA1:MTY13E10		35019 Z95324	Mycobacterium tuberculosis H37Rv complete genome; segment 18/162.	Mycobacterium tuberculosis	72,028	17-Jun-98
rxa02586 393	GB_IN2:AC006472	156362	156362 AC006472	Drosophila melanogaster, chromosome 2R, region 45E1-46A2, BAC clone BACR48G21, complete sequence.	Drosophila melanogaster 37,958	37,958	30-Jan-99
	GB_HTG4:AC010020 106541 AC010020	106541	AC010020	ome 3L/66D10 clone RPCI98-26I3, *** *, 55 unordered pieces.	Drosophila melanogaster 37,333	37,333	16-OCT-1999
	GB_HTG4:AC010020 106541 AC010020	106541	AC010020	(PC198-2613, ***	Drosophila melanogaster 37,333	37,333	16-OCT-1999
rxa02587 2214	GB_BA1:MLCL622	42498		Mycobacterium leprae cosmid L622.	Mycobacterium leprae	39,848	24-Jun-97
	GB_RO:AF074879	3316	AF074879	Rattus norvegicus testis-specific protein TSPY gene, complete cds.	Rattus norvegicus	35,830	6-Jul-9
	GB_RO:RNJ001380	2641	AJ001380	Rattus norvegicus Tspy partial genomic sequence, exons 1-6.	Rattus norvegicus	37,702	29-Jun-98
xs03217 331	GB_BA1:MLCB2548	38916	AL023093		Mycobacterium leprae	37,888	27-Aug-99
	GB_HTG2:HSJ662M14 174772 AL079336	4 174772	: AL079336	Homo sapiens chromosome 20 clone RP4-662M14, *** SEQUENCING IN PROGRESS ***, 10 unordered pieces.	Homo sapiens	36,420	4-Feb-00
	GB_HTG2:HSJ662M14 174772 AL079336	4 174772	AL079336	RP4-662M14, *** SEQUENCING IN	Homo sapiens	35,962	4-Feb-00

.

Exemplification

Example 1: Preparation of total genomic DNA of Corynebacterium glutamicum ATCC 13032

5 A culture of Corynebacterium glutamicum (ATCC 13032) was grown overnight at 30°C with vigorous shaking in BHI medium (Difco). The cells were harvested by centrifugation, the supernatant was discarded and the cells were resuspended in 5 ml buffer-I (5% of the original volume of the culture — all indicated volumes have been calculated for 100 ml of culture volume). Composition of buffer-I: 140.34 g/l sucrose, 10 2.46 g/l MgSO₄ x 7H₂O, 10 ml/l KH₂PO₄ solution (100 g/l, adjusted to pH 6.7 with KOH), 50 ml/l M12 concentrate (10 g/l (NH₄)₂SO₄, 1 g/l NaCl, 2 g/l MgSO₄ x 7H₂O, 0.2 g/l CaCl₂, 0.5 g/l yeast extract (Difco), 10 ml/l trace-elements-mix (200 mg/l FeSO₄ x H₂O, 10 mg/l ZnSO₄ x 7 H₂O, 3 mg/l MnCl₂ x 4 H₂O, 30 mg/l H₂BO₃ 20 mg/l CoCl₂ x 6 H₂O, 1 mg/l NiCl₂ x 6 H₂O, 3 mg/l Na₂MoO₄ x 2 H₂O, 500 mg/l complexing agent (EDTA or critic acid), 100 ml/l vitamins-mix (0.2 mg/l biotin, 0.2 mg/l folic acid, 20 mg/l p-amino benzoic acid, 20 mg/l riboflavin, 40 mg/l ca-panthothenate, 140 mg/l nicotinic acid, 40 mg/l pyridoxole hydrochloride, 200 mg/l myo-inositol). Lysozyme was added to the suspension to a final concentration of 2.5 mg/ml. After an approximately 4 h incubation at 37°C, the cell wall was degraded and the resulting protoplasts are harvested by centrifugation. The pellet was washed once with 5 ml buffer-I and once with 5 ml TE-buffer (10 mM Tris-HCl, I mM EDTA, pH 8). The pellet was resuspended in 4 ml TE-buffer and 0.5 ml SDS solution (10%) and 0.5 ml NaCl solution (5 M) are added. After adding of proteinase K to a final concentration of 200 μg/ml, the suspension is incubated for ca.18 h at 37°C. The DNA was purified by extraction with phenol, phenol-chloroform-isoamylalcohol and chloroformisoamylalcohol using standard procedures. Then, the DNA was precipitated by adding 1/50 volume of 3 M sodium acetate and 2 volumes of ethanol, followed by a 30 min incubation at -20°C and a 30 min centrifugation at 12,000 rpm in a high speed centrifuge using a SS34 rotor (Sorvall). The DNA was dissolved in 1 ml TE-buffer containing 20 µg/ml RNaseA and dialysed at 4°C against 1000 ml TE-buffer for at least 3 hours. During this time, the buffer was exchanged 3 times. To aliquots of 0.4 ml of the dialysed DNA solution, 0.4 ml of 2 M LiCl and 0.8 ml of ethanol are added. After a 30

min incubation at -20°C, the DNA was collected by centrifugation (13,000 rpm, Biofuge Fresco, Heraeus, Hanau, Germany). The DNA pellet was dissolved in TE-buffer. DNA prepared by this procedure could be used for all purposes, including southern blotting or construction of genomic libraries.

5

Example 2: Construction of genomic libraries in *Escherichia coli* of *Corynebacterium glutamicum* ATCC13032.

Using DNA prepared as described in Example 1, cosmid and plasmid libraries were constructed according to known and well established methods (see e.g., Sambrook, J. et al. (1989) "Molecular Cloning: A Laboratory Manual", Cold Spring Harbor Laboratory Press, or Ausubel, F.M. et al. (1994) "Current Protocols in Molecular Biology", John Wiley & Sons.)

Any plasmid or cosmid could be used. Of particular use were the plasmids pBR322 (Sutcliffe, J.G. (1979) *Proc. Natl. Acad. Sci. USA*, 75:3737-3741); pACYC177 (Change & Cohen (1978) *J. Bacteriol* 134:1141-1156), plasmids of the pBS series (pBSSK+, pBSSK- and others; Stratagene, LaJolla, USA), or cosmids as SuperCos1 (Stratagene, LaJolla, USA) or Lorist6 (Gibson, T.J., Rosenthal A. and Waterson, R.H. (1987) *Gene* 53:283-286. Gene libraries specifically for use in *C. glutamicum* may be constructed using plasmid pSL109 (Lee, H.-S. and A. J. Sinskey (1994) *J. Microbiol. Biotechnol.* 4: 256-263).

20

15

Example 3: DNA Sequencing and Computational Functional Analysis

Genomic libraries as described in Example 2 were used for DNA sequencing according to standard methods, in particular by the chain termination method using ABI377 sequencing machines (see *e.g.*, Fleischman, R.D. *et al.* (1995) "Whole-genome Random Sequencing and Assembly of Haemophilus Influenzae Rd., *Science*, 269:496-512). Sequencing primers with the following nucleotide sequences were used: 5'-GGAAACAGTATGACCATG-3' or 5'-GTAAAACGACGGCCAGT-3'.

Example 4: In vivo Mutagenesis

30 In vivo mutagenesis of Corynebacterium glutamicum can be performed by passage of plasmid (or other vector) DNA through E. coli or other microorganisms (e.g. Bacillus spp. or yeasts such as Saccharomyces cerevisiae) which are impaired in their capabilities to maintain

the integrity of their genetic information. Typical mutator strains have mutations in the genes for the DNA repair system (e.g., mutHLS, mutD, mutT, etc.; for reference, see Rupp, W.D. (1996) DNA repair mechanisms, in: *Escherichia col*i and *Salmonella*, p. 2277-2294, ASM: Washington.) Such strains are well known to those of ordinary skill in the art. The use of such strains is illustrated, for example, in Greener, A. and Callahan, M. (1994) *Strategies* 7: 32-34.

Example 5: DNA Transfer Between Escherichia coli and Corynebacterium glutamicum

5

30

Several Corynebacterium and Brevibacterium species contain endogenous plasmids (as e.g., pHM1519 or pBL1) which replicate autonomously (for review see, e.g., 10 Martin, J.F. et al. (1987) Biotechnology, 5:137-146). Shuttle vectors for Escherichia coli and Corynebacterium glutamicum can be readily constructed by using standard vectors for E. coli (Sambrook, J. et al. (1989), "Molecular Cloning: A Laboratory Manual", Cold Spring Harbor Laboratory Press or Ausubel, F.M. et al. (1994) "Current Protocols in Molecular Biology", John Wiley & Sons) to which a origin or replication for and a 15 suitable marker from Corynebacterium glutamicum is added. Such origins of replication are preferably taken from endogenous plasmids isolated from Corynebacterium and Brevibacterium species. Of particular use as transformation markers for these species are genes for kanamycin resistance (such as those derived from the Tn5 or Tn903 transposons) or chloramphenicol (Winnacker, E.L. (1987) "From Genes to Clones — Introduction to Gene Technology, VCH, Weinheim). There are numerous examples in the literature of the construction of a wide variety of shuttle vectors which replicate in both E. coli and C. glutamicum, and which can be used for several purposes, including gene overexpression (for reference, see e.g., Yoshihama, M. et al. (1985) J. Bacteriol. 162:591-597, 25 Martin J.F. et al. (1987) Biotechnology, 5:137-146 and Eikmanns, B.J. et al. (1991) Gene, 102:93-98).

Using standard methods, it is possible to clone a gene of interest into one of the shuttle vectors described above and to introduce such a hybrid vector into strains of *Corynebacterium glutamicum*. Transformation of *C. glutamicum* can be achieved by protoplast transformation (Kastsumata, R. et al. (1984) *J. Bacteriol*. 159306-311), electroporation (Liebl, E. et al. (1989) *FEMS Microbiol*. Letters, 53:399-303) and in cases where special vectors are used, also by conjugation (as described e.g. in Schäfer, A et al.

WO 01/00804

25

PCT/IB00/00922

(1990) J. Bacteriol. 172:1663-1666). It is also possible to transfer the shuttle vectors for C. glutamicum to E. coli by preparing plasmid DNA from C. glutamicum (using standard methods well-known in the art) and transforming it into E. coli. This transformation step can be performed using standard methods, but it is advantageous to use an Mcr-deficient E. coli strain, such as NM522 (Gough & Murray (1983) J. Mol. Biol. 166:1-19).

- 89 -

Genes may be overexpressed in C. glutamicum strains using plasmids which comprise pCG1 (U.S. Patent No. 4,617,267) or fragments thereof, and optionally the gene for kanamycin resistance from TN903 (Grindley, N.D. and Joyce, C.M. (1980) Proc. Natl. Acad. Sci. USA 77(12): 7176-7180). In addition, genes may be overexpressed in C. glutamicum strains using plasmid pSL109 (Lee, H.-S. and A. J. Sinskey (1994) J. Microbiol. Biotechnol. 4: 256-263).

Aside from the use of replicative plasmids, gene overexpression can also be achieved by integration into the genome. Genomic integration in C. glutamicum or other Corynebacterium or Brevibacterium species may be accomplished by well-known methods, such as homologous recombination with genomic region(s), restriction endonuclease mediated integration (REMI) (see, e.g., DE Patent 19823834), or through the use of transposons. It is also possible to modulate the activity of a gene of interest by modifying the regulatory regions (e.g., a promoter, a repressor, and/or an enhancer) by sequence modification, insertion, or deletion using site-directed methods (such as 20 homologous recombination) or methods based on random events (such as transposon mutagenesis or REMI). Nucleic acid sequences which function as transcriptional terminators may also be inserted 3' to the coding region of one or more genes of the invention; such terminators are well-known in the art and are described, for example, in Winnacker, E.L. (1987) From Genes to Clones – Introduction to Gene Technology. VCH: Weinheim.

Example 6: Assessment of the Expression of the Mutant Protein

Observations of the activity of a mutated protein in a transformed host cell rely on the fact that the mutant protein is expressed in a similar fashion and in a similar quantity to that of the wild-type protein. A useful method to ascertain the level of transcription of the mutant gene (an indicator of the amount of mRNA available for translation to the gene product) is to perform a Northern blot (for reference see, for example, Ausubel et al.

10

15

25

30

(1988) Current Protocols in Molecular Biology, Wiley: New York), in which a primer designed to bind to the gene of interest is labeled with a detectable tag (usually radioactive or chemiluminescent), such that when the total RNA of a culture of the organism is extracted, run on gel, transferred to a stable matrix and incubated with this probe, the binding and quantity of binding of the probe indicates the presence and also the quantity of mRNA for this gene. This information is evidence of the degree of transcription of the mutant gene. Total cellular RNA can be prepared from Corynebacterium glutamicum by several methods, all well-known in the art, such as that described in Bormann, E.R. et al. (1992) Mol. Microbiol. 6: 317-326.

To assess the presence or relative quantity of protein translated from this mRNA, standard techniques, such as a Western blot, may be employed (see, for example, Ausubel et al. (1988) Current Protocols in Molecular Biology, Wiley: New York). In this process, total cellular proteins are extracted, separated by gel electrophoresis, transferred to a matrix such as nitrocellulose, and incubated with a probe, such as an antibody, which specifically binds to the desired protein. This probe is generally tagged with a chemiluminescent or colorimetric label which may be readily detected. The presence and quantity of label observed indicates the presence and quantity of the desired mutant protein present in the cell.

20 Example 7: Growth of Genetically Modified *Corynebacterium glutamicum* — Media and Culture Conditions

Genetically modified *Corynebacteria* are cultured in synthetic or natural growth media. A number of different growth media for Corynebacteria are both well-known and readily available (Lieb *et al.* (1989) *Appl. Microbiol. Biotechnol.*, 32:205-210; von der Osten *et al.* (1998) *Biotechnology Letters*, 11:11-16; Patent DE 4,120,867; Liebl (1992) "The Genus *Corynebacterium*, in: The Procaryotes, Volume II, Balows, A. *et al.*, eds. Springer-Verlag). These media consist of one or more carbon sources, nitrogen sources, inorganic salts, vitamins and trace elements. Preferred carbon sources are sugars, such as mono-, di-, or polysaccharides. For example, glucose, fructose, mannose, galactose, ribose, sorbose, ribulose, lactose, maltose, sucrose, raffinose, starch or cellulose serve as very good carbon sources. It is also possible to supply sugar to the media via complex compounds such as molasses or other by-products from sugar refinement. It can also be

10

20

25

30

advantageous to supply mixtures of different carbon sources. Other possible carbon sources are alcohols and organic acids, such as methanol, ethanol, acetic acid or lactic acid. Nitrogen sources are usually organic or inorganic nitrogen compounds, or materials which contain these compounds. Exemplary nitrogen sources include ammonia gas or ammonia salts, such as NH₄Cl or (NH₄)₂SO₄, NH₄OH, nitrates, urea, amino acids or complex nitrogen sources like corn steep liquor, soy bean flour, soy bean protein, yeast extract, meat extract and others.

Inorganic salt compounds which may be included in the media include the chloride-, phosphorous- or sulfate- salts of calcium, magnesium, sodium, cobalt, molybdenum, potassium, manganese, zinc, copper and iron. Chelating compounds can be added to the medium to keep the metal ions in solution. Particularly useful chelating compounds include dihydroxyphenols, like catechol or protocatechuate, or organic acids, such as citric acid. It is typical for the media to also contain other growth factors, such as vitamins or growth promoters, examples of which include biotin, riboflavin, thiamin, folic acid, nicotinic acid, pantothenate and pyridoxin. Growth factors and salts frequently originate from complex media components such as yeast extract, molasses, corn steep liquor and others. The exact composition of the media compounds depends strongly on the immediate experiment and is individually decided for each specific case. Information about media optimization is available in the textbook "Applied Microbiol. Physiology, A Practical Approach (eds. P.M. Rhodes, P.F. Stanbury, IRL Press (1997) pp. 53-73, ISBN 0 19 963577 3). It is also possible to select growth media from commercial suppliers, like standard 1 (Merck) or BHI (grain heart infusion, DIFCO) or others.

All medium components are sterilized, either by heat (20 minutes at 1.5 bar and 121°C) or by sterile filtration. The components can either be sterilized together or, if necessary, separately. All media components can be present at the beginning of growth, or they can optionally be added continuously or batchwise.

Culture conditions are defined separately for each experiment. The temperature should be in a range between 15°C and 45°C. The temperature can be kept constant or can be altered during the experiment. The pH of the medium should be in the range of 5 to 8.5, preferably around 7.0, and can be maintained by the addition of buffers to the media. An exemplary buffer for this purpose is a potassium phosphate buffer. Synthetic buffers such as MOPS, HEPES, ACES and others can alternatively or simultaneously be used. It

is also possible to maintain a constant culture pH through the addition of NaOH or NH₄OH during growth. If complex medium components such as yeast extract are utilized, the necessity for additional buffers may be reduced, due to the fact that many complex compounds have high buffer capacities. If a fermentor is utilized for culturing the microorganisms, the pH can also be controlled using gaseous ammonia.

The incubation time is usually in a range from several hours to several days. This time is selected in order to permit the maximal amount of product to accumulate in the broth. The disclosed growth experiments can be carried out in a variety of vessels, such as microtiter plates, glass tubes, glass flasks or glass or metal fermentors of different sizes.

For screening a large number of clones, the microorganisms should be cultured in microtiter plates, glass tubes or shake flasks, either with or without baffles. Preferably 100 ml shake flasks are used, filled with 10% (by volume) of the required growth medium. The flasks should be shaken on a rotary shaker (amplitude 25 mm) using a speed-range of 100 – 300 rpm. Evaporation losses can be diminished by the maintenance of a humid atmosphere; alternatively, a mathematical correction for evaporation losses should be performed.

If genetically modified clones are tested, an unmodified control clone or a control clone containing the basic plasmid without any insert should also be tested. The medium is inoculated to an OD₆₀₀ of O.5 – 1.5 using cells grown on agar plates, such as CM plates (10 g/l glucose, 2,5 g/l NaCl, 2 g/l urea, 10 g/l polypeptone, 5 g/l yeast extract, 5 g/l meat extract, 22 g/l NaCl, 2 g/l urea, 10 g/l polypeptone, 5 g/l yeast extract, 5 g/l meat extract, 22 g/l agar, pH 6.8 with 2M NaOH) that had been incubated at 30°C. Inoculation of the media is accomplished by either introduction of a saline suspension of *C. glutamicum* cells from CM plates or addition of a liquid preculture of this bacterium.

25

30

20

5

Example 8 - In vitro Analysis of the Function of Mutant Proteins

The determination of activities and kinetic parameters of enzymes is well established in the art. Experiments to determine the activity of any given altered enzyme must be tailored to the specific activity of the wild-type enzyme, which is well within the ability of one of ordinary skill in the art. Overviews about enzymes in general, as well as specific details concerning structure, kinetics, principles, methods, applications and examples for the determination of many enzyme activities may be

found, for example, in the following references: Dixon, M., and Webb, E.C., (1979) Enzymes. Longmans: London; Fersht, (1985) Enzyme Structure and Mechanism. Freeman: New York; Walsh, (1979) Enzymatic Reaction Mechanisms. Freeman: San Francisco; Price, N.C., Stevens, L. (1982) Fundamentals of Enzymology. Oxford Univ.

5 Press: Oxford; Boyer, P.D., ed. (1983) The Enzymes, 3rd ed. Academic Press: New York; Bisswanger, H., (1994) Enzymkinetik, 2nd ed. VCH: Weinheim (ISBN 3527300325); Bergmeyer, H.U., Bergmeyer, J., Graßl, M., eds. (1983-1986) Methods of Enzymatic Analysis, 3rd ed., vol. I-XII, Verlag Chemie: Weinheim; and Ullmann's Encyclopedia of Industrial Chemistry (1987) vol. A9, "Enzymes". VCH: Weinheim, p. 352-363.

The activity of proteins which bind to DNA can be measured by several well-established methods, such as DNA band-shift assays (also called gel retardation assays). The effect of such proteins on the expression of other molecules can be measured using reporter gene assays (such as that described in Kolmar, H. et al. (1995) EMBO J. 14: 3895-3904 and references cited therein). Reporter gene test systems are well known and established for applications in both pro- and eukaryotic cells, using enzymes such as beta-galactosidase, green fluorescent protein, and several others.

The determination of activity of membrane-transport proteins can be performed according to techniques such as those described in Gennis, R.B. (1989) "Pores, Channels and Transporters", in Biomembranes, Molecular Structure and Function, Springer: Heidelberg, p. 85-137; 199-234; and 270-322.

20

Example 9: Analysis of Impact of Mutant Protein on the Production of the Desired Product

The effect of the genetic modification in *C. glutamicum* on production of a desired compound (such as an amino acid) can be assessed by growing the modified microorganism under suitable conditions (such as those described above) and analyzing the medium and/or the cellular component for increased production of the desired product (*i.e.*, an amino acid). Such analysis techniques are well known to one of ordinary skill in the art, and include spectroscopy, thin layer chromatography, staining methods of various kinds, enzymatic and microbiological methods, and analytical chromatography such as high performance liquid chromatography (see, for example,

Ullman, Encyclopedia of Industrial Chemistry, vol. A2, p. 89-90 and p. 443-613, VCH: Weinheim (1985); Fallon, A. et al., (1987) "Applications of HPLC in Biochemistry" in: Laboratory Techniques in Biochemistry and Molecular Biology, vol. 17; Rehm et al. (1993) Biotechnology, vol. 3, Chapter III: "Product recovery and purification", page 469-714, VCH: Weinheim; Belter, P.A. et al. (1988) Bioseparations: downstream processing for biotechnology, John Wiley and Sons; Kennedy, J.F. and Cabral, J.M.S. (1992) Recovery processes for biological materials, John Wiley and Sons; Shaeiwitz, J.A. and Henry, J.D. (1988) Biochemical separations, in: Ulmann's Encyclopedia of Industrial Chemistry, vol. B3, Chapter 11, page 1-27, VCH: Weinheim; and Dechow,
F.J. (1989) Separation and purification techniques in biotechnology, Noyes Publications.)

In addition to the measurement of the final product of fermentation, it is also possible to analyze other components of the metabolic pathways utilized for the production of the desired compound, such as intermediates and side-products, to determine the overall yield, production, and/or efficiency of production of the compound. Analysis methods include measurements of nutrient levels in the medium (e.g., sugars, hydrocarbons, nitrogen sources, phosphate, and other ions), measurements of biomass composition and growth, analysis of the production of common metabolites of biosynthetic pathways, and measurement of gasses produced during fermentation. Standard methods for these measurements are outlined in Applied Microbial Physiology, A Practical Approach, P.M. Rhodes and P.F. Stanbury, eds., IRL Press, p. 103-129; 131-163; and 165-192 (ISBN: 0199635773) and references cited therein.

15

20

25

30

Example 10: Purification of the Desired Product from C. glutamicum Culture

Recovery of the desired product from the *C. glutamicum* cells or supernatant of the above-described culture can be performed by various methods well known in the art. If the desired product is not secreted from the cells, the cells can be harvested from the culture by low-speed centrifugation, the cells can be lysed by standard techniques, such as mechanical force or sonication. The cellular debris is removed by centrifugation, and the supernatant fraction containing the soluble proteins is retained for further purification of the desired compound. If the product is secreted from the *C. glutamicum*

- 95 -

cells, then the cells are removed from the culture by low-speed centrifugation, and the supernate fraction is retained for further purification.

The supernatant fraction from either purification method is subjected to chromatography with a suitable resin, in which the desired molecule is either retained on a chromatography resin while many of the impurities in the sample are not, or where the impurities are retained by the resin while the sample is not. Such chromatography steps may be repeated as necessary, using the same or different chromatography resins. One of ordinary skill in the art would be well-versed in the selection of appropriate chromatography resins and in their most efficacious application for a particular molecule to be purified. The purified product may be concentrated by filtration or ultrafiltration, and stored at a temperature at which the stability of the product is maximized.

There are a wide array of purification methods known to the art and the preceding method of purification is not meant to be limiting. Such purification techniques are described, for example, in Bailey, J.E. & Ollis, D.F. Biochemical Engineering Fundamentals, McGraw-Hill: New York (1986).

10

15

20

25

30

The identity and purity of the isolated compounds may be assessed by techniques standard in the art. These include high-performance liquid chromatography (HPLC), spectroscopic methods, staining methods, thin layer chromatography, NIRS, enzymatic assay, or microbiologically. Such analysis methods are reviewed in: Patek et al. (1994) Appl. Environ. Microbiol. 60: 133-140; Malakhova et al. (1996) Biotekhnologiya 11: 27-32; and Schmidt et al. (1998) Bioprocess Engineer. 19: 67-70. Ulmann's Encyclopedia of Industrial Chemistry, (1996) vol. A27, VCH: Weinheim, p. 89-90, p. 521-540, p. 540-547, p. 559-566, 575-581 and p. 581-587; Michal, G. (1999) Biochemical Pathways: An Atlas of Biochemistry and Molecular Biology, John Wiley and Sons; Fallon, A. et al. (1987) Applications of HPLC in Biochemistry in: Laboratory Techniques in Biochemistry and Molecular Biology, vol. 17.

EXAMPLE 11: Cloning of a *Corynebacterium glutamicum* Gene Involved in Lincomycin Resistance Using a Reporter Gene Approach

A. Identification of the Gene Encoding the LMRB Protein

Plasmid pSL130 was constructed by ligation of the aceB promoter region (paceB) of C. glutamicum (Kim, H.J. et al. (1997) J. Microbiol. Biotechnol. 7: 287-292) into the polylinker of the lac operon fusion vector pRS415, which lacks a promoter (Simon, R.W. et al. (1987) Gene 53: 85-96). Plasmid pSL145 was constructed by ligating the resulting paceB-lac region into the E. coli cloning vector pACYC184. E. coli DH5αF' was transformed with pSL145 and the resulting strain was used as a host for screening of a genomic C. glutamicum library (in pSL109).

Transformants were screened by growth on agar medium containing 5-bromo-4-chloro-3-indolyl-beta-D-glalactopyranoside (X-Gal). A white colony, containing DNA influencing lacZ expression, was selected for further analysis. This clone was found to contain a 4 kB fragment from the gene library. Subclones were constructed in pSL109 and a subclone which retained the white phenotype on X-Gal plates was identified. This subclone was found to contain a 2.6 kB BamH1-XhoI fragment (plasmid pSL149-5). The fragment was sequenced and identified as a membrane protein-encoding gene (LMRB gene).

The 1442 nucleotides of the coding sequence of the LMRB gene encode a polypeptide of 481 amino acid residues with a high percentage of hydrophobic amino acids. A Genbank search determined that the LMRB protein is 40% identical to the protein product of the lmrB gene from *Bacillus subtilis* (Genbank Accession AL009126, TREMBL Accession P94422), as determined using a CLUSTAL W analysis (using standard parameters).

The LMRN protein contains a sequence pattern: 158-A-P-A-L-G-P-T-L-S-G-167 (SEQ ID NO:301), which resembles the known multi-drug-resistance-protein consensus motif G-X-X-X-G-P-X-X-G-G (SEQ ID NO:302) (Paulsen, I.T., and Skurray, R.A. (1993) *Gene* 124: 1-11). Therefore, the LMRB protein was classified as a drug resistance protein.

B. In vivo Analysis of lmrB Function

15

20

25

The lmrB gene was overexpressed in *C. glutamicum* ASO19E12 (Kim, H.J. *et al.* 30 (1997) *J. Microbiol. Biotechnol.* 7: 287-292) using the plasmid pSL149-5, described above.

15

20

30

Disruption of the LMRB gene was accomplished by use of the vector pSL18-lmrB. This vector was constructed as follows: an internal fragment of the LMRB gene was amplified by PCR under standard conditions using primers 5'-CTCCAGGATTGCTCCGAAGG-3' (SEQ ID NO:303) and 5'-

5 CACAGTGGTTGACCACTGGC-3' (SEQ ID NO:304). The resulting PCR product was treated with T7 DNA polymerase and T7 polynucleotide kinase, and was cloned into the Smal site of plasmid pSL18 (Kim, Y.H. and H.-S. Lee (1996) J. Microbiol. Biotechnol. 6: 315-320). The disruption of the LMRB gene in C. glutamicum ASO19E12 was performed by conjugation, as previously described (Schwarzer and Puhler (1991) Bio/Technology 9:84-87).

C. glutamicum cells transformed with pSL149-5 displayed similar resistances as untransformed cells against erythromycin, penicillin G, tetracycline, chloramphenicol, spectinomycin, nalidixic acid, gentamycin, streptomycin, ethidium bromide, carbonyl cyanide m-chlorophenylhydrazone (CCCP), and sodium dodecyl sulfate. Significant differences were observed, however, in the resistance of transformed and untransformed cells to lincomycin.

LMRB-overexpressing *C. glutamicum* cells were found to be able to grow in the presence of 20 µg/ml lincomycin. In contrast, cells which do not overexpress LMRB (or cells carrying a LMRB disruption) were not able to grow on agar media containing 5 µg/ml lincomycin. This effect was clearly visible in liquid culture. LMRB overexpression led to a 9-fold increased resistance (compared to wild-type) against lincomycin and LMRB disruption resulted in a decreased resistance (28% of wild-type) to this antibiotic.

25 Example 12: Analysis of the Gene Sequences of the Invention

The comparison of sequences and determination of percent homology between two sequences are art-known techniques, and can be accomplished using a mathematical algorithm, such as the algorithm of Karlin and Altschul (1990) *Proc. Natl. Acad. Sci.* USA 87:2264-68, modified as in Karlin and Altschul (1993) *Proc. Natl. Acad. Sci.* USA 90:5873-77. Such an algorithm is incorporated into the NBLAST and XBLAST programs (version 2.0) of Altschul, *et al.* (1990) *J. Mol. Biol.* 215:403-10. BLAST nucleotide searches can be performed with the NBLAST program, score = 100,

wordlength = 12 to obtain nucleotide sequences homologous to SRT nucleic acid molecules of the invention. BLAST protein searches can be performed with the XBLAST program, score = 50, wordlength = 3 to obtain amino acid sequences homologous to SRT protein molecules of the invention. To obtain gapped alignments for comparison purposes, Gapped BLAST can be utilized as described in Altschul et al., (1997) Nucleic Acids Res. 25(17):3389-3402. When utilizing BLAST and Gapped BLAST programs, one of ordinary skill in the art will know how to optimize the parameters of the program (e.g., XBLAST and NBLAST) for the specific sequence being analyzed.

Another example of a mathematical algorithm utilized for the comparison of sequences is the algorithm of Meyers and Miller ((1988) Comput. Appl. Biosci. 4: 11-17). Such an algorithm is incorporated into the ALIGN program (version 2.0) which is part of the GCG sequence alignment software package. When utilizing the ALIGN program for comparing amino acid sequences, a PAM120 weight residue table, a gap length penalty of 12, and a gap penalty of 4 can be used. Additional algorithms for sequence analysis are known in the art, and include ADVANCE and ADAM. described in Torelli and Robotti (1994) Comput. Appl. Biosci. 10:3-5; and FASTA, described in Pearson and Lipman (1988) P.N.A.S. 85:2444-8.

10

20

25

The percent homology between two amino acid sequences can also be accomplished using the GAP program in the GCG software package (available at http://www.gcg.com), using either a Blosum 62 matrix or a PAM250 matrix, and a gap weight of 12, 10, 8, 6, or 4 and a length weight of 2, 3, or 4. The percent homology between two nucleic acid sequences can be accomplished using the GAP program in the GCG software package, using standard parameters, such as a gap weight of 50 and a length weight of 3.

A comparative analysis of the gene sequences of the invention with those present in Genbank has been performed using techniques known in the art (see, e.g., Bexevanis and Ouellette, eds. (1998) Bioinformatics: A Practical Guide to the Analysis of Genes and Proteins. John Wiley and Sons: New York). The gene sequences of the invention were compared to genes present in Genbank in a three-step process. In a first step, a BLASTN analysis (e.g., a local alignment analysis) was performed for each of the sequences of the invention against the nucleotide sequences present in Genbank, and the

top 500 hits were retained for further analysis. A subsequent FASTA search (e.g., a combined local and global alignment analysis, in which limited regions of the sequences are aligned) was performed on these 500 hits. Each gene sequence of the invention was subsequently globally aligned to each of the top three FASTA hits, using the GAP program in the GCG software package (using standard parameters). In order to obtain correct results, the length of the sequences extracted from Genbank were adjusted to the length of the query sequences by methods well-known in the art. The results of this analysis are set forth in Table 4. The resulting data is identical to that which would have been obtained had a GAP (global) analysis alone been performed on each of the genes of the invention in comparison with each of the references in Genbank, but required significantly reduced computational time as compared to such a database-wide GAP (global) analysis. Sequences of the invention for which no alignments above the cutoff values were obtained are indicated on Table 4 by the absence of alignment information. It will further be understood by one of ordinary skill in the art that the GAP alignment homology percentages set forth in Table 4 under the heading "% homology (GAP)" are listed in the European numerical format, wherein a ',' represents a decimal point. For example, a value of "40,345" in this column represents "40.345%".

Example 13: Construction and Operation of DNA Microarrays

10

15

30

The sequences of the invention may additionally be used in the construction and application of DNA microarrays (the design, methodology, and uses of DNA arrays are well known in the art, and are described, for example, in Schena, M. et al. (1995)

Science 270: 467-470; Wodicka, L. et al. (1997) Nature Biotechnology 15: 1359-1367;

DeSaizieu, A. et al. (1998) Nature Biotechnology 16: 45-48; and DeRisi, J.L. et al.

(1997) Science 278: 680-686).

DNA microarrays are solid or flexible supports consisting of nitrocellulose, nylon, glass, silicone, or other materials. Nucleic acid molecules may be attached to the surface in an ordered manner. After appropriate labeling, other nucleic acids or nucleic acid mixtures can be hybridized to the immobilized nucleic acid molecules, and the label may be used to monitor and measure the individual signal intensities of the hybridized molecules at defined regions. This methodology allows the simultaneous quantification of the relative or absolute amount of all or selected nucleic acids in the applied nucleic

- 100 -

acid sample or mixture. DNA microarrays, therefore, permit an analysis of the expression of multiple (as many as 6800 or more) nucleic acids in parallel (see, e.g., Schena, M. (1996) *BioEssays* 18(5): 427-431).

5

10

20

25

30

The sequences of the invention may be used to design oligonucleotide primers which are able to amplify defined regions of one or more *C. glutamicum* genes by a nucleic acid amplification reaction such as the polymerase chain reaction. The choice and design of the 5' or 3' oligonucleotide primers or of appropriate linkers allows the covalent attachment of the resulting PCR products to the surface of a support medium described above (and also described, for example, Schena, M. *et al.* (1995) *Science* 270: 467-470).

Nucleic acid microarrays may also be constructed by *in situ* oligonucleotide synthesis as described by Wodicka, L. *et al.* (1997) *Nature Biotechnology* 15: 1359-1367. By photolithographic methods, precisely defined regions of the matrix are exposed to light. Protective groups which are photolabile are thereby activated and undergo nucleotide addition, whereas regions that are masked from light do not undergo any modification. Subsequent cycles of protection and light activation permit the synthesis of different oligonucleotides at defined positions. Small, defined regions of the genes of the invention may be synthesized on microarrays by solid phase oligonucleotide synthesis.

The nucleic acid molecules of the invention present in a sample or mixture of nucleotides may be hybridized to the microarrays. These nucleic acid molecules can be labeled according to standard methods. In brief, nucleic acid molecules (e.g., mRNA molecules or DNA molecules) are labeled by the incorporation of isotopically or fluorescently labeled nucleotides, e.g., during reverse transcription or DNA synthesis. Hybridization of labeled nucleic acids to microarrays is described (e.g., in Schena, M. et al. (1995) supra; Wodicka, L. et al. (1997), supra; and DeSaizieu A. et al. (1998), supra). The detection and quantification of the hybridized molecule are tailored to the specific incorporated label. Radioactive labels can be detected, for example, as described in Schena, M. et al. (1995) supra) and fluorescent labels may be detected, for example, by the method of Shalon et al. (1996) Genome Research 6: 639-645).

The application of the sequences of the invention to DNA microarray technology, as described above, permits comparative analyses of different strains of C.

- 101 -

glutamicum or other Corynebacteria. For example, studies of inter-strain variations based on individual transcript profiles and the identification of genes that are important for specific and/or desired strain properties such as pathogenicity, productivity and stress tolerance are facilitated by nucleic acid array methodologies. Also, comparisons of the profile of expression of genes of the invention during the course of a fermentation reaction are possible using nucleic acid array technology.

Example 14: Analysis of the Dynamics of Cellular Protein Populations (Proteomics)

10

15

20

25

30

The genes, compositions, and methods of the invention may be applied to study the interactions and dynamics of populations of proteins, termed 'proteomics'. Protein populations of interest include, but are not limited to, the total protein population of *C*. glutamicum (e.g., in comparison with the protein populations of other organisms), those proteins which are active under specific environmental or metabolic conditions (e.g., during fermentation, at high or low temperature, or at high or low pH), or those proteins which are active during specific phases of growth and development.

Protein populations can be analyzed by various well-known techniques, such as gel electrophoresis. Cellular proteins may be obtained, for example, by lysis or extraction, and may be separated from one another using a variety of electrophoretic techniques. Sodium dodecyl sulfate polyacrylamide gel electrophoresis (SDS-PAGE) separates proteins largely on the basis of their molecular weight. Isoelectric focusing polyacrylamide gel electrophoresis (IEF-PAGE) separates proteins by their isoelectric point (which reflects not only the amino acid sequence but also posttranslational modifications of the protein). Another, more preferred method of protein analysis is the consecutive combination of both IEF-PAGE and SDS-PAGE, known as 2-D-gel electrophoresis (described, for example, in Hermann et al. (1998) Electrophoresis 19: 3217-3221; Fountoulakis et al. (1998) Electrophoresis 19: 1193-1202; Langen et al. (1997) Electrophoresis 18: 1184-1192; Antelmann et al. (1997) Electrophoresis 18: 1451-1463). Other separation techniques may also be utilized for protein separation, such as capillary gel electrophoresis; such techniques are well known in the art.

Proteins separated by these methodologies can be visualized by standard techniques, such as by staining or labeling. Suitable stains are known in the art, and

- 102 -

include Coomassie Brilliant Blue, silver stain, or fluorescent dyes such as Sypro Ruby (Molecular Probes). The inclusion of radioactively labeled amino acids or other protein precursors (e.g., ³⁵S-methionine, ³⁵S-cysteine, ¹⁴C-labelled amino acids, ¹⁵N-amino acids, ¹⁵NO₃ or ¹⁵NH₄⁺ or ¹³C-labelled amino acids) in the medium of *C. glutamicum* permits the labeling of proteins from these cells prior to their separation. Similarly, fluorescent labels may be employed. These labeled proteins can be extracted, isolated and separated according to the previously described techniques.

Proteins visualized by these techniques can be further analyzed by measuring the amount of dye or label used. The amount of a given protein can be determined quantitatively using, for example, optical methods and can be compared to the amount of other proteins in the same gel or in other gels. Comparisons of proteins on gels can be made, for example, by optical comparison, by spectroscopy, by image scanning and analysis of gels, or through the use of photographic films and screens. Such techniques are well-known in the art.

To determine the identity of any given protein, direct sequencing or other standard techniques may be employed. For example, N- and/or C-terminal amino acid sequencing (such as Edman degradation) may be used, as may mass spectrometry (in particular MALDI or ESI techniques (see, e.g., Langen et al. (1997) Electrophoresis 18: 1184-1192)). The protein sequences provided herein can be used for the identification of C. glutamicum proteins by these techniques.

The information obtained by these methods can be used to compare patterns of protein presence, activity, or modification between different samples from various biological conditions (e.g., different organisms, time points of fermentation, media conditions, or different biotopes, among others). Data obtained from such experiments alone, or in combination with other techniques, can be used for various applications, such as to compare the behavior of various organisms in a given (e.g., metabolic) situation, to increase the productivity of strains which produce fine chemicals or to increase the efficiency of the production of fine chemicals.

10

15

20

25

- 103 -

Equivalents

5

Those of ordinary skill in the art will recognize, or will be able to ascertain using no more than routine experimentation, many equivalents to the specific embodiments of the invention described herein. Such equivalents are intended to be encompassed by the following claims.

10

15

What is claimed:

- An isolated nucleic acid molecule from Corynebacterium glutamicum encoding a
 stress, resistance, or tolerance gene, or a portion thereof, provided that the nucleic acid molecule does not consist of any of the F-designated genes set forth in Table 1.
 - 2. The isolated nucleic acid molecule of claim 1, wherein said stress, resistance, or tolerance gene is selected from the group consisting of nucleic acid molecules involved in a stress response, tolerance, or resistance to temperature stresses, pH stresses, oxygen stresses, osmotic stresses, toxic chemicals, oxygen radicals, antibiotics, or to lincomycin.
 - 3. An isolated *Corynebacterium glutamicum* nucleic acid molecule selected from the group consisting of those sequences set forth as odd-numbered SEQ ID NOs of the Sequence Listing, or a portion thereof, provided that the nucleic acid molecule does not consist of any of the F-designated genes set forth in Table 1.
- 4. An isolated nucleic acid molecule which encodes a polypeptide sequence selected from the group consisting of those sequences set forth as even-numbered SEQ ID NOs of the Sequence Listing, provided that the nucleic acid molecule does not consist of any of the F-designated genes set forth in Table 1.
- 5. An isolated nucleic acid molecule which encodes a naturally occurring allelic variant of a polypeptide selected from the group of amino acid sequences consisting of those sequences set forth as even-numbered SEQ ID NOs of the Sequence Listing, provided that the nucleic acid molecule does not consist of any of the F-designated genes set forth in Table 1.
- 30 6. An isolated nucleic acid molecule comprising a nucleotide sequence which is at least 50% homologous to a nucleotide sequence selected from the group consisting of those sequences set forth as odd-numbered SEQ ID NOs of the Sequence Listing, or

a considerate and constituting a constitution of the constitution

- 105 -

a portion thereof, provided that the nucleic acid molecule does not consist of any of the F-designated genes set forth in Table 1.

- 7. An isolated nucleic acid molecule comprising a fragment of at least 15 nucleotides of a nucleic acid comprising a nucleotide sequence selected from the group consisting of those sequences set forth as odd-numbered SEQ ID NOs of the Sequence Listing, provided that the nucleic acid molecule does not consist of any of the F-designated genes set forth in Table 1.
- 10 8. An isolated nucleic acid molecule which hybridizes to the nucleic acid molecule of any one of claims 1-7 under stringent conditions.
 - An isolated nucleic acid molecule comprising the nucleic acid molecule of any one
 of claims 1-8 or a portion thereof and a nucleotide sequence encoding a heterologous
 polypeptide.
 - 10. A vector comprising the nucleic acid molecule of any one of claims 1-9.
 - 11. The vector of claim 10, which is an expression vector.

20

15

- 12. A host cell transfected with the expression vector of claim 11.
- 13. The host cell of claim 12, wherein said cell is a microorganism.
- 25 14. The host cell of claim 13, wherein said cell belongs to the genus *Corynebacterium* or *Brevibacterium*.
 - 15. The host cell of claim 12, wherein the expression of said nucleic acid molecule results in the modulation in production of a fine chemical from said cell.

30

16. The host cell of claim 15, wherein said fine chemical is selected from the group consisting of: organic acids, proteinogenic and nonproteinogenic amino acids, purine

WO 01/00804

10

15

20

25

and pyrimidine bases, nucleosides, nucleotides, lipids, saturated and unsaturated fatty acids, diols, carbohydrates, aromatic compounds, vitamins, cofactors, polyketides, and enzymes.

- 5 17. A method of producing a polypeptide comprising culturing the host cell of claim 12 in an appropriate culture medium to, thereby, produce the polypeptide.
 - 18. An isolated stress, resistance, or tolerance polypeptide from *Corynebacterium* glutamicum, or a portion thereof.
 - 19. The protein of claim 18, wherein said stress, resistance, or tolerance polypeptide is selected from the group consisting of proteins involved in a stress response, tolerance, or resistance to temperature stresses, pH stresses, oxygen stresses, osmotic stresses, toxic chemicals, oxygen radicals, antibiotics, or to lincomycin.
 - 20. An isolated polypeptide comprising an amino acid sequence selected from the group consisting of those sequences set forth as even-numbered SEQ ID NOs of the Sequence Listing, provided that the amino acid sequence is not encoded by any of the F-designated genes set forth in Table 1.
 - 21. An isolated polypeptide comprising a naturally occurring allelic variant of a polypeptide comprising an amino acid sequence selected from the group consisting of those sequences set forth as even-numbered SEQ ID NOs of the Sequence Listing, or a portion thereof, provided that the amino acid sequence is not encoded by any of the F-designated genes set forth in Table 1.
 - 22. The isolated polypeptide of any of claims 18-21, further comprising heterologous amino acid sequences.
- 30 23. An isolated polypeptide which is encoded by a nucleic acid molecule comprising a nucleotide sequence which is at least 50% homologous to a nucleic acid selected from the group consisting of those sequences set forth as odd-numbered SEQ ID

- 107 -

PCT/IB00/00922

NOs of the Sequence Listing,, provided that the nucleic acid molecule does not consist of any of the F-designated nucleic acid molecules set forth in Table 1.

- 24. An isolated polypeptide comprising an amino acid sequence which is at least 50% homologous to an amino acid sequence selected from the group consisting of those sequences set forth as even-numbered SEQ ID NOs of the Sequence Listing, provided that the amino acid sequence is not encoded by any of the F-designated genes set forth in Table 1.
- 10 25. A method for producing a fine chemical, comprising culturing a cell containing a vector of claim 12 such that the fine chemical is produced.
 - 26. The method of claim 25, wherein said method further comprises the step of recovering the fine chemical from said culture.

15

WO 01/00804

- 27. The method of claim 25, wherein said method further comprises the step of transfecting said cell with the vector of claim 11 to result in a cell containing said vector.
- 20 28. The method of claim 25, wherein said cell belongs to the genus *Corynebacterium* or *Brevibacterium*.
 - 29. The method of claim 25, wherein said cell is selected from the group consisting of: Corynebacterium glutamicum, Corynebacterium herculis, Corynebacterium, lilium,
- 25 Corynebacterium acetoacidophilum, Corynebacterium acetoglutamicum,
 Corynebacterium acetophilum, Corynebacterium ammoniagenes, Corynebacterium
 fujiokense, Corynebacterium nitrilophilus, Brevibacterium ammoniagenes,
 Brevibacterium butanicum, Brevibacterium divaricatum, Brevibacterium flavum,
 Brevibacterium healii, Brevibacterium ketoglutamicum, Brevibacterium
- 30 ketosoreductum, Brevibacterium lactofermentum, Brevibacterium linens, Brevibacterium paraffinolyticum, and those strains set forth in Table 3.

- 108 -

- 30. The method of claim 25, wherein expression of the nucleic acid molecule from said vector results in modulation of production of said fine chemical.
- 31. The method of claim 25, wherein said fine chemical is selected from the group consisting of: organic acids, proteinogenic and nonproteinogenic amino acids, purine and pyrimidine bases, nucleosides, nucleotides, lipids, saturated and unsaturated fatty acids, diols, carbohydrates, aromatic compounds, vitamins, cofactors, polyketides and enzymes.
- 10 32. The method of claim 25, wherein said fine chemical is an amino acid.
 - 33. The method of claim 32, wherein said amino acid is drawn from the group consisting of: lysine, glutamate, glutamine, alanine, aspartate, glycine, serine, threonine, methionine, cysteine, valine, leucine, isoleucine, arginine, proline, histidine, tyrosine, phenylalanine, and tryptophan.
 - 34. A method for producing a fine chemical, comprising culturing a cell whose genomic DNA has been altered by the inclusion of a nucleic acid molecule of any one of claims 1-9.

20

25

15

5

- 35. A method for diagnosing the presence or activity of Corynebacterium diphtheriae in a subject, comprising detecting the presence of one or more SEQ ID NOs 1 through 304 of the Sequence Listing in the subject, provided that the sequences are not or are not encoded by any of the F-designated sequences set forth in Table 1, thereby diagnosing the presence or activity of Corynebacterium diphtheriae in the subject.
- 36. A host cell comprising a nucleic acid molecule selected from the group consisting of the nucleic acid molecules set forth as odd-numbered SEQ ID NOs of the Sequence Listing, wherein the nucleic acid molecule is disrupted.

30

37. A host cell comprising a nucleic acid molecule selected from the group consisting of the nucleic acid molecules set forth as odd-numbered SEQ ID NOs of the

- 109 -

Sequence Listing, wherein the nucleic acid molecule comprises one or more nucleic acid modifications from the sequence set forth as odd-numbered SEQ ID NOs of the Sequence Listing.

38. A host cell comprising a nucleic acid molecule selected from the group consisting of the nucleic acid molecules set as odd-numbered SEQ ID NOs of the Sequence Listing, wherein the regulatory region of the nucleic acid molecule is modified relative to the wild-type regulatory region of the molecule.

SEQUENCE LISTING

<pre><110> BASF Aktiengesellschaft <120> CORYNEBACTERIUM GLUTAMICUM GENES ENCODING STRESS,</pre>														
<223> RXA01524 <400> 1														
<400> 1 ttgtggcact ctttagtagt tttttctcat agctcagttt cgcaacttta gagaactcta	60													
gaaactgagc ttcatgctgt gaaaggcctt ttctccattc atg gat tcc caa att Met Asp Ser Gln Ile 1 5	115													
aat act cag acc tct ccg gca gct gcg aag ctg cct agg gag gtc gtt Asn Thr Gln Thr Ser Pro Ala Ala Ala Lys Leu Pro Arg Glu Val Val 10 15 20	163													
gtt gtt ctt tcg atc ctc gtg gtt tcc gcg atg atc atg att ctt aat Val Val Leu Ser Ile Leu Val Val Ser Ala Met Ile Met Ile Leu Asn 25 30 35	211													
gaa acc att ctg tcg gtt gcg ttg cct tcc atc atg gaa gat ttc tcc Glu Thr Ile Leu Ser Val Ala Leu Pro Ser Ile Met Glu Asp Phe Ser 40 45 50	259													
gtg cct gaa act act gca cag tgg ttg acc act ggc ttt atg ttg acg Val Pro Glu Thr Thr Ala Gln Trp Leu Thr Thr Gly Phe Met Leu Thr 55 60 65	307													
atg gca gtg gtg att cca act act ggt tat ctg ctt gat cgt ttt tcc Met Ala Val Val Ile Pro Thr Thr Gly Tyr Leu Leu Asp Arg Phe Ser 70 75 80 85	355													
act aag acg atc ttt gtt act gcg ttg ttg ttc ttt acg gtt ggt acg Thr Lys Thr Ile Phe Val Thr Ala Leu Leu Phe Phe Thr Val Gly Thr 90 95 100	403													
ttg act gcg gcg ttg gct cca acg ttt gcg gtg ctg ctt ggt gct cgt Leu Thr Ala Ala Leu Ala Pro Thr Phe Ala Val Leu Leu Gly Ala Arg 105 110 115	451													
atc gtt cag gcg gtt ggt act gcg ctg gtg atg cct ttg ctg atg acg Ile Val Gln Ala Val Gly Thr Ala Leu Val Met Pro Leu Leu Met Thr	499													

1

120 125 130

-	-	_	-		_			gag Glu	-	-		-	_	_		547
							-	gcg Ala	_					_	_	595
								acc Thr								643
								ttg Leu 190								691
				_		-		acc Thr		_	_	_	_		-	739
								ggt Gly								787
								ggc Gly								835
_	_		-		-			atc Ile		_	_	_	_			883
								atg Met 270								931
			_			_		acc Thr			_					979
								cca Pro								1027
								ttg Leu								1075
ctc Leu			Leu													1123
ggt Gly		Arg														1171

	tcc Ser															1219
	g gtc Val 375															1267
	ctc Leu															1315
	ggc Gly															1363
	aca Thr															1411
	tct Ser															1459
	gcg Ala 455															1507
	ctc Leu											taaa	ataco	caa		1 553
aaa	atgg	ggc a	ıga													1566
	0> 2 1> 48	31														
	2> PF 3> Co		bact	eriu	um gl	lutam	nicum	ı								
<21 <40	3> Co 0> 2	ryne			_				C	Desc	7 1.	N 1-	n 1 -	T	T	
<21 <40	3> Co 0> 2 Asp	ryne			_				Ser 10	Pro	Ala	Ala	Ala	Lys 15	Leu	
<21 <40 Met	3> Co 0> 2 Asp	sryne Ser	Gln	Ile 5	Asn	Thr	Gln	Thr	10					15		
<21 <40 Met 1 Pro	3> Co 0> 2 Asp	Ser Glu	Gln Val 20	Ile 5 Val	Asn Val	Thr Val	Gln Leu	Thr Ser 25	10 Ile	Leu	Val	Val	Ser 30	15 Ala	Met	
<21 <40 Met 1 Pro	3> Co 0> 2 Asp Arg	Ser Glu Ile 35	Gln Val 20 Leu	Ile 5 Val Asn	Asn Val Glu	Thr Val Thr	Gln Leu Ile 40	Thr Ser 25 Leu	10 Ile Ser	Leu Val	Val Ala	Val Leu 45	Ser 30 Pro	15 Ala Ser	Met Ile	

Leu	Asp	Arg	Phe	Ser 85		Lys	Thr	Ile	Phe 90		Thr	Ala	Leu	Leu 95	Phe
Phe	Thr	Val	Gly 100		Leu	Thr	Ala	Ala 105		Ala	Pro	Thr	Phe 110	Ala	Val
Leu	Leu	Gly 115	Ala	Arg	Ile	Val	Gln 120		Val	Gly	Thr	Ala 125	Leu	Val	Met
Pro	Leu 130		Met	Thr	Val	Thr 135		Thr	Val	Val	Pro 140		Glu	Arg	Arg
Gly 145	Ser	Met	Met	Gly	Ile 150	Ile	Ser	Ile	Val	Ile 155		Val	Ala	Pro	Ala 160
Leu	Gly	Pro	Thr	Leu 165	Ser	Gly	Val	Ile	Leu 170	Asn	Ser	Leu	Thr	Trp 175	His
Trp	Leu	Phe	Trp 180		Met	Leu	Pro	Ile 185	Val	Val	Ile	Ala	Leu 190	Val	Ile
Gly	Phe	Phe 195	Leu	Ile	Lys	Asn	Ile 200	Gly	Glu	Thr	Lys	11e 205	Thr	Pro	Leu
Asp	Val 210	Leu	Ser	Val	Ile	Leu 215	Ser	Val	Phe	Ala	Phe 220	Gly	Gly	Leu	Val
Tyr 225	Gly	Phe	Ser	Ser	Phe 230	Gly	Ala	Ile	Leu	Glu 235	Gly	Glu	Gly	Thr	Val 240
Gly	Ile	Phe	Ala	Ile 245	Val	Val	Gly	Ala	Ile 250	Ala	Leu	Leu	Ile	Phe 255	Ala
Leu	Arg	Gln	His 260	Gln	Leu	Gly	Lys	Gln 265	Asp	Lys	Ala	Leu	Met 270	Asp	Leu
Arg	Ala	Phe 275	Lys	Val	Arg	Asn	Phe 280	Ser	Phe	Ser	Leu	Thr 285	Thr	Ile	Leu
Leu	Ala 290	Phe	Gly	Ala	Met	Leu 295	Gly	Thr	Val	Met	Val 300	Leu	Pro	Ile	Tyr
Leu 305	Gln	Thr	Ser	Leu	Gly 310	Val	Thr	Ala	Leu	Val 315	Thr	Gly	Leu	Val	Val 320
Met	Pro	Gly	Gly	Leu 325	Leu	Gln	Gly	Leu	Ile 330	Ser	Pro	Phe	Ile	Gly 335	Arg
Phe	Tyr	Asp	Lys 340	Val	Gly	Pro	Arg	Pro 345	Leu	Leu	Ile	Pro	Gly 350	Ala	Ile
Ala	Leu	Ala 355	Ile	Ala	Ala	Ser	Ser 360	Met	Thr	Phe	Leu	Asn 365	Glu	Asn	Ser
Pro	Val 370	Trp	Met	Val	Val	Val 375	Met	His	Val	Val	Phe 380	Ser	Ile	Gly	Met

4

Cys Leu Met Met Thr Pro Leu Met Thr Thr Ala Leu Gly Ala Leu Pro 390 Lys His Leu Tyr Gly His Gly Ser Ala Ile Leu Asn Thr Phe Gln Gln 405 410 Leu Ala Gly Ala Ala Gly Thr Ala Ile Met Ile Ala Ala Leu Ser Phe 425 Gly Thr Ser Ile Ala Ala Ser Ser Gly Ser Ala His Ala Glu Ala Val 440 435 Ala Ala Gly Thr Lys Val Ala Phe Ile Ala Gly Ala Ile Ile Ala Val 455 Ile Ala Leu Val Val Ser Leu Phe Val Thr Arg Val Glu Glu Glu Ala 470 475 His <210> 3 <211> 371 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (52)..(348) <223> RXA00497 <400> 3 tggaaaccca caaccggcac acacaaaatt tttctcatgg agggattcac cgtg gca Val Ala aac gtc aac atc aag ccg ctt gag gac aag atc ctc gtt cag atc aac 105 Asn Val Asn Ile Lys Pro Leu Glu Asp Lys Ile Leu Val Gln Ile Asn 10 gaa gca gag acc acc acc gct tcc ggc ctg gtc att cca gat tcc gct 153 Glu Ala Glu Thr Thr Thr Ala Ser Gly Leu Val Ile Pro Asp Ser Ala aag gaa aag cca caa gag gca acc gtt atc gca gtt ggc cca ggc cgc Lys Glu Lys Pro Gln Glu Ala Thr Val Ile Ala Val Gly Pro Gly Arg 40 ttc gat gac aag ggt aac cgc atc cca ctg gac atc aag gaa gat gac Phe Asp Asp Lys Gly Asn Arg Ile Pro Leu Asp Ile Lys Glu Asp Asp gtt gtg atc ttc tcc cgt tac ggc ggc acc gag atc aag ttc ggt ggc Val Val Ile Phe Ser Arg Tyr Gly Gly Thr Glu Ile Lys Phe Gly Gly

5

gtg gag tac ttg ctt ctc tcc gct cgt gac atc ctc gca atc gtc gag 345 Val Glu Tyr Leu Leu Ser Ala Arg Asp Ile Leu Ala Ile Val Glu 85 90 95

aag taggggataa gttcatggca aag Lys 371

<210> 4 <211> 99 <212> PRT <213> Corynebacterium glutamicum

<400> 4
Val Ala Asn Val Asn Ile Lys Pro Leu Glu Asp Lys Ile Leu Val Gln
1 5 10 15

Ile Asn Glu Ala Glu Thr Thr Thr Ala Ser Gly Leu Val Ile Pro Asp 20 25 30

Ser Ala Lys Glu Lys Pro Gln Glu Ala Thr Val Ile Ala Val Gly Pro 35 40 45

Gly Arg Phe Asp Asp Lys Gly Asn Arg Ile Pro Leu Asp Ile Lys Glu
50 55 60

Asp Asp Val Val Ile Phe Ser Arg Tyr Gly Gly Thr Glu Ile Lys Phe 65 70 75 80

Gly Gly Val Glu Tyr Leu Leu Ser Ala Arg Asp Ile Leu Ala Ile 85 90 95

Val Glu Lys

<210> 5
<211> 1737
<212> DNA
<213> Corynebacterium glutamicum
<220>
<221> CDS
<222> (101)..(1714)
<223> RXN00493

<400> 5 cccgttacgg cggcaccgag atcaagttcg gtggcgtgga gtacttgctt ctctccgctc 60

gtgacatcct cgcaatcgtc gagaagtagg ggataagttc atg gca aag ctc att 115 Met Ala Lys Leu Ile 1 5

gct ttt gac cag gac gcc cgc gaa ggc att ctc cgg ggc gtt gac gct 163 Ala Phe Asp Gln Asp Ala Arg Glu Gly Ile Leu Arg Gly Val Asp Ala 10 15 20

						ctc Leu 30					211
						cct Pro					259
						gag Glu					307
						gtt Val					355
						ctt Leu					403
						gca Ala 110					451
						acc Thr					499
						gaa Glu					547
						gag Glu					595
						acc Thr					643
						ggt Gly 190					691
						aac Asn					739
-		-		-	-	cgc Arg	_				787
gac Asp 230			Leu	-	 -	-	 		_	_	835

7

ctg Leu	atc	ato Ile	gca Ala	gaa Glu 250	gac Asp	gtc Val	gag Glu	ggc Gly	gag Glu 255	Pro	ttg Leu	cag Gln	acc Thr	ctg Leu 260	gtt Val	883
				Arg	aag Lys											931
			Asp		cgc Arg											979
					gtg Val											1027
					ttc Phe 315											1075
gac Asp	gaa Glu	acc Thr	atc Ile	atc Ile 330	gtt Val	gat Asp	ggt Gly	gca Ala	ggt Gly 335	tcc Ser	gca Ala	gaa Glu	gac Asp	gtt Val 340	gaa Glu	1123
					atc Ile											1171
					gca Ala											1219
att Ile	gct Ala 375	gtc Val	atc Ile	cgc Arg	gtt Val	ggt Gly 380	gca Ala	gca Ala	act Thr	gaa Glu	acc Thr 385	gaa Glu	gtc Val	aac Asn	gac Asp	1267
					gaa Glu 395											1315
					gct Ala											1363
					tac Tyr											1411
					gct Ala											1459
					ctt Leu											1507
gct	ctg	cca	aac	ggc	gag	ggc	ttc	aac	gct	gca	act	ttg	gaa	tac	gga	1555

Ala Leu Pro Asn Gly Glu Gly Phe Asn Ala Ala Thr Leu Glu Tyr Gly aac ctg atc aac gac ggt gtc atc gac cca gtc aag gtc acc cat tcc 1603 Asn Leu Ile Asn Asp Gly Val Ile Asp Pro Val Lys Val Thr His Ser 490 495 1651 gca gta gtg aat gca acc tct gtt gca cgc atg gtt ctg acc act gag Ala Val Val Asn Ala Thr Ser Val Ala Arg Met Val Leu Thr Thr Glu 510 get tet gtt gtt gag aag eet gea gaa gea gee gat gea eat gea 1699 Ala Ser Val Val Glu Lys Pro Ala Glu Glu Ala Ala Asp Ala His Ala 525 530 1737 gga cat cat cac cac taaagttctg tgaaaaacac cgt Gly His His His 535 <210> 6 <211> 538 <212> PRT <213> Corynebacterium glutamicum Met Ala Lys Leu Ile Ala Phe Asp Gln Asp Ala Arg Glu Gly Ile Leu Arg Gly Val Asp Ala Leu Ala Asn Ala Val Lys Val Thr Leu Gly Pro Arg Gly Arg Asn Val Val Leu Asp Lys Ala Phe Gly Gly Pro Leu Val Thr Asn Asp Gly Val Thr Ile Ala Arg Asp Ile Asp Leu Glu Asp Pro Phe Glu Asn Leu Gly Ala Gln Leu Val Lys Ser Val Ala Val Lys Thr Asn Asp Ile Ala Gly Asp Gly Thr Thr Thr Ala Thr Leu Leu Ala Gln Ala Leu Ile Ala Glu Gly Leu Arg Asn Val Ala Ala Gly Ala Asn Pro Met Glu Leu Asn Lys Gly Ile Ser Ala Ala Ala Glu Lys Thr Leu Glu Glu Leu Lys Ala Arg Ala Thr Glu Val Ser Asp Thr Lys Glu Ile Ala Asn Val Ala Thr Val Ser Ser Arg Asp Glu Val Val Gly Glu Ile Val 150 Ala Ala Met Glu Lys Val Gly Lys Asp Gly Val Val Thr Val Glu

165 170 175

Glu Ser Gln Ser Ile Glu Thr Ala Leu Glu Val Thr Glu Gly Ile Ser 180 185 190

Phe Asp Lys Gly Tyr Leu Ser Pro Tyr Phe Ile Asn Asp Asn Asp Thr 195 200 205

Gln Gln Ala Val Leu Asp Asn Pro Ala Val Leu Leu Val Arg Asn Lys 210 220

Ile Ser Ser Leu Pro Asp Phe Leu Pro Leu Leu Glu Lys Val Val Glu 225 230 235 240

Ser Asn Arg Pro Leu Leu Ile Ile Ala Glu Asp Val Glu Gly Glu Pro 245 250 255

Leu Gln Thr Leu Val Val Asn Ser Ile Arg Lys Thr Ile Lys Val Val 260 265 270

Ala Val Lys Ser Pro Tyr Phe Gly Asp Arg Arg Lys Ala Phe Met Asp 275 . 280 285

Asp Leu Ala Ile Val Thr Lys Ala Thr Val Val Asp Pro Glu Val Gly 290 295 300

Ile Asn Leu Asn Glu Ala Gly Glu Glu Val Phe Gly Thr Ala Arg Arg 305 310 315 320

Ile Thr Val Ser Lys Asp Glu Thr Ile Ile Val Asp Gly Ala Gly Ser 325 330 335

Ala Glu Asp Val Glu Ala Arg Arg Gly Gln Ile Arg Arg Glu Ile Ala 340 345 350

Asn Thr Asp Ser Thr Trp Asp Arg Glu Lys Ala Glu Glu Arg Leu Ala 355 360 365

Lys Leu Ser Gly Gly Ile Ala Val Ile Arg Val Gly Ala Ala Thr Glu 370 375 380

Thr Glu Val Asn Asp Arg Lys Leu Arg Val Glu Asp Ala Ile Asn Ala 385 390 395 400

Ala Arg Ala Ala Gln Glu Gly Val Ile Ala Gly Gly Gly Ser Ala 405 410 415

Leu Val Gln Ile Ala Glu Thr Leu Lys Ala Tyr Ala Glu Glu Phe Glu 420 425 430

Gly Asp Gln Lys Val Gly Val Arg Ala Leu Ala Thr Ala Leu Gly Lys 435 440 445

Pro Ala Tyr Trp Ile Ala Ser Asn Ala Gly Leu Asp Gly Ser Val Val 450 455 460

Val Ala Arg Thr Ala Ala Leu Pro Asn Gly Glu Gly Phe Asn Ala Ala

465 470 475 Thr Leu Glu Tyr Gly Asn Leu Ile Asn Asp Gly Val Ile Asp Pro Val 485 490 Lys Val Thr His Ser Ala Val Val Asn Ala Thr Ser Val Ala Arg Met 500 505 510 Val Leu Thr Thr Glu Ala Ser Val Val Glu Lys Pro Ala Glu Glu Ala 520 Ala Asp Ala His Ala Gly His His His 530 535 <210> 7 <211> 1339 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(1339) <223> FRXA00498 <400> 7 cccgttacgg cggcaccgag atcaagttcg gtggcgtgga gtacttgctt ctctccgctc 60 gtgacatect egeaategte gagaagtagg ggataagtte atg gea aag etc att Met Ala Lys Leu Ile get ttt gac cag gac gee ege gaa gge att ete egg gge gtt gac get Ala Phe Asp Gln Asp Ala Arg Glu Gly Ile Leu Arg Gly Val Asp Ala 10 ctg gca aac gct gtc aag gta acc ctc ggc cca cgc ggc cgt aac gtg 211 Leu Ala Asn Ala Val Lys Val Thr Leu Gly Pro Arg Gly Arg Asn Val gtt ctt gat aag gca ttc ggc gga cct ctg gtc acc aac gac ggt gtc 259 Val Leu Asp Lys Ala Phe Gly Gly Pro Leu Val Thr Asn Asp Gly Val 40 307 ace att gee ege gae ate gae ett gag gat eet tit gag aac ete ggt Thr Ile Ala Arg Asp Ile Asp Leu Glu Asp Pro Phe Glu Asn Leu Gly 60 gcg cag ctg gtg aag tcc gtt gct gtt aag acc aac gac atc gct ggt 355 Ala Gln Leu Val Lys Ser Val Ala Val Lys Thr Asn Asp Ile Ala Gly 403 gac ggc acc acg act gca act ctg ctt gct cag gca ctc att gct gaa Asp Gly Thr Thr Ala Thr Leu Leu Ala Gln Ala Leu Ile Ala Glu

ggc ctg cgc aac gtt gct gct ggc gca aac cca atg gag ctc aac aag

Gly	Leu	Arg	Asn 105		Ala	Ala	Gly	Ala 110	Asn	Pro	Met	Glu	Leu 115	Asn	Lys	
											gag Glu					499
		Glu									aac Asn 145					547
	Ser										gct Ala					595
_	_		_	_		-	-		-		gag Glu		-			643
		_			_		-				ttc Phe	_	•			691
							_		_		cag Gln	_	_	_	-	739
-			-		_		-	_		-	att Ile 225					787
-				_	_		-	_			tcc Ser		_		_	835
-			-	_	-	-					ttg Leu	_		_	gtt Val	883
				-	_			_	-	_	gca Ala		_			931
											gac Asp					979
											atc Ile 305					1027
											atc Ile					1075
											gca Ala					1123

330 335 340 gea egt ege eag ate egt ege gaa ate gee aac ace gat tee ace 1171 Ala Arg Arg Gly Gln Ile Arg Arg Glu Ile Ala Asn Thr Asp Ser Thr 345 tqq qat cgc gaa aaq gca gaa qag cgt ttg gct aag ctc tcc ggt ggt 1219 Trp Asp Arg Glu Lys Ala Glu Glu Arg Leu Ala Lys Leu Ser Gly Gly att gct gtc atc cgc gtt ggt gca gca act gaa acc gaa gtc aac gac 1267 Ile Ala Val Ile Arg Val Gly Ala Ala Thr Glu Thr Glu Val Asn Asp 375 380 1315 cgc aag ctg cgt gtc gaa gat gcc atc aac gct gct cgc gca gca gca Arg Lys Leu Arg Val Glu Asp Ala Ile Asn Ala Ala Arg Ala Ala Ala 390 395 1339 caa gaa ggc gtt atc gct ggt ggc Gln Glu Gly Val Ile Ala Gly Gly

<210> 8

<211> 413

<212> PRT

<213> Corynebacterium glutamicum

<400> 8

Met Ala Lys Leu Ile Ala Phe Asp Gln Asp Ala Arg Glu Gly Ile Leu 1 5 10 15

Arg Gly Val Asp Ala Leu Ala Asn Ala Val Lys Val Thr Leu Gly Pro 20 25 30

Arg Gly Arg Asn Val Val Leu Asp Lys Ala Phe Gly Gly Pro Leu Val
35 40 45

Thr Asn Asp Gly Val Thr Ile Ala Arg Asp Ile Asp Leu Glu Asp Pro
50 60

Phe Glu Asn Leu Gly Ala Gln Leu Val Lys Ser Val Ala Val Lys Thr 65 70 75 80

Asn Asp Ile Ala Gly Asp Gly Thr Thr Thr Ala Thr Leu Leu Ala Gln 85 90 95

Ala Leu Ile Ala Glu Gly Leu Arg Asn Val Ala Ala Gly Ala Asn Pro 100 105 110

Met Glu Leu Asn Lys Gly Ile Ser Ala Ala Ala Glu Lys Thr Leu Glu 115 120 125

Glu Leu Lys Ala Arg Ala Thr Glu Val Ser Asp Thr Lys Glu Ile Ala 130 . 135 140

Asn Val Ala Thr Val Ser Ser Arg Asp Glu Val Val Gly Glu Ile Val

150 145 155 160 Ala Ala Ala Met Glu Lys Val Gly Lys Asp Gly Val Val Thr Val Glu 170 Glu Ser Gln Ser Ile Glu Thr Ala Leu Glu Val Thr Glu Gly Ile Ser Phe Asp Lys Gly Tyr Leu Ser Pro Tyr Phe Ile Asn Asp Asn Asp Thr Gln Gln Ala Val Leu Asp Asn Pro Ala Val Leu Leu Val Arg Asn Lys Ile Ser Ser Leu Pro Asp Phe Leu Pro Leu Glu Lys Val Val Glu Ser Asn Arg Pro Leu Leu Ile Ile Ala Glu Asp Val Glu Gly Glu Pro Leu Gln Thr Leu Val Val Asn Ser Ile Arg Lys Thr Ile Lys Val Val Ala Val Lys Ser Pro Tyr Phe Gly Asp Arg Arg Lys Ala Phe Met Asp Asp Leu Ala Ile Val Thr Lys Ala Thr Val Val Asp Pro Glu Val Gly Ile Asn Leu Asn Glu Ala Gly Glu Glu Val Phe Gly Thr Ala Arg Arg Ile Thr Val Ser Lys Asp Glu Thr Ile Ile Val Asp Gly Ala Gly Ser Ala Glu Asp Val Glu Ala Arg Arg Gly Gln Ile Arg Arg Glu Ile Ala Asn Thr Asp Ser Thr Trp Asp Arg Glu Lys Ala Glu Glu Arg Leu Ala Lys Leu Ser Gly Gly Ile Ala Val Ile Arg Val Gly Ala Ala Thr Glu Thr Glu Val Asn Asp Arg Lys Leu Arg Val Glu Asp Ala Ile Asn Ala Ala Arg Ala Ala Ala Gln Glu Gly Val Ile Ala Gly Gly 405

<210> 9

<211> 723

<212> DNA

<213> Corynebacterium glutamicum

<220>

.

<221> CDS <222> (101)..(700) <223> RXA01217

<400> 9 qcqctqcctq cgaagactcg accaagacat tcqaqtcggt cgcgggcatt ttttattttc 60 geggeegagt gtecacette atceatgagg agaaateact atg gea aag tae caa Met Ala Lys Tyr Gln acc att gag gct gct gtc cgc tct gag ttc ggc aag ggc tct gca cgt 163 Thr Ile Glu Ala Ala Val Arg Ser Glu Phe Gly Lys Gly Ser Ala Arg cgt gca cgc gtt gct ggc cag atc cct gct gtt gtt tac ggc gca gat 211 Arg Ala Arg Val Ala Gly Gln Ile Pro Ala Val Val Tyr Gly Ala Asp gtt gag tee aac etg cae gte ace ate gae cae ege ace tte get geg 259 Val Glu Ser Asn Leu His Val Thr Ile Asp His Arg Thr Phe Ala Ala 45 307 ctg gtt cgc cag gaa ggc gta aac gct gtt ctt gag ctc gac atc gag Leu Val Arg Gln Glu Gly Val Asn Ala Val Leu Glu Leu Asp Ile Glu ggc cag aag cag ctc acc atg atc aag cac atc gac cag aac gtg ctg 355 Gly Gln Lys Gln Leu Thr Met Ile Lys His Ile Asp Gln Asn Val Leu 80 acc ttc cac atc gac cac ttg gac ctg ctt gcc att aag cgc ggc gaa 403 Thr Phe His Ile Asp His Leu Asp Leu Leu Ala Ile Lys Arg Gly Glu 95 451 aag gtt gag gtt gac gtt cca gtt atc gtc gag ggc gag cca gct cca Lys Val Glu Val Asp Val Pro Val Ile Val Glu Gly Glu Pro Ala Pro ggc acc atg tgg gtt cag gat gct gac acc atc aag gtt gag gct gac 499 Gly Thr Met Trp Val Gln Asp Ala Asp Thr Ile Lys Val Glu Ala Asp 125 gtt ctg tcc atc cct gaa gag ttc acc gtt tcc atc gaa ggc ctt gag 547 Val Leu Ser Ile Pro Glu Glu Phe Thr Val Ser Ile Glu Gly Leu Glu 140 595 ctc qgc gca cag atc acc gca gct gac atc aag ctc gag ggc gac acc Leu Gly Ala Gln Ile Thr Ala Ala Asp Ile Lys Leu Glu Gly Asp Thr 155 acc ctg gtt gag gat cct gag acc ctc atc gtc aac atc gtt ctc cca 643 Thr Leu Val Glu Asp Pro Glu Thr Leu Ile Val Asn Ile Val Leu Pro qct qtc qaq qaa gaa gac acc qaa qaq qac gaa gca gct gaa gaa gca 691.

Ala Val Glu Glu Glu Asp Thr Glu Glu Asp Glu Ala Ala Glu Glu Ala

723

185 190 195

gct act gag taagcttttt tagatagctt tat Ala Thr Glu

200

<210> 10

<211> 200

<212> PRT <213> Corynebacterium glutamicum

<400> 10

Met Ala Lys Tyr Gln Thr Ile Glu Ala Ala Val Arg Ser Glu Phe Gly
1 5 10 15

Lys Gly Ser Ala Arg Arg Ala Arg Val Ala Gly Gln Ile Pro Ala Val 20 25 30

Val Tyr Gly Ala Asp Val Glu Ser Asn Leu His Val Thr Ile Asp His
35 40 45

Arg Thr Phe Ala Ala Leu Val Arg Gln Glu Gly Val Asn Ala Val Leu 50 55 60

Glu Leu Asp Ile Glu Gly Gln Lys Gln Leu Thr Met Ile Lys His Ile 65 70 75 80

Asp Gln Asn Val Leu Thr Phe His Ile Asp His Leu Asp Leu Leu Ala 85 90 95

Ile Lys Arg Gly Glu Lys Val Glu Val Asp Val Pro Val Ile Val Glu
100 105 110

Gly Glu Pro Ala Pro Gly Thr Met Trp Val Gln Asp Ala Asp Thr Ile 115 120 125

Lys Val Glu Ala Asp Val Leu Ser Ile Pro Glu Glu Phe Thr Val Ser 130 135 140

Ile Glu Gly Leu Glu Leu Gly Ala Gln Ile Thr Ala Ala Asp Ile Lys 145 150 155 160

Leu Glu Gly Asp Thr Thr Leu Val Glu Asp Pro Glu Thr Leu Ile Val
165 170 175

Asn Ile Val Leu Pro Ala Val Glu Glu Glu Asp Thr Glu Glu Asp Glu
180 185 190

Ala Ala Glu Glu Ala Ala Thr Glu 195 200

<210> 11

<211> 1603

<212> DNA

<213> Corynebacterium glutamicum

<220> <221> CDS <222> (33)..(1580) <223> RXA00605 <400> 11 ataggtaacc ctcataaaag gaaggaatgc taatg tct gag aag tca gca gca 53 Met Ser Glu Lys Ser Ala Ala gac cag atc gta gat cgc gga atg cgt cca aag ctt tct gga aac act 101 Asp Gln Ile Val Asp Arg Gly Met Arg Pro Lys Leu Ser Gly Asn Thr ace ege cac aac gga gca eca gtt eca tet gag aac ate tee gca ace 149 Thr Arg His Asn Gly Ala Pro Val Pro Ser Glu Asn Ile Ser Ala Thr gca ggc cca cag ggt cca aac gtt ctc aat gac att cac ctc att gaa 197 Ala Gly Pro Gln Gly Pro Asn Val Leu Asn Asp Ile His Leu Ile Glu aag ctc gca cac ttt aac cgc gag aac gtt cca gag cgt atc cct cac 245 Lys Leu Ala His Phe Asn Arg Glu Asn Val Pro Glu Arg Ile Pro His 65 gca aag ggc cac ggc gct ttc ggt gag ctg cac atc acc gag gac gta 293 Ala Lys Gly His Gly Ala Phe Gly Glu Leu His Ile Thr Glu Asp Val tee gaa tac acc aag gea gac etg tte eag eet ggt aag gte acc eeg 341 Ser Glu Tyr Thr Lys Ala Asp Leu Phe Gln Pro Gly Lys Val Thr Pro 95 ctg gct gtt cgc ttc tct act gtt gct ggt gag cag ggc tcc cca gat 389 Leu Ala Val Arg Phe Ser Thr Val Ala Gly Glu Gln Gly Ser Pro Asp 110 acc tgg cgc gac gtc cac ggc ttc gct ctt cgc ttc tac acc gaa gag 437 Thr Trp Arg Asp Val His Gly Phe Ala Leu Arg Phe Tyr Thr Glu Glu 125 130 ggc aac tac gac atc gtg ggt aac acc cca acc ttc ttc ctt cgt 485 Gly Asn Tyr Asp Ile Val Gly Asn Asn Thr Pro Thr Phe Phe Leu Arg 145 gac ggc atg aag ttc ccg gac ttc atc cac tca cag aag cgt ctc aac 533 Asp Gly Met Lys Phe Pro Asp Phe Ile His Ser Gln Lys Arg Leu Asn aag aac ggt ctg cgc gat gca gac atg cag tgg gat ttc tgg acc cgc 581 Lys Asn Gly Leu Arg Asp Ala Asp Met Gln Trp Asp Phe Trp Thr Arg gca cct gaa tct gca cac cag gtg acc tac ctg atg ggt gac cgc ggt 629 Ala Pro Glu Ser Ala His Gln Val Thr Tyr Leu Met Gly Asp Arg Gly

	185					190					195					
				tcc Ser												677
				gct Ala 220												725
_		-	_	ggc Gly		-	-			_	_	-	-		_	773
				aac Asn												821
Ile	_			gac Asp					_	_	-	-	_		_	869
		-	_	gca Ala				_					-	_		917
															ttc Phe	965
	-		-	aac Asn		-				_	_			_		1013
gca Ala	_	_					-			_		_				1061
cgc Arg																1109
cgc Arg 360																1157
gag Glu																1205
gct (Ala (gag Glu	Gly	gag Glu 395	cct Pro	tcc Ser	tac Tyr	agc Ser	cct Pro 400	aac Asn	cgc Arg	tac Tyr	gac Asp	aag Lys 405	ggc Gly	gca Ala	1253
ggc (1301

- - -

					atc Ile											1349
					tac Tyr 445											1397
					tac Tyr											1445
_	_	-	_		atc Ile			_	_	-					-	1493
					tac Tyr											1541
					gag Glu								taaq	gteet	tc	1590
tgat	ttaa	aa t	ga													1603
<211 <212)> 12 l> 51 2> PF 3> Co	6 RT	ebact	eriu	um gl	utam	nicum	ı								
-400)> 12	,														
		•	Lys	Ser 5	Ala	Ala	Asp	Gln	Ile 10	Val	Asp	Arg	Gly	Met 15	Arg	
Pro	Lys	Leu	Ser 20	Gly	Asn	Thr	Thr	Arg 25	His	Asn	Gly	Ala	Pro 30	Val	Pro	

Ser Glu Asn Ile Ser Ala Thr Ala Gly Pro Gln Gly Pro Asn Val Leu

Val Pro Glu Arg Ile Pro His Ala Lys Gly His Gly Ala Phe Gly Glu

Leu His Ile Thr Glu Asp Val Ser Glu Tyr Thr Lys Ala Asp Leu Phe

Gln Pro Gly Lys Val Thr Pro Leu Ala Val Arg Phe Ser Thr Val Ala 100 105 110

Gly Glu Gln Gly Ser Pro Asp Thr Trp Arg Asp Val His Gly Phe Ala 115 120 125

19

Leu Arg Phe Tyr Thr Glu Glu Gly Asn Tyr Asp Ile Val Gly Asn Asn Thr Pro Thr Phe Phe Leu Arg Asp Gly Met Lys Phe Pro Asp Phe Ile 150 His Ser Gln Lys Arg Leu Asn Lys Asn Gly Leu Arg Asp Ala Asp Met Gln Trp Asp Phe Trp Thr Arg Ala Pro Glu Ser Ala His Gln Val Thr Tyr Leu Met Gly Asp Arg Gly Thr Pro Lys Thr Ser Arg His Gln Asp 200 Gly Phe Gly Ser His Thr Phe Gln Trp Ile Asn Ala Glu Gly Lys Pro 215 Val Trp Val Lys Tyr His Phe Lys Thr Arg Gln Gly Trp Asp Cys Phe 230 235 Thr Asp Ala Glu Ala Ala Lys Val Ala Gly Glu Asn Ala Asp Tyr Gln Arg Glu Asp Leu Tyr Asn Ala Ile Glu Asn Gly Asp Phe Pro Ile Trp Asp Val Lys Val Gln Ile Met Pro Phe Glu Asp Ala Glu Asn Tyr Arg 280 Trp Asn Pro Phe Asp Leu Thr Lys Thr Trp Ser Gln Lys Asp Tyr Pro Leu Ile Pro Val Gly Tyr Phe Ile Leu Asn Arg Asn Pro Arg Asn Phe Phe Ala Gln Ile Glu Gln Leu Ala Leu Asp Pro Gly Asn Ile Val Pro Gly Val Gly Leu Ser Pro Asp Arg Met Leu Gln Ala Arg Ile Phe Ala 345 Tyr Ala Asp Gln Gln Arg Tyr Arg Ile Gly Ala Asn Tyr Arg Asp Leu Pro Val Asn Arg Pro Ile Asn Glu Val Asn Thr Tyr Ser Arg Glu Gly Ser Met Gln Tyr Ile Phe Asp Ala Glu Gly Glu Pro Ser Tyr Ser Pro Asn Arg Tyr Asp Lys Gly Ala Gly Tyr Leu Asp Asn Gly Thr Asp Ser Ser Ser Asn His Thr Ser Tyr Gly Gln Ala Asp Asp Ile Tyr Val Asn 420 425

Pro Asp Pro His Gly Thr Asp Leu Val Arg Ala Ala Tyr Val Lys His 435 440 Gln Asp Asp Asp Phe Ile Gln Pro Gly Ile Leu Tyr Arg Glu Val 455 Leu Asp Glu Gly Glu Lys Glu Arg Leu Ala Asp Asn Ile Ser Asn Ala 470 475 Met Gln Gly Ile Ser Glu Ala Thr Glu Pro Arg Val Tyr Asp Tyr Trp 490 Asn Asn Val Asp Glu Asn Leu Gly Ala Arg Val Lys Glu Leu Tyr Leu. 505 500 Gln Lys Lys Ala 515 <210> 13 <211> 2439 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(2416) <223> RXA00404 aagatccgat catcggcata cagaaacacc catctggccg aactttcctt tttctgcatg 60 catttctgca cacagtttct gcccgctgtt tctacgcata gtg gct ttg aaa cga Val Ala Leu Lys Arg ccc gaa gag aaa aca gta aag atc gtg acc ata aaa cag act gac aac 163 Pro Glu Glu Lys Thr Val Lys Ile Val Thr Ile Lys Gln Thr Asp Asn atc aat gac gat gat ttg gtg tac agc aac gct act gac ctt cca gta 211 Ile Asn Asp Asp Leu Val Tyr Ser Asn Ala Thr Asp Leu Pro Val 25 259 ggc gtg aag aag tcc cct aaa atg tca ccg acc gcc cgc gtt ggt ctc Gly Val Lys Lys Ser Pro Lys Met Ser Pro Thr Ala Arg Val Gly Leu 40 307 ctt gtc ttt ggg gtt atc gcg gcg gtg ggt tgg gga gca atc gct ttc Leu Val Phe Gly Val Ile Ala Ala Val Gly Trp Gly Ala Ile Ala Phe tee egt gge gaa aca ate aae tet gtg tgg etg gtt ttg geg gea gtt Ser Arg Gly Glu Thr Ile Asn Ser Val Trp Leu Val Leu Ala Ala Val 70 80

					Ala			ttc Phe		Āla						403
				Pro				cga Arg 110								451
			Lys					acg Thr								499
								gcc Ala								547
								cca Pro								595
								cag Gln								643
								ctt Leu 190								691
								ggt Gly								739
								gca Ala								787
								tcc Ser								835
								cgt Arg								883
	-						-	gca Ala 270	-		-	-	-		_	931
-				-	_	-		tca Ser				_				979
		_			_	-	-	gcc Ala	_						-	1027
gct	gcg	att	ttg	ccg	gtg	tgg	ctg	ctg	ctt	gca	ccg	cgc	gat	tac	ctg	1075

Ala 310	Ala	Ile	Leu	Pro	Val 315	_	Leu	Leu	Leu	Ala 320	Pro	Arg	Asp	Tyr	Leu 325	
					Ile			atc Ile								1123
								atg Met 350								1171
								tct Ser								1219
								ctg Leu								1267
								gtg Val								1315
								atg Met								1363
								gat Asp 430								1411
	-	-	_	-	_			gga Gly	_		_		_			1459
								ggt Gly								1507
								gga Gly								1555
acc Thr	ggt Gly	ggc Gly	gca Ala	cca Pro 490	acc Thr	ttg Leu	gcg Ala	ttc Phe	ggt Gly 495	atg Met	tct Ser	gaa Glu	atc Ile	ctc Leu 500	tcc Ser	1603
gga Gly	ttc Phe	atc Ile	ggc Gly 505	ggc Gly	gct Ala	gga Gly	atg Met	aag Lys 510	gcg Ala	ttc Phe	tgg Trp	tac Tyr	cac His 515	ttc Phe	gcc Ala	1651
atc Ile	atg Met	ttt Phe 520	gag Glu	gct Ala	ctg Leu	ttc Phe	atc Ile 525	ctc Leu	act Thr	act Thr	gtg Val	gat Asp 530	gca Ala	ggt Gly	act Thr	1699
cgt Arg	gtg Val	gct Ala	cgc Arg	ttt Phe	atg Met	atg Met	acc Thr	gat Asp	acc Thr	ttg Leu	ggc Gly	aat Asn	gtt Val	cca Pro	ggt Gly	1747

535 540 545

	Arg	cgt Arg														1795
		ttt Phe														1843
	_	cca Pro	_													1891
-		cag Gln 600	_		_	_		-		_			_	-	_	1939
		aag Lys														1987
		tgg Trp														2035
		tct Ser														2083
-	_	gca Ala	_						_			_	_			2131
		gca Ala 680														2179
-		atc Ile	_					-		_	_	_		_	_	2227
		gtg Val														2275
-		acc Thr		_			-		-					-		2323
		ttc Phe		-				-	_	-	-	-	-	_		2371
		cgc Arg 760														2416

taaaacatga tggctcttac tca

2439

<210> 14

<211> 772

<212> PRT

<213> Corynebacterium glutamicum

<400> 14

Val Ala Leu Lys Arg Pro Glu Glu Lys Thr Val Lys Ile Val Thr Ile

1 5 10 15

Lys Gln Thr Asp Asn Ile Asn Asp Asp Leu Val Tyr Ser Asn Ala
20 25 30

Thr Asp Leu Pro Val Gly Val Lys Lys Ser Pro Lys Met Ser Pro Thr 35 40 45

Ala Arg Val Gly Leu Leu Val Phe Gly Val Ile Ala Ala Val Gly Trp 50 55 60

Gly Ala Ile Ala Phe Ser Arg Gly Glu Thr Ile Asn Ser Val Trp Leu 65 70 75 80

Val Leu Ala Ala Val Gly Ser Tyr Ile Ile Ala Phe Ser Phe Tyr Ala 85 90 95

Arg Leu Ile Glu Tyr Lys Val Val Lys Pro Lys Asp Gln Arg Ala Thr 100 105 110

Pro Ala Glu Tyr Val Asn Asp Gly Lys Asp Tyr Val Pro Thr Asp Arg 115 120 125

Arg Val Leu Phe Gly His His Phe Ala Ala Ile Ala Gly Ala Gly Pro 130 135 140

Leu Val Gly Pro Val Met Ala Ala Gln Met Gly Tyr Leu Pro Gly Thr 145 150 155 160

Leu Trp Ile Ile Leu Gly Val Ile Phe Ala Gly Ala Val Gln Asp Tyr
165 170 175

Leu Val Leu Trp Val Ser Thr Arg Arg Gly Arg Ser Leu Gly Gln 180 185 190

Met Val Arg Asp Glu Met Gly Thr Val Gly Gly Ala Ala Gly Ile Leu 195 200 205

Ala Thr Ile Ser Ile Met Ile Ile Ile Ile Ala Val Leu Ala Leu Ile 210 215 220

Val Val Asn Ala Leu Ala Asp Ser Pro Trp Gly Val Phe Ser Ile Thr 225 230 235 240

Met Thr Ile Pro Ile Ala Leu Phe Met Gly Val Tyr Leu Arg Tyr Leu 245 250 255

Arg Pro Gly Arg Val Thr Glu Val Ser Ile Ile Gly Val Ala Leu Leu Leu Leu Ala Ile Val Ala Gly Gly Trp Val Ala Asp Thr Ser Trp Gly Val Glu Trp Phe Thr Trp Ser Lys Thr Thr Leu Ala Leu Ala Leu Ile Gly Tyr Gly Ile Met Ala Ala Ile Leu Pro Val Trp Leu Leu Leu Ala Pro Arg Asp Tyr Leu Ser Thr Phe Met Lys Ile Gly Val Ile Gly Leu Leu Ala Val Gly Ile Leu Phe Ala Arg Pro Glu Val Gln Met Pro Ser Val Thr Ser Phe Ala Leu Glu Gly Asn Gly Pro Val Phe Ser Gly Ser 360 Leu Phe Pro Phe Leu Phe Ile Thr Ile Ala Cys Gly Ala Leu Ser Gly 375 Phe His Ala Leu Ile Ser Ser Gly Thr Thr Pro Lys Leu Val Glu Lys 390 385 Glu Ser Gln Met Arg Met Leu Gly Tyr Gly Gly Met Leu Met Glu Ser Phe Val Ala Met Met Ala Leu Ile Thr Ala Val Ile Leu Asp Arg His Leu Tyr Phe Ser Met Asn Ala Pro Leu Ala Leu Thr Gly Gly Asp Pro Ala Thr Ala Ala Glu Trp Val Asn Ser Ile Gly Leu Thr Gly Ala Asp Ile Thr Pro Glu Gln Leu Ser Glu Ala Ala Glu Ser Val Gly Glu Ser 470 475 Thr Val Ile Ser Arg Thr Gly Gly Ala Pro Thr Leu Ala Phe Gly Met Ser Glu Ile Leu Ser Gly Phe Ile Gly Gly Ala Gly Met Lys Ala Phe Trp Tyr His Phe Ala Ile Met Phe Glu Ala Leu Phe Ile Leu Thr Thr Val Asp Ala Gly Thr Arg Val Ala Arg Phe Met Met Thr Asp Thr Leu Gly Asn Val Pro Gly Leu Arg Arg Phe Lys Asp Pro Ser Trp Thr Val

Gly Asn Trp Ile Ser Thr Val Phe Val Cys Ala Leu Trp Gly Ala Ile 565 570 575

Leu Leu Met Gly Val Thr Asp Pro Leu Gly Gly Ile Asn Val Leu Phe 580 585 590

Pro Leu Phe Gly Ile Ala Asn Gln Leu Leu Ala Ala Ile Ala Leu Ala 595 600 605

Leu Val Leu Val Val Val Val Lys Lys Gly Leu Tyr Lys Trp Ala Trp 610 615 620

Ile Pro Ala Val Pro Leu Ala Trp Asp Leu Ile Val Thr Met Thr Ala 625 630 635 640

Ser Trp Gln Lys Ile Phe His Ser Asp Pro Ala Ile Gly Tyr Trp Ala 645 650 655

Gln Asn Ala Asn Phe Arg Asp Ala Lys Ser Gln Gly Leu Thr Glu Phe 660 665 670

Gly Ala Ala Lys Ser Pro Glu Ala Ile Asp Ala Val Ile Arg Asn Thr 675 680 685

Met Ile Gln Gly Ile Leu Ser Ile Leu Phe Ala Val Leu Val Leu Val 690 695 700

Val Val Gly Ala Ala Ile Ala Val Cys Ile Lys Ser Ile Arg Ala Arg 705 710 715 720

Ala Ala Gly Thr Pro Leu Glu Thr Thr Glu Glu Pro Asp Thr Glu Ser
725 730 735

Glu Phe Phe Ala Pro Thr Gly Phe Leu Ala Ser Ser Arg Asp Lys Glu
740 745 750

Val Gln Ala Met Trp Asp Glu Arg Tyr Pro Gly Gly Ala Pro Val Ser 755 760 765

Ser Gly Gly His 770

<210> 15

<211> 255

<212> DNA

<213> Corynebacterium glutamicum

<220>

<221> CDS

<222> (101)..(232)

<223> RXN03119

<400> 15

tgggaggtgt cgcaccaagt acttttgcga agcgccatct gacggatttt caaaagatgt 60

atatgctcgg tgcggaaacc tacgaaagga ttttttaccc atg gct gta tac gaa Met Ala Val Tyr Glu 1 5	115											
ctc cca gaa ctc gac tac gca tac gac gct ctc gag cca cac atc gtc Leu Pro Glu Leu Asp Tyr Ala Tyr Asp Ala Leu Glu Pro His Ile Val 10 15 20	163											
gct gaa atc atg gag ctt gac cag tcc aag gac cac gca acc tac gtt Ala Glu Ile Met Glu Leu Asp Gln Ser Lys Asp His Ala Thr Tyr Val 25 30 35	211											
gcg ggc gca aat gca gca ctc taggcactag agaaggcacg cga Ala Gly Ala Asn Ala Ala Leu 40	255											
<210> 16 <211> 44 <212> PRT <213> Corynebacterium glutamicum												
<pre><400> 16 Met Ala Val Tyr Glu Leu Pro Glu Leu Asp Tyr Ala Tyr Asp Ala Leu 1</pre>												
Glu Pro His Ile Val Ala Glu Ile Met Glu Leu Asp Gln Ser Lys Asp 20 25 30												
His Ala Thr Tyr Val Ala Gly Ala Asn Ala Ala Leu 35 40												
<210> 17 <211> 249 <212> DNA <213> Corynebacterium glutamicum												
<220> <221> CDS <222> (101)(226) <223> RXN03120												
<400> 17 ctgggcagtt cttgggtacg accacatatc cggtcgcctg gttatcgagc agctcaccga	60											
ccaggagggc aacatctcct tcgacatcac cccagttctg atg ctc gat atg tgg Met Leu Asp Met Trp 1 5	115											
gag cac gct ttc tac ctg cag tac atg aac gtt aag gca gat tac gtc Glu His Ala Phe Tyr Leu Gln Tyr Met Asn Val Lys Ala Asp Tyr Val 10 15 20	163											
aag got gtt tgg aac gtc ttc aac tgg gac gac gca aga gca cgc ttc Lys Ala Val Trp Asn Val Phe Asn Trp Asp Asp Ala Arg Ala Arg Phe 25 30 35	211											

249 gca gca gct tcc aag taagcatttt tagtccgtgc aat Ala Ala Ser Lys 40 <210> 18 <211> 42 <212> PRT <213> Corynebacterium glutamicum <400> 18 Met Leu Asp Met Trp Glu His Ala Phe Tyr Leu Gln Tyr Met Asn Val Lys Ala Asp Tyr Val Lys Ala Val Trp Asn Val Phe Asn Trp Asp Asp 25 Ala Arg Ala Arg Phe Ala Ala Ala Ser Lys <210> 19 <211> 660 <212> DNA <213> Corynebacterium glutamicum <221> CDS <222> (101)..(637) <223> RXN00575 <400> 19 gaagcgtccg caggcaagaa aacgtcccgg aaaacggcga taggggtcac ccgcgcatgt 60 ccggttgccg atctatttaa ataccaggac aattgcgtgc atg gtt gaa aga gac 115 Met Val Glu Arg Asp ttc act atc cga cca atc cgc gag ggt gat ttc cct cag gtg agg gac 163 Phe Thr Ile Arg Pro Ile Arg Glu Gly Asp Phe Pro Gln Val Arg Asp atc tac gaa ttg ggc ctg gag acg gga cat gcg act tat gag act tct 211 Ile Tyr Glu Leu Gly Leu Glu Thr Gly His Ala Thr Tyr Glu Thr Ser 259 ggt ccc acg tgg gac cag ttc tcc caa tct aaa atc atg gat acc gtc Gly Pro Thr Trp Asp Gln Phe Ser Gln Ser Lys Ile Met Asp Thr Val 307 atg gtg gcg gta gaa aac aac gac ccg gac ttc atc ctc gga tgg gtg Met Val Ala Val Glu Asn Asn Asp Pro Asp Phe Ile Leu Gly Trp Val 60 tct gct gct cca att tca agc cga cag gtt ttc cat gga gtg gtg gaa 355 Ser Ala Ala Pro Ile Ser Ser Arg Gln Val Phe His Gly Val Val Glu

--- ---- ---- ---

75 70 80 85 gat too ato tat ato cac occ cag ggo caa ggo cga gga ato ggo ggo 403 Asp Ser Ile Tyr Ile His Pro Gln Gly Gln Gly Arg Gly Ile Gly Gly 90 get ttg etc gac gec ett atc acc tac tge gaa age aac gge atc tgg 451 Ala Leu Leu Asp Ala Leu Ile Thr Tyr Cys Glu Ser Asn Gly Ile Trp 105 tcg atc cac tcc tgg atc ttc ccg gaa aac ctc ggt tct gcg aaa ctg 499 Ser Ile His Ser Trp Ile Phe Pro Glu Asn Leu Gly Ser Ala Lys Leu 120 125 cat gaa tog aag ggc tto gtg aag gtg ggc acc atg cac caa atg gca 547 His Glu Ser Lys Gly Phe Val Lys Val Gly Thr Met His Gln Met Ala 135 140 agg atg ccc tac ggc gag atg gaa gga caa tgg cgc gat tgt gat ctg 595 Arg Met Pro Tyr Gly Glu Met Glu Gly Gln Trp Arg Asp Cys Asp Leu 150 155 160 tgg gag tgc ctc tta tcc gtt cca gag caa gct caa agt tcc 637 Trp Glu Cys Leu Leu Ser Val Pro Glu Gln Ala Gln Ser Ser taaagcaatt taaatctgac ttt 660 <210> 20 <211> 179 <212> PRT <213> Corynebacterium glutamicum <400> 20 Met Val Glu Arg Asp Phe Thr Ile Arg Pro Ile Arg Glu Gly Asp Phe Pro Gln Val Arg Asp Ile Tyr Glu Leu Gly Leu Glu Thr Gly His Ala 25 Thr Tyr Glu Thr Ser Gly Pro Thr Trp Asp Gln Phe Ser Gln Ser Lys 40 Ile Met Asp Thr Val Met Val Ala Val Glu Asn Asn Asp Pro Asp Phe Ile Leu Gly Trp Val Ser Ala Ala Pro Ile Ser Ser Arg Gln Val Phe His Gly Val Val Glu Asp Ser Ile Tyr Ile His Pro Gln Gly Gln Gly Arg Gly Ile Gly Gly Ala Leu Leu Asp Ala Leu Ile Thr Tyr Cys Glu 105 100 Ser Asn Gly Ile Trp Ser Ile His Ser Trp Ile Phe Pro Glu Asn Leu

--- ---- ---

115 120 125

Gly Ser Ala Lys Leu His Glu Ser Lys Gly Phe Val Lys Val Gly Thr 130 135 140

Met His Gln Met Ala Arg Met Pro Tyr Gly Glu Met Glu Gly Gln Trp 145 150 155 160

Arg Asp Cys Asp Leu Trp Glu Cys Leu Leu Ser Val Pro Glu Gln Ala 165 170 175

Gln Ser Ser

<210> 21

<211> 606

<212> DNA

<213> Corynebacterium glutamicum

<220>

<221> CDS

<222> (101)..(583)

<223> FRXA00575

<400> 21

gcatgtccgg ttgccgatct atttaaatac caggacaatt gcgtgcatgg ttgaaagaga 60

cttcactatc cgaccaatcc gcgagggtga tttccctcag gtg agg gac atc tac 115 Val Arg Asp Ile Tyr 1 5

gaa ttg ggc ctg gag acg gga cat gcg act tat gag act tct ggt ccc 163 Glu Leu Gly Leu Glu Thr Gly His Ala Thr Tyr Glu Thr Ser Gly Pro 10 15 20

acg tgg gac dag tto too caa tot aaa ato atg gat acc gto atg gtg 211 Thr Trp Asp Gln Phe Ser Gln Ser Lys Ile Met Asp Thr Val Met Val 25 30 35

gcg gta gaa aac aac gac ccg gac ttc atc ctc gga tgg gtg tct gct 259 Ala Val Glu Asn Asn Asp Pro Asp Phe Ile Leu Gly Trp Val Ser Ala 40 45 50

gct cca att tca agc cga cag gtt ttc cat gga gtg gtg gaa gat tcc 307 Ala Pro Ile Ser Ser Arg Gln Val Phe His Gly Val Val Glu Asp Ser 55 60 65

atc tat atc cac ccc cag ggc caa ggc cga gga atc ggc ggc gct ttg 355
Ile Tyr Ile His Pro Gln Gly Gln Gly Arg Gly Ile Gly Gly Ala Leu
70 80 85

ctc gac gcc ctt atc acc tac tgc gaa agc aac ggc atc tgg tcg atc Leu Asp Ala Leu Ile Thr Tyr Cys Glu Ser Asn Gly Ile Trp Ser Ile 90 95 100

cac too tgg ato tto cog gaa aac cto ggt tot gcg aaa ctg cat gaa 451

His	Ser	Trp	11e		e Pro	Glu	Asn	110		Ser	Ala	Lys	Leu 115	His	Glu	
			Phe					Thr					Ala	agg Arg		499
		Gly										Asp		tgg Trp		547
	Leu					gag Glu						taa	agca	att		593
taa	atct	gac	ttt													606
<21 <21	0> 2 1> 1 2> P 3> C	61 RT	ebac	teri	umg.	lutar	nicu	m								
	0> 2: Arg		Ile	Tyr 5	Glu	Leu	Gly	Leu	Glu 10	Thr	Gly	His	Ala	Thr 15	Tyr	
Glu	Thr	Ser	Gly 20		Thr	Trp	Asp	Gln 25	Phe	Ser	Gln	Ser	Lys 30	Ile	Met	
Asp	Thr	Val 35	Met	Val	Ala	Val	Glu 40	Asn	Asn	Asp	Pro	Asp 45	Phe	Ile	Leu	
Gly	Trp 50	Val	Ser	Ala	Ala	Pro 55	Ile	Ser	Ser	Arg	Gln 60	Val	Phe	His	Gly	
Val 65	Val	Glu	Asp	Ser	Ile 70	Tyr	Ile	His	Pro	Gln 75	Gly	Gln	Gly	Arg	Gly 80	
Ile	Gly	Gly	Ala	Leu 85	Leu	Asp	Ala	Leu	Ile 90	Thr	Tyr	Cys	Glu	Ser 95	Asn	
Gly	Ile	Trp	Ser 100	Ile	His	Ser	Trp	Ile 105	Phe	Pro	Glu	Asn	Leu 110	Gly	Ser	
Ala	Lys	Leu 115	His	Glu	Ser	-	Gly 120	Phe	Val	Lys	Val	Gly 125	Thr	Met	His	
Gln	Met 130	Ala	Arg	Met	Pro	Tyr 135	Gly	Glu	Met	Glu	Gly 140	Gln	Trp	Arg	Asp	
Cys 145	Asp	Leu	Trp		Cys 150	Leu	Leu	Ser	Val	Pro 155	Glu	Gln	Ala	Gln	Ser 160	
Ser																

32

<210> 23 <211> 1575 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)(1552) <223> RXN01345																
	<400> 23 cataacetea ttgaacatge aaaaetaatg ettttggggg gtatgeataa attegttteg														60	
ttccactgca cagcccgaaa atgctgctag ggtcaagttc atg cgt ttt gga ctt Met Arg Phe Gly Leu 1 5														115		
					cgc Arg					Ala						163
					gtg Val											211
					gcc Ala											259
					ggg Gly											307
	_				gaa Glu 75			_	_	_	-		_	-		355
					cac His											403
		Val		Thr	gcg Ala	Leu	Arg		Phe		Thr		Leu	Gly		451
					gta Val											499
					acc Thr											547
					aat Asn 155											595

			gcc Ala		Thr											643
			gga Gly 185													691
			cac His													739
			ttc Phe													787
			cac His													835
			cgc Arg													883
_	_		gaa Glu 265			_	-	_			_				_	931
			gct Ala													979
			atc Ile													1027
			gtt Val													1075
			cgt Arg		ĞÎy		Arg	Val	His	Arg		Pro				1123
ggt Gly	tcc Ser	act Thr	gcg Ala 345	gtg Val	ggt Gly	ctg Leu	gcc Ala	atc Ile 350	gcg Ala	gct Ala	gac Asp	cct Pro	tcc Ser 355	tct Ser	ggt Gly	1171
			agg Arg													1219
			ggt Gly													1267

	gcg acc gtg Ala Thr Val 395			
	ttc agg ttc Phe Arg Phe 410			
	gat att tcc Asp Ile Ser 425			
	acc gat gtg Thr Asp Val			
	gaa gaa acc Glu Glu Thr			
	aag ata ctc Lys Ile Leu 475			1552
tagttaccat t	ttggtgctg gt	:g		1575

<210> 24

<211> 484

<212> PRT

<213> Corynebacterium glutamicum

<400> 24

Met Arg Phe Gly Leu Asp Leu Gly Thr Thr Arg Thr Ile Ala Ala 1 5 10 15

Val Asp Arg Gly Asn Tyr Pro Ile Val Thr Val Glu Asp Ser Leu Gly
20 25 30

Asp Thr His Asp Phe Ile Pro Ser Val Val Ala Leu Lys Ala Asp Arg
35 40 45

Ile Val Ala Gly Trp Asp Ala Ile Glu Val Gly Gln Asp His Pro Ser 50 55 60

Phe Val Arg Ser Phe Lys Arg Leu Leu Ser Glu Pro Asn Val Thr Glu 65 70 75 80

Ala Thr Pro Val Tyr Leu Gly Asp His Val His Pro Leu Gly Ala Val 85 90 95

Leu Glu Ala Phe Ala Glu Asn Val Val Thr Ala Leu Arg Ala Phe Gln
100 105 110

Thr Gln Leu Gly Asp Thr Ser Pro Ile Glu Val Val Ile Gly Val Pro 115 120 125

Ala Asn Ser His Ser Ala Gln Arg Leu Leu Thr Met Ser Ala Phe Ser 130 135 140

- Ala Thr Gly Ile Thr Val Val Gly Leu Val Asn Glu Pro Ser Ala Ala 145 150 155 160
- Ala Phe Glu Tyr Thr His Arg His Ala Arg Thr Leu Asn Ser Lys Arg 165 170 175
- Gln Ala Ile Val Val Tyr Asp Leu Gly Gly Gly Thr Phe Asp Ser Ser 180 185 190
- Leu Ile Arg Ile Asp Gly Thr His His Glu Val Val Ser Ser Ile Gly 195 200 205
- Ile Ser Arg Leu Gly Gly Asp Asp Phe Asp Glu Ile Leu Leu Gln Cys 210 220
- Ala Leu Lys Ala Ala Gly Arg Gln His Asp Ala Phe Gly Lys Arg Ala 225 230 235 240
- Lys Asn Thr Leu Leu Asp Glu Ser Arg Asn Ala Lys Glu Ala Leu Val 245 250 255
- Pro Gln Ser Arg Arg Leu Val Leu Glu Ile Gly Asp Asp Ile Thr 260 265 270
- Val Pro Val Asn Lys Phe Tyr Glu Ala Ala Thr Pro Leu Val Glu Lys 275 280 285
- Ser Leu Ser Ile Met Glu Pro Leu Ile Gly Val Asp Asp Leu Lys Asp 290 295 300
- Ser Asp Ile Ala Gly Ile Tyr Leu Val Gly Gly Gly Ser Ser Leu Pro 305 310 315 320
- Leu Val Ser Arg Leu Leu Arg Glu Arg Phe Gly Arg Arg Val His Arg 325 330 335
- Ser Pro Phe Pro Ser Gly Ser Thr Ala Val Gly Leu Ala Ile Ala Ala 340 345 350
- Asp Pro Ser Ser Gly Phe His Leu Arg Asp Arg Val Ala Arg Gly Ile 355 360 365
- Gly Val Phe Arg Glu His Asp Ser Gly Arg Ala Val Ser Phe Asp Pro 370 380
- Leu Ile Ala Pro Asp Thr Asp Ser Ala Thr Val Ala Lys Arg Cys Tyr 385 390 395 400
- Lys Ala Val His Asn Ile Gly Trp Phe Arg Phe Val Glu Tyr Ser Thr 405 410 415
- Val Ser Glu Asp Gly Ser Pro Gly Asp Ile Ser Leu Leu Ser Glu Ile 420 425 430

36

Lys Ile Pro Phe Asp Ser Ser Ile Thr Asp Val Asp Ala Thr Glu Ile Ser Arg Phe Asp Gly Pro Glu Val Glu Glu Thr Ile Thr Val Asn Asp 450 Asn Gly Val Ala Ser Ile Ser Ile Lys Ile Leu Gly Gly Val Thr Val 470 Glu His Thr Ile <210> 25 <211> 1267 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(1267) <223> FRXA01345 <400> 25 cataacctca ttgaacatgc aaaactaatg cttttggggg gtatgcataa attcgtttcg 60 ttccactgca cagcccgaaa atgctgctag ggtcaagttc atg cgt ttt gga ctt 115 Met Arg Phe Gly Leu gac ttg gga act acc cgc aca atc gcg gcc gcc gtg gac cgc gga aac 163 Asp Leu Gly Thr Thr Arg Thr Ile Ala Ala Ala Val Asp Arg Gly Asn tat ecc ate gte act gtg gaa gat tet tta gge gae ace cae gat tte 211 Tyr Pro Ile Val Thr Val Glu Asp Ser Leu Gly Asp Thr His Asp Phe 25 30 259 att cca tct gtg gtg gcc ctc aag gca gat agg att gtc gcg ggt tgg Ile Pro Ser Val Val Ala Leu Lys Ala Asp Arg Ile Val Ala Gly Trp 45 40 gat gct att gag gtt ggg cag gac cac cct tcc ttc gta cgt tct ttc 307 Asp Ala Ile Glu Val Gly Gln Asp His Pro Ser Phe Val Arg Ser Phe 355 aaa cgc cta ctc tct gaa ccc aat gtc acg gaa gcc acc ccg gtc tac Lys Arg Leu Leu Ser Glu Pro Asn Val Thr Glu Ala Thr Pro Val Tyr 70 403 ttg ggc gat cat gta cac cct ttg ggc gcc gtc ctg gag gct ttt gcg Leu Gly Asp His Val His Pro Leu Gly Ala Val Leu Glu Ala Phe Ala 451 gaa aac gtg gtc act gcg ctg cgt gca ttt cag acg caa ttg gga gat Glu Asn Val Val Thr Ala Leu Arg Ala Phe Gln Thr Gln Leu Gly Asp 105 110 115

			Ile							gcc Ala					499
		Arg					Ser			gcc Ala 145					547
										gct Ala					595
					Thr					caa Gln					643
										ctc Leu					691
										att Ile					739
	-	-		-					_	gcg Ala 225		_	_	_	787
										aaa Lys					835
-	_		-			_	_	_	_	ccg Pro			_	_	883
_	-		_			_	_	_		gtt Val		-		-	931
										tcc Ser					979
_					_	-	-		-	tcc Ser 305	-		_		1027
			-					_		ctc Leu	_			-	1075
	-	-	Arg			_	-	Val	_	tcc Ser					1123

ggt too act gcg gtg ggt ctg gcc atc gcg gct gac cct too tot ggt 1171 Gly Ser Thr Ala Val Gly Leu Ala Ile Ala Ala Asp Pro Ser Ser Gly 345 350 355

ttc cac cta agg gac cgc gtt gcg cga ggc atc ggt gtg ttc cgt gag 1219 Phe His Leu Arg Asp Arg Val Ala Arg Gly Ile Gly Val Phe Arg Glu 360 365 370

cac gat tot ggt cgt gcc gtg agc ttt gac ccg ctg atc gcc ccg gac 1267 His Asp Ser Gly Arg Ala Val Ser Phe Asp Pro Leu Ile Ala Pro Asp 375 380 385

<210> 26

<211> 389

<212> PRT

<213> Corynebacterium glutamicum

<400> 26

- - -

Met Arg Phe Gly Leu Asp Leu Gly Thr Thr Arg Thr Ile Ala Ala Ala 1 5 10 15

Val Asp Arg Gly Asn Tyr Pro Ile Val Thr Val Glu Asp Ser Leu Gly
20 25 30

Asp Thr His Asp Phe Ile Pro Ser Val Val Ala Leu Lys Ala Asp Arg 35 40 45

Ile Val Ala Gly Trp Asp Ala Ile Glu Val Gly Gln Asp His Pro Ser 50 55 60

Phe Val Arg Ser Phe Lys Arg Leu Leu Ser Glu Pro Asn Val Thr Glu 65 70 75 80

Ala Thr Pro Val Tyr Leu Gly Asp His Val His Pro Leu Gly Ala Val 85 90 95

Leu Glu Ala Phe Ala Glu Asn Val Val Thr Ala Leu Arg Ala Phe Gln
100 105 110

Thr Gln Leu Gly Asp Thr Ser Pro Ile Glu Val Val Ile Gly Val Pro 115 120 125

Ala Asn Ser His Ser Ala Gln Arg Leu Leu Thr Met Ser Ala Phe Ser 130 135 140

Ala Thr Gly Ile Thr Val Val Gly Leu Val Asn Glu Pro Ser Ala Ala 145 150 155 160

Ala Phe Glu Tyr Thr His Arg His Ala Arg Thr Leu Asn Ser Lys Arg 165 170 175

Gln Ala Ile Val Val Tyr Asp Leu Gly Gly Gly Thr Phe Asp Ser Ser 180 185 190

Leu Ile Arg Ile Asp Gly Thr His His Glu Val Val Ser Ser Ile Gly 195 200 205

Ile Ser Arg Leu Gly Gly Asp Asp Phe Asp Glu Ile Leu Leu Gln Cys 210 215 Ala Leu Lys Ala Ala Gly Arg Gln His Asp Ala Phe Gly Lys Arg Ala 235 Lys Asn Thr Leu Leu Asp Glu Ser Arg Asn Ala Lys Glu Ala Leu Val 250 Pro Gln Ser Arg Arg Leu Val Leu Glu Ile Gly Asp Asp Ile Thr 265 Val Pro Val Asn Lys Phe Tyr Glu Ala Ala Thr Pro Leu Val Glu Lys 285 275 280 Ser Leu Ser Ile Met Glu Pro Leu Ile Gly Val Asp Asp Leu Lys Asp Ser Asp Ile Ala Gly Ile Tyr Leu Val Gly Gly Ser Ser Leu Pro 310 Leu Val Ser Arg Leu Leu Arg Glu Arg Phe Gly Arg Arg Val His Arg Ser Pro Phe Pro Ser Gly Ser Thr Ala Val Gly Leu Ala Ile Ala Ala Asp Pro Ser Ser Gly Phe His Leu Arg Asp Arg Val Ala Arg Gly Ile 360 Gly Val Phe Arg Glu His Asp Ser Gly Arg Ala Val Ser Phe Asp Pro 375 Leu Ile Ala Pro Asp 385 <210> 27 <211> 1308 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(1285) <223> RXA02541 <400> 27 atccgccggt gtccggacaa caaaacttgc aacacaagat aacttaagaa attgcataca 60 attcaccgca tataagactc atggaaggag gggatgccca gtg aac aac agc gaa Val Asn Asn Ser Glu tgg gca aat aag aac tat tac gca gac ctg ggg gtc tcc tcg tcc gct Trp Ala Asn Lys Asn Tyr Tyr Ala Asp Leu Gly Val Ser Ser Ser Ala

10 15 20

										aag Lys						211
										gct Ala						259
										gat Asp						307
_		-				_			_	tct Ser 80				_		355
										ggc Gly						403
										gga Gly						451
ggg Gly	ttt Phe	tct Ser 120	acg Thr	gac Asp	ggc Gly	ggt Gly	ttg Leu 125	ggc Gly	gat Asp	atc Ile	ttc Phe	ggt Gly 130	ggc Gly	ctt Leu	ttc Phe	499
	•		-				_		_	agg Arg	_	_				547
										gtt Val 160						595
										gcg Ala						643
		-								gca Ala		•			-	691
										ggt Gly						739
										gaa Glu						787
										cgg Arg 240						835

acc Thr	gtg Val	cgt Arg	atc Ile	cca Pro 250	act Thr	ggt Gly	gtg Val	gaa Glu	gat Asp 255	gga Gly	cag Gln	aaa Lys	gtt Val	cgt Arg 260	ctt Leu	883
gca Ala	ggc	caa Gln	ggc Gly 265	gaa Glu	gca Ala	gga Gly	cca Pro	aat Asn 270	ggc Gly	aaa Lys	cca Pro	gcg Ala	ggc Gly 275	gat Asp	ctc Leu	931
											ttc Phe					979
agc Ser	aac Asn 295	att Ile	ttg Leu	atc Ile	acc Thr	att Ile 300	ccc Pro	gtg Val	agc Ser	ttc Phe	agc Ser 305	gag Glu	ctg Leu	gct Ala	ttg Leu	1027
											cct Pro					1075
cta Leu	cct Pro	gcg Ala	gga Gly	acg Thr 330	cca Pro	gat Asp	ggt Gly	cgt Arg	act Thr 335	ttg Leu	cgt Arg	gta Val	cgc Arg	ggt Gly 340	cgc Arg	1123
ggt Gly	atc Ile	gaa Glu	gca Ala 345	cgt Arg	gat Asp	tcc Ser	act Thr	ggt Gly 350	gat Asp	ctg Leu	ctg Leu	gtt Val	aca Thr 355	gtc Val	cag Gln	1171
											gcg Ala					1219
gca Ala	tat Tyr 375	gct Ala	gaa Glu	gca Ala	gaa Glu	act Thr 380	aat Asn	tca Ser	ggt Gly	ttt Phe	gat Asp 385	ccc Pro	cgc Arg	gct Ala	aac Asn	1267
		ggc Gly				taga	cgtt	ct o	etttg	gagaa	aa go	ga				1308
<211 <212)> 28 l> 39 ?> PF B> Co)5 RT	ebact	eriu	ım gl	utan	nicum	n								
)> 28 Asn		Ser	Glu 5	Trp	Ala	Asn	Lys	Asn 10	Tyr	Tyr	Ala	Asp	Leu 15	Gly	
Val	Ser	Ser	Ser 20	Ala	Ser	Glu	Asp	Glu 25	Ile	Lys	Lys	Ala	Tyr 30	Arg	Lys	

Leu Ala Arg Glu Asn His Pro Asp Lys Asn Pro Gly Asp Lys Ala Ala 35 40 45

Glu Asp Arg Phe Lys Lys Ala Ala Glu Ala Tyr Asp Val Leu Gly Asp 50 55 60

- Asp Lys Lys Arg Lys Glu Tyr Asp Glu Leu Lys Ala Leu Leu Ala Ser 65 70 75 80
- Gly Gly Ile Arg Gly Gly Phe Gly Ser Gly Gly Ala Gly Phe Pro Gly 85 90 95
- Gly Phe Arg Thr Ser Thr Gly Gly Phe Asp Thr Ser Asp Leu Phe Gly 100 105 110
- Gly Gly Gly Gly Gly Phe Ser Thr Asp Gly Gly Leu Gly Asp Ile 115 120 125
- Phe Gly Gly Leu Phe Asn Arg Gly Ala Gly Ser His Gln Ser Ala Arg 130 135 140
- Pro Thr Arg Gly Ala Asp Val Gln Thr Glu Ile Thr Leu Ser Phe Val 145 150 155 160
- Glu Ala Ala Lys Gly Thr Thr Ile Pro Val Glu Leu Thr Gly Asp Ala 165 170 175
- Pro Cys Asn Thr Cys His Gly Ser Gly Ser Lys Ser Gly His Pro Ala 180 185 190
- Lys Cys Gly Thr Cys Asp Gly Thr Gly Phe Thr Ser Glu Asn Lys Gly 195 200 205
- Ala Phe Gly Phe Ser Ala Pro Cys Ala Thr Cys Gly Gly Thr Gly Glu 210 215 220
- Ile Ile Thr Asp Pro Cys Asp Asn Cys His Gly Arg Gly Thr Val Arg 225 230 235 240
- Lys Ser Arg Ser Ile Thr Val Arg Ile Pro Thr Gly Val Glu Asp Gly
 245 250 255
- Gln Lys Val Arg Leu Ala Gly Gln Gly Glu Ala Gly Pro Asn Gly Lys 260 265 270
- Pro Ala Gly Asp Leu Phe Val Lys Val His Val Lys Lys Asp Asp Val 275 280 285
- Phe Thr Arg Asp Gly Ser Asn Ile Leu Ile Thr Ile Pro Val Ser Phe 290 295 300
- Ser Glu Leu Ala Leu Gly Gly Ala Ile Ser Val Pro Thr Leu Asn Lys 305 310 315 320
- Pro Val Lys Leu Lys Leu Pro Ala Gly Thr Pro Asp Gly Arg Thr Leu 325 330 335
- Arg Val Arg Gly Arg Gly Ile Glu Ala Arg Asp Ser Thr Gly Asp Leu 340 345 350

43

Leu Val Thr Val Gln Val Ser Val Pro Lys Asn Leu Asp Asn Ala 355 360 365

Ala Glu Ala Leu Arg Ala Tyr Ala Glu Ala Glu Thr Asn Ser Gly Phe 370 375 380

Asp Pro Arg Ala Asn Trp Ala Gly Gln Asn Arg 385 390 395

<210> 29

<211> 777

<212> DNA

<213> Corynebacterium glutamicum

<220>

<221> CDS

<222> (101)..(754)

<223> RXA02542

<400> 29

ccaggctgac gcaggtgcag aaggcgctgc agatgacaat gttgttgacg ctgaagttgt 60

cgaagacgac gcagctgaca atggtgagga caagaagtaa atg act acc cct aac 115 Met Thr Thr Pro Asn 1

gga atg ccc gac aat cct ggg gat cct gaa aat acc gat cca gag gca 163 Gly Met Pro Asp Asn Pro Gly Asp Pro Glu Asn Thr Asp Pro Glu Ala 10 15 20

acc tct gct gat cgt gct gag cag gca gct gaa gca gct gcc cgc 211
Thr Ser Ala Asp Arg Ala Glu Gln Ala Ala Glu Glu Ala Ala Ala Arg
25 30 35

caa gcg gag gaa tct cca ttt gga cag gcc tca gag gaa gaa att tct 259 Gln Ala Glu Glu Ser Pro Phe Gly Gln Ala Ser Glu Glu Glu Ile Ser 40 45 50

cca gag ctc gaa gca gag atc aat gat ctt cta tca gat gtt gat cca 307 Pro Glu Leu Glu Ala Glu Ile Asn Asp Leu Leu Ser Asp Val Asp Pro 55 60 65

gat ttg gat ggc gat ggt gaa gtg tcc gct gta gaa aca cag ctt gcc 355 Asp Leu Asp Gly Asp Gly Glu Val Ser Ala Val Glu Thr Gln Leu Ala 70 75 80 85

gaa cgc act gag gat ctg cag cga gtc acc gct gag tac gcc aac tac 403 Glu Arg Thr Glu Asp Leu Gln Arg Val Thr Ala Glu Tyr Ala Asn Tyr 90 95 100

cgt cga cgt acc gag cgt gaa cgc cag ggc atc atc gac acc gca cgc 451 Arg Arg Arg Thr Glu Arg Glu Arg Gln Gly Ile Ile Asp Thr Ala Arg 105 110 115

gca ggt gtt gtt acc caa ctt ctg ccg ttg ctc gac gat ctt gac ctg 499 Ala Gly Val Val Thr Gln Leu Leu Pro Leu Leu Asp Asp Leu Asp Leu PCT/IB00/00922

WO 01/00804 120 125 130 547 gct gaa cag cac ggt gac ctt aac gaa ggt ccg ctg aag tca ctg tct Ala Glu Gln His Gly Asp Leu Asn Glu Gly Pro Leu Lys Ser Leu Ser 135 gac aag ctg atc aac atc ctg ggt gga ttg aag gtg gaa tcc ttc ggc 595 Asp Lys Leu Ile Asn Ile Leu Gly Gly Leu Lys Val Glu Ser Phe Gly 155 gag atc ggc gaa gca ttc gat cca gag atc cac gaa gca gta cag gat Glu Ile Gly Glu Ala Phe Asp Pro Glu Ile His Glu Ala Val Gln Asp 170 ctc tca cag ggt gat gtc aag gtt ctg gga acg gta ctc cgc aag gga 691 Leu Ser Gln Gly Asp Val Lys Val Leu Gly Thr Val Leu Arg Lys Gly 185 190 tac ege ete gge gae ege gte ate ege ace gea atg gte ete att ggg 739 Tyr Arg Leu Gly Asp Arg Val Ile Arg Thr Ala Met Val Leu Ile Gly 200 205 777 gat cca gag gag agc tagagagact aagtctctta gtg Asp Pro Glu Glu Ser 215

<210> 30

<211> 218

<212> PRT

<213> Corynebacterium glutamicum

<400> 30

Met Thr Thr Pro Asn Gly Met Pro Asp Asn Pro Gly Asp Pro Glu Asn

Thr Asp Pro Glu Ala Thr Ser Ala Asp Arg Ala Glu Gln Ala Ala Glu

Glu Ala Ala Ala Arg Gln Ala Glu Glu Ser Pro Phe Gly Gln Ala Ser

Glu Glu Glu Ile Ser Pro Glu Leu Glu Ala Glu Ile Asn Asp Leu Leu

Ser Asp Val Asp Pro Asp Leu Asp Gly Asp Gly Glu Val Ser Ala Val

Glu Thr Gln Leu Ala Glu Arg Thr Glu Asp Leu Gln Arg Val Thr Ala

Glu Tyr Ala Asn Tyr Arg Arg Arg Thr Glu Arg Glu Arg Gln Gly Ile

Ile Asp Thr Ala Arg Ala Gly Val Val Thr Gln Leu Leu Pro Leu Leu 120

Asp Asp Leu Asp Leu Ala Glu Gln His Gly Asp Leu Asn Glu Gly Pro 135 Leu Lys Ser Leu Ser Asp Lys Leu Ile Asn Ile Leu Gly Gly Leu Lys 145 150 155 160 Val Glu Ser Phe Gly Glu Ile Gly Glu Ala Phe Asp Pro Glu Ile His 170 Glu Ala Val Gln Asp Leu Ser Gln Gly Asp Val Lys Val Leu Gly Thr 180 185 Val Leu Arg Lys Gly Tyr Arg Leu Gly Asp Arg Val Ile Arg Thr Ala Met Val Leu Ile Gly Asp Pro Glu Glu Ser 210 215 <210> 31 <211> 1977 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(1954) <223> RXN02543 <400> 31 ctcaatgagg agtttttctt accggcgaaa gtcggtggga agcaagtcaa agctcaagcc 60 gtggacagta ctaaaatcac ctaaaacagg aggcaccatt atg gga cgt gca gta Met Gly Arg Ala Val gga att gac ett gga acc acc aac tet gtg gtt tee gta ett gaa gge 163 Gly Ile Asp Leu Gly Thr Thr Asn Ser Val Val Ser Val Leu Glu Gly ggc gag cca gta gtt atc gca aac gca gaa ggc tca cgc acc cct 211 Gly Glu Pro Val Val Ile Ala Asn Ala Glu Gly Ser Arg Thr Thr Pro 30 tcc gtc gtt gca ttc gca aag aac ggt gaa gtt cta gtc ggc cag tcc 259 Ser Val Val Ala Phe Ala Lys Asn Gly Glu Val Leu Val Gly Gln Ser 40 gct aag aac cag gcg gtc acc aac gtt gac cgc acc att cgc tcc gtc 307 Ala Lys Asn Gln Ala Val Thr Asn Val Asp Arg Thr Ile Arg Ser Val 355 aag cgc cac atc ggc acc gac tgg tcc gtt gct atc gat gac aag aac Lys Arg His Ile Gly Thr Asp Trp Ser Val Ala Ile Asp Asp Lys Asn tac acc tca cag gaa atc tcg gct cgt acc ctg atg aag ctg aag cgc 403

Tyr	Thr	Ser	Gln	Glu 90	Ile	Ser	Ala	Arg	Thr 95		Met	Lys	Leu	Lys 100	Arg	
_	-	-	_	Туг	ctg Leu			-	_		_	-	-			451
			Tyr		gag Glu			Gln								499
	_	Ile	_		ctt Leu		-	-	_		-					547
	Ala				tac Tyr 155											595
	_	_		_	ctc Leu						_	_				643
			_		gtt Val	-		_	-	_				_		691
				-	gac Asp		-	_	_		_	-		_	-	739
					tcc Ser											787
-	_	_	_	_	cgt Arg 235		-	_		_	-	_			-	835
			_		gca Ala											883
					ctg Leu											931
					cag Gln											979
					gac Asp											1027
					ggt Gly											1075

310				315					320				325	
			acc Thr 330	Gly										1123
			gca Ala					Leu						1171
		Lys	gat Asp											1219
			aag Lys											1267
	Thr		acc Thr											1315
			gtt Val 410											1363
			aag Lys											1411
	-	_	ggc Gly	-		-			-		-		-	1459
_			gtc Val		_		_	_	-	-			-	1507
-			acc Thr		-	-					-	-	-	1555
			atc Ile 490											1603
			gag Glu											1651
			aag Lys											1699
			aag Lys											1747

ctc aag ggc gag gac ctc gag gca atc aag gct gca gtt gag aag ctg Leu Lys Gly Glu Asp Leu Glu Ala Ile Lys Ala Ala Val Glu Lys Leu 550 555 560	1795
aac acc gag tcc cag gaa atg ggt aag gct atc tac gag gct gac gct Asn Thr Glu Ser Gln Glu Met Gly Lys Ala Ile Tyr Glu Ala Asp Ala 570 575 580	1843
gct gct ggt gca acc cag gct gac gca ggt gca gaa ggc gct gca gat Ala Ala Gly Ala Thr Gln Ala Asp Ala Gly Ala Glu Gly Ala Ala Asp 585 590 595	1891
gac aat gtt gtt gac gct gaa gtt gtc gaa gac gac gca gct gac aat Asp Asn Val Val Asp Ala Glu Val Val Glu Asp Asp Ala Ala Asp Asn 600 605 610	1939
ggt gag gac aag aag taaatgacta cccctaacgg aat Gly Glu Asp Lys Lys 615	1977
<210> 32 <211> 618 <212> PRT <213> Corynebacterium glutamicum	
<400> 32 Met Gly Arg Ala Val Gly Ile Asp Leu Gly Thr Thr Asn Ser Val Val 1 5 10 15	
Ser Val Leu Glu Gly Gly Glu Pro Val Val Ile Ala Asn Ala Glu Gly 20 25 30	
Ser Arg Thr Thr Pro Ser Val Val Ala Phe Ala Lys Asn Gly Glu Val 35 40 45	
Leu Val Gly Gln Ser Ala Lys Asn Gln Ala Val Thr Asn Val Asp Arg 50 55 60	
Thr Ile Arg Ser Val Lys Arg His Ile Gly Thr Asp Trp Ser Val Ala 65 70 75 80	
Ile Asp Asp Lys Asn Tyr Thr Ser Gln Glu Ile Ser Ala Arg Thr Leu 85 90 95	
Met Lys Leu Lys Arg Asp Ala Glu Ala Tyr Leu Gly Glu Asp Val Thr 100 105 110	
Asp Ala Val Ile Thr Val Pro Ala Tyr Phe Glu Asp Ser Gln Arg Gln 115 120 125	
Ala Thr Lys Glu Ala Gly Gln Ile Ala Gly Leu Asn Val Leu Arg Ile 130 135 140	
Val Asn Glu Pro Thr Ala Ala Ala Leu Ala Tyr Gly Leu Glu Lys Gly 145 150 155 160	

- Glu Gln Glu Gln Thr Ile Leu Val Phe Asp Leu Gly Gly Gly Thr Phe 165 170 175
- Asp Val Ser Leu Leu Glu Ile Gly Asp Gly Val Val Glu Val Arg Ala 180 185 190
- Thr Ser Gly Asp Asn Glu Leu Gly Gly Asp Asp Trp Asp Gln Arg Ile 195 200 205
- Val Asp Trp Leu Val Glu Lys Phe Gln Ser Ser Asn Gly Ile Asp Leu 210 215 220
- Thr Lys Asp Lys Met Ala Leu Gln Arg Leu Arg Glu Ala Ala Glu Lys 225 230 235 240
- Ala Lys Ile Glu Leu Ser Ser Ser Gln Ser Ala Asn Ile Asn Leu Pro 245 250 255
- Tyr Ile Thr Val Asp Ala Asp Lys Asn Pro Leu Phe Leu Asp Glu Thr 260 265 270
- Leu Ser Arg Ala Glu Phe Gln Arg Ile Thr Gln Asp Leu Leu Ala Arg 275 280 285
- Thr Lys Thr Pro Phe Asn Gln Val Lys Asp Ala Gly Val Ser Val 290 295 300
- Ser Glu Ile Asp His Val Val Leu Val Gly Gly Ser Thr Arg Met Pro 305 310 315 320
- Ala Val Thr Glu Leu Val Lys Glu Leu Thr Gly Gly Arg Glu Pro Asn 325 330 335
- Lys Gly Val Asn Pro Asp Glu Val Val Ala Val Gly Ala Ala Leu Gln 340 345 350
- Ala Gly Val Leu Arg Gly Glu Val Lys Asp Val Leu Leu Leu Asp Val 355 360 365
- Thr Pro Leu Ser Leu Gly Ile Glu Thr Lys Gly Gly Val Met Thr Lys 370 375 380
- Leu Ile Glu Arg Asn Thr Thr Ile Pro Thr Lys Arg Ser Glu Thr Phe 385 390 395 400
- Thr Thr Ala Glu Asp Asn Gln Pro Ser Val Gln Ile Gln Val Phe Gln 405 410 415
- Gly Glu Arg Glu Ile Ala Thr Ala Asn Lys Leu Leu Gly Ser Phe Glu 420 425 430
- Leu Gly Gly Ile Ala Pro Ala Pro Arg Gly Val Pro Gln Ile Glu Val 435 440 445
- Thr Phe Asp Ile Asp Ala Asn Gly Ile Val His Val Thr Ala Lys Asp 450 455 460

50

Lys Gly Thr Gly Lys Glu Asn Thr Ile Thr Ile Gln Asp Gly Ser Gly 465 470 Leu Ser Gln Asp Glu Ile Asp Arg Met Ile Lys Asp Ala Glu Ala His 490 Ala Asp Glu Asp Lys Lys Arg Arg Glu Glu Glu Val Arg Asn Asn 500 505 510 Ala Glu Ser Leu Val Tyr Gln Thr Arg Lys Phe Val Glu Glu Asn Ser 520 Glu Lys Val Ser Glu Asp Leu Lys Ala Lys Val Glu Glu Ala Ala Lys 530 535 Gly Val Glu Glu Ala Leu Lys Gly Glu Asp Leu Glu Ala Ile Lys Ala Ala Val Glu Lys Leu Asn Thr Glu Ser Gln Glu Met Gly Lys Ala Ile Tyr Glu Ala Asp Ala Ala Ala Gly Ala Thr Gln Ala Asp Ala Gly Ala 585 Glu Gly Ala Ala Asp Asp Asn Val Val Asp Ala Glu Val Val Glu Asp 600 Asp Ala Ala Asp Asn Gly Glu Asp Lys Lys <210> 33 <211> 1977 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(1954) <223> FRXA02543 <400> 33 ctcaatgagg agtttttctt accggcgaaa gtcggtggga agcaagtcaa agctcaagcc 60 115 gtggacagta ctaaaatcac ctaaaacagg aggcaccatt atg gga cgt gca gta Met Gly Arg Ala Val 1 gga att gac ctt gga acc acc aac tct gtg gtt tcc gta ctt gaa ggc 163 Gly Ile Asp Leu Gly Thr Thr Asn Ser Val Val Ser Val Leu Glu Gly ggc gag cca gta gtt atc gca aac gca gaa ggc tca cgc acc acc cct Gly Glu Pro Val Val Ile Ala Asn Ala Glu Gly Ser Arg Thr Thr Pro 25

						gca Ala											259
			Asn			gtc Val											307
						acc Thr 75	Asp										355
						atc Ile											403
					Tyr	ctg Leu											451
	_		-			gag Glu	_		-	_	-	_		_	-	_	499
						ctt Leu											547
						tac Tyr 155											595
		-	-		_	ctc Leu						-	_				643
						gtt Val											691
				Ğly	Asp	gac Asp	Trp	_	Gln	_	Ile	Val	_		_	_	739
						tcc Ser											787
	gcc Ala 230	ctg Leu	cag Gln	cgt Arg	ctg Leu	cgt Arg 235	gag Glu	gca Ala	gct Ala	gag Glu	aag Lys 240	gca Ala	aag Lys	atc Ile	gag Glu	ctg Leu 245	835
						gca Ala											883
•	gca	gac	aag	aac	cca	ctg	ttc	ttg	gat	gag	acc	ctt	tcc	cgt	gcc	gag	931

Ala	Asp	Lys	265		Leu	Phe	Leu	Asp 270		Thr	Leu	Ser	Arg 275	Ala	Glu	
ttc Phe	cag Gln	cgc Arg 280	Ile	acc	cag Gln	gac Asp	ctc Leu 285	ctg Leu	gcc Ala	cgc Arg	acc Thr	aag Lys 290	act Thr	cct Pro	ttc Phe	979
		Val					Gly	gtg Val				Glu				1027
	Val							cgt Arg								1075
								gag Glu								1123
_		-	_	-	_		_	gca Ala 350		_	_		_		_	1171
			Lys					ctt Leu								1219
				_				atg Met		_				_		1267
					_	_		gag Glu					-		_	1315
	_			-	_		_	gtc Val		_			_	_		1363
-		_		_	_			tcc Ser 430							_	1411
								atc Ile								1459
								gca Ala								1507
								ggc Gly	Ser							1555
								gaa Glu								1603

PCT/IB00/00922

WO 01/00804 490 495 500 aag cgc cgc gag gag cag gaa gtc cgc aac aac gct gag tcc ctg gtt 1651 Lys Arg Arg Glu Glu Glu Val Arg Asn Asn Ala Glu Ser Leu Val 505 515 510 tac cag acc cgc aag ttc gtt gaa gag aac tcc gag aag gtc tcc gaa 1699 Tyr Gln Thr Arg Lys Phe Val Glu Glu Asn Ser Glu Lys Val Ser Glu 520 525 530 gac ctc aag gca aag gtc gaa gag gca gcc aag ggc gtt gaa gaa gca 1747 Asp Leu Lys Ala Lys Val Glu Glu Ala Ala Lys Gly Val Glu Glu Ala 535 540 545 ctc aag ggc gag gac ctc gag gca atc aag gct gca gtt gag aag ctg 1795 Leu Lys Gly Glu Asp Leu Glu Ala Ile Lys Ala Ala Val Glu Lys Leu 550 555 560 aac acc gag tcc cag gaa atg ggt aag gnt atc tnc gag gct gac gct 1843 Asn Thr Glu Ser Gln Glu Met Gly Lys Xaa Ile Xaa Glu Ala Asp Ala 570 575 580

nct get ggt gca acc cag get gac gca ggt gca gaa gge get gca gat 1891 Xaa Ala Gly Ala Thr Gln Ala Asp Ala Gly Ala Glu Gly Ala Ala Asp 585 590

gac aat gtt gtt gac gct gaa gtt gtc gaa gac gac gca gct gac aat 1939 Asp Asn Val Val Asp Ala Glu Val Val Glu Asp Asp Ala Ala Asp Asn 605

ggt gag gac aag aag taaatgacta cccctaacgg aat 1977 Gly Glu Asp Lys Lys 615

<210> 34

<211> 618

<212> PRT

<213> Corynebacterium glutamicum

<400> 34

Met Gly Arg Ala Val Gly Ile Asp Leu Gly Thr Thr Asn Ser Val Val

Ser Val Leu Glu Gly Gly Glu Pro Val Val Ile Ala Asn Ala Glu Gly

Ser Arg Thr Thr Pro Ser Val Val Ala Phe Ala Lys Asn Gly Glu Val

Leu Val Gly Gln Ser Ala Lys Asn Gln Ala Val Thr Asn Val Asp Arg

Thr Ile Arg Ser Val Lys Arg His Ile Gly Thr Asp Trp Ser Val Ala

Ile Asp Asp Lys Asn Tyr Thr Ser Gln Glu Ile Ser Ala Arg Thr Leu

85 90 95

Met Lys Leu Lys Arg Asp Ala Glu Ala Tyr Leu Gly Glu Asp Val Thr
100 105 110

Asp Ala Val Ile Thr Val Pro Ala Tyr Phe Glu Asp Ser Gln Arg Gln
115 120 125

Ala Thr Lys Glu Ala Gly Gln Ile Ala Gly Leu Asn Val Leu Arg Ile 130 135 140

Val Asn Glu Pro Thr Ala Ala Ala Leu Ala Tyr Gly Leu Glu Lys Gly 145 150 155 160

Glu Gln Glu Gln Thr Ile Leu Val Phe Asp Leu Gly Gly Gly Thr Phe
165 170 175

Asp Val Ser Leu Leu Glu Ile Gly Asp Gly Val Val Glu Val Arg Ala 180 185 190

Thr Ser Gly Asp Asn Glu Leu Gly Gly Asp Asp Trp Asp Gln Arg Ile 195 200 205

Val Asp Trp Leu Val Glu Lys Phe Gln Ser Ser Asn Gly Ile Asp Leu 210 215 220

Thr Lys Asp Lys Met Ala Leu Gln Arg Leu Arg Glu Ala Ala Glu Lys 225 230 235 240

Ala Lys Ile Glu Leu Ser Ser Ser Gln Ser Ala Asn Ile Asn Leu Pro 245 250 255

Tyr Ile Thr Val Asp Ala Asp Lys Asn Pro Leu Phe Leu Asp Glu Thr 260 265 270

Leu Ser Arg Ala Glu Phe Gln Arg Ile Thr Gln Asp Leu Leu Ala Arg 275 280 285

Thr Lys Thr Pro Phe Asn Gln Val Val Lys Asp Ala Gly Val Ser Val 290 295 300

Ser Glu Ile Asp His Val Val Leu Val Gly Gly Ser Thr Arg Met Pro 305 310 315 320

Ala Val Thr Glu Leu Val Lys Glu Leu Thr Gly Gly Arg Glu Pro Asn 325 330 335

Lys Gly Val Asn Pro Asp Glu Val Val Ala Val Gly Ala Ala Leu Gln 340 345 350

Ala Gly Val Leu Arg Gly Glu Val Lys Asp Val Leu Leu Leu Asp Val 355 360 365

Thr Pro Leu Ser Leu Gly Ile Glu Thr Lys Gly Gly Val Met Thr Lys 370 380

Leu Ile Glu Arq Asn Thr Thr Ile Pro Thr Lys Arg Ser Glu Thr Phe

385 390 395 400

Thr Thr Ala Glu Asp Asn Gln Pro Ser Val Gln Ile Gln Val Phe Gln 405 410 415

Gly Glu Arg Glu Ile Ala Thr Ala Asn Lys Leu Leu Gly Ser Phe Glu
420 425 430

Leu Gly Gly Ile Ala Pro Ala Pro Arg Gly Val Pro Gln Ile Glu Val 435 440 445

Thr Phe Asp Ile Asp Ala Asn Gly Ile Val His Val Thr Ala Lys Asp 450 455 460

Lys Gly Thr Gly Lys Glu Asn Thr Ile Thr Ile Gln Asp Gly Ser Gly 465 470 475 480

Leu Ser Gln Asp Glu Ile Asp Arg Met Ile Lys Asp Ala Glu Ala His
485 490 495

Ala Asp Glu Asp Lys Lys Arg Arg Glu Glu Glu Val Arg Asn Asn 500 505 510

Ala Glu Ser Leu Val Tyr Gln Thr Arg Lys Phe Val Glu Glu Asn Ser 515 520 525

Glu Lys Val Ser Glu Asp Leu Lys Ala Lys Val Glu Glu Ala Ala Lys 530 535 540

Gly Val Glu Glu Ala Leu Lys Gly Glu Asp Leu Glu Ala Ile Lys Ala 545 550 555 560

Ala Val Glu Lys Leu Asn Thr Glu Ser Gln Glu Met Gly Lys Xaa Ile 565 570 575

Xaa Glu Ala Asp Ala Xaa Ala Gly Ala Thr Gln Ala Asp Ala Gly Ala 580 585 590

Glu Gly Ala Ala Asp Asp Asn Val Val Asp Ala Glu Val Val Glu Asp 595 600 605

Asp Ala Ala Asp Asn Gly Glu Asp Lys Lys 610 615

<210> 35

<211> 1947

<212> DNA

<213> Corynebacterium glutamicum

<220>

<221> CDS

<222> (101)..(1924)

<223> RXN02280

<400> 35

cgcgattgcg tcatcgatcg ttgttgcttc catgcgcacc acactatctt tctgcacgcc 60

ctg	atgo	cct	gtgç	gatto	aa a	actg	tgct	t tt	atag	gcgt	_	-	tcc Ser	115
					Val					Val			ttg Leu 20	163
				Ser					Tyr				ctg Leu	211
			Asp					Arg					gag Glu	259
		Pro											gcc Ala	307
	Ser												gcg Ala	355
													ttc Phe 100	403
													ctt Leu	451
													gag Glu	499
													aac Asn	547
	Ile	Leu	Gly	Asp	Asp	Ala	Thr		Val	Ile	Pro		acg Thr	595
													gaa Glu 180	643
													att Ile	691
													ccg Pro	739

ttt Phe	gca Ala 215	Lys	gat Asp	act Thr	gat Asp	cag Gln 220	Gln	cac His	agg Arg	ctg Leu	tat Tyr 225	gcc Ala	ggc Gly	cgg Arg	gag Glu	787
cgc Arc 230	Leu	ggt Gly	aaa Lys	act Thr	cct Pro 235	Phe	gat Asp	gtc Val	atc Ile	gat Asp 240	ctc Leu	acc Thr	ggt Gly	cct Pro	ggc Gly 245	835
ato	gag Glu	ggt Gly	gtg Val	gct Ala 250	tat Tyr	gta Val	ttg Leu	ccg Pro	gag Glu 255	gcc Ala	cag Gln	gct Ala	ccg Pro	cat His 260	atg Met	883
t co Ser	agg Arg	cgt Arg	cac His 265	Ser	att Ile	tat Tyr	gtc Val	aac Asn 270	cgc Arg	atg Met	ttg Leu	gtc Val	tct Ser 275	gat Asp	GJ À aaa	931
			Val		ccc Pro											979
					gaa Glu											1027
	Thr				gca Ala 315											1075
					ctc Leu											1123
					gat Asp											1171
					acc Thr											1219
					atc Ile											1267
					ctg Leu 395											1315
					ccg Pro											1363
	-	_	_	_	gct Ala		Leu			-				_		1411
acg	gta	tct	act	gct	gac	ctg	cgc	gaa	tcc	atg	gat	ctg	atg	gag	ctt	1459

Thr	Val	Ser 440	Thr	Ala	Asp	Leu	Arg 445	Glu	Ser	Met	Asp	Leu 450	Met	Glu	Leu	
					att Ile											1507
_	-		_	_	gat Asp 475		_		-		_	_		-		1555
_		_	_	-	cct Pro	-	-				_		-		_	1603
-			_	_	aat Asn	-			_	-			_	_		1651
					acg Thr											1699
					cag Gln											1747
					aaa Lys 555											1795
					ttg Leu											1843
					aag Lys											1891
_	_	_		-	tct Ser	_			_		taaç	acaa	itc o	tecç	gctaat	1944
ctt																1947
<211 <212	> 36 > 60 > PR > Co	8 .T	bact	eriu	m gl	utam	icum	ı								
	> 36 Gln		Ser	Ser 5	Arg .	Asp .	Asn	Phe	Gln 10	Val	Asp	Leu	Gly	Gly 15	Val	

59

Val Asp Leu Leu Ser Arg His Ile Tyr Ser Gly Pro Arg Val Tyr Val 20 25 30

- Arg Glu Leu Cln Asn Ala Val Asp Ala Cys Thr Ala Arg Ser Glu 35 40 45
- Gln Gly Glu Gly Tyr Glu Pro Ser Ile Arg Ile Arg Pro Val Thr
 50 55 60
- Lys Asp Arg Ala Thr Phe Ser Leu Val Asp Asn Gly Thr Gly Leu Thr 65 70 75 80
- Ala Gln Glu Ala Arg Glu Leu Leu Ala Thr Val Gly Arg Thr Ser Lys 85 90 95
- Arg Asp Glu Phe Gly Leu Gln Arg Glu Gly Arg Leu Gly Gln Phe Gly 100 105 110
- Ile Gly Leu Leu Ser Cys Phe Met Val Ala Asp Glu Ile Thr Met Val 115 120 125
- Ser His Ala Glu Gly Ala Ser Ala Ile Arg Trp Thr Gly His Ala Asp 130 135 140
- Gly Thr Phe Asn Leu Glu Ile Leu Gly Asp Asp Ala Thr Asp Val Ile 145 150 155 160
- Pro Val Gly Thr Thr Val His Leu Thr Pro Arg Pro Asp Glu Arg Thr 165 170 175
- Leu Leu Thr Glu Asn Ser Val Val Thr Ile Ala Ser Asn Tyr Gly Arg 180 185 190
- Tyr Leu Pro Ile Pro Ile Val Val Gln Gly Glu Lys Asn Thr Ile 195 200 205
- Thr Thr Ser Pro Val Phe Ala Lys Asp Thr Asp Gln Gln His Arg Leu 210 215 220
- Tyr Ala Gly Arg Glu Arg Leu Gly Lys Thr Pro Phe Asp Val Ile Asp 225 230 235 240
- Leu Thr Gly Pro Gly Ile Glu Gly Val Ala Tyr Val Leu Pro Glu Ala 245 250 255
- Gln Ala Pro His Met Ser Arg Arg His Ser Ile Tyr Val Asn Arg Met 260 265 270
- Leu Val Ser Asp Gly Pro Ser Thr Val Leu Pro Asn Trp Ala Phe Phe 275 280 285
- Val Glu Cys Glu Ile Asn Ser Thr Asp Leu Glu Pro Thr Ala Ser Arg 290 295 300
- Glu Ala Leu Met Asp Asp Thr Ala Phe Ala Ala Thr Arg Glu His Ile 305 310 315 320
- Gly Glu Cys Ile Lys Ser Trp Leu Ile Asn Leu Ala Met Thr Lys Pro 325 330 335

His	Arg	Val	Arg 340		Phe	Thr	Ala	11e 345	His	Asp	Leu	Ala	Leu 350	Arg	Glu
Leu	Cys	Gln 355	Ser	Asp	Ala	Asp	Leu 360	Ala	Glu	Thr	Met	Leu 365	Gly	Leu	Leu
Thr	Leu 370	Glu	Thr	Ser	Arg	Gly 375		Ile	Ser	Ile	Gly 380	Glu	Ile	Thr	Thr
Leu 385	Ser	Ile	Thr	Glu	Asp 390	Val	Ser	Leu	Gln	Leu 395	Ala	Thr	Thr	Leu	Asp 400
Asp	Phe	Arg	Gln	Leu 405	Asn	Thr	Ile	Ala	Arg 410	Pro	Asp	Thr	Leu	Ile 415	Ile
Asn	Gly	Gly	Tyr 420	Ile	His	Asp	Ser	Asp 425	Leu	Ala	Arg	Leu	Ile 430	Pro	Val
His	Tyr	Pro 435	Pro	Leu	Thr	Val	Ser 440	Thr	Ala	Asp	Leu	Arg 445	Glu	Ser	Met
Asp	Leu 450	Met	Glu	Leu	Pro	Pro 455	Leu	Gln	Asp	Ile	Glu 460	Lys	Ala	Lys	Ala
Leu 465	Asp	Ala	Gln	Val	Thr 470	Glu	Ser	Leu	Lys	Asp 475	Phe	Gln	Ile	Lys	Gly 480
Ala	Thr	Arg	Val	Phe 485	Glu	Pro	Ala	Asp	Val 490	Pro	Ala	Val	Val	Ile 495	Ile
Asp	Ser	Lys	Ala 500	Gln	Ala	Ser	Arg	Asp 505	Arg	Asn	Glu	Thr	Gln 510	Ser	Ala
Thr	Thr	Asp 515	Arg	Trp	Ala	Asp	11e 520	Leu	Ala	Thr	Val	Asp 525	Asn	Thr	Leu
Ser	Arg 530	Gln	Thr	Ala	Asn	11e 535	Pro	Gln	Asp	Gln	Gly 540	Leu	Ser	Ala	Leu
Cys 545	Leu	Asn	Trp	Asn	Asn 550	Ser	Leu	Val	Arg	Lys 555	Leu	Ala	Ser	Thr	Asp 560
Asp	Thr	Ala	Val	Val 565	Ser	Arg	Thr	Val	Arg 570	Leu	Leu	Tyr	Val	Gln 575	Ala
Leu	Leu	Ser	Ser 580	Lys	Arg	Pro	Leu	Arg 585	Val	Lys	Glu	Arg	Ala 590	Leu	Leu
Asn	Asp	Ser 595	Leu	Ala	Asp	Leu	Val 600	Ser	Leu	Ser	Leu	Ser 605	Ser	Asp	Ile

<210> 37

	l1> 4 l2> C															
	13> C		nebac	teri	ium ç	luta	amicu	ım								
<22	<220> <221> CDS <222> (101)(436)															
	23> F															
	00> 3 gatt		tcat	cgat	cg t	tgtt	gctt	с са	tgcg	cacc	aca	ctat	ctt	tctg	cacgcc	60
ctg	atgo	cct	gtgg	atto	aa a	actg	tgct	t tt	atag	ıgcgt		Gln	_		tca Ser 5	115
cgt Arg	gat Asp	aat Asn	ttc Phe	caa Gln 10	Val	gac Asp	ctc Leu	ggc	ggc Gly 15	Val	gtt Val	gat Asp	ctt Leu	ttg Leu 20	Ser	163
	cac His								Tyr							211
	gcg Ala		Asp					Arg								259
tac Tyr	gag Glu 55	ccg Pro	agt Ser	att Ile	cgt Arg	att Ile 60	Arg	ccg Pro	gtg Val	acc Thr	aag Lys 65	gat Asp	cgt Arg	gcc Ala	acg Thr	307
ttt Phe 70	tca Ser	ctg Leu	gtt Val	gat Asp	aat Asn 75	ggt Gly	acg Thr	ggc Gly	ctg Leu	acc Thr 80	gcg Ala	cag Gln	gag Glu	gcg Ala	cgg Arg 85	355
	ttg Leu	_		_				_	_		_	-	_			403
_	cag Gln		-		_	_										436
<212 <212	0> 38 l> 11 2> PF 3> Co	12 RT	ebact	eriu	ım gl	.utan	nicum	n								
)> 38 Gln		Ser	Ser 5	Arg	Asp	Asn	Phe	Gln 10	Val	Asp	Leu	Gly	Gly 15	Val	
Val	Asp	Leu	Leu 20	Ser	Arg	His	Ile	Tyr 25	Ser	Gly	Pro	Arg	Val 30	Tyr	Val	

Arg Glu Leu Leu Gln Asn Ala Val Asp Ala Cys Thr Ala Arg Ser Glu 35 40 45

Gln Gly Glu Gly Tyr Glu Pro Ser Ile Arg Ile Arg Pro Val Thr
50 55 60

Lys Asp Arg Ala Thr Phe Ser Leu Val Asp Asn Gly Thr Gly Leu Thr 65 70 75 80

Ala Gln Glu Ala Arg Glu Leu Leu Ala Thr Val Gly Arg Thr Ser Lys 85 90 95

Arg Asp Glu Phe Gly Leu Gln Arg Glu Gly Arg Leu Gly Gln Phe Gly 100 105 110

<210> 39

<211> 1269

<212> DNA

<213> Corynebacterium glutamicum

<220>

<221> CDS

<222> (101)..(1246)

<223> RXA00886

<400> 39

taagtatgtt ggtcgtgtgc tcgctggcga atagctgcgg gtatagttgg ccatttgttt 60

tgattaatct gtttagaagc taaaggaagt atcacccacc gtg gca cgt gac tat 115
Val Ala Arg Asp Tyr
1 5

tac ggc att ctc ggc gtc gat cgc aat gca acc gaa tca gag atc aaa 163 Tyr Gly Ile Leu Gly Val Asp Arg Asn Ala Thr Glu Ser Glu Ile Lys 10 15 20

aag gca tac cga aag ctt gcc cgc aaa tac cac ccg gac gta aac cca 211 Lys Ala Tyr Arg Lys Leu Ala Arg Lys Tyr His Pro Asp Val Asn Pro 25 30 35

ggt gag gaa gca gcg gag aaa ttc cgc gag gct tct gtt gcg cat gag 259 Gly Glu Glu Ala Ala Glu Lys Phe Arg Glu Ala Ser Val Ala His Glu 40 45 50

gta ctc act gat ccg gat aag cgc cgc att gtt gat atg ggc ggt gac 307 Val Leu Thr Asp Pro Asp Lys Arg Arg Ile Val Asp Met Gly Gly Asp 55 60 65

cca atg gag caa ggc ggc gga gct ggc ggt ggc ttc ggt gga ggc 355 Pro Met Glu Gln Gly Gly Gly Ala Gly Ala Gly Gly Phe Gly Gly Gly 75 80 85

ttc ggc ggc agc ggt gga ctg ggc gat atc ttc gat gcc ttc ttc ggc 403

Phe	Gly	Gly	Ser	Gl ₃		' Leu	Gly	Asp	Ile 95		Asp	Ala	Phe	Phe 100	Gly	
				Gly				cca Pro 110	Arg							451
			Leu					atc					Ala			499
		Lys					Leu	gac Asp								547
tgt Cys 150	His	ggt Gly	tct Ser	gga Gly	tct Ser 155	gca Ala	tcc Ser	gac Asp	aag Lys	aag Lys 160	cct Pro	gtt Val	acc Thr	tgt Cys	ggc Gly 165	595
					Gly			cag Gln								643
								tgc Cys 190								691
								gag Glu								739
cgt Arg	gct Ala 215	cgc Arg	cgc Arg	gac Asp	atc Ile	gtg Val 220	gcc Ala	aac Asn	atc Ile	cca Pro	gct Ala 225	ggc Gly	atc Ile	cag Gln	tcc Ser	787
								caa Gln								835
								gaa Glu								883
atc Ile	ttc Phe	acc Thr	cgc Arg 265	gat Asp	ggc Gly	gac Asp	gat Asp	ctg Leu 270	cac His	gcc Ala	agc Ser	atc Ile	aag Lys 275	gtt Val	cca Pro	931
								gaa Glu								979
								cct Pro								1027
								atg Met								1075

310					315					320					325	,
					gcg Ala					Phe						1123
					gaa Glu				Glu							1171
			Ser		cat His											1219
-	_		_		aag Lys		_			tgtc	act (gcca	gtati	tt		1266
atc																1269
<21: <21: <21:		B2 RT oryno	ebact	eri	um g]	lutar	nicur	n								
	0> 40 Ala		Asp	Tyr 5	Tyr	Gly	Ile	Leu	Gly 10	Val	Asp	Arg	Asn	Ala 15	Thr	
Glu	Ser	Glu	Ile 20	Lys	Lys	Ala	Tyr	Arg 25	Lys	Leu	Ala	Arg	Lys 30	Туг	His	
Pro	Asp	Val 35	Asn	Pro	Gly	Glu	Glu 40	Ala	Ala	Glu	Lys	Phe 45	Arg	Glu	Ala	
Ser	Val 50	Ala	His	Glu	Val	Leu 55	Thr	Asp	Pro	Asp	Lys 60	Arg	Arg	Ile	Val	
Asp 65	Met	Gly	Gly	Asp	Pro 70	Met	Glu	Gln	Gly	Gly 75	Gly	Ala	Gly	Ala	Gly 80	
Gly	Phe	Gly	Gly	Gly 85	Phe	Gly	Gly	Ser	Gly 90	Gly	Leu	Gly	Asp	Ile 95	Phe	
Asp	Ala	Phe	Phe 100	Gly	Gly	Gly	Ala	Gly 105	Gly	Ser	Arg	Gly	Pro 110	Arg	Ser	
Arg	Val	Gln 115	Pro	Gly	Ser	Asp	Thr 120	Leu	Trp	Arg	Thr	Ser 125	Ile	Thr	Leu	
Glu	Glu 130	Ala	Tyr	Lys	Gly	Ala 135	Lys	Lys	Asp	Leu	Thr 140	Leu	Asp	Thr	Ala	
Val 145	Leu	Çys	Thr	Lys	Cys 150	His	Gly	Ser	Gly ·	Ser 155	Ala	Ser	Asp	Lys	Lys 160	

Pro Val Thr Cys Gly Thr Cys Asn Gly Ala Gly Glu Ile Gln Glu Val 165 170 175

Gln Arg Ser Phe Leu Gly Asn Val Met Thr Ser Arg Pro Cys His Thr 180 185 190

Cys Asp Gly Thr Gly Glu Ile Ile Pro Asp Pro Cys Thr Glu Cys Ala 195 200 205

Ala Asp Gly Arg Val Arg Ala Arg Asp Ile Val Ala Asn Ile Pro 210 215 220

Ala Gly Ile Gln Ser Gly Met Arg Ile Arg Met Ala Gly Gln Gly Glu 225 230 235 240

Val Gly Ala Gly Gly Gly Pro Ala Gly Asp Leu Tyr Ile Glu Val Met
245 250 255

Val Arg Pro His Ala Ile Phe Thr Arg Asp Gly Asp Asp Leu His Ala 260 265 270

Ser Ile Lys Val Pro Met Phe Asp Ala Ala Leu Gly Thr Glu Leu Asp 275 280 285

Val Glu Ser Leu Thr Gly Glu Glu Val Lys Ile Thr Ile Pro Ala Gly 290 295 300

Thr Gln Pro Asn Asp Val Ile Thr Leu Asp Gly Glu Gly Met Pro Lys 305 310 315 320

Leu Arg Ala Glu Gly His Gly Asn Leu Met Ala His Val Asp Leu Phe 325 330 335

Val Pro Thr Asp Leu Asp Asp Arg Thr Arg Glu Leu Leu Glu Glu Ile 340 345 350

Arg Asn His Arg Ser Asp Asn Ala Ser Val His Arg Glu Gly Glu 355 360 365

Glu Ser Gly Phe Phe Asp Lys Leu Arg Asn Lys Phe Arg Lys 370 375 380

<210> 41

<211> 1470

<212> DNA

<213> Corynebacterium glutamicum

<220>

<221> CDS

<222> (101)..(1447)

<223> RXS00568

<400> 41

gtttcggacg acgcgagaaa tcgcattaat cgtcggaaac cgggcttgtt tttgtaatat 60 ctgaaacttt ccctttcccg atcatccagg agatttactc gtg aag agt tct gtc 115

Val Lys Ser Ser Val

										1	_			5	
 _	-	_	_	Thr	cgt Arg		_		Thr	-		-		Phe	163
			Pro		atc Ile			Ala					Ala		211
		Ile			ttc Phe		Lys					Arg			259
	Ala				cgt Arg 60	Gly									307
Met					tac Tyr										355
					aac Asn										403
					gct Ala										451
					atc Ile										499
					gca Ala 140										547
					aac Asn										59 5
 					agc Ser			_			_	_		_	643
					tac Tyr										691
					atc Ile										739
			_	_	aac Asn				_		-	_	_		787

67

215	,				220	ı			225				
Ser								cgc Arg 240					835
				Gln				ttc Phe					883
			Thr					gct Ala					931
		Āla						gct Ala					9 79
	Phe							gac Asp					1027
								cac His 320					1075
								cgt Arg					1123
								cgc Arg					1171
								gtt Val					1219
_			_			-	_	tac Tyr		_	-		1267
								cag Gln 400					1315
								cag Gln					1363
								gac Asp					1411
								gaa Glu		taaa	aact	:tt	1457

aaagaaataa cgc 1470

<210> 42

<211> 449

<212> PRT

<213> Corynebacterium glutamicum

<400> 42

Val Lys Ser Ser Val Glu Lys Leu Ser Asp Thr Arg Ser Lys Ile Thr 1 5 10 15

Val Glu Val Pro Phe Ser Glu Leu Lys Pro Glu Ile Asp Gln Ala Tyr 20 25 30

Ala Ala Leu Ala Gln Gln Val Gln Ile Pro Gly Phe Arg Lys Gly Lys 35 40 45

Ala Pro Arg Gln Leu Ile Asp Ala Arg Phe Gly Arg Gly Ala Val Leu 50 55 60

Glu Gln Val Val Asn Asp Met Leu Pro Asn Arg Tyr Ala Gln Ala Ile 65 70 75 80

Glu Ala Glu Gly Ile Lys Ala Ile Gly Gln Pro Asn Val Glu Val Thr 85 90 95

Lys Ile Glu Asp Asn Glu Leu Val Glu Phe Val Ala Glu Val Asp Val 100 105 110

Arg Pro Glu Phe Glu Leu Pro Lys Phe Glu Asp Ile Thr Val Glu Val 115 120 125

Pro Ala Ile Lys Ala Asp Glu Glu Ala Ile Glu Ala Glu Leu Glu Thr 130 135 140

Leu Arg Ala Arg Phe Ser Thr Leu Lys Asp His Asn His Lys Leu Lys 145 150 155 160

Lys Gly Glu Phe Val Thr Ile Asn Ile Thr Ala Ser Ile Asp Gly Glu 165 170 175

Lys Ile Glu Glu Ala Thr Thr Glu Gly Leu Ser Tyr Glu Ile Gly Ser 180 185 190

Asp Asp Leu Ile Asp Gly Leu Asp Lys Ala Leu Ile Gly Ala Lys Lys 195 200 205

Asp Glu Thr Val Glu Phe Thr Ser Glu Leu Ala Asn Gly Glu His Lys 210 215 220

Gly Lys Glu Ala Gln Ile Ser Val Glu Ile Thr Ala Thr Lys Gln Arg 225 230 235 240

Glu Leu Pro Glu Leu Asp Asp Glu Phe Ala Gln Leu Ala Ser Glu Phe 245 250 255

Asp Thr Ile Glu Glu Leu Arg Glu Ser Thr Val Ser Asp Val Glu Ala 260 Lys Gln Lys Asn Glu Gln Ala Ala Ile Arg Asp Glu Val Leu Ala Ala Ala Leu Gly Glu Ala Asp Phe Ala Leu Pro Gln Ser Ile Val Asp 295 Glu Gln Ala His Ser Gln Leu His Gln Leu Leu Gly Glu Leu Ala His Asp Asp Ala Ala Leu Asn Ser Leu Leu Glu Ala Gln Gly Thr Thr Arg 325 330 Glu Glu Phe Asp Lys Lys Asn Val Glu Asp Ala Glu Lys Ala Val Arg 345 Thr Gln Leu Phe Leu Asp Thr Leu Ser Glu Val Glu Glu Pro Glu Val Ser Gln Gln Glu Leu Thr Asp His Ile Leu Phe Thr Ala Gln Ser Tyr Gly Met Asp Pro Asn Gln Phe Ile Gly Gln Leu Gln Gln Ser Gly Gln 390 Ile Ala Asn Leu Phe Ser Asp Val Arg Arg Gly Lys Ala Leu Ala Gln 410 Ala Ile Cys Arg Val Asn Val Lys Asp Ser Glu Gly Asn Glu Ile Asp Pro Lys Glu Tyr Phe Gly Glu Glu Glu Val Ala Glu Thr Glu Ser Glu 440 Ala <210> 43 <211> 826

											ctc Leu					163
				Gly							ggc Gly					211
											gat Asp					259
											gaa Glu 65					307
											ggc Gly					355
	_				-						ccg Pro	_			-	403
											aag Lys					451
											ttc Phe					499
											cca Pro 145					547
											aac Asn					595
		Val	Tyr	Ala	Leu	Gly	Gly	Gly	Asp	Gly	gga Gly	Gln	Gly			643
											acc Thr					691
atc Ile	aac Asn	ctc Leu 200	atc Ile	atg Met	ccg Pro	atg Met	ctc Leu 205	gga Gly	tct Ser	ttt Phe	agt Ser	ttc Phe 210	tac Tyr	tct Ser	gac Asp	739
											caa Gln 225					787

ttg ctc atg cac gaa ctg cct gag ccg ctt gta gcg gcc Leu Leu Met His Glu Leu Pro Glu Pro Leu Val Ala Ala 230 235 240 826

<210> 44

<211> 242

<212> PRT

<213> Corynebacterium glutamicum

<400> 44

Met His Ser Lys Glu Glu Leu Thr Val Arg Lys Gly Ile Ser Arg Val 1 5 10 15

Leu Ser Val Ala Val Ala Ser Ser Ile Gly Phe Gly Thr Val Leu Thr 20 25 30

Gly Thr Gly Ile Ala Ala Ala Gln Asp Ser Ala Phe Asp Tyr Gly Met 35 40 45

Asp Pro Asn Met Asn Tyr Asn Pro Ile Asp Asp Ile Lys Asp Arg Pro 50 55 60

Glu Gly Leu Ser Asn Leu Pro Tyr Phe Gly Ser Lys Leu Thr Ser Trp 65 70 75 80

Gly Ser Ser Tyr Ala Thr Ala Ser Ser Gly Val Val Thr Ser Ala Leu 85 90 95

Pro Gln Tyr Thr Asp Pro Arg Tyr Pro Leu Gly Lys Asp Asp Leu Pro 100 105 110

Lys Ala Thr Ile Asp Met Glu Pro Glu Val Leu Ala Arg Leu Glu Arg 115 120 125

Phe Val Gly Val Asp Gly Asp Arg Ile Arg Gln Ile Asn Ala Tyr Ser 130 135 140

Pro Ser Met Gly Arg Thr Ile Pro Leu Val Trp Val Val Pro Glu Asp 145 150 155 160

Asn Thr Val Pro Gly Pro Thr Val Tyr Ala Leu Gly Gly Gly Asp Gly
165 170 175

Gly Gln Gly Gln Asn Trp Val Thr Arg Thr Asp Leu Glu Glu Leu 180 185 190

Thr Ser Asp Asn Asn Ile Asn Leu Ile Met Pro Met Leu Gly Ser Phe 195 200 205

Ser Phe Tyr Ser Asp Trp Ala Arg Glu Ser Gln Ser Met Gly Cys Ala 210 215 220

Gln Gln Trp Glu Thr Leu Leu Met His Glu Leu Pro Glu Pro Leu Val 225 230 235 240

Ala Ala

<21 <21 <21 <22 <22 <22		53 NA oryn DS 1)	(630		um g	luta	micu	m								
gca		ccg				-		_		ccc Pro				_	_	48
										gaa Glu						96
										atc Ile						144
tac Tyr	tcg Ser 50	cca Pro	tca Ser	atg Met	gga Gly	cgc Arg 55	acc Thr	att	cct Pro	cta Leu	gtc Val 60	tgg Trp	gtc Val	gtg Val	cca Pro	192
-	_							_	_	tac Tyr 75	-		_		_	240
gac Asp	ggt Gly	ggc Gly	caa Gln	ggc Gly 85	ggc Gly	caa Gln	aac Asn	tgg Trp	gtc Val 90	acc Thr	cgc Arg	acc Thr	gac Asp	ctt Leu 95	gat Asp	288
										atc Ile						336
										gaa Glu						384
										cac His						432
										cgc Arg 155						480
tcc Ser	atg Met	tcc Ser	ggg Gly	gga Gly 165	tcr Xaa	gtg Val	ctg Leu	aac Asn	ttt Phe 170	gcg Ala	acg Thr	cat His	gac Asp	ccc Pro 175	aac Asn	528

ttt tay tcc tck gtc ggc tca ttt tct gga tgt gcc gaa acc aac tcc 576 Phe Xaa Ser Xaa Val Gly Ser Phe Ser Gly Cys Ala Glu Thr Asn Ser 185 tgg atg ggr cgc cgn tgg cat cgc agc cac tgc cta caa cgg caa tgt 624 Trp Met Xaa Arg Arg Trp His Arg Ser His Cys Leu Gln Arg Gln Cys 200 cgt gcc tgagcaaatc tttggtgaag tag 653 Arg Ala 210 <210> 46 <211> 210 <212> PRT <213> Corynebacterium glutamicum <400> 46 Ala Leu Pro Gln Tyr Thr Asp Pro Arg Tyr Pro Leu Gly Lys Asp Asp Leu Pro Lys Ala Thr Ile Asp Met Glu Pro Glu Ala Leu Ala Arg Leu Glu Arg Phe Val Gly Val Asp Gly Asp Arg Ile Arg Gln Ile Asn Ala Tyr Ser Pro Ser Met Gly Arg Thr Ile Pro Leu Val Trp Val Val Pro Glu Asp Asn Thr Val Pro Gly Pro Thr Val Tyr Ala Leu Gly Gly Asp Gly Gly Gln Gly Gln Asn Trp Val Thr Arg Thr Asp Leu Asp Glu Leu Thr Ser Glu Asn Asn Ile Asn Leu Ile Met Pro Met Leu Gly Ser Phe Ser Phe Tyr Ala Asp Trp Ala Gly Glu Ser Glu Ser Met Gly Gly Ala Gln Gln Trp Glu Thr Phe Leu Met His Glu Xaa Xaa Glu Pro Leu Glu Ala Ala Ile Gly Ala Asp Gly Gln Arg Ser Ile Val Gly Met Ser Met Ser Gly Gly Xaa Val Leu Asn Phe Ala Thr His Asp Pro Asn Phe Xaa Ser Xaa Val Gly Ser Phe Ser Gly Cys Ala Glu Thr Asn Ser 180 185 Trp Met Xaa Arg Arg Trp His Arg Ser His Cys Leu Gln Arg Gln Cys

WO 01/00804	PCT/IB00/00922
-------------	----------------

195 200 205

Arg Ala 210

<210> 47

<211> 432

<212> DNA

<213> Corynebacterium glutamicum

<220>

<221> CDS

<222> (101)..(409)

<223> RXN03040

<400> 47

attactctcg ctataacgat ccttntgctc aacgctgcga agctcgaaga acaagacaac 60

ctctacatct tcgccggttc cggtgtgttc tctgaactag atg tca tnc ggt gac 115

Met Ser Xaa Gly Asp

1 5

aac gca ccg att gat gag gat gcg ttc aaa aac cgc gtc ttg gtt ggg 163 Asn Ala Pro Ile Asp Glu Asp Ala Phe Lys Asn Arg Val Leu Val Gly

ttt gaa atc gaa gct atg tcc aac acc tgc acc cat aac ctc aag gct 211 Phe Glu Ile Glu Ala Met Ser Asn Thr Cys Thr His Asn Leu Lys Ala 25 30 35

gcg acc gat caa atg ggc atc gac aac atc aac tac gat ttc cga cca 259
Ala Thr Asp Gln Met Gly Ile Asp Asn Ile Asn Tyr Asp Phe Arg Pro
40 45 50

acc gga acc cac gcc tgg gat tac tgg aac gaa gcg ctc cac cgc ttc 307
Thr Gly Thr His Ala Trp Asp Tyr Trp Asn Glu Ala Leu His Arg Phe
55 60 65

ttc ccg ttg atg atg cag ggc ttc ggc ctc gac ggt ggt ccc atc ccg 355
Phe Pro Leu Met Met Gln Gly Phe Gly Leu Asp Gly Gly Pro Ile Pro
75 80 85

atc tat aac cct aac ggt gtg acc tcc agc gag tct tct ntc aga act 403 Ile Tyr Asn Pro Asn Gly Val Thr Ser Ser Glu Ser Ser Xaa Arg Thr 90 95 100

gtc ttc tgatgtgagc cttggcaccn gtg 432 Val Phe

<210> 48

<211> 103

<212> PRT

<213> Corynebacterium glutamicum

	0> 4		Glv	Asp	Asn	Ala	Pro	Tle	Asn	Glu	Asp	Ala	Phe	Lvs	Asn	
1	001		,	5					10	014	5			15		
Arg	Val	Leu	Val 20	_	Phe	Glu	Ile	Glu 25	Ala	Met	Ser	Asn	Thr 30	_	Thr	
His	Asn	Leu 35		Ala	Ala	Thr	Asp 40		Met	Gly	Ile	Asp 45		Ile	Asn	
Tyr	Asp 50	Phe	Arg	Pro	Thr	Gly 55	Thr	His	Ala	Trp	Asp 60	Tyr	Trp	Asn	Glu	
Ala 65	Leu	His	Arg	Phe	Phe 70	Pro	Leu	Met	Met	Gln 75	Gly	Phe	Gly	Leu	Asp 80	
Gly	Gly	Pro	Ile	Pro 85	Ile	Tyr	Asn	Pro	Asn 90	Gly	Val	Thr	Ser	Ser 95	Glu	
Ser	Ser	Xaa	Arg 100	Thr	Val	Phe										
-210)> 49	,														
	J> 43 L> 83															
	2> DN 3> Co		ebac	teri	um gl	lutar	nicur	n								
<220	15															
<221	l> CI															
	2> (1 3> RX			35)												
<400)> 49)														
acat	ccag	aa c	gtagt	tcgt1	g ag	tato	cacga	a gca	agto	caac.	gata	agtaa	aag a	ataat	tgtcga	60
ggaa	ctcc	cg o	ctgc	ctaaq	gc gg	gaca	atagt	tgo	aggg	ggac	_	_	tca Ser	-	-	115
											1			_	5	
					ggg											163
116	GIU				Gly										GIU	
					ctt Leu											211
			25					30					35			
					tgg Trp											259
	Cys	40	vai	Mec	пр	FIO	45	GIŸ	rne	Jer	Vai	50	GIY	nry	116	
					cag Gln											307
Leu	55	111T	1 A T	nry	GTII	60	оту	сту	GIII	TEU	65	11p	Ten	GTÀ	110	

ccg aag tca aac gag ttg acc aat ccc gac ggt gtt ggc aaa aga agt 355

Pro 70	Lys	Ser	Asn	Glu	Leu 75	Thr	Asn	Pro	Asp	Gly 80	Val	Gly	Lys	Arg	Ser 85	
					gcc Ala											403
					ggt Gly											451
					tac Tyr											499
					cag Gln											547
					gct Ala 155											595
					aat Asn											643
					gag Glu											691
					gat Asp											739
					gcg Ala											787
					aca Thr 235											835
.0																

<210> 50

<211> 245

<212> PRT

<213> Corynebacterium glutamicum

<400> 50

Met Arg Ser Asp Val Ile Glu Leu Pro Glu Gly Val Ser Lys Glu Lys 1 5 10 15

Ala Asp Gln Leu Glu Val Ala Glu Ala Arg Leu Asn Glu Gly Ala Arg 20 25 30

Leu Met Ala Thr Thr Gly Cys Glu Val Met Trp Pro Thr Gly Phe Ser

35 40 45

Val Cys Gly Arg Ile Leu Asp Thr Tyr Arg Gln Val Gly Gln Leu
50 55 60

Ser Trp Leu Gly Pro Pro Lys Ser Asn Glu Leu Thr Asn Pro Asp Gly 65 70 75 80

Val Gly Lys Arg Ser Glu Phe Phe Gly Gly Ala Ile Tyr Trp His Pro 85 90 95

Asp Thr Gly Ala Tyr Ala Val Thr Leu Asp Gly Leu Arg Gln Trp Gly 100 105 110

Thr Leu Asn Trp Glu Ser Gly Pro Leu Gly Tyr Pro Thr Ser Gly Pro 115 120 125

Met Asp Thr Asn Tyr Pro Leu Thr Gln Arg Gln Thr Phe Gln Gly Gly 130 135 140

Asp Asn Tyr Tyr Asn Pro Leu Thr Gly Gly Ala Val Trp Gly Asp Ile 145 150 155 160

Lys Gln Arg Tyr Glu Glu Leu Gly Gly Ser Asn His Ala Ile Gly Ile 165 170 175

Pro Ile Thr Asn Glu Leu Pro Ser Gly Thr Glu Tyr Phe Tyr Asn Asn 180 185 190

Phe Ser Asn Gly Thr Ile Ser Trp Arg Asn Asp Arg Gln Thr Arg Phe 195 200 205

Met Tyr Leu Ala Thr Gln Arg Val Trp Asp Ala Leu Gly Arg Glu Thr 210 215 220

Gly Arg Leu Gly Phe Pro Glu Ala Asp Glu Thr Pro Glu Val Ser Gly 225 230 235 240

Leu Phe His Val Ala 245

<210> 51

<211> 1704

<212> DNA

<213> Corynebacterium glutamicum

<220>

<221> CDS

<222> (101)..(1681)

<223> RXN03054

<400> 51

ggtggaaata cgcgcacaac aattttattc acagaactta tgattttttc gggttagggt 60

cagtttgttc acatcaacta gtaacgaaag gatcatgtga atg aaa ctg ttt tcc 115 Met Lys Leu Phe Ser

												1			5	
aag Lys	gct Ala	gc: Al:	a gg a Gl	c gt y Va 1	1 11	t go e Al	t gc a Al	a go a Al	a Le	t ct u Le 5	t gt u Va	t gca l Ala	a gg a Gl	t gg y Gl	t ata y Ile O	163
gca Ala	cct Pro	gto Val	g gc l Al 2	a Gl	g gg n Gl	g ca y Gl	a gc n Al	a Se	t ca r Gl 0	g gt n Va	g gt 1 Va	c aca	a cc c Pro	o Glu	a gac u Asp	211
caa Gln	gat Asp	gcç Ala 40	ı Ty	t gt: r Vai	t ca l Gl	a ca n Gl	g tte n Phe 4!	e Hi	c ca s Hi	c ga s Gl	a ggg	g aat y Asr 50	Th	c cca r Pro	cct Pro	259
gtg Val	gta Val 55	gac Asp	gg Gl	g gto y Val	g gg L G1 ₁	t gg y Gl	у Туі	c ac	t gad r Gli	g caa u Gl	a gaa n Glu 65	lle	gco Ala	gaç a Glu	atc lle	307
cac (His (gag Glu	gct Ala	ato Ile	c cga e Arg	Caa Gli 7	n Ala	c caa a Glr	a gaa a Glu	a tci ı Sei	ggo Gly 80	/ Ala	cct Pro	aat Asr	gaa Glu	gag Glu 85	355
ctc a Leu 1	att Ile	ccg Pro	ggt Gly	gag Glu 90	Met	g tgg : Trp	g tca Ser	gat Asp	aaç Lys 95	: Val	g gag L Glu	ctg Leu	cca	gta Val 100	Thr	403
att o	gat Asp	aaa Lys	gca Ala 105	Ala	gct Ala	gat Asp	gag Glu	gca Ala 110	Glu	ata Ile	gct Ala	att Ile	gca Ala 115	Gln	caa Gln	451
caa t Gln S	er	cag Gln 120	cca Pro	cag Gln	acg Thr	cga Arg	ggc Gly 125	ctt Leu	gct Ala	gcg Ala	gct Ala	gcg Ala 130	gcg Ala	tgt Cys	cag Gln	499
acg t Thr P 1	tt he 35	tgg Trp	ccg Pro	tca Ser	cct Pro	cat His 140	cag Gln	gtt Val	tgt Cys	ggt Gly	gct Ala 145	att Ile	tta Leu	gag Glu	cgc Arg	547
tat a Tyr I 150	tt (cag Gln	cag Gln	ggt Gly	gcc Ala 155	cag Gln	ttt Phe	ggg Gly	tgg Trp	atg Met 160	ttg Leu	ttt Phe	ccg Pro	agt Ser	gaa Glu 165	595
ggc c	aa a ln 1	acg Thr	tta Leu	aat Asn 170	cct Pro	gat Asp	ggt Gly	cag Gln	999 Gly 175	tat Tyr	cgt Arg	cag Gln	cgg Arg	ttt Phe 180	atg Met	643
aat go Asn G	gg t ly E	he	gtt Val 185	tat Tyr	tgg Trp	cat His	Pro	aca Thr 190	act Thr	ggt Gly	gcg Ala	His	gct Ala 195	gtt Val	aat Asn	691
aat ta Asn Ty	yr S	gt er i	gcg Ala	cag Gln	gtg Val	tgg Trp	gag Glu 205	cgt Arg	aat Asn	ggg Gly	tgg Trp	gag Glu 210	tct Ser	ggg Gly	tgg Trp	739
atg gg Met Gl 21	.у Т	at d yr 1	ecc Pro	act (Gly	ggt Gly 220	gaa Glu	gtc Val	cct Pro	gtg Val	aat Asn 225	ggt Gly	tcc Ser	aat Asn	ccg Pro	787

att Ile 230	Asp	ggt Gly	gaq Glu	g tto 1 Lei	g agt Sei 239	: Gly	g tgg / Trp	g gto Val	g caa l Glr	a act n Thr 240	: Phe	caa Gln	ggt Gly	ggg Gly	cga Arg 245	835
gtg Val	tat Tyr	cgc Arg	: agt Ser	250	Val	ttg Lev	g gad Asp	ggt Gly	tto Phe 255	e Gln	g gtg Nal	gcc Ala	agt Ser	att Ile 260	Asn	883
Gly	ctg Leu	atc Ile	Lev 265	ı Asp	aaa Lys	tgg Trp	ctt Leu	gaa Glu 270	Lev	ggt Gly	ggt Gly	cct Pro	gat Asp 275	Ser	gac Asp	931
ctt Leu	ggt Gly	ttt Phe 280	Pro	att Ile	gcg Ala	gat Asp	gag Glu 285	Ala	gtg Val	aca Thr	gct Ala	gac Asp 290	Gly	gtg Val	ggt Gly	[.] 979
aga Arg	ttt Phe 295	Ser	gtt Val	ttc Phe	cag Gln	aac Asn 300	Gly	gtt Val	gtc Val	tac Tyr	tgg Trp 305	cat His	ccg Pro	caa Gln	cac His	1027
gga Gly 310	gct Ala	cac His	cct Pro	ata Ile	tta Leu 315	Gly	aat Asn	ata Ile	tac Tyr	agt Ser 320	Ile	tgg Trp	aga Arg	gaa Glu	gaa Glu 325	1075
gga Gly	gct Ala	gag Glu	agt Ser	999 330	gaa Glu	ttc Phe	ggt Gly	tac Tyr	cct Pro 335	atc Ile	ggc Gly	gat Asp	cca Pro	gaa Glu 340	aag Lys	1123
Tyr	Thr	Glu	Asn 345	Met	Ala	Asn	Gln	Val 350	Phe	Glu	Lys	ggc Gly	Glu 355	Leu	Ala	1171
Ala	Asn	Leu 360	Tyr	Pro	Asn	Pro	Leu 365	Glu	Ala	Phe	Ile	gag Glu 370	Phe	Leu	Pro	1219
ttt Phe	gct Ala 375	aat Asn	ctt Leu	gag Glu	gaa Glu	gca Ala 380	ata Ile	gag Glu	tat Tyr	ttt Phe	gag Glu 385	aac Asn	gga Gly	ttg Leu	tca Ser	1267
aat Asn 390	tct Ser	cgt Arg	gta Val	gag Glu	gcg Ala 395	aat Asn	tca Ser	ctt Leu	aac Asn	gcc Ala 400	aag Lys	aaa Lys	gat Asp	tcg Ser	att Ile 405	1315
caa Gln	tgt Cys	caa Gln	tcg Ser	caa Gln 410	tcc Ser	gct Ala	aac Asn	att Ile	cat His 415	gtg Val	aga Arg	acg Thr	aag Lys	agt Ser 420	gac Asp	1363
gga Gly	gtc Val	Gly	att Ile 425	agg Arg	gtt Val	cca Pro	aag Lys	att Ile 430	G1 y ggg	ttt Phe	aag Lys	gct Ala	agg Arg 435	atg Met	gat Asp	1411
tgc Cys	Asp	ctt Leu 440	cct Pro	gga Gly	act Thr	Val	tca Ser 445	gat Asp	gta Val	gtg Val	Gly	tat Tyr 450	gga Gly	tgg Trp	att Ile ·	1459

tac tac gac tat tgg gga cga tgg gct caa gca gca tat gca caa caa Tyr Tyr Asp Tyr Trp Gly Arg Trp Ala Gln Ala Ala Tyr Ala Gln Gln 455 460 465	1507
ttc ttc ggt aat agg aat tct gtt gtg caa acc aat tta gag gcg ggt Phe Phe Gly Asn Arg Asn Ser Val Val Gln Thr Asn Leu Glu Ala Gly 470 475 480 485	1555
tgc agc ggg gag aag aat aca tta ttt tgg ggt act tca tat ttt cag Cys Ser Gly Glu Lys Asn Thr Leu Phe Trp Gly Thr Ser Tyr Phe Gln 490 495 500	1603
gtg act tat gaa ggt cag ccg tat ttc ggt cag tca gca act aat tac Val Thr Tyr Glu Gly Gln Pro Tyr Phe Gly Gln Ser Ala Thr Asn Tyr 505 510 515	1651
gct tat ctt ccg tgt acg ata gac cgt agt taacataagg aatggaatag Ala Tyr Leu Pro Cys Thr Ile Asp Arg Ser 520 525	1701
gag	1704
<210> 52 <211> 527 <212> PRT <213> Corynebacterium glutamicum	
<400> 52 Met Lys Leu Phe Ser Lys Ala Ala Gly Val Ile Ala Ala Ala Leu Leu 1 5 10 15	
Val Ala Gly Gly Ile Ala Pro Val Ala Gln Gly Gln Ala Ser Gln Val 20 25 30	
Val Thr Pro Glu Asp Gln Asp Ala Tyr Val Gln Gln Phe His His Glu 35 40 45	
35 40 45 Gly Asn Thr Pro Pro Val Val Asp Gly Val Gly Gly Tyr Thr Glu Gln	
Gly Asn Thr Pro Pro Val Val Asp Gly Val Gly Gly Tyr Thr Glu Gln 50 55 60 Glu Ile Ala Glu Ile His Glu Ala Ile Arg Gln Ala Gln Glu Ser Gly	
Gly Asn Thr Pro Pro Val Val Asp Gly Val Gly Gly Tyr Thr Glu Gln 50 Glu Ile Ala Glu Ile His Glu Ala Ile Arg Gln Ala Gln Glu Ser Gly 65 70 75 80 Ala Pro Asn Glu Glu Leu Ile Pro Gly Glu Met Trp Ser Asp Lys Val	
Gly Asn Thr Pro Pro Val Val Asp Gly Val Gly Gly Tyr Thr Glu Gln 50 Tle Ala Glu Ile His Glu Ala Ile Arg Gln Ala Gln Glu Ser Gly 65 70 75 80 Ala Pro Asn Glu Glu Leu Ile Pro Gly Glu Met Trp Ser Asp Lys Val 85 90 95 Glu Leu Pro Val Thr Ile Asp Lys Ala Ala Ala Asp Glu Ala Glu Ile	
Gly Asn Thr Pro Pro Val Val Asp Gly Val Gly Gly Tyr Thr Glu Gln 50 Tle Ala Glu Ile His Glu Ala Ile Arg Gln Ala Gln Glu Ser Gly 65 70 75 80 Ala Pro Asn Glu Glu Leu Ile Pro Gly Glu Met Trp Ser Asp Lys Val 95 Glu Leu Pro Val Thr Ile Asp Lys Ala Ala Ala Asp Glu Ala Glu Ile 100 105 110 Ala Ile Ala Gln Gln Gln Ser Gln Pro Gln Thr Arg Gly Leu Ala Ala	

145 150 155 160

Leu Phe Pro Ser Glu Gly Gln Thr Leu Asn Pro Asp Gly Gln Gly Tyr 165 170 175

Arg Gln Arg Phe Met Asn Gly Phe Val Tyr Trp His Pro Thr Thr Gly
180 185 190

Ala His Ala Val Asn Asn Tyr Ser Ala Gln Val Trp Glu Arg Asn Gly 195 200 205

Trp Glu Ser Gly Trp Met Gly Tyr Pro Thr Gly Gly Glu Val Pro Val * 210 220

Asn Gly Ser Asn Pro Ile Asp Gly Glu Leu Ser Gly Trp Val Gln Thr 225 230 235

Phe Gln Gly Gly Arg Val Tyr Arg Ser Pro Val Leu Asp Gly Phe Gln 245 250 255

Val Ala Ser Ile Asn Gly Leu Ile Leu Asp Lys Trp Leu Glu Leu Gly 260 265 270

Gly Pro Asp Ser Asp Leu Gly Phe Pro Ile Ala Asp Glu Ala Val Thr 275 280 285

Ala Asp Gly Val Gly Arg Phe Ser Val Phe Gln Asn Gly Val Val Tyr 290 295 300

Trp His Pro Gln His Gly Ala His Pro Ile Leu Gly Asn Ile Tyr Ser 305 310 315 320

Ile Trp Arg Glu Glu Gly Ala Glu Ser Gly Glu Phe Gly Tyr Pro Ile 325 330 335

Gly Asp Pro Glu Lys Tyr Thr Glu Asn Met Ala Asn Gln Val Phe Glu 340 345 350

Lys Gly Glu Leu Ala Ala Asn Leu Tyr Pro Asn Pro Leu Glu Ala Phe 355 360 365

Ile Glu Phe Leu Pro Phe Ala Asn Leu Glu Glu Ala Ile Glu Tyr Phe 370 375 380

Glu Asn Gly Leu Ser Asn Ser Arg Val Glu Ala Asn Ser Leu Asn Ala 385 390 395 400

Lys Lys Asp Ser Ile Gln Cys Gln Ser Gln Ser Ala Asn Ile His Val 405 410 415

Arg Thr Lys Ser Asp Gly Val Gly Ile Arg Val Pro Lys Ile Gly Phe 420 425 430

Lys Ala Arg Met Asp Cys Asp Leu Pro Gly Thr Val Ser Asp Val Val 435 440 445

Gly Tyr Gly Trp Ile Tyr Tyr Asp Tyr Trp Gly Arg Trp Ala Gln Ala

450 455 460 Ala Tyr Ala Gln Gln Phe Phe Gly Asn Arg Asn Ser Val Val Gln Thr 470 Asn Leu Glu Ala Gly Cys Ser Gly Glu Lys Asn Thr Leu Phe Trp Gly 490 Thr Ser Tyr Phe Gln Val Thr Tyr Glu Gly Gln Pro Tyr Phe Gly Gln Ser Ala Thr Asn Tyr Ala Tyr Leu Pro Cys Thr Ile Asp Arg Ser 520 <210> 53 <211> 456 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(433) <223> RXN02949 <400> 53 actotogaag gttgaacaca gggotgogat tgtgotggat caaatgtotg cacgaaaaat 60 tgttatcgcc cctggatgag tagtgattta gaggagtgct gtg agc gac gag cag Val Ser Asp Glu Gln aat tot ggc gta ggc gga acg tot cgc cca acg ggt aaa cgc cag ctg 163 Asn Ser Gly Val Gly Gly Thr Ser Arg Pro Thr Gly Lys Arg Gln Leu teg ggt get tee act ace tet ace tet tet tat gag get aag cag gta 211 Ser Gly Ala Ser Thr Thr Ser Thr Ser Ser Tyr Glu Ala Lys Gln Val 25 30 tct aca cag aag aag tca tcc ggt tcg gat tct aag cct ggc ggt 259 Ser Thr Gln Lys Lys Ser Ser Gly Ser Asp Ser Lys Pro Gly Gly Gly 40 307 gtt att tct ttt ctg cct gag gtt gtg gga gaa gtc cgt aag gtt att Val Ile Ser Phe Leu Pro Glu Val Val Gly Glu Val Arg Lys Val Ile 355 tgg cct act gcg cgc cag atg gtc acg tac acc ctt gtc gtt ttg gga Trp Pro Thr Ala Arg Gln Met Val Thr Tyr Thr Leu Val Val Leu Gly

75

90

ttc ttg att gtt ttg acc gct ttg gtg tct ggt gtg gat ttc cta gct Phe Leu Ile Val Leu Thr Ala Leu Val Ser Gly Val Asp Phe Leu Ala

ggt ctt gga gtt gag aag att ctg act ccg taggtaggat gtgtaacatc

95

403

Gly Leu Gly Val Glu Lys Ile Leu Thr Pro 105 110

ttt 456

<210> 54

<211> 111

<212> PRT

<213> Corynebacterium glutamicum

<400> 54

Val Ser Asp Glu Gln Asn Ser Gly Val Gly Gly Thr Ser Arg Pro Thr 1 10 15

Gly Lys Arg Gln Leu Ser Gly Ala Ser Thr Thr Ser Thr Ser Ser Tyr
20 25 30

Glu Ala Lys Gln Val Ser Thr Gln Lys Lys Ser Ser Gly Ser Asp Ser 35 40 45

Lys Pro Gly Gly Val: Ile Ser Phe Leu Pro Glu Val Val Gly Glu
50 55 60

Val Arg Lys Val Ile Trp Pro Thr Ala Arg Gln Met Val Thr Tyr Thr 65 70 75 80

Leu Val Val Leu Gly Phe Leu Ile Val Leu Thr Ala Leu Val Ser Gly 85 90 95

Val Asp Phe Leu Ala Gly Leu Gly Val Glu Lys Ile Leu Thr Pro 100 105 110

<210> 55

<211> 1941

<212> DNA

<213> Corynebacterium glutamicum

<220>

<221> CDS

<222> (101)..(1918)

<223> RXN02462

<400> 55

tocatoctca togacgaago cogcaccoca otgattatot cogggaccag tagacggcac 60

atcgcagttc tacaacgtct tcgcacagat cgtcccacgc atg acc aag gac gtt 115

Met Thr Lys Asp Val

cac tac gaa gtc gac gaa cgt aaa aag acc gtc ggt gtg aaa gaa gaa 163 His Tyr Glu Val Asp Glu Arg Lys Lys Thr Val Gly Val Lys Glu Glu 10 15 20

ggc gtc gaa tac gtc gaa gac caa ctc ggc atc gac aac ctc tac gca 211 Gly Val Glu Tyr Val Glu Asp Gln Leu Gly Ile Asp Asn Leu Tyr Ala 25 30 35

	, ,		Ser	•	_	_	-	Tyr	-	aac Asn		-	•	_	259
		Leu								atc Ile					307
_	Met		-	_					_	gtc Val 80		_	 _	_	355
										gcc Ala					403
				Asn						gtt Val					451
										acc Thr					499
_	_	_				_			_	ctc Leu	-	-			547
										ttg Leu 160					595
										gtc Val					643
										ggt Gly					691
										aaa Lys					739
										gaa Glu					787
										gcc Ala 240					835
-			_							cca Pro	-			-	883

			_	_	_			-	Pro		_	gac Asp	_	_	_	931
			Ala					Leu				aag Lys 290				979
		Arg										ctc Leu				1027
ggc Gly 310	acc Thr	gaa Glu	cgc Arg	cac His	gaa Glu 315	tcc Ser	cga Arg	cgc Arg	atc Ile	gac Asp 320	aac Asn	cag Gln	ctg Leu	cgc Arg	ggt Gly 325	1075
												ttc Phe				1123
												acc Thr				1171
												atc Ile 370				1219
												gtg Val				1267
aac Asn 390	ttc Phe	gaa Glu	atg Met	cgt Arg	aag Lys 395	aac Asn	gtt Val	ctg Leu	aag Lys	tac Tyr 400	gac Asp	gaa Glu	gtc Val	atg Met	aac Asn 405	1315
												atc Ile				1363
-	_			_					_		-	gaa Glu		-	_	1411
_		_	_		-		_				_	gaa Glu 450	_		_	1459
	_					_		_	-			gac Asp		_		1507
			-		_	-		-	_			aaa Lys				1555

ctg tcc gcc gaa gat cta cgc acc gca ctc gtc aac gac gcc cac gcc Leu Ser Ala Glu Asp Leu Arg Thr Ala Leu Val Asn Asp Ala His Ala 490 495 500	2 1603 a
gaa tac gca aaa ctc gaa gaa gcc gta tcc gca atc ggc ggc gaa gcc Glu Tyr Ala Lys Leu Glu Glu Ala Val Ser Ala Ile Gly Gly Glu Ala 505 510 515	a 1651 a
cag atc cgc aac atc gaa cga atg gtg ctc atg cca gtc atc gac ac Gln Ile Arg Asn Ile Glu Arg Met Val Leu Met Pro Val Ile Asp Th: 520 525 530	: 1699 :
aaa tgg cgc gaa cac ctc tac gaa atg gac tac ctg aaa gaa ggc atc Lys Trp Arg Glu His Leu Tyr Glu Met Asp Tyr Leu Lys Glu Gly II 535 540 545	2 1747 e
ggc ctg cgc gca atg gca cag cgc gac cca ctg gtc gaa tac caa aag Gly Leu Arg Ala Met Ala Gln Arg Asp Pro Leu Val Glu Tyr Gln Lys 550 565	5
gaa ggc ggc gac atg ttc aac ggc atg aaa gac ggc atc aag gaa gaa Glu Gly Gly Asp Met Phe Asn Gly Met Lys Asp Gly Ile Lys Glu Glv 570 575 580	
acc gtc cgc cag ctc ttc ctc tcc gca agc agt tca tca agc aag acc Thr Val Arg Gln Leu Phe Leu Ser Ala Ser Ser Ser Ser Lys Thi 585 590 595	
cgg aag tcg ctg act aac tca gaa ccc tgaaattcag catccgccac Arg Lys Ser Leu Thr Asn Ser Glu Pro 600 605	1938
atg	1941
<210> 56 <211> 606 <212> PRT <213> Corynebacterium glutamicum	
<400> 56 Met Thr Lys Asp Val His Tyr Glu Val Asp Glu Arg Lys Lys Thr Val 1 5 10 15	
Gly Val Lys Glu Glu Gly Val Glu Tyr Val Glu Asp Gln Leu Gly Ile 20 25 30	•
Asp Asn Leu Tyr Ala Pro Glu His Ser Gln Leu Val Ser Tyr Leu Asn 35 40 45	ı
Asn Ala Ile Lys Ala Gln Glu Leu Phe Thr Arg Asp Lys Asp Tyr Ile 50 55 60	

Leu Ala Gly Arg Arg Tyr Asn Glu Gly Met His Gln Ala Ile Glu Ala

Val Arg Asn Gly Glu Val Met Ile Val Asp Gly Phe Thr Gly Arg Val 65 70 75 80

85 90 95

Lys Glu Arg Val Glu Ile Lys Asn Glu Asn Gln Thr Leu Ala Thr Val

Thr Leu Gln Asn Tyr Phe Arg Leu Tyr Thr Lys Leu Ala Gly Met Thr 115 120 125

Gly Thr Ala Glu Thr Glu Ala Ala Glu Leu Asn Gln Ile Tyr Lys Leu 130 135 140

Asp Val Ile Ala Ile Pro Thr Asn Arg Pro Asn Gln Arg Glu Asp Leu 145 150 155 160

Thr Asp Leu Val Tyr Lys Thr Gln Glu Ala Lys Phe Ala Ala Val Val 165 170 175

Asp Asp Ile Ala Glu Arg Thr Glu Lys Gly Gln Pro Val Leu Val Gly
180 185 190

Thr Val Ser Val Glu Arg Ser Glu Tyr Leu Ser Gln Leu Leu Thr Lys 195 200 205

Arg Gly Ile Lys His Asn Val Leu Asn Ala Lys His His Glu Gln Glu 210 215 220

Ala Gln Ile Val Ala Gln Ala Gly Leu Pro Gly Ala Val Thr Val Ala 225 230 235 240

Thr Asn Met Ala Gly Arg Gly Thr Asp Ile Val Leu Gly Gly Asn Pro 245 250 255

Glu Ile Leu Leu Asp Ile Lys Leu Arg Glu Arg Gly Leu Asp Pro Phe 260 265 270

Glu Asp Glu Glu Ser Tyr Gln Glu Ala Trp Asp Ala Glu Leu Pro Ala 275 280 285

Met Lys Gln Arg Cys Glu Glu Arg Gly Asp Lys Val Arg Glu Ala Gly 290 295 300

Gly Leu Tyr Val Leu Gly Thr Glu Arg His Glu Ser Arg Arg Ile Asp 305 310 315 320

Asn Gln Leu Arg Gly Arg Ser Ala Arg Gln Gly Asp Pro Gly Ser Thr 325 330 335

Arg Phe Tyr Leu Ser Met Arg Asp Asp Leu Met Val Arg Phe Val Gly 340 345 350

Pro Thr Met Glu Asn Met Met Asn Arg Leu Asn Val Pro Asp Asp Val 355 360 365

Pro Ile Glu Ser Lys Thr Val Thr Asn Ser Ile Lys Gly Ala Gln Ala 370 375 380

Gln Val Glu Asn Gln Asn Phe Glu Met Arg Lys Asn Val Leu Lys Tyr

385 390 395 400 Asp Glu Val Met Asn Glu Gln Arg Lys Val Ile Tyr Ser Glu Arg Arg 410 Glu Ile Leu Glu Ser Ala Asp Ile Ser Arg Tyr Ile Gln Asn Met Ile Glu Glu Thr Val Ser Ala Tyr Val Asp Gly Ala Thr Ala Asn Gly Tyr Val Glu Asp Trp Asp Leu Asp Lys Leu Trp Asn Ala Leu Glu Ala Leu 455 Tyr Asp Pro Ser Ile Asn Trp Thr Asp Leu Val Glu Gly Ser Glu Tyr Gly Lys Pro Gly Glu Leu Ser Ala Glu Asp Leu Arg Thr Ala Leu Val Asn Asp Ala His Ala Glu Tyr Ala Lys Leu Glu Glu Ala Val Ser Ala Ile Gly Gly Glu Ala Gln Ile Arg Asn Ile Glu Arg Met Val Leu Met 515 520 Pro Val Ile Asp Thr Lys Trp Arg Glu His Leu Tyr Glu Met Asp Tyr 535 Leu Lys Glu Gly Ile Gly Leu Arg Ala Met Ala Gln Arg Asp Pro Leu Val Glu Tyr Gln Lys Glu Gly Gly Asp Met Phe Asn Gly Met Lys Asp 570 Gly Ile Lys Glu Glu Thr Val Arg Gln Leu Phe Leu Ser Ala Ser Ser Ser Ser Ser Lys Thr Arg Lys Ser Leu Thr Asn Ser Glu Pro 600 <210> 57 <211> 1965 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS

<222> (101)..(1942) <223> RXN01559

<400> 57
gtctggttga ttggaattga aggagacttt cttggctcgg caaaaaaaga gtgccgctag 60
cgcctgggaa cgatggccaa aacgcgcaat agcgttgttt gtg ctc atc gtc gtt Val Leu Ile Val Val

											1				5	
ggt Gly	gtt Val	tat Tyr	gcg Ala	ttg Leu 10	gtg Val	ctg Leu	ttg Leu	aca Thr	ggc Gly 15	gat Asp	cgt Arg	tct Ser	gcc Ala	aca Thr 20	cca Pro	163
aaa Lys	ttg Leu	ggt Gly	att Ile 25	gat Asp	ctg Leu	caa Gln	ggc Gly	gga Gly 30	acc Thr	cga Arg	gtg Val	acc Thr	ctc Leu 35	gtg Val	ccg Pro	211
cag Gln	ggg Gly	cag Gln 40	gat Asp	cca Pro	act Thr	cag Gln	gac Asp 45	cag Gln	ctg Leu	aat Asn	cag Gln	gca Ala 50	cgc Arg	acc Thr	att Ile	259
ctg Leu	gaa Glu 55	aac Asn	cgt Arg	gtg Val	aac Asn	ggc Gly 60	atg Met	ggc Gly	gtt Val	tca Ser	ggt Gly 65	gca Ala	agc Ser	gtg Val	gtc Val	307
gct Ala 70	gac Asp	ggt Gly	aac Asn	acg Thr	ctg Leu 75	gtg Val	atc Ile	act Thr	gtt Val	ccc Pro 80	ggg Gly	gaa Glu	aat Asn	acc Thr	gca Ala 85	355
cag Gln	gcg Ala	caa Gln	tcc Ser	cta Leu 90	gga Gly	cag Gln	acc Thr	tcc Ser	cag Gln 95	ctg Leu	ctg Leu	ttc Phe	cgt Arg	ccc Pro 100	gtt Val	403
ggt Gly	cag Gln	gca Ala	gga Gly 105	atg Met	ccc Pro	gat Asp	atg Met	acc Thr 110	acg Thr	ttg Leu	atg Met	cca Pro	gag Glu 115	ctg Leu	gaa Glu	451
gag Glu	atg Met	gcc Ala 120	aac Asn	agg Arg	tgg Trp	gtt Val	gaa Glu 125	tac Tyr	ggc Gly	gtc Val	atc Ile	acc Thr 130	gaa Glu	gag Glu	cag Gln	499
gca Ala	aat Asn 135	gcc Ala	tcc Ser	ttg Leu	gag Glu	gaa Glu 140	atg Met	aac Asn	acc Thr	gct Ala	gtt Val 145	gca Ala	tcg Ser	acc Thr	act Thr	547
gcg Ala 150	gtg Val	gaa Glu	ggc Gly	gaa Glu	gaa Glu 155	gca Ala	act Thr	gag Glu	cca Pro	gaa Glu 160	ccc Pro	gtc Val	acc Thr	gtg Val	tcg Ser 165	595
gcg Ala	acc Thr	cct Pro	atg Met	gat Asp 170	gag Glu	cca Pro	gcc Ala	aac Asn	tcc Ser 175	att Ile	gag Glu	gca Ala	aca Thr	cag Gln 180	cga Arg	643
cgc Arg	cag Gln	gaa Glu	atc Ile 185	acg Thr	gac Asp	atg Met	ctg Leu	cgc Arg 190	acc Thr	gac Asp	cgc Arg	cag Gln	tcc Ser 195	acc Thr	gat Asp	691
ccc Pro	act Thr	gtc Val 200	cag Gln	atc Ile	gct Ala	gca Ala	agt Ser 205	tct Ser	ttg Leu	atg Met	cag Gln	tgc Cys 210	acc Thr	act Thr	gat Asp	739
gag Glu	atg Met 215	gat Asp	cct Pro	ttg Leu	gcc Ala	ggc Gly 220	acc Thr	gat Asp	gat Asp	cca Pro	cgc Arg 225	ctg Leu	cca Pro	ttg Leu	gtg Val	787

	Cys										ctt Leu					835
					Thr						gcg Ala					883
				Thr							gga Gly					931
		_	_	_		-		Ála			tcc Ser		_		-	979
											cag Gln 305					1027
											tct Ser					1075
_		-						_			atc Ile			_		1123
											ctg Leu					1171
											cgc Arg					1219
											ttg Leu 385					1267
											atc Ile					1315
		_	_				_		_		acc Thr	_		_	-	1363
		_	_				-	-	_	-	gga Gly	_				1411
											atc Ile					1459

acc Thr	acc Thr 455	Ala	gac Asp	tcc Ser	ttc Phe	gtg Val 460	gtg Val	ttc Phe	tat Tyr	gag Glu	cgc Arg 465	atc Ile	aag Lys	gat Asp	gag Glu	1507
atc Ile 470	Arg	gaa Glu	gga Gly	aga Arg	tcc Ser 475	ttt Phe	aga Arg	tct Ser	gca Ala	gta Val 480	cct Pro	cgt Arg	gca Ala	tgg Trp	gaa Glu 485	1555
agc Ser	gcc Ala	aag Lys	cgc Arg	acc Thr 490	atc Ile	gtc Val	aca Thr	ggc Gly	aac Asn 495	atg Met	gtc Val	act Thr	ttg Leu	ctc Leu 500	ggc Gly	1603
gct Ala	atc Ile	gtg Val	att Ile 505	tac Tyr	ttg Leu	ctc Leu	gcg Ala	gtc Val 510	ggc Gly	gaa Glu	gtc Val	aag Lys	ggc Gly 515	ttt Phe	gcc Ala	1651
ttc Phe	acc Thr	ctg Leu 520	ggt Gly	ctg Leu	acc Thr	acc Thr	gta Val 525	ttc Phe	gat Asp	ctc Leu	gtt Val	gtc Val 530	acc Thr	ttc Phe	ctg Leu	1699
			cca Pro													1747
aag Lys 550	tca Ser	tcg Ser	gtc Val	aac Asn	ggc Gly 555	atg Met	gga Gly	cga Arg	gtg Val	atg Met 560	aag Lys	ctc Leu	gtt Val	gaa Glu	gaa Glu 565	1795
·cgc Arg	cgc Arg	gcc Ala	aac Asn	ggt Gly 570	gaa Glu	ttg Leu	gat Asp	gag Glu	cct Pro 575	gag Glu	tac Tyr	ctg Leu	aaa Lys	aag Lys 580	atc Ile	1843
cat His	gcc Ala	aag Lys	aat Asn 585	gcg Ala	gca Ala	gct Ala	gat Asp	aag Lys 590	gct Ala	tcc Ser	act Thr	gac Asp	aat Asn 595	tct Ser	tcc Ser	1891
			tct Ser			Pro										1939
aag Lys	tago	catg	ac t	gatt	ccca	g ac	t									1965

. <210> 58

<211> 614

<212> PRT

<213> Corynebacterium glutamicum

<400> 58

Val Leu Ile Val Val Gly Val Tyr Ala Leu Val Leu Leu Thr Gly Asp

1 5 10 15

Arg Ser Ala Thr Pro Lys Leu Gly Ile Asp Leu Gln Gly Gly Thr Arg 20 25 30

Val Thr Leu Val Pro Gln Gly Gln Asp Pro Thr Gln Asp Gln Leu Asn Gln Ala Arg Thr Ile Leu Glu Asn Arg Val Asn Gly Met Gly Val Ser Gly Ala Ser Val Val Ala Asp Gly Asn Thr Leu Val Ile Thr Val Pro Gly Glu Asn Thr Ala Gln Ala Gln Ser Leu Gly Gln Thr Ser Gln Leu Leu Phe Arg Pro Val Gly Gln Ala Gly Met Pro Asp Met Thr Thr Leu 105 Met Pro Glu Leu Glu Glu Met Ala Asn Arg Trp Val Glu Tyr Gly Val 120 115 Ile Thr Glu Glu Gln Ala Asn Ala Ser Leu Glu Glu Met Asn Thr Ala 135 Val Ala Ser Thr Thr Ala Val Glu Gly Glu Glu Ala Thr Glu Pro Glu 145 Pro Val Thr Val Ser Ala Thr Pro Met Asp Glu Pro Ala Asn Ser Ile 170 Glu Ala Thr Gln Arg Arg Gln Glu Ile Thr Asp Met Leu Arg Thr Asp Arg Gln Ser Thr Asp Pro Thr Val Gln Ile Ala Ala Ser Ser Leu Met 200 Gln Cys Thr Thr Asp Glu Met Asp Pro Leu Ala Gly Thr Asp Asp Pro Arg Leu Pro Leu Val Ala Cys Asp Pro Ala Val Gly Gly Val Tyr Val 235 230 Leu Asp Pro Ala Pro Leu Leu Asn Gly Glu Thr Asp Glu Glu Asn Gly Ala Arg Leu Thr Gly Asn Glu Ile Asp Thr Asn Arg Pro Ile Thr Gly Gly Phe Asn Ala Gln Ser Gly Gln Met Glu Ile Ser Phe Ala Phe Lys Ser Gly Asp Gly Glu Glu Gly Ser Ala Thr Trp Ser Ser Leu Thr Ser Gln Tyr Leu Gln Gln Gln Ile Ala Ile Thr Leu Asp Ser Gln Val Ile Ser Ala Pro Val Ile Gln Ser Ala Thr Pro Val Gly Ser Ala Thr Ser

Ile Thr Gly Asp Phe Thr Gln Thr Glu Ala Gln Asp Leu Ala Asn Asn 340 345 350

Leu Arg Tyr Gly Ala Leu Pro Leu Ser Phe Ala Gly Glu Asn Gly Glu 355 360 365

Arg Gly Gly Thr Thr Thr Thr Val Pro Pro Ser Leu Gly Ala Ala Ser 370 375 380

Leu Lys Ala Gly Leu Ile Ala Gly Ile Val Gly Ile Ala Leu Val Ala 385 390 395 400

Ile Phe Val Phe Ala Tyr Tyr Arg Val Phe Gly Phe Val Ser Leu Phe
405 410 415

Thr Leu Phe Ala Ala Gly Val Leu Val Tyr Gly Leu Leu Val Leu Leu 420 425 430

Gly Arg Trp Ile Gly Tyr Ser Leu Asp Leu Ala Gly Ile Ala Gly Leu 435 440 445

Ile Ile Gly Ile Gly Thr Thr Ala Asp Ser Phe Val Val Phe Tyr Glu 450 455 460

Arg Ile Lys Asp Glu Ile Arg Glu Gly Arg Ser Phe Arg Ser Ala Val 465 470 475 480

Pro Arg Ala Trp Glu Ser Ala Lys Arg Thr Ile Val Thr Gly Asn Met 485 490 495

Val Thr Leu Leu Gly Ala Ile Val Ile Tyr Leu Leu Ala Val Gly Glu
500 505 510

Val Lys Gly Phe Ala Phe Thr Leu Gly Leu Thr Thr Val Phe Asp Leu 515 520 525

Val Val Thr Phe Leu Île Thr Ala Pro Leu Val Ile Leu Ala Ser Arg 530 535 540

Asn Pro Phe Phe Ala Lys Ser Ser Val Asn Gly Met Gly Arg Val Met 545 550 555 560

Lys Leu Val Glu Glu Arg Arg Ala Asn Gly Glu Leu Asp Glu Pro Glu 565 570 575

Tyr Leu Lys Lys Ile His Ala Lys Asn Ala Ala Ala Asp Lys Ala Ser 580 585 590

Thr Asp Asn Ser Ser Thr Asp Asn Ser Glu Ala Pro Gly Thr Asp Thr 595 600 605

Asn Gln Glu Glu Glu Lys 610

<210> 59 <211> 819

<212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(796) <223> RXN00046 <400> 59 tggtgcccaa gcagccgtca tcgcagcagc aaaatatgcc cgcgataacg ccttttaagc 60 acctaaaacg ctgttctcaa cacaggagtt tccttaaata atg gac tta aat act Met Asp Leu Asn Thr 163 caa cgc tca aag ctc tac gca cag ctt caa ggc cag ctc att gtt tcc Gln Arg Ser Lys Leu Tyr Ala Gln Leu Gln Gly Gln Leu Ile Val Ser gtg caa get eee gae gge eat gee atg ega gat ace eat acg etc ace 211 Val Gln Ala Pro Asp Gly His Ala Met Arg Asp Thr His Thr Leu Thr 30 cat gtg gcc gca gcc tgt gtc gat ggc ggt gct cct gcc att cgc tgt 259 His Val Ala Ala Ala Cys Val Asp Gly Gly Ala Pro Ala Ile Arg Cys ggc ggt tac ggc ggt ttg gaa gat atc cgt tca atc tcc aac cgt gtc 307 Gly Gly Tyr Gly Gly Leu Glu Asp Ile Arg Ser Ile Ser Asn Arg Val 60 355 gac gtt ccc gtt ttc gga ctc acc aaa gaa ggc tcc gaa gga gtt tac Asp Val Pro Val Phe Gly Leu Thr Lys Glu Gly Ser Glu Gly Val Tyr atc acc cca acc agg gat tcc gtt cga gca gtg gca gaa tcc ggc gcc 403 Ile Thr Pro Thr Arg Asp Ser Val Arg Ala Val Ala Glu Ser Gly Ala 90 95 451 act qta qtc tqc gcg gat gca act ttc cga cct agg cct gac ggc tcc Thr Val Val Cys Ala Asp Ala Thr Phe Arg Pro Arg Pro Asp Gly Ser 110 acc ttt gca gag ctg gtc act gtt gcc cac gat tcc gga att ctc atc 499 Thr Phe Ala Glu Leu Val Thr Val Ala His Asp Ser Gly Ile Leu Ile 120 125 atg gcg gac tgc gca act ccc gaa gaa gtt ctc agt gcg cat aag gct 547 Met Ala Asp Cys Ala Thr Pro Glu Glu Val Leu Ser Ala His Lys Ala ggc gcg gat ttt gtg tcc acc acg ctt gct gga tac acc gaa cac cgc 595 Gly Ala Asp Phe Val Ser Thr Thr Leu Ala Gly Tyr Thr Glu His Arg 160

gag aaa aca gtc ggt cca gat ttc gat tgc ctc cgc gaa gca cgt gag Glu Lys Thr Val Gly Pro Asp Phe Asp Cys Leu Arg Glu Ala Arg Glu

WO 01/00804	PCT/IB00/00922

180 170 175 tta gtt ccc gat gcg ttc ctc att ggc gaa ggt cgc ttc tcc aac cct Leu Val Pro Asp Ala Phe Leu Ile Gly Glu Gly Arg Phe Ser Asn Pro 185 190 739 gcg gat gtg gcg cac ggt cgt ctc att ggt gcc aac gcg atc atc gtg Ala Asp Val Ala His Gly Arg Leu Ile Gly Ala Asn Ala Ile Ile Val 205 200 ggc acc gca atc act gac cct ggt ttc atc act gga cag ttc gcg tca Gly Thr Ala Ile Thr Asp Pro Gly Phe Ile Thr Gly Gln Phe Ala Ser 215 819 ctg ttg cac tagcacttag tccagcgctg cac Leu Leu His 230 <210> 60 <211> 232 <212> PRT <213> Corynebacterium glutamicum <400> 60 Met Asp Leu Asn Thr Gln Arg Ser Lys Leu Tyr Ala Gln Leu Gln Gly Gln Leu Ile Val Ser Val Gln Ala Pro Asp Gly His Ala Met Arg Asp

Thr His Thr Leu Thr His Val Ala Ala Ala Cys Val Asp Gly Gly Ala

Pro Ala Ile Arg Cys Gly Gly Tyr Gly Gly Leu Glu Asp Ile Arg Ser

Ile Ser Asn Arg Val Asp Val Pro Val Phe Gly Leu Thr Lys Glu Gly

Ser Glu Gly Val Tyr Ile Thr Pro Thr Arg Asp Ser Val Arg Ala Val 90

Ala Glu Ser Gly Ala Thr Val Val Cys Ala Asp Ala Thr Phe Arg Pro 105 100

Arg Pro Asp Gly Ser Thr Phe Ala Glu Leu Val Thr Val Ala His Asp 120

Ser Gly Ile Leu Ile Met Ala Asp Cys Ala Thr Pro Glu Glu Val Leu 130

Ser Ala His Lys Ala Gly Ala Asp Phe Val Ser Thr Thr Leu Ala Gly

Tyr Thr Glu His Arg Glu Lys Thr Val Gly Pro Asp Phe Asp Cys Leu 170

Arg Glu Ala Arg Glu Leu Val Pro Asp Ala Phe Leu Ile Gly Glu Gly 180 185 Arg Phe Ser Asn Pro Ala Asp Val Ala His Gly Arg Leu Ile Gly Ala 200 Asn Ala Ile Ile Val Gly Thr Ala Ile Thr Asp Pro Gly Phe Ile Thr 215 Gly Gln Phe Ala Ser Leu Leu His 230 225 <210> 61 <211> 1219 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (48)..(1196) <223> RXN01863 <400> 61 ggtatcatac cgatatgaac caaatagaaa gaaggaagtt taagacgatg aat agc Met Asn Ser gtc aaa ttg aag caa cct gtt agc att tac aat gat cca tgg gaa tca 104 Val Lys Leu Lys Gln Pro Val Ser Ile Tyr Asn Asp Pro Trp Glu Ser tat aac gat gtt aaa gaa cat ggc caa tta act tta agt aac atc gaa 152 Tyr Asn Asp Val Lys Glu His Gly Gln Leu Thr Leu Ser Asn Ile Glu 20 25 30 ttt aca act aca aat ctt tgt aat atg cgt tgt agc cac tgt gca gtt 200 Phe Thr Thr Asn Leu Cys Asn Met Arg Cys Ser His Cys Ala Val ggt tat act tta caa act gtc gac ccc gag cct tta gat atg gac tta 248 Gly Tyr Thr Leu Gln Thr Val Asp Pro Glu Pro Leu Asp Met Asp Leu 296 att tat cgt aga ctt gat gaa att cca aat ctg cga acg atg tca att Ile Tyr Arg Arg Leu Asp Glu Ile Pro Asn Leu Arg Thr Met Ser Ile 344 aca ggt ggc gaa cca atg ttt tct aaa aag tct att aga aat gtt gtt Thr Gly Gly Glu Pro Met Phe Ser Lys Lys Ser Ile Arg Asn Val Val 392 aaa cct cta tta aag tat gca cat cat cga ggt ata tat aca caa atg Lys Pro Leu Leu Lys Tyr Ala His His Arg Gly Ile Tyr Thr Gln Met

WO 01/00804	PCT/IB00/00922
-------------	----------------

			cta Leu													440
		-	gtt Val 135	-										-	-	488
			gtt Val													536
			aaa Lys													584 .
			gga Gly													632
-			cat His		_					_	-	_		-	_	680
			aga Arg 215													728
Ser	Gln	Leu 230	aat Asn	Val	Leu	Thr	Leu 235	Ala	Glu	Met	Lys	Lys 240	Thr	Ile	His	776
Asp	11e 245	Leu	gat Asp	Phe	Arg	Asp 250	Glu	Asp	Ile	Trp	Met 255	Leu	Phe	Gly	Thr	824
			ttt Phe													872
	_		aga Arg		_			-	_		-		_	-	_	920
			cgt Arg 295													968
act Thr	gat Asp	ttc Phe 310	gga Gly	gat Asp	gaa Glu	aca Thr	ggt Gly 315	aca Thr	att Ile	tcg Ser	aat Asn	ata Ile 320	caa Gln	aaa Lys	gat Asp	1016
			gat Asp		Phe											1064
tca	tta	aat	tgt	cat	tgt	tcc	gag	ttt	agt	tgt	tta	gga	cca	aat	gtt	1112

Ser Leu Asn Cys His Cys Ser Glu Phe Ser Cys Leu Gly Pro Asn Val 345

ctt gtt aaa aat atg tac tat ccg aat atg gat ttt aaa gat aat gag 1160

Leu Val Lys Asn Met Tyr Tyr Pro Asn Met Asp Phe Lys Asp Asn Glu 370

cgt cat atg cac aaa caa cca caa att ata caa ttt taaaaactct 1206

Arg His Met His Lys Gln Pro Gln Ile Ile Gln Phe 380

taattatgcg gag 1219

<210> 62

<211> 383

<212> PRT

<213> Corynebacterium glutamicum

<400> 62

Met Asn Ser Val Lys Leu Lys Gln Pro Val Ser Ile Tyr Asn Asp Pro 1 5 10 15

Trp Glu Ser Tyr Asn Asp Val Lys Glu His Gly Gln Leu Thr Leu Ser 20 25 30

Asn Ile Glu Phe Thr Thr Thr Asn Leu Cys Asn Met Arg Cys Ser His 35 40 45

Cys Ala Val Gly Tyr Thr Leu Gln Thr Val Asp Pro Glu Pro Leu Asp 50 55 60

Met Asp Leu Ile Tyr Arg Arg Leu Asp Glu Ile Pro Asn Leu Arg Thr 65 70 75 80

Met Ser Ile Thr Gly Gly Glu Pro Met Phe Ser Lys Lys Ser Ile Arg 85 90 95

Asn Val Val Lys Pro Leu Leu Lys Tyr Ala His His Arg Gly Ile Tyr 100 105 110

Thr Gln Met Asn Ser Asn Leu Thr Leu Pro Gln Asp Arg Tyr Leu Asp 115 120 125

Ile Ala Glu Tyr Ile Asp Val Met His Ile Ser His Asn Trp Gly Thr 130 135 140

Thr Asp Glu Phe Ala Asn Val Gly Phe Gly Ala Met Lys Lys Gln Pro 145 150 155 160

Pro Leu Lys Ala Lys Leu Lys Leu Tyr Glu Gln Met Ile Ser Asn Ala 165 170 175

Arg Thr Leu Ser Glu Gln Gly Met Phe Val Ser Ala Glu Thr Met Leu 180 185 190

Asn Gln Ser Thr Leu Pro His Leu Arg Lys Ile His Gln Glu Val Val

195 200 205

His Asp Met Lys Cys Ser Arg His Glu Ile His Pro Met Tyr Pro Ala 210 215 220

Asp Phe Ala Ser Gln Leu Asn Val Leu Thr Leu Ala Glu Met Lys Lys 225 230 235 240

Thr Ile His Asp Ile Leu Asp Phe Arg Asp Glu Asp Ile Trp Met Leu 245 250 255

Phe Gly Thr Leu Pro Val Phe Pro Cys Leu Lys Asp Asp Glu Asp Gln 260 265 270

Lys Leu Leu Ser Arg Leu Arg Asn Ala Asn Asn Val Thr Thr Arg Asn 275 280 285

Asp Pro Asp Gly Arg Ser Arg Leu Asn Val Asn Val Phe Thr Gly Asn 290 295 300

Val Ile Val Thr Asp Phe Gly Asp Glu Thr Gly Thr Ile Ser Asn Ile 305 310 315 320

Gln Lys Asp Lys Leu Thr Asp Val Phe Asp Lys Trp Leu Ser Ser Asp 325 330 335

Leu Ala Lys Ser Leu Asn Cys His Cys Ser Glu Phe Ser Cys Leu Gly 340 345 350

Pro Asn Val Leu Val Lys Asn Met Tyr Tyr Pro Asn Met Asp Phe Lys 355 360 365

Asp Asn Glu Arg His Met His Lys Gln Pro Gln Ile Ile Gln Phe 370 375 380

<210> 63

<211> 618

<212> DNA

<213> Corynebacterium glutamicum

<220>

<221> CDS

<222> (101)..(595)

<223> RXN00833

<400> 63

agetttttge atgtgteata tegtacegtt tgeataggee tgttegeget tggtgaacet 60 -

tttctagcac caaaacaaaa ctctccctag tatggggtcc atg gct aaa aca cat 115
Met Ala Lys Thr His

ttt caa ggc aac gaa act gct acc tcc ggc gaa ctg cca cag gtc ggc 163 Phe Gln Gly Asn Glu Thr Ala Thr Ser Gly Glu Leu Pro Gln Val Gly 10 15 20

														gag Glu		211
														ttc Phe		259
														aac Asn		307
_	-	-	_	_	-					_	_			aag Lys	_	355
														gag Glu 100		403
_			-		-		-					-	-	aac Asn		451
			_					-	-			_	_	agc Ser	-	499
	_	-	_	_			_	-	_			_	_	gtt Val	-	547
														ctg Leu		595
taatttactt cgctcagggg aat												618				

<210> 64

<211> 165

<212> PRT

<213> Corynebacterium glutamicum

<400> 64

Met Ala Lys Thr His Phe Gln Gly Asn Glu Thr Ala Thr Ser Gly Glu 1 5 15

Leu Pro Gln Val Gly Asp Asn Leu Ala Glu Phe Asn Leu Val Asn Thr 20 25 30

Glu Leu Gly Glu Val Ser Ser Lys Asp Phe Gln Gly Arg Lys Leu Val

Leu Asn Ile Phe Pro Ser Val Asp Thr Gly Val Cys Ala Thr Ser Val 50 55 60

Arg Lys Phe Asn Glu Ala Ala Ser Leu Glu Asn Thr Thr Val Leu Cys Ile Ser Lys Asp Leu Pro Phe Ala Leu Gly Arg Phe Cys Ser Ala Glu Gly Ile Glu Asn Val Thr Pro Val Ser Ala Phe Arg Ser Thr Phe Gly Glu Asp Asn Gly Ile Val Leu Glu Gly Ser Pro Leu Lys Gly Leu Leu Ala Arg Ser Val Ile Val Val Asp Glu Asn Gly Lys Val Ala Tyr Thr Gln Leu Val Asp Glu Ile Phe Thr Glu Pro Asp Tyr Asp Ala Ala Leu Ala Gly Leu Asn <210> 65 <211> 879 <212> DNA <213> Corynebacterium glutamicum <221> CDS <222> (101)..(856) <223> RXN01676 <400> 65 agttacaget tttctcggtg gcacactegc gctacttagc cettgtgccg cactcetttt 60 accagcattt tttgcatcct cagtgggtgc tggcccgcgc atg atc ctt cac ggt Met Ile Leu His Gly gtt gtg ttc tac gca gga ctt cta gta ctt ctc gtg cca ctt ggc ctt 163 Val Val Phe Tyr Ala Gly Leu Leu Val Leu Leu Val Pro Leu Gly Leu 10 15 ggt gcg gga atc ctc ggc gag ctg ttt atc acc caa cgc cag acc atc 211 Gly Ala Gly Ile Leu Gly Glu Leu Phe Ile Thr Gln Arg Gln Thr Ile atc gtg gtt tca tcg atc gtg ctg att atc cta ggt ttt gtc cag atc Ile Val Val Ser Ser Ile Val Leu Ile Ile Leu Gly Phe Val Gln Ile tte gge gge gga tte gae tte gga aaa gea ete eea gga tta gat egt 307 Phe Gly Gly Gly Phe Asp Phe Gly Lys Ala Leu Pro Gly Leu Asp Arg 355 ctg caa tot aag goo act gtg acc toa ggt ota gga aag ago ttt tta Leu Gln Ser Lys Ala Thr Val Thr Ser Gly Leu Gly Lys Ser Phe Leu

70			75					80				85	
	atg Met		Ser										403
	gtt Val	Thr											451
	att Ile 120												499
	gca Ala												547
	ggc Gly												595
	att Ile												643
	aac Asn												691
	tgg Trp 200												739
	gca Ala												787
	cga Arg												835
	 gtt Val			_	taat	tatt	ag t	tttg	ıgagc	g ag	ıg		879

<210> 66

<211> 252

<212> PRT

<213> Corynebacterium glutamicum

<400> 66

Met Ile Leu His Gly Val Val Phe Tyr Ala Gly Leu Leu Val Leu Leu 1 5 10 15

Val Pro Leu Gly Leu Gly Ala Gly Ile Leu Gly Glu Leu Phe Ile Thr

20 25 30

Gln Arg Gln Thr Ile Ile Val Val Ser Ser Ile Val Leu Ile Ile Leu
35 40 45

Gly Phe Val Gln Ile Phe Gly Gly Phe Asp Phe Gly Lys Ala Leu 50 55 60

Pro Gly Leu Asp Arg Leu Gln Ser Lys Ala Thr Val Thr Ser Gly Leu 65 70 75 80

Gly Lys Ser Phe Leu Leu Gly Met Thr Ser Ser Ile Ala Gly Phe Cys 85 90 95

Ser Gly Pro Ile Leu Gly Ala Val Leu Thr Leu Ala Ala Thr Ser Gly 100 105 110

Asn Ser Ile Thr Ser Ala Leu Ile Leu Ser Ala Tyr Gly Ala Gly Met
115 120 125

Val Leu Pro Leu Met Ala Ile Ala Ala Leu Trp Ala Lys Leu Gly Gln 130 135 140

Arg Gly Gln Gln Met Leu Arg Gly Arg Glu Phe Thr Phe Leu Gly Arg 145 150 155 160

Gln Trp His Ile Val Ser Val Ile Ser Gly Ala Leu Ile Ile Ala Val 165 170 175

Gly Ile Leu Phe Trp Ser Thr Asn Gly Leu Val Ser Met Pro Glu Leu 180 185 190

Val Pro Met Asp Thr Gln Ile Trp Leu Gln Glu Ala Thr Phe Ser Leu 195 200 205

Gly Ser Pro Leu Phe Asp Ile Ala Leu Ile Ile Val Ala Ala Gly Leu 210 215 220

Phe Leu Tyr Phe Trp Asn Lys Arg Gln Lys Arg Lys Glu Glu Ala Gln 225 230 235 240

Arg Pro Lys Glu Ser Gly Trp Val Ile Asn Pro Arg 245 250

<210> 67

<211> 744

<212> DNA

<213> Corynebacterium glutamicum

<220>

<221> CDS

<222> (101)..(721)

<223> RXN00380

<400> 67

cagging gacctic cagtiacatic citigging to caagacgatic aaattgting 60

cgt	gcat	tac	aacg	aacc	ag c	tcag	gaga	t tt	gatc	actc			ttg Leu			115
										agc Ser						163
										gac Asp						211
										aag Lys						259
										att Ile						307
										gat Asp 80						355
-							-		_	gca Ala	_	_	_		-	403
										ctc Leu						451
										atc Ile						499
										gac Asp						547
	_	Ile	Tyr	Asp	Pro	Pro	Phe	Met	Thr	gca Ala 160	Ala					595
										gtg Val						643
cgc Arg	ccc Pro	gca Ala	gca Ala 185	gtg Val	ttc Phe	ttg Leu	cgc Arg	gaa Glu 190	gtc Val	acc Thr	tcc Ser	aaa Lys	gat Asp 195	gtg Val	ttg Leu	691
				cca Pro		Val				taaa	tgto	tg a	ıgatt	gtgç	jt	741

agc 744

<210> 68

<211> 207

<212> PRT

<213> Corynebacterium glutamicum

<400> 68

Val Arg Leu Thr Lys Leu Ala Ala Thr Ile Gly Cys Val Thr Leu Ser 1 5 10 15

Gly Leu Ala Leu Val Ala Cys Ser Ser Asp Ser Thr Ala Gly Thr Asp 20 25 30

Ala Val Ala Val Gly Gly Thr Phe Gln Phe His Ser Pro Asp Gly Lys
35 40 45

Met Glu Ile Phe Tyr Asp Glu Ala Asp Arg Gln Gln Leu Pro Asp Ile 50 55 60

Gly Gly Asp Ser Leu Met Glu Glu Gly Thr Gln Ile Asn Leu Ser Asp 65 70 75 80

Phe Glu Asn Gln Val Val Ile Leu Asn Ala Trp Gly Gln Trp Cys Ala 85 90 95

Pro Cys Arg Ser Glu Ser Asp Asp Leu Gln Ile Ile His Glu Glu Leu 100 105 110

Gln Ala Ala Gly Asn Gly Asp Thr Pro Gly Gly Thr Val Leu Gly Ile 115 120 125

Asn Val Arg Asp Tyr Ser Arg Asp Ile Ala Gln Asp Phe Val Thr Asp 130 135 140

Asn Gly Leu Asp Tyr Pro Ser Ile Tyr Asp Pro Pro Phe Met Thr Ala 145 150 155 160

Ala Ser Leu Gly Gly Val Pro Ala Ser Val Ile Pro Thr Thr Ile Val 165 170 175

Leu Asp Lys Gln His Arg Pro Ala Ala Val Phe Leu Arg Glu Val Thr 180 185 190

Ser Lys Asp Val Leu Asp Val Ala Leu Pro Leu Val Asp Glu Ala 195 200 205

<210> 69

<211> 495

<212> DNA

<213> Corynebacterium glutamicum

<220>

<221> CDS

<222> (101)..(472)

<223> RXN00937

_	0> 6															
agc	tgcc	ggt	caat	gaag	aa a	atcc	ttgg	c cg	ggaa	taac	tac	agtc	cgc 1	tgaaa	agttgg	60
tct	atat	ata	gacc	ttac	aa a	tctt	gaac	g ga	gatt	ctta	atg Met 1	gca Ala				115
gta Val	acc Thr	gaa Glu	gaa Glu	aca Thr 10	ttt Phe	gag Glu	agc Ser	aca Thr	gtt Val 15	acc Thr	ggc Gly	gac Asp	gga Gly	att Ile 20	gtc Val	163
ctc Leu	gta Val	gac Asp	gca Ala 25	tgg Trp	gca Ala	tcc Ser	tgg Trp	tgc Cys 30	gga Gly	cct Pro	tgc Cys	cgc Arg	cag Gln 35	ttc Phe	gcc Ala	211
											gac Asp					259
aag Lys	ctt Leu 55	gat Asp	acc Thr	gaa Glu	gca Ala	aac Asn 60	cag Gln	ggc Gly	ctg Leu	gct Ala	gca Ala 65	gca Ala	ctg Leu	cag Gln	atc Ile	307
											ggc Gly					355
											gat Asp					403
											cgc Arg					451
			tct Ser				taag	cttc	ca a	ittgt	gttt	t gg	rt			495
)> 70 > 12															

<211> 124

<212> PRT

<213> Corynebacterium glutamicum

<400> 70

Met Ala Thr Ile Asp Val Thr Glu Glu Thr Phe Glu Ser Thr Val Thr 1 5 10 15

Gly Asp Gly Ile Val Leu Val Asp Ala Trp Ala Ser Trp Cys Gly Pro $20 \\ 20 \\ 25 \\ 30 \\$

Cys Arg Gln Phe Ala Pro Thr Tyr Glu Lys Val Ser Glu Thr His Thr 40

Asp Ala Thr Phe Ala Lys Leu Asp Thr Glu Ala Asn Gln Gly Leu Ala 55 Ala Ala Leu Gln Ile Gln Ser Ile Pro Thr Leu Met Val Phe Arg Asp Gly Ile Met Val Tyr Arg Glu Ala Gly Thr Met Pro Ala Pro Ala Leu Asp Asp Leu Val Asn Gln Val Lys Ala Leu Asp Met Asp Asp Val Arg Arg Gln Val Ala Glu Gln Gln Gly Ser Ala Glu Ala <210> 71 <211> 990 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(967) <223> RXN02325 <400> 71 cagagatttg aagatggaga ccaaggctca aagggaatcc atgccgtctt ggtttaatac 60 tgcacccgtc taatgaaaat cattactatt aggtgtcatg atg gac cat gca cac Met Asp His Ala His gat tee tge tea eea act etg ege egt gat ttg gag gte act gge eag 163 Asp Ser Cys Ser Pro Thr Leu Arg Arg Asp Leu Glu Val Thr Gly Gln ctc caa cct gag aaa gct gtc gat tta gca gcg ccg cac gaa ggg aag 211 Leu Gln Pro Glu Lys Ala Val Asp Leu Ala Ala Pro His Glu Gly Lys 259 gtt gcc aat ata acg aag gtg acc tcc tca aat atg gag cac acc atc Val Ala Asn Ile Thr Lys Val Thr Ser Ser Asn Met Glu His Thr Ile 45 307 acg cag gcc tca aaa gct aag gag gtg gtg gtg ctc att ggt cac tcc Thr Gln Ala Ser Lys Ala Lys Glu Val Val Val Leu Ile Gly His Ser ctg ctg ccc aca ttt cag gat ttg gaa aaa gac att ctg cac ttt cag 355 Leu Leu Pro Thr Phe Gln Asp Leu Glu Lys Asp Ile Leu His Phe Gln 75 80 403 gca ggt aat aaa ggg cga ttt tct gta gcg att gtt gat cct gat cgc Ala Gly Asn Lys Gly Arg Phe Ser Val Ala Ile Val Asp Pro Asp Arg 90 95

					gcc Ala										451
					ggc Gly										499
					caa Gln										547
					gag Glu 155										595
_			-		gaa Glu	-			-		-		_		 643
-		-			cag Gln	_	_	_	_		_		-		 691
		-		-	gta Val	_			_		_		-		 739
					aag Lys										787
	_				gat Asp 235	-		-	_	_		-		-	835
					gca Ala										883
					ctg Leu										931
					cag Gln							taag	jaaa <i>a</i>	aca	977
cttt	aaat	at t	ct												990

<210> 72

<211> 289 <212> PRT

<213> Corynebacterium glutamicum

<400> 72

Met	Asp	His	Ala	His	Asp	Ser	Cys	Ser	Pro	Thr	Leu	Arg	Arg	Asp	Leu
1				5					10					15	

- Glu Val Thr Gly Gln Leu Gln Pro Glu Lys Ala Val Asp Leu Ala Ala 20 25 30
- Pro His Glu Gly Lys Val Ala Asn Ile Thr Lys Val Thr Ser Ser Asn 35 40 45
- Met Glu His Thr Ile Thr Gln Ala Ser Lys Ala Lys Glu Val Val Val 50 55 60
- Leu Ile Gly His Ser Leu Leu Pro Thr Phe Gln Asp Leu Glu Lys Asp 65 70 75 80
- Ile Leu His Phe Gln Ala Gly Asn Lys Gly Arg Phe Ser Val Ala Ile 85 90 95
- Val Asp Pro Asp Arg Ser Ala Asp Val Val Ala Arg Phe Arg Pro Lys
 100 105 110
- Gln Ile Pro Val Ala Tyr Val Val Lys Asp Gly Ala Ser Ile Ala Glu 115 120 125
- Phe Asn Ser Leu Asn Lys Glu Pro Val Ala Gln Trp Leu Asp His Phe 130 140
- Val Ser Arg Glu Thr Ile Pro Asn Glu Lys Glu Gly Asp Val Asp Lys 145 150 155 160
- Gln Ile Asp Pro Arg Leu Trp Arg Ala Ala Glu Leu Val Asn Ala Gly
 165 170 175
- Asp Phe Arg Ala Ala Leu Ala Leu Tyr Glu Gln Leu Pro Gln Asp Ala 180 185 190
- Thr Val Lys Arg Ala His Ala Ala Val Ser Val Leu Ala Arg Met Ser 195 200 205
- Val Ala Asp Arg Gly Glu Asp Pro Ile Glu Lys Ser Arg Arg Asp Pro 210 215 220
- Asp Asp Val Asn Lys Ala Leu Ala Ala Ala Asp Met Tyr Val Leu Met 225 230 235 240
- Asn Gln Pro Asp Thr Ala Leu Ala His Leu Ala Ala Leu Leu Pro Lys 245 250 255
- Pro Glu Ala Ala Arg Arg Ile Val Glu Leu Leu Asn Leu Phe Asp Pro 260 265 270
- Leu Asp Leu Val Ala Leu Glu Ile Arg Ala Gln Val Gly Asn Ala Met 275 280 285

Ser

<210> 73 <211> 900 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(877) <223> RXN01837 <400> 73 ccccatcat tccctcaagg tgtgaagata cggttaggat agaaaagaat ttttttgacg 60 ttggacattc tcaaaatcaa gtagcaaggg atcaaactct gtg agt act aat aag Val Ser Thr Asn Lys gaa cga cgc caa cag gcg ctt tcc cag ctg gag aaa gaa atc aaa agc Glu Arg Arg Gln Gln Ala Leu Ser Gln Leu Glu Lys Glu Ile Lys Ser 10 cgg gac cgc aaa gaa aag acc aag cca cta acc gtg gtc ttt gct tcc 211 Arg Asp Arg Lys Glu Lys Thr Lys Pro Leu Thr Val Val Phe Ala Ser 25 ctg gct gtc atc ctg gtt gtc gtt ggc ggt atc tgg tac gca gct acc Leu Ala Val Ile Leu Val Val Val Gly Gly Ile Trp Tyr Ala Ala Thr 40 307 cgc agc acc gaa gac gaa gtc atc acc gct gat gaa aca tcc acc acc Arg Ser Thr Glu Asp Glu Val Ile Thr Ala Asp Glu Thr Ser Thr Thr 55 gca gag acc cct gac tac cag cca ctg gcg ctg acc cgc acc acc gcg 355 Ala Glu Thr Pro Asp Tyr Gln Pro Leu Ala Leu Thr Arg Thr Thr Ala 70 ctc ggc gac tcc gtg acc tgt gag tac cca gat gct ggc gag gct tcc Leu Gly Asp Ser Val Thr Cys Glu Tyr Pro Asp Ala Gly Glu Ala Ser 90 95 aag gat gtc tcc aag cct gct act gaa aac gtg cca gca acc ggc acc 451 Lys Asp Val Ser Lys Pro Ala Thr Glu Asn Val Pro Ala Thr Gly Thr 105 110 gtg acc gtc aac ctg acc acc gcc cag ggc aac atc ggc atg gaa ctt Val Thr Val Asn Leu Thr Thr Ala Gln Gly Asn Ile Gly Met Glu Leu 120 125 gat ege tee gta tee eet tgt ace gte aac get gtt gag eac atg get 547 Asp Arg Ser Val Ser Pro Cys Thr Val Asn Ala Val Glu His Met Ala 135 595 tee gag gge tae tae aac gat act gte tge cae ege ate ace ace tet Ser Glu Gly Tyr Tyr Asn Asp Thr Val Cys His Arg Ile Thr Thr Ser 150 155

					cag Gln					Ser						643
				Ser	ttc Phe											691
					gtc Val											739
					acc Thr											787
	Phe				acc Thr 235											835
_			_		cct Pro	_	_		_	_	_					877
tga	aggt	gga a	accg	gcga	eg ga	ag										900
	0> 7	_														
<21	1> 2! 2> PI 3> C	RT	ebact	eriu	ım gl	.utar	nicum	n								
<21 <21 <40	2> P1 3> Co 0> 74	RT Oryne 1							Cla	N1 n	Į ou	Sor	Cln.	Lou	C1	
<21 <21 <40	2> P1 3> Co 0> 74	RT Oryne 1			ım gl Glu				Gln 10	Ala	Leu	Ser	Gln	Leu 15	Glu	
<21 <21 <40 Val	2> P1 3> Co 0> 74 Ser	RT oryne 4 Thr	Asn	Lys 5		Arg	Arg	Gln	10					15		
<21 <21 <40 Val 1 Lys	2> Pl 3> Co 0> 74 Ser Glu	RT Oryne 1 Thr Ile	Asn Lys 20	Lys 5 Ser	Glu	Arg Asp	Arg Arg	Gln Lys 25	10 Glu	Lys	Thr	Lys	Pro 30	15 Leu	Thr	
<21 <21 <40 Val 1 Lys	2> P1 3> Cc 0> 74 Ser Glu Val	RT oryne 1 Thr Ile Phe 35	Asn Lys 20 Ala	Lys 5 Ser	Glu Arg	Arg Asp Ala	Arg Arg Val 40	Gln Lys 25 Ile	10 Glu Leu	Lys Val	Thr Val	Lys Val 45	Pro 30 Gly	15 Leu Gly	Thr Ile	
<21 <40 Val Lys Val Trp	2> P1 3> Cc 0> 74 Ser Glu Val	Thr Ile Phe 35	Asn Lys 20 Ala Ala	Lys 5 Ser Ser	Glu Arg Leu	Arg Asp Ala Ser 55	Arg Val 40	Gln Lys 25 Ile Glu	10 Glu Leu Asp	Lys Val Glu	Thr Val Val 60	Lys Val 45 Ile	Pro 30 Gly Thr	15 Leu Gly Ala	Thr Ile Asp	
<21 <40 Val Lys Val Trp Glu 65	2> PI 3> Co 0> 7' Ser Glu Val Tyr 50	Thr Ile Phe 35 Ala	Asn Lys 20 Ala Ala Thr	Lys 5 Ser Ser Thr	Glu Arg Leu Arg	Arg Asp Ala Ser 55 Glu	Arg Val 40 Thr	Gln Lys 25 Ile Glu Pro	10 Glu Leu Asp	Lys Val Glu Tyr 75	Thr Val Val 60 Gln	Lys Val 45 Ile Pro	Pro 30 Gly Thr	15 Leu Gly Ala Ala	Thr Ile Asp Leu 80	
<21 <40 Val Lys Val Trp Glu 65 Thr	2> PI 3> Co 0> 7' Ser Glu Val Tyr 50 Thr	Thr Ile Phe 35 Ala Ser	Asn Lys 20 Ala Ala Thr	Lys 5 Ser Ser Thr Thr	Glu Arg Leu Arg Ala 70	Arg Asp Ala Ser 55 Glu	Arg Val 40 Thr Asp	Gln Lys 25 Ile Glu Pro	10 Glu Leu Asp Asp	Lys Val Glu Tyr 75	Thr Val Val 60 Gln Cys	Lys Val 45 Ile Pro Glu	Pro 30 Gly Thr Leu	Leu Gly Ala Ala Pro 95	Thr Ile Asp Leu 80 Asp	

Ile Gly Met Glu Leu Asp Arg Ser Val Ser Pro Cys Thr Val Asn Ala 130 135 Val Glu His Met Ala Ser Glu Gly Tyr Tyr Asn Asp Thr Val Cys His Arg Ile Thr Thr Ser Gly Ile Tyr Val Leu Gln Cys Gly Asp Pro Ser 170 Ser Thr Gly Ala Gly Gly Pro Gly Phe Ser Phe Ala Asn Glu Tyr Pro Thr Asp Glu Ala Thr Asp Leu Thr Thr Pro Val Ile Tyr Glu Arg Gly 200 Thr Ile Ala Met Ala Asn Ala Gly Ala Asp Thr Asn Gly Leu Pro Val Leu Pro Gln Leu Arg Gly Phe Pro Thr Gly Thr Glu Leu His Leu Leu 225 230 235 Arg Pro Asp His Arg Arg Pro Cys Asn Pro Arg Arg His Arg Arg 250 Ser Trp His <210> 75 <211> 741 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (1)..(741) <223> RXN01926 <400> 75 ctg cga agc ttc tac acc cca gaa caa gcc atc gaa cgc gaa ggc gac 48 Leu Arg Ser Phe Tyr Thr Pro Glu Gln Ala Ile Glu Arg Glu Gly Asp 10 gtc tgg aaa gcc gcc acc gaa gaa gca gaa ctc ctc gca gct gac ggc 96 · Val Trp Lys Ala Ala Thr Glu Glu Ala Glu Leu Leu Ala Ala Asp Gly gcc gtc cac gac cag gaa ctc ttc ctc aac tgc acc acc tcc cca ctg 144 Ala Val His Asp Gln Glu Leu Phe Leu Asn Cys Thr Thr Ser Pro Leu ate tte gee tee geg atg etc aac tte gge gte cae caa ate etg gae 192 Ile Phe Ala Ser Ala Met Leu Asn Phe Gly Val His Gln Ile Leu Asp 50 55 acc etc tge caa etc gea eea tee eee gee gge ege gae gea gae eee 240

Thr 65	Leu	Cys	Gln	Leu	Ala 70	Pro	Ser	Pro	Ala	Gly 75	Arg	Asp	Ala	Asp	Pro 80	
														gac Asp 95		288
														atg Met		336
			-	-			-		_	_	-	-		ggc Gly	-	384
														agc Ser		432
														acc Thr		480
_		-				_		_			_		-	ggc Gly 175	_	528
														tac Tyr	cca Pro	576
	_						-			•		_	-	gcc Ala		624
														ctg Leu		672
														gac Asp		720
					cgg Arg	_										741

<210> 76

<211> 247

<212> PRT

<213> Corynebacterium glutamicum

<400> 76

Leu Arg Ser Phe Tyr Thr Pro Glu Gln Ala Ile Glu Arg Glu Gly Asp
1 5 10 15

Val Trp Lys Ala Ala Thr Glu Glu Ala Glu Leu Leu Ala Ala Asp Gly 20 25 30

Ala Val His Asp Gln Glu Leu Phe Leu Asn Cys Thr Thr Ser Pro Leu 35 40 45

Ile Phe Ala Ser Ala Met Leu Asn Phe Gly Val His Gln Ile Leu Asp 50 55 60

Thr Leu Cys Gln Leu Ala Pro Ser Pro Ala Gly Arg Asp Ala Asp Pro 65 70 75 80

Lys-Ala Leu Glu Ala Ala Thr Ser Ala Met Asp Asp His Arg Asp Thr 85 90 95

Thr Asp Asp Phe Ser Gly Val Val Phe Lys Val Gln Ala Gly Met Asp 100 105 110

Lys Asn His Arg Asp Thr Leu Ala Phe Met Arg Val Val Ser Gly Glu 115 120 125

Phe Asp Arg Gly Met Gln Val Thr His Ser Gln Ser Gly Arg Ser Phe 130 140

Ser Thr Lys Tyr Ala Leu Thr Val Phe Gly Arg Thr Arg Ser Thr Val 145 150 155 160

Glu Thr Ala Phe Pro Gly Asp Ile Val Gly Leu Val Asn Ala Gly Ala 165 170 175

Leu Ala Pro Gly Asp Thr Ile Phe Glu Gly Arg Lys Ile Gln Tyr Pro 180 185 190

Pro Met Pro Lys Phe Ala Pro Glu His Phe Arg Ile Leu Arg Ala Lys 195 200 205

Ser Leu Gly Lys Tyr Lys Gln Phe Arg Lys Ala Leu Glu Gln Leu Asp 210 215 220

Ser Glu Gly Val Val Gln Ile Leu Lys Asn Asp Leu Arg Gly Asp Ala 225 230 235 240

Asn Pro Gly His Gly Arg Cys 245

<210> 77

<211> 478

<212> DNA

<213> Corynebacterium glutamicum

<220>

<221> CDS

<222> (101)..(478)

<223> RXN02002

<400> 77

-- .. - . .

aagtggcaaa aaacgtttca agcaggcaac gccggcgtac aacttcgctg agctggggcg	60
attatggccc agcgcccaca acccgctatt cttaataccc atg agc aac gcc aat Met Ser Asn Ala Asn 1 5	115
tcc gac acc acc gcc gcc gag gca cat cgc cgc aga aca ttc gcc gta Ser Asp Thr Thr Ala Ala Glu Ala His Arg Arg Arg Thr Phe Ala Val 10 15 20	163
atc gca cac ccc gac gcc ggt aaa tcc acc ctc acc gag gca ttg gcg Ile Ala His Pro Asp Ala Gly Lys Ser Thr Leu Thr Glu Ala Leu Ala 25 30 35	211
ctg cat gca cac atc atc tcc gaa gcc ggc gcc acc cac ggc aaa gca Leu His Ala His Ile Ile Ser Glu Ala Gly Ala Thr His Gly Lys Ala 40 45 50	259
ggc cgc aaa gcc acc gtt tcc gac tgg atg gaa atg gaa aaa gac cgc Gly Arg Lys Ala Thr Val Ser Asp Trp Met Glu Met Glu Lys Asp Arg 55 60 65	307
ggc atc tcc atc gcc tcc tcc gca ctc caa ttc gag tac gca cca gaa Gly Ile Ser Ile Ala Ser Ser Ala Leu Gln Phe Glu Tyr Ala Pro Glu 70 75 80 85	355
ggc cac gca ggc gag ccc ttc atg atc aac ctc gtg gac acc cca ggc Gly His Ala Gly Glu Pro Phe Met Ile Asn Leu Val Asp Thr Pro Gly 90 95 100	403
cac gcc gac ttc tcc gaa gac acc tac cgc gtc ctc atg gcc gtc gac His Ala Asp Phe Ser Glu Asp Thr Tyr Arg Val Leu Met Ala Val Asp 105 110 115	451
gca gca gtc atg ctt atg cac tcc gtc Ala Ala Val Met Leu Met His Ser Val 120 125	478
<210> 78 <211> 126 <212> PRT <213> Corynebacterium glutamicum	
<400> 78 Met Ser Asn Ala Asn Ser Asp Thr Thr Ala Ala Glu Ala His Arg Arg 1 5 10 15	
Arg Thr Phe Ala Val Ile Ala His Pro Asp Ala Gly Lys Ser Thr Leu 20 25 30	

Thr Glu Ala Leu Ala Leu His Ala His Ile Ile Ser Glu Ala Gly Ala 35 40 45

Thr His Gly Lys Ala Gly Arg Lys Ala Thr Val Ser Asp Trp Met Glu 50 55 60

Met Glu Lys Asp Arg Gly Ile Ser Ile Ala Ser Ser Ala Leu Gln Phe Glu Tyr Ala Pro Glu Gly His Ala Gly Glu Pro Phe Met Ile Asn Leu Val Asp Thr Pro Gly His Ala Asp Phe Ser Glu Asp Thr Tyr Arg Val Leu Met Ala Val Asp Ala Ala Val Met Leu Met His Ser Val 120 <210> 79 <211> 1080 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(1057) <223> RXN02736 <400> 79 caqaqqatta cccaqcqqqt acqtqqqqtc caaaqaqcqc tgatgaaatg ctttcccgca 60 acggtcacac ctggcgcagg ccataattta ggggcaaaaa atg atc ttt gaa ctt Met Ile Phe Glu Leu ccq gat acc acc cag caa att tcc aag acc cta act cga ctg cgt Pro Asp Thr Thr Gln Gln Ile Ser Lys Thr Leu Thr Arg Leu Arg 10 gaa tcg ggc acc cag gtc acc acc ggc cga gtg ctc acc ctc atc gtg 211 Glu Ser Gly Thr Gln Val Thr Thr Gly Arg Val Leu Thr Leu Ile Val gtc act gac tcc gaa agc gat gtc gct gca gtt acc gag tcc acc aat 259 Val Thr Asp Ser Glu Ser Asp Val Ala Ala Val Thr Glu Ser Thr Asn 40 45 50 307 gaa gcc tcg cgc gag cac cca tct cgc gtg atc att ttg gtg gtt ggc Glu Ala Ser Arg Glu His Pro Ser Arg Val Ile Ile Leu Val Val Gly 60 55 gat aaa act gca gaa aac aaa gtt gac gca gaa gtc cgt atc ggt ggc 355 Asp Lys Thr Ala Glu Asn Lys Val Asp Ala Glu Val Arg Ile Gly Gly 70 75 gac gct ggt gct tcc gag atg atc atc atg cat ctc aac gga cct gtc 403 Asp Ala Gly Ala Ser Glu Met Ile Ile Met His Leu Asn Gly Pro Val gct gac aag ctc cag tat gtc gtc aca cca ctg ttg ctt cct gac acc 451 Ala Asp Lys Leu Gln Tyr Val Val Thr Pro Leu Leu Pro Asp Thr 110 115 105

				tgg Trp										499
				atc Ile										547
				cta Leu 155										595
				tgg Trp										643
-		_	-	cac His			-	-				-		691
_		-	_	ggc Gly	-	_		_	_	_	-			739
-	 		_	aaa Lys				-				_	-	787
				gat Asp 235					_	_	_		_	835
				cgc Arg										883
				cag Gln										931
				ggt Gly										979
				gat Asp										1027
				aag Lys 315				taaç	ıgaga	aa t	acaa	cact	:a	1077
tgg														1080

<210> 80

- <211> 319
- <212> PRT
- <213> Corynebacterium glutamicum

<400> 80

- Met Ile Phe Glu Leu Pro Asp Thr Thr Gln Gln Ile Ser Lys Thr 1 5 10 15
- Leu Thr Arg Leu Arg Glu Ser Gly Thr Gln Val Thr Thr Gly Arg Val
 20 25 30
- Leu Thr Leu Ile Val Val Thr Asp Ser Glu Ser Asp Val Ala Ala Val
 35 40 45
- Thr Glu Ser Thr Asn Glu Ala Ser Arg Glu His Pro Ser Arg Val Ile
 50 55 60
- Ile Leu Val Val Gly Asp Lys Thr Ala Glu Asn Lys Val Asp Ala Glu 65 70 75 80
- Val Arg Ile Gly Gly Asp Ala Gly Ala Ser Glu Met Ile Ile Met His 85 90 95
- Leu Asn Gly Pro Val Ala Asp Lys Leu Gln Tyr Val Val Thr Pro Leu 100 105 110
- Leu Leu Pro Asp Thr Pro Ile Val Ala Trp Trp Pro Gly Glu Ser Pro
 115 120 125
- Lys Asn Pro Ser Gln Asp Pro Ile Gly Arg Ile Ala Gln Arg Arg Ile 130 135 140
- Thr Asp Ala Leu Tyr Asp Arg Asp Asp Ala Leu Glu Asp Arg Val Glu 145 150 155 160
- Asn Tyr His Pro Gly Asp Thr Asp Met Thr Trp Ala Arg Leu Thr Gln 165 170 175
- Trp Arg Gly Leu Val Ala Ser Ser Leu Asp His Pro Pro His Ser Glu 180 185 190
- Ile Thr Ser Val Arg Leu Thr Gly Ala Ser Gly Ser Thr Ser Val Asp 195 200 205
- Leu Ala Ala Gly Trp Leu Ala Arg Arg Leu Lys Val Pro Val Ile Arg 210 215 220
- Glu Val Thr Asp Ala Pro Thr Val Pro Thr Asp Glu Phe Gly Thr Pro 225 230 235 240
- Leu Leu Ala Ile Gln Arg Leu Glu Ile Val Arg Thr Thr Gly Ser Ile 245 250 255
- Ile Ile Thr Ile Tyr Asp Ala His Thr Leu Gln Val Glu Met Pro Glu 260 265 270
- Ser Gly Asn Ala Pro Ser Leu Val Ala Ile Gly Arg Arg Ser Glu Ser

285 280 275 Asp Cys Leu Ser Glu Glu Leu Arg His Met Asp Pro Asp Leu Gly Tyr 295 Gln His Ala Leu Ser Gly Leu Ser Ser Val Lys Leu Glu Thr Val 310 <210> 81 <211> 331 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(301) <223> RXS03217 <400> 81 tctgtgaagg tagatggttt gacgaggagt tccaacgact cggacgctgg tgaatcatgc 60 tggcgaacgt agcatcacct gattaggaaa aggtacaaat atg gca cag ggt act Met Ala Gln Gly Thr 1 gtg aaa tgg ttc aac ggc gaa aag gga ttt ggt ttc atc gct ccc aac 163 Val Lys Trp Phe Asn Gly Glu Lys Gly Phe Gly Phe Ile Ala Pro Asn gat ggc tcc gca gat ctc ttc gtc cac tac tct gag att cag ggc tcc 211 Asp Gly Ser Ala Asp Leu Phe Val His Tyr Ser Glu Ile Gln Gly Ser 25 ggt ttc cgt aat ctt gag gaa aac cag cca gtt gaa ttt gag gtc ggc Gly Phe Arg Asn Leu Glu Glu Asn Gln Pro Val Glu Phe Glu Val Gly 40 gag ggc gcc aag ggc cca cag gct cag cag gtt cgt gct ctc 301 Glu Gly Ala Lys Gly Pro Gln Ala Gln Gln Val Arg Ala Leu 55 60 331 taagctctaa ctgctagcta aaaattccgc <210> 82 <211> 67 <212> PRT <213> Corynebacterium glutamicum

Glu Ile Gln Gly Ser Gly Phe Arg Asn Leu Glu Glu Asn Gln Pro Val Glu Phe Glu Val Gly Glu Gly Ala Lys Gly Pro Gln Ala Gln Gln Val Arg Ala Leu 65 <210> 83 <211> 324 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(301) <223> FRXA01917 <400> 83 tctgtgaagg tagatggttt gacgaggagt tccaacgact cggacgctgg tgaatcatgc 60 tggcqaacgt agcatcacct gattaggaaa aggtacaaat atg gca cag ggt act Met Ala Gln Gly Thr gtg aaa tgg ttc aac ggc gaa aag gga ttt ggt ttc atc gct ccc aac 163 Val Lys Trp Phe Asn Gly Glu Lys Gly Phe Gly Phe Ile Ala Pro Asn gat ggc tcc gca gat ctc ttc gtc cac tac tct gag att cag ggc tcc 211 Asp Gly Ser Ala Asp Leu Phe Val His Tyr Ser Glu Ile Gln Gly Ser ggt ttc cgt aat ctt gag gaa aac cag cca gtt gaa ttt gag gtc ggc Gly Phe Arg Asn Leu Glu Glu Asn Gln Pro Val Glu Phe Glu Val Gly 301 gag ggc gcc aag ggc cca cag gct cag cag gtt cgt gct ctc Glu Gly Ala Lys Gly Pro Gln Ala Gln Gln Val Arg Ala Leu 60 65 324 taagctctaa ctgctagcta aaa <210> 84 <211> 67 <212> PRT <213> Corynebacterium glutamicum <400> 84 Met Ala Gln Gly Thr Val Lys Trp Phe Asn Gly Glu Lys Gly Phe Gly Phe Ile Ala Pro Asn Asp Gly Ser Ala Asp Leu Phe Val His Tyr Ser

Glu Ile Gln Gly Ser Gly Phe Arg Asn Leu Glu Glu Asn Gln Pro Val 35 Glu Phe Glu Val Gly Glu Gly Ala Lys Gly Pro Gln Ala Gln Gln Val Arg Ala Leu 65 <210> 85 <211> 504 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(481) <223> RXA02184 <400> 85 tttaccgcga tgcttgcggt gtataataat ttcttctggt caaaaatagt tgatcaattt 60 gaatcagcat atgaattagg aatgaaagtg gtgaggacaa gtg cct gtc gga aca Val Pro Val Gly Thr 1 gtg aag tgg tac gac gcg gag cgt ggt ttc ggc ttt gtc tcc aat cca 163 Val Lys Trp Tyr Asp Ala Glu Arg Gly Phe Gly Phe Val Ser Asn Pro ggt ggt gaa gat tgc ttc gta ggt aag caa gta ctt ccc aag gga gtc Gly Gly Glu Asp Cys Phe Val Gly Lys Gln Val Leu Pro Lys Gly Val 30 acc gaa ttg cac aag gga cag cga atc gat ttt gac ttc gcc gca ggc 259 Thr Glu Leu His Lys Gly Gln Arg Ile Asp Phe Asp Phe Ala Ala Gly cgt aag ggc cct caa gca ctt cga ata aag att ctt gaa act cca cgc 307 Arg Lys Gly Pro Gln Ala Leu Arg Ile Lys Ile Leu Glu Thr Pro Arg agg cgt cca cag cac aaa tac aag cca gaa gag ctc aac gga atg atc 355 Arg Arg Pro Gln His Lys Tyr Lys Pro Glu Glu Leu Asn Gly Met Ile tct gac ctc atc acg ctt cta gaa agt gga gtg caa cca ggc ctt gcc 403 Ser Asp Leu Ile Thr Leu Leu Glu Ser Gly Val Gln Pro Gly Leu Ala aaa ggg caa tac ccg gag cac aaa gct gga gcg cag gta gca gaa att 451 Lys Gly Gln Tyr Pro Glu His Lys Ala Gly Ala Gln Val Ala Glu Ile 105 ctt cgc gtt gtt gcg aag gag ctt gag tct taaaacaata aggagaggat 501

Leu Arg Val Val Ala Lys Glu Leu Glu Ser 120 125

ccg 504

<210> 86

<211> 127

<212> PRT

<213> Corynebacterium glutamicum

<400> 86

Val Pro Val Gly Thr Val Lys Trp Tyr Asp Ala Glu Arg Gly Phe Gly
1 5 10 15

Phe Val Ser Asn Pro Gly Gly Glu Asp Cys Phe Val Gly Lys Gln Val
20 25 30

Leu Pro Lys Gly Val Thr Glu Leu His Lys Gly Gln Arg Ile Asp Phe 35 40 45

Asp Phe Ala Ala Gly Arg Lys Gly Pro Gln Ala Leu Arg Ile Lys Ile 50 55 60

Leu Glu Thr Pro Arg Arg Pro Gln His Lys Tyr Lys Pro Glu Glu 65 70 75 80

Leu Asn Gly Met Ile Ser Asp Leu Ile Thr Leu Leu Glu Ser Gly Val 85 90 95

Gln Pro Gly Leu Ala Lys Gly Gln Tyr Pro Glu His Lys Ala Gly Ala 100 105 110

Gln Val Ala Glu Ile Leu Arg Val Val Ala Lys Glu Leu Glu Ser 115 120 125

<210> 87

<211> 324

<212> DNA

<213> Corynebacterium glutamicum

<220>

<221> CDS

<222> (101)..(301)

<223> RXA00810

<400> 87

teggegtteg tteaagaaac ggeeagatgt tgetgttega geteatgeaa gagtggaaca 60

tegaaceegg tagtaattee aateagtaaa ggtaagaeaa atg gea eag gge act 115

Met Ala Gln Gly Thr

1 5

gtt aag tgg ttc aac cca gag aag ggc ttc ggc ttc atc gct cct tcc 163 Val Lys Trp Phe Asn Pro Glu Lys Gly Phe Gly Phe Ile Ala Pro Ser 10 15 20

gac gga tee get gac gtt tte gte cae tae tee gag ate gag gge aac 211 Asp Gly Ser Ala Asp Val Phe Val His Tyr Ser Glu Ile Glu Gly Asn ggc ttc cgt acc ctc gag gag aac cag ctc gtc gag ttc gaa atc ggc 259 Gly Phe Arg Thr Leu Glu Glu Asn Gln Leu Val Glu Phe Glu Ile Gly 45 301 gag ggc gct aag ggc ctt cag gct cag gct gtt cgt gca atc Glu Gly Ala Lys Gly Leu Gln Ala Gln Ala Val Arg Ala Ile 324 taattgcatc tgagttcgaa acc <210> 88 <211> 67 <212> PRT <213> Corynebacterium glutamicum <400> 88 Met Ala Gln Gly Thr Val Lys Trp Phe Asn Pro Glu Lys Gly Phe Gly Phe Ile Ala Pro Ser Asp Gly Ser Ala Asp Val Phe Val His Tyr Ser Glu Ile Glu Gly Asn Gly Phe Arg Thr Leu Glu Glu Asn Gln Leu Val Glu Phe Glu Ile Gly Glu Gly Ala Lys Gly Leu Gln Ala Gln Ala Val 50 Arg Ala Ile 65 <210> 89 <211> 1017 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(994) <223> RXA01674 <400> 89 eggegtegat tecagaaggt ttgtagacat getteaaggt tgegetaatt gaaaagaaeg 60 cggtagacgg tactttcata tccacccata taatgttgat atg gat aat ggg tgg 115 Met Asp Asn Gly Trp ccg aac ctg caa act ctc gca ctc ttt gtg gcg att gtg gaa gag ggg 163 Pro Asn Leu Gln Thr Leu Ala Leu Phe Val Ala Ile Val Glu Glu Gly

10 15 20

				Gly	gct Ala				Gly						211
			Ile		gag Glu										259
		His			gga Gly		His								307
_	Glu		_	_	gat Asp 75	_				_	-			-	355
					cga Arg			-	-	_			-		403
					gcc Ala										451
					cct Pro										499
					gaa Glu										547
		_		_	cat His 155	-		_			-	_			595
					att Ile										643
		Thr			atc Ile		Leu								691
					ggc Gly										739
		_		-	atg Met	-		_					-		787
-		-	_	-	gtt Val 235	_	_	-		-		-	_		835

ggt gaa tta Gly Glu Leu				Leu Gly			883
gtg cca ttt Val Pro Phe							931
agt gga ccc Ser Gly Pro 280			e Leu Ala				979
gca tcg aac Ala Ser Asn 295		tgattttgag	ccctggct	aa cgg			1017
<210> 90 <211> 298 <212> PRT <213> Coryno	ebacterium	n glutamic	mc				
<400> 90 Met Asp Asn 1	Gly Trp E	Pro Asn Le	Gln Thr	Leu Ala	Leu Phe	Val Ala 15	
Ile Val Glu	Glu Gly S	Ser Leu Gly	y Ala Gly 25	Ala Arg	Lys Val 30	Gly Met	
Ala Gln Pro 35	Asn Ala S	Ser Arg Ala 40		Glu Leu	Glu Ala 45	Asp Met	
Lys Ala Glu 50	Leu Leu V	/al Arg His 55	s Pro Arg	Gly Ser 60	His Pro	Thr Ala	
Ala Gly Leu 65	Ala Leu V	/al Glu His 70	s Ser Arg	Asp Leu 75	Leu Gln	Ser Val 80	
Gln Glu Phe	Thr Glu T 85	rp Val Thi	Glu Gly 90	Arg Thr	Glu Gln	Pro Leu 95	
Lys Leu His	Val Gly A	Ala Ser Met	Thr Ile	Ala Glu	Ala Leu 110	Leu Pro	
Ala Trp Val 115	Ala Asp M	let Arg Thi 120		Pro Ala	Cys Arg 125	Val Asp	
Val Ser Val 130	Met Asn S	Ser Ser Glr 135	val Ile	Glu Ala 140	Val Gln	Lys Gly	
His Leu Gln 145		he Ile Glu .50	Thr Pro	His Val	Pro Val	Arg Leu 160	
His Ala Arg	Val Val G 165	iln Glu Asp	Lys Leu 170	Ile Val	Val Ile	Ser Pro 175	

Asn His Glu Trp Ala Asn Arg Thr Gly Arg Ile Ser Leu Arg Glu Leu 185 Ser Glu Thr Pro Leu Ile Val Arg Glu Val Gly Ser Gly Thr Arg Glu Ala Leu Gln Glu Leu Leu Ala Asp Tyr Asp Met Ala Glu Pro Ile Gln Val Leu Asn Ser Asn Ala Ala Val Arg Val Val Val Glu Ala Gly Ala 230 Gly Pro Ala Val Leu Gly Glu Leu Ala Leu Arg Asp His Leu Ala Leu Gly Arg Leu Leu Ser Val Pro Phe Glu Gly Ser Gly Val Thr Arg Pro 260 Leu Thr Ala Val Trp Ser Gly Pro Arg Arg Leu Pro Ile Leu Ala Gly .Glu Leu Val Ser Ile Ala Ser Asn His Ile 290 295 <210> 91 <211> 1214 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (1)..(1191) <223> RXA02431 <400> 91 gtg gtg gtg aca ccc cgt cat atc gtt tac tcc gca gcc tcg cgc cgg Val Val Val Thr Pro Arg His Ile Val Tyr Ser Ala Ala Ser Arg Arg gtg ttc caa atc gtg gaa aaa cgc gcc gga att gtc gaa cgc ctc agc 96 Val Phe Gln Ile Val Glu Lys Arg Ala Gly Ile Val Glu Arg Leu Ser 20 25 atc gat gaa ggc ttc atg gaa cca gag gct ctc gtt gga gcc acc cca Ile Asp Glu Gly Phe Met Glu Pro Glu Ala Leu Val Gly Ala Thr Pro 35 40 gaa gag gtg aaa cag tgg gcg gaa gaa tta cgc gcg gaa att aaa gaa 192 Glu Glu Val Lys Gln Trp Ala Glu Glu Leu Arg Ala Glu Ile Lys Glu gtt act ggc tta ccc tcc tcg gtt ggt gct ggc tcc ggt aag cag atc 240

Val Thr Gly Leu Pro Ser Ser Val Gly Ala Gly Ser Gly Lys Gln Ile

gcc aaa att ggt tca ggc gaa gca aag cca gat ggt gtg ttt gtc gtg

Ala	Lys	Ile	Gly	Ser 85		Glu	Ala	Lys	Pro 90	_	Gly	Val	Phe	Val 95	Val	
				Gln										ggc Gly		336
			Val					Gly						atg Met		384
	-				-		Āla						-	gta Val	-	432
						Ile								gcc Ala		480
														cag Gln 175		528
														caa Gln		576
														ctc Leu		624
														atg Met		672
														acc Thr		720
														tac Tyr 255		768
														ggt Gly		816
														caa Gln		864
														caa Gln		912
														gtc Val		960

305	310		315	320
			tac cac cca gaa Tyr His Pro Glu	
	l Gln Gly A		gtt gta tca gta Val Val Ser Val 350	
			aaa agt ttt tcc Lys Ser Phe Ser 365	
		a Asp Pro Leu	gat agt ttg gat Asp Ser Leu Asp 380	
gac tgg ttt gct Asp Trp Phe Ala 385			gat gac gaa tag Asp Asp Glu 395	ggtttca 1201
tegggttteg ggg				1214
<210> 92 <211> 397				
<212> PRT <213> Corynebac	terium glut	amicum		
<213> Corynebac <400> 92	-		Ser Ala Ala Ser	Arg Arg 15
<213> Corynebac <400> 92 Val Val Val Thr 1	Pro Arg Hi 5 Val Glu Ly	s Ile Val Tyr 10	Ser Ala Ala Ser Ile Val Glu Arg 30	15
<213> Corynebac <400> 92 Val Val Val Thr 1 Val Phe Gln Ile	Pro Arg Hi 5 Val Glu Ly	s Ile Val Tyr 10 s Arg Ala Gly 25	Ile Val Glu Arg	15 Leu Ser
<213> Corynebac <400> 92 Val Val Val Thr 1 Val Phe Gln Ile 20 Ile Asp Glu Gly 35	Pro Arg Hi 5 Val Glu Ly Phe Met Gl	s Ile Val Tyr 10 s Arg Ala Gly 25 u Pro Glu Ala 40 a Glu Glu Leu	Ile Val Glu Arg 30 Leu Val Gly Ala	15 Leu Ser Thr Pro
<213> Corynebac <400> 92 Val Val Val Thr 1 Val Phe Gln Ile 20 Ile Asp Glu Gly 35 Glu Glu Val Lys 50	Pro Arg Hi 5 Val Glu Ly Phe Met Gl Gln Trp Al	s Ile Val Tyr 10 s Arg Ala Gly 25 u Pro Glu Ala 40 a Glu Glu Leu 5	Ile Val Glu Arg 30 Leu Val Gly Ala 45 Arg Ala Glu Ile	15 Leu Ser Thr Pro Lys Glu
<213> Corynebac <400> 92 Val Val Val Thr 1 Val Phe Gln Ile 20 Ile Asp Glu Gly 35 Glu Glu Val Lys 50 Val Thr Gly Leu 65	Pro Arg Hi 5 Val Glu Ly Phe Met Gl Gln Trp Al 5 Pro Ser Se 70	s Ile Val Tyr 10 s Arg Ala Gly 25 u Pro Glu Ala 40 a Glu Glu Leu 5	Ile Val Glu Arg 30 Leu Val Gly Ala 45 Arg Ala Glu Ile 60 Gly Ser Gly Lys	Leu Ser Thr Pro Lys Glu Gln Ile 80
<213> Corynebac <400> 92 Val Val Val Thr 1 Val Phe Gln Ile 20 Ile Asp Glu Gly 35 Glu Glu Val Lys 50 Val Thr Gly Leu 65 Ala Lys Ile Gly	Pro Arg Hi 5 Val Glu Ly Phe Met Gl Gln Trp Al 5 Pro Ser Se 70 Ser Gly Gl 85	s Ile Val Tyr 10 s Arg Ala Gly 25 u Pro Glu Ala 40 a Glu Glu Leu 5 r Val Gly Ala u Ala Lys Pro 90	Ile Val Glu Arg 30 Leu Val Gly Ala 45 Arg Ala Glu Ile 60 Gly Ser Gly Lys 75	Leu Ser Thr Pro Lys Glu Gln Ile 80 Val Val 95
<213> Coryneback <400> 92 Val Val Val Thr 1 Val Phe Gln Ile 20 Ile Asp Glu Gly 35 Glu Glu Val Lys 50 Val Thr Gly Leu 65 Ala Lys Ile Gly Pro Val Asp Lys 100	Pro Arg Hi 5 Val Glu Ly Phe Met Gl Gln Trp Al 5 Pro Ser Se 70 Ser Gly Gl 85 Gln His As	s Ile Val Tyr 10 s Arg Ala Gly 25 u Pro Glu Ala 40 a Glu Glu Leu 5 r Val Gly Ala u Ala Lys Pro 90 p Leu Leu Asp 105	Ile Val Glu Arg 30 Leu Val Gly Ala 45 Arg Ala Glu Ile 60 Gly Ser Gly Lys 75 Asp Gly Val Phe Pro Leu Pro Val	Leu Ser Thr Pro Lys Glu Gln Ile 80 Val Val 95

Ile Ser Leu Gly Ala Thr Ile Gly Ile Ser Leu Trp Asn Leu Ala Arg Gly Ile Asp Asp Arg Pro Val Glu Pro Arg Ala Glu Ala Lys Gln Ile Ser Gln Glu His Thr Tyr Glu Lys Asp Leu Leu Thr Arg Gln Gln Val Asp Ala Ala Ile Ile Arg Ser Ala Glu Gly Ala His Arg Arg Leu Leu Lys Asp Gly Arg Gly Ala Arg Thr Val Ser Val Lys Leu Arg Met Ala 215 Asp Phe Arg Ile Glu Ser Arg Ser Tyr Thr Leu Ser Tyr Ala Thr Asp 230 Asp Tyr Ala Thr Leu Glu Ala Thr Ala Phe Arg Leu Ala Arg Tyr Pro Gly Glu Val Gly Pro Ile Arg Leu Val Gly Val Ser Phe Ser Gly Leu Glu Glu Ser Arg Gln Asp Ile Leu Phe Pro Glu Leu Asp Gln Gln Ile 280 285 Ile Val Pro Pro Ala Pro Asp Thr Asp Tyr Glu Val Gly Val Gln Ser Ser Ser Ser Glu Ser Thr Gln Val Glu Ala Pro Gln Asp Val Ala Leu Ser Met Trp Cys Ala Thr Gln Asp Val Tyr His Pro Glu Tyr Gly 330 His Gly Trp Val Gln Gly Ala Gly His Gly Val Val Ser Val Arg Phe Glu Thr Arg Ser Thr Thr Lys Gly Arg Thr Lys Ser Phe Ser Met Asp Asp Pro Asp Leu Thr Pro Ala Asp Pro Leu Asp Ser Leu Asp Trp Ala

<210> 93

<211> 558

<212> DNA

<213> Corynebacterium glutamicum

Asp Trp Phe Ala Glu Asn Gly Glu Thr Gly Asp Asp Glu

390

<220>

<221> CDS

<222> (101)..(535) <223> RXA02446

<400> 93 caggaaatct tgctgtctaa tgcacaacgg aaaactgctc acggacgaac tagttgtaqc 60 gagcgtattc tttgtgttct ctcacgacag gaatactgct atg gcg atc gag tcc Met Ala Ile Glu Ser atc gcg tac acc agt gaa gca ctc tca acc ggc agt ggc cgg ctg ggg 163 Ile Ala Tyr Thr Ser Glu Ala Leu Ser Thr Gly Ser Gly Arg Leu Gly cat gtg cgc tcc aca gat ggt gcg ctc gaa ttt gaa atg aca ccg cca 211 His Val Arg Ser Thr Asp Gly Ala Leu Glu Phe Glu Met Thr Pro Pro 30 aag get ttg gge gga tee ggt gaa gge ace aat eea gaa eag etg tte 259 Lys Ala Leu Gly Gly Ser Gly Glu Gly Thr Asn Pro Glu Gln Leu Phe 40 45 gcg gta ggt tac gca gcc tgt ttc cac tct gcc atg cac tct gtc gca 307 Ala Val Gly Tyr Ala Ala Cys Phe His Ser Ala Met His Ser Val Ala 60 cgc agc cgc aag atc act ctt gaa gac aca gcg gtt ggt gcc cga gtt 355 Arg Ser Arg Lys Ile Thr Leu Glu Asp Thr Ala Val Gly Ala Arg Val 70 75 80 age ate ggg cea aac gge get ggt gga ttt gag att gee gta gaa ete 403 Ser Ile Gly Pro Asn Gly Ala Gly Gly Phe Glu Ile Ala Val Glu Leu 100 gaa gta tcg att cct caa ttg cca caa gca gaa gcc cag gaa ctt gct 451 Glu Val Ser Ile Pro Gln Leu Pro Gln Ala Glu Ala Gln Glu Leu Ala 105 gat gcc gcg cac cag gtg tgc ccg tat tcc aac gcc aca cga ggc aat 499 Asp Ala Ala His Gln Val Cys Pro Tyr Ser Asn Ala Thr Arg Gly Asn 120 125 545 atc tcg gta act gtg tca gtc atc gac gaa gag gct taaaaccaca Ile Ser Val Thr Val Ser Val Ile Asp Glu Glu Ala 135 558 ggattaacaa aac

<210> 94 <211> 145

<212> PRT

<213> Corynebacterium glutamicum

<400> 94

Met Ala Ile Glu Ser Ile Ala Tyr Thr Ser Glu Ala Leu Ser Thr Gly
1 10 15

Ser Gly Arg Leu Gly His Val Arg Ser Thr Asp Gly Ala Leu Glu Phe 20 Glu Met Thr Pro Pro Lys Ala Leu Gly Gly Ser Gly Glu Gly Thr Asn Pro Glu Gln Leu Phe Ala Val Gly Tyr Ala Ala Cys Phe His Ser Ala 50 Met His Ser Val Ala Arg Ser Arg Lys Ile Thr Leu Glu Asp Thr Ala Val Gly Ala Arg Val Ser Ile Gly Pro Asn Gly Ala Gly Gly Phe Glu 85 90 Ile Ala Val Glu Leu Glu Val Ser Ile Pro Gln Leu Pro Gln Ala Glu 105 Ala Gln Glu Leu Ala Asp Ala Ala His Gln Val Cys Pro Tyr Ser Asn 120 125 Ala Thr Arg Gly Asn Ile Ser Val Thr Val Ser Val Ile Asp Glu Glu Ala 145 <210> 95 <211> 1206 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(1183) <223> RXA02861 <400> 95 ccctcgatta ttacaatccg gctacttcgg aagcgtttgt ggccggattt ttctatcctg 60 gaaggtatta atacttcttt aagggtcgga ggattttcgt atg tct act aga aca Met Ser Thr Arg Thr acg cca caa gac cgt tat acc gac gaa tac ggc atc gaa cgc gtc aac 163 Thr Pro Gln Asp Arg Tyr Thr Asp Glu Tyr Gly Ile Glu Arg Val Asn aag gat gaa ccc ggc ctg gtg gac aaa ctc cgg gac aag cac gac tgg 211 Lys Asp Glu Pro Gly Leu Val Asp Lys Leu Arg Asp Lys His Asp Trp ttt gat cat ctc atg cgc atg aat gaa cgt ttc ggc gca aaa ggt ggc 259 Phe Asp His Leu Met Arg Met Asn Glu Arg Phe Gly Ala Lys Gly Gly 45

		Leu				att Ile 60	Thr									307
	Ile					ttc Phe					Val					355
		_	_			gat Asp				Arg			-	_		403
						acc Thr										451
						ttg Leu										499
		_			_	gcg Ala 140		_	-			_		-	-	547
						gaa Glu										595
						gtc Val										643
						gct Ala										691
			_			att Ile	_			_						739
						gtc Val 220										787
_				-		cgt Arg			-				_			835
						gca Ala										883
	-	-	-	_		aat Asn	-	-	-					-	-	931

			atc Ile													979
		-	tat Tyr	_				-	•		-	-	-		_	1027
_			act Thr	-		_								-	-	1075
	_		gat Asp			-	-	-				-	-			1123
			gtg Val 345	-			-		_			-			_	1171
-	cgt aaa aaa tagtttttat taagggcatt ccc Arg Lys Lys 360														1206	

<210> 96

<211> 361

<212> PRT

<213> Corynebacterium glutamicum

<400> 96

Met Ser Thr Arg Thr Thr Pro Gln Asp Arg Tyr Thr Asp Glu Tyr Gly

1 10 15

Ile Glu Arg Val Asn Lys Asp Glu Pro Gly Leu Val Asp Lys Leu Arg
20 25 30

Asp Lys His Asp Trp Phe Asp His Leu Met Arg Met Asn Glu Arg Phe 35 40 45

Gly Ala Lys Gly Gly Asn Gln Leu Ser Ala Gly Ile Thr Tyr Phe Ser 50 60

Val Leu Ser Ile Phe Pro Ile Ala Met Leu Val Phe Gly Ile Ala Gly 65 70 75 80

Val Ile Leu Ala Gly Asn Pro Glu Val Leu Thr Asp Ile Gln Asn Arg 85 90 95

Ile Asn Asp Ala Leu Glu Gly Glu Ile Gly Asn Thr Val Asn Gly Ile 100 105 110

Ile Asp Ser Ala Ile Ala Gln Arg Gly Ala Val Leu Gly Ile Gly Gly 115 120 125

Val Thr Ala Leu Trp Ser Gly Leu Gly Trp Met Ala Asn Leu Arg Phe 130 135 140

Gly Val Ser Arg Met Trp Ala Ile Asp Pro Thr Glu Gly Asn Phe Ile Gln Lys Lys Leu Thr Asp Leu Val Ala Leu Ile Val Leu Leu Ala Met Gly Val Ala Phe Gly Ile Thr Ala Leu Gly Ala Ser Gly Leu Thr Lys Asn Leu Leu Asp Phe Val Gly Leu Gly Glu Ile Pro Gly Ile Ser Tyr Ile Thr Trp Val Val Ala Ala Leu Val Gly Val Leu Ala Asn Phe 215 Leu Val Phe Met Trp Leu Ile Phe Ser Leu Pro Arg Thr Lys Val Pro Met Lys Pro Gly Leu Gln Ala Ala Leu Leu Gly Ala Ile Gly Phe Glu Val Val Lys Gln Val Gly Ser Leu Leu Ala Ser Asn Ala Leu Ser Asn 265 Pro Ala Gly Ala Ala Phe Gly Pro Ile Ile Gly Ile Met Val Val Leu 275 280 285 Tyr Leu Ile Trp Arg Ile Leu Met Tyr Cys Ser Ala Trp Ala Ala Thr Ser Glu Glu Ala Leu Arg Leu Ala Thr Val Pro Ala Pro Glu Pro Ala Ile Ile Arg Val Arg His Glu Ile Asp Pro Gly Glu Glu Val Ser Gln 330 Ser Ala Arg Lys Val Gly Ile Gly Val Ala Val Gly Ala Ala Thr Ala Gly Ala Phe Ala Leu Leu Arg Lys Lys 355 <210> 97 <211> 753 <212> DNA <213> Corynebacterium glutamicum <220>

<220>
<221> CDS
<222> (101)..(730)

<223> RXA00981

<400> 97

aaccaatggc tgggtactga tgtggtgatc agtgcccagt ttcttctttc tactagtgtc 60

gga	taga	agt	acco	ccag	itc c	aga <i>a</i>	itgaa	g gt	cacc	acca		Ser		aat Asn		115
					Leu					Arg				atc Ile 20		163
				Glu					Met					ttt Phe		211
att	gat Asp	gag Glu 40	Ile	ctg Leu	acc	aag Lys	atc Ile 45	aac Asn	atc Ile	ctg Leu	aaa Lys	act Thr 50	gaa Glu	ttc Phe	agc Ser	259
		His												ttg Leu		307
	Pro													gag Glu		355
														att Ile 100		403
														atg Met		451
	Asn													atc Ile		499
														caa Gln		547
														gtc Val		595
														aaa Lys 180		643
							Val							gag Glu		691
							cgg Arg 205						taaa	cctc	ca	740
gttg	aaac	ca c	tg													75 3

.

<210> 98

<211> 210

<212> PRT

<213> Corynebacterium glutamicum

<400> 98

Met Ser Glu Asn Leu Pro Ala Pro Glu Asn Leu Leu Asp Ala Glu Arg

1 10 15

Ile Gln Met Ile Lys Asn Phe Arg Asn Glu Leu Thr Gly Phe Met Leu 20 25 30

Asn Tyr Gln Phe Gly Ile Asp Glu Ile Leu Thr Lys Ile Asn Ile Leu 35 40 45

Lys Thr Glu Phe Ser Gln Leu His Glu Tyr Ala Pro Ile Glu His Val 50 55 60

Ser Ser Arg Leu Lys Thr Pro Glu Ser Ile Val Lys Lys Val Ile Arg
65 70 75 80

Lys Gly Asp Glu Leu Ser Leu Ala Ala Ile Lys Asp Thr Val Phe Asp 85 90 95

Ile Ala Gly Ile Arg Ile Val Cys Ser Phe Leu Lys Asp Ala Tyr Ala 100 105 110

Ile Ala Asp Met Leu Thr Asn Gln Lys Asp Val Thr Val Ile Glu Ala 115 120 125

Lys Asp Tyr Ile Ala Asn Pro Lys Pro Asn Gly Tyr Lys Ser Leu His 130 135 140

Leu Ile Leu Gln Val Pro Val Phe Leu Ser Asn Ser Val Glu Lys Val 145 150 155 160

Asn Val Glu Val Gln Ile Arg Thr Ile Ala Met Asp Phe Trp Ala Ser 165 170 175

Leu Glu His Lys Ile Tyr Tyr Lys Phe Glu Gln Glu Val Pro Gln Ser 180 185 190

Ile Leu Asp Glu Leu Ser Glu Asp Gly Lys Asn Pro Arg Gly Ser Glu 195 200 205

Val Thr 210

<210> 99

<211> 1098

<212> DNA

<213> Corynebacterium glutamicum

<220>

<221> CDS <222> (101)..(1075)

<223> RXN00786

--- -- ----

<400> 99 teettettee accagetaaa agtgaattae eeegeetttg teggggtggt tgeatteeea 60 gtctaggtgt ttagcctcaa cgttggatac gctgggaggc atg agc tca cct gtt Met Ser Ser Pro Val atc agc ccc gaa acc aaa acc gga aag aag atc ctg ctt gca gcc cct 163 Ile Ser Pro Glu Thr Lys Thr Gly Lys Lys Ile Leu Leu Ala Ala Pro cgc gga tac tgt gcc ggc gta gac cgt gca gtg gaa acc gtc gag cgc 211 Arg Gly Tyr Cys Ala Gly Val Asp Arg Ala Val Glu Thr Val Glu Arg gcg ctc gag gaa tac ggc gcc cca att tat gtc cgt aaa gaa atc gtg Ala Leu Glu Glu Tyr Gly Ala Pro Ile Tyr Val Arg Lys Glu Ile Val 45 307 cac aac cgt tac gtt gtg gac acc ctg gca gaa aag ggc gcg att ttt His Asn Arg Tyr Val Val Asp Thr Leu Ala Glu Lys Gly Ala Ile Phe 60 gtc aac gaa gca tct gaa gca cca gaa ggt gcc aac atg gtg ttc tct Val Asn Glu Ala Ser Glu Ala Pro Glu Gly Ala Asn Met Val Phe Ser gca cac qqc gtg agc cca atg gtc cac gaa gaa gct gca gct aaa aac 403 Ala His Gly Val Ser Pro Met Val His Glu Glu Ala Ala Ala Lys Asn 95 atc aag gct att gac gcg gcc tgc ccg ctg gtc acc aaa gtg cac aag 451 Ile Lys Ala Ile Asp Ala Ala Cys Pro Leu Val Thr Lys Val His Lys qaa qtc caq cqc ttt qat aag cag gga ttc cac att ctc ttc atc ggt 499 Glu Val Gln Arg Phe Asp Lys Gln Gly Phe His Ile Leu Phe Ile Gly 125 547 cac gaa ggc cat gaa gaa gta gag ggc acc atg ggt cat tcc gtt gag His Glu Gly His Glu Glu Val Glu Gly Thr Met Gly His Ser Val Glu 140 aaa acc cac ctg gtt gac ggc gtt gct ggc att gcc acc ctg cct gaa Lys Thr His Leu Val Asp Gly Val Ala Gly Ile Ala Thr Leu Pro Glu ttc tta aac gat gaa cca aac ctg atc tgg ctg tct cag acc acg ctt 643 Phe Leu Asn Asp Glu Pro Asn Leu Ile Trp Leu Ser Gln Thr Thr Leu tct qtq qac qaq acc atq gag atc gtc cgc gag ctg aag gtg aag ttc

Ser Val Asp Glu Thr Met Glu Ile Val Arg Glu Leu Lys Val Lys Phe

185 190 195

			cag Gln													739
	•	_	gtt Val	-	-	-	-		-		-	_		-	-	787
			ggt Gly													835
_	-	-	caa Gln			-	-		-		-		-		-	883
_	-		gac Asp 265		-			_		_						931
			gct Ala													979
_	-	-	gag Glu				-	-	-		-	-			-	1027
_		_	att Ile	-			-		-		-	_		_		1075
taat	tgca	ag a	atga	aaaa	t cc	:c										1098

<210> 100

<211> 325

<212> PRT

<213> Corynebacterium glutamicum

<400> 100

Met Ser Ser Pro Val Ile Ser Pro Glu Thr Lys Thr Gly Lys Lys Ile
1 5 10 15

Glu Thr Val Glu Arg Ala Leu Glu Glu Tyr Gly Ala Pro Ile Tyr Val

Arg Lys Glu Ile Val His Asn Arg Tyr Val Val Asp Thr Leu Ala Glu 50 55 60

Lys Gly Ala Ile Phe Val Asn Glu Ala Ser Glu Ala Pro Glu Gly Ala 65 70 75 80

Asn Met Val Phe Ser Ala His Gly Val Ser Pro Met Val His Glu Glu 85 90 95

Ala Ala Lys Asn Ile Lys Ala Ile Asp Ala Ala Cys Pro Leu Val 100 105 110

Thr Lys Val His Lys Glu Val Gln Arg Phe Asp Lys Gln Gly Phe His 115 120 125

Ile Leu Phe Ile Gly His Glu Gly His Glu Glu Val Glu Gly Thr Met 130 135 140

Gly His Ser Val Glu Lys Thr His Leu Val Asp Gly Val Ala Gly Ile 145 150 155 160

Ala Thr Leu Pro Glu Phe Leu Asn Asp Glu Pro Asn Leu Ile Trp Leu 165 170 175

Ser Gln Thr Thr Leu Ser Val Asp Glu Thr Met Glu Ile Val Arg Glu 180 185 190

Leu Lys Val Lys Phe Pro Gln Leu Gln Asp Pro Pro Ser Asp Asp Ile 195 200 205

Cys Tyr Ala Thr Gln Asn Arg Gln Val Ala Val Lys Ala Ile Ala Glu 210 215 220

Arg Cys Glu Leu Met Ile Val Val Gly Ser Arg Asn Ser Ser Asn Ser 225 230 235 240

Val Arg Leu Val Glu Val Ala Lys Gln Asn Gly Ala Asp Asn Ala Tyr 245 250 255

Leu Val Asp Tyr Ala Arg Glu Ile Asp Pro Ala Trp Phe Glu Gly Val 260 265 270

Glu Thr Ile Gly Ile Ser Ser Gly Ala Ser Val Pro Glu Ile Leu Val 275 280 285

Gln Gly Val Ile Glu Arg Leu Ala Glu Phe Gly Tyr Asp Asp Val Glu 290 295 300

Glu Val Thr Ser Ala Ala Glu Lys Ile Val Phe Ala Leu Pro Arg Val 305 310 315 320

Leu Arg His Lys Asn 325

<210> 101

<211> 1131

<212> DNA

<213> Corynebacterium glutamicum

<220>

<221> CDS

115

163

<222> (101)..(1108) <223> RXS01027

10

<400> 101 aataqatgga aqtagttttt cattcactta tgtgcgcgtt tttaatctgg tttctaccaa 60 gaactgtgtg caccacaacg cggaaggtga atcgcaccca atg gca aat aag aac Met Ala Asn Lys Asn aat aag cct cat gag gtg gac aaa gac caa gat tca gcc atg ctg atc Asn Lys Pro His Glu Val Asp Lys Asp Gln Asp Ser Ala Met Leu Ile

aac ggt cgc ctg caa cag atc ccg gcg cgt ccc act gag gaa ttc acc 211 Asn Gly Arg Leu Gln Gln Ile Pro Ala Arg Pro Thr Glu Glu Phe Thr 25

cgc cca act ctt gca gca ggt gca gta ctg tgg cgc ggc gac atc acc 259 Arg Pro Thr Leu Ala Ala Gly Ala Val Leu Trp Arg Gly Asp Ile Thr 40 45

307 aac ccg gac agc atc gag gtc gct gtc atc cac cgc ccg cac tat gat Asn Pro Asp Ser Ile Glu Val Ala Val Ile His Arg Pro His Tyr Asp 55

gac tgg tcc ctg gcc aag ggc aaa gtc gat ccc ggc gag tct att ccg 355 Asp Trp Ser Leu Ala Lys Gly Lys Val Asp Pro Gly Glu Ser Ile Pro

aca acc gcg gcc cgt gaa atc ctt gaa gaa act ggc tac gac atc cgt 403 Thr Thr Ala Ala Arg Glu Ile Leu Glu Glu Thr Gly Tyr Asp Ile Arg

ctg ggc aag ctg atc ggc aag gtt act tac cct gtg ctc gac cga acc 451 Leu Gly Lys Leu Ile Gly Lys Val Thr Tyr Pro Val Leu Asp Arg Thr 105 110

aaa gtg gtc tac tac tgg act gcc cag gtt ctt ggt gga gag ttt gtc 499 Lys Val Val Tyr Tyr Trp Thr Ala Gln Val Leu Gly Gly Glu Phe Val 120 125

ccc aac gat gaa gtt gat gaa atc cgt tgg ctg tct gtt gat gaa gca 547 Pro Asn Asp Glu Val Asp Glu Ile Arg Trp Leu Ser Val Asp Glu Ala 135

tgc gag ttg ctc agc tac caa gta gat acc gaa gtt ctg gcc aag gca 595 Cys Glu Leu Leu Ser Tyr Gln Val Asp Thr Glu Val Leu Ala Lys Ala 150 155

gca aag cgt ttc cgc act cct tcc acc act cgg gtg ctg tat gtt cgc 643 Ala Lys Arg Phe Arg Thr Pro Ser Thr Thr Arg Val Leu Tyr Val Arg 170 175

691 cat gct cat gca cat ggt cgc caa acc tgg ggt ggc gac gac aat aag His Ala His Ala His Gly Arg Gln Thr Trp Gly Gly Asp Asp Asn Lys 185 190

													gta Val		739
													ccc Pro		787
•	-		_					-	_				ctc Leu	-	835
		-		-	_		-	_	_		-		gat Asp 260		883
gag Glu													ggc Gly		931
_	_		-		_	 _			-	-			aaa Lys		979
ttc Phe								_		_		_			1027
aag Lys 310															1075
gct Ala										tago	gagco	gcg t	ttaa	aggcct	1128
cca															1131

<210> 102 <211> 336

<212> PRT

<213> Corynebacterium glutamicum

<400> 102

Met Ala Asn Lys Asn Asn Lys Pro His Glu Val Asp Lys Asp Gln Asp 1 5 10 15

Ser Ala Met Leu Ile Asn Gly Arg Leu Gln Gln Ile Pro Ala Arg Pro 20 25 30

Thr Glu Glu Phe Thr Arg Pro Thr Leu Ala Ala Gly Ala Val Leu Trp

Arg Gly Asp Ile Thr Asn Pro Asp Ser Ile Glu Val Ala Val Ile His 50 55 60

Arg 65		His	Tyr	Asp	Asp 70	Trp	Ser	Leu	Ala	Lys 75		Lys	Val	Asp	Pro 80
Gly	Glu	Ser	Ile	Pro 85	Thr	Thr	Ala	Ala	Arg 90		Ile	Leu	Glu	Glu 95	Thi
Gly	Tyr	Asp	Ile 100		Leu	Gly	Lys	Leu 105	Ile	Gly	Lys	Val	Thr 110	-	Pro
Val	Leu	Asp 115	Arg	Thr	Lys	Val	Val 120		Туг	Trp	Thr	Ala 125	Gln	Val	Leu
Gly	Gly 130	Glu	Phe	Val	Pro	Asn 135	Asp	Glu	Val	Asp	Glu 140		Arg	Trp	Leu
Ser 145	Val	Asp	Glu	Ala	Cys 150	Glu	Leu	Leu	Ser	Tyr 155	Gln	Val	Asp	Thr	Glu 160
Val	Leu	Ala	Lys	Ala 165	Ala	Lys	Arg	Phe	Arg 170	Thr	Pro	Ser	Thr	Thr 175	Arg
Val	Leu	Tyr	Val 180	Arg	His	Ala	His	Ala 185	His	Gly	Arg	Gln	Thr 190	Trp	Gly
Gly	Asp	Asp 195	Asn	Lys	Arg	Pro	Leu 200	Asp	Lys	Lys	Gly	Arg 205	Arg	Gln	Ala
Glu	Met 210	Leu	Val	Pro	Met	Leu 215	Leu	Pro	Phe	Lys	Pro 220	Thr	Ala	Ile	Tyr
Ser 225	Ala	Val	Pro	Asp	Arg 230	Cys	Gln	Ala	Thr	Ala 235	Leu	Pro	Leu	Ala	Asp 240
Glu	Leu	Gly	Leu	Asp 245	Val	Ser	Val	Asn	Arg 250	Leu	Phe	Gly	Asp	Asp 255	Ala
Trp	Glu	Thr	Asp 260	Pro	Glu	Ala	Cys	Lys 265	Lys	Arg	Phe	Thr	Asp 270	Val	Val
Ala	Gln	Gly 275	Gly	Val	Pro	Met	Ile 280	Val	Gly	Gln	Gly	Asp 285	Ile	Ile	Pro
Glu	Met 290	Ile	Lys	Trp	Phe	Ser 295	Glu	Asn	Gly	Thr	Leu 300	Pro	Ile	Asp	Glu
Lys 305	Ile	Lys	Ala	Lys	Lys 310	Gly	Ser	Val	Trp	Val 315	Leu	Ser	Phe	His	Asp 320
Sly	Val	Phe		Gly 325	Ala	Asp	Tyr		Ala 330		Ser	Leu	Pro	Val 335	

<210> 103

<211> 651 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(628) <223> RXS01528 <400> 103 cacccaaacc caaacctctc agtcgaataa gcagaagtct caggacaacc gcaggggtaa 60 gggtcgtagg tctccaacca ggaggcgttc caacacgagg gtg aat cag gcg tgg Val Asn Gln Ala Trp 1 cag cag tee egt ttg gtt act tet gat gag act tee gea ggt ggt ete 163 Gln Gln Ser Arg Leu Val Thr Ser Asp Glu Thr Ser Ala Gly Gly Leu 20 10 15 gtg gtg tca ggt ttg gct gag gcg gtc aac gct aac aat gag gtt gat 211 Val Val Ser Gly Leu Ala Glu Ala Val Asn Ala Asn Asn Glu Val Asp 25 ctg tcg aag att tat gtt gcg ttg att ggt cgc ctt gat cgt cgt ggt Leu Ser Lys Ile Tyr Val Ala Leu Ile Gly Arg Leu Asp Arg Arg Gly 40 cgt ttg ttg tgg tcg atg ccg aag ggc cat gtt gag cct ggt gag gat 307 Arg Leu Leu Trp Ser Met Pro Lys Gly His Val Glu Pro Gly Glu Asp 355 aag get geg aet get gag egt gag gtg tgg gag gag ace gge ate eac Lys Ala Ala Thr Ala Glu Arg Glu Val Trp Glu Glu Thr Gly Ile His ggt gag gtg ttc act gag ttg ggt gtg att gat tat tgg ttc gtt tcg 403 Gly Glu Val Phe Thr Glu Leu Gly Val Ile Asp Tyr Trp Phe Val Ser 90 95 gaa ggg aag cgg atc cat aag acg gtg cat cat cat ttg ttg cgt tat 451 Glu Gly Lys Arg Ile His Lys Thr Val His His His Leu Leu Arg Tyr 105 110 qtt qat qqc qat ttg aat gat gag gat cca gaa gtc act gag gtg gcg 499 Val Asp Gly Asp Leu Asn Asp Glu Asp Pro Glu Val Thr Glu Val Ala 120 547 tgg att ccg gcg aat cag ttg att gag cat ttg gct ttt gcg gat gag Trp Ile Pro Ala Asn Gln Leu Ile Glu His Leu Ala Phe Ala Asp Glu 135 140 cgg aag ttg gct agg cag gcg cat gat ttg ttg cct gag ttt gct ttg 595 Arg Lys Leu Ala Arg Gln Ala His Asp Leu Leu Pro Glu Phe Ala Leu 150 155 160

aag gaa aag gcg gag gga agg tcc acc cca agg tgattccgaa ccccaacccg 648

were mine page over see see some and page and the

Lys Glu Lys Ala Glu Gly Arg Ser Thr Pro Arg 170 175

aac 651

<210> 104

<211> 176

<212> PRT

<213> Corynebacterium glutamicum

<400> 104

Val Asn Gln Ala Trp Gln Gln Ser Arg Leu Val Thr Ser Asp Glu Thr 1 5 10 15

Ser Ala Gly Gly Leu Val Val Ser Gly Leu Ala Glu Ala Val Asn Ala 20 25 30

Asn Asn Glu Val Asp Leu Ser Lys Ile Tyr Val Ala Leu Ile Gly Arg 35 40 45

Leu Asp Arg Arg Gly Arg Leu Leu Trp Ser Met Pro Lys Gly His Val
50 55 60

Glu Pro Gly Glu Asp Lys Ala Ala Thr Ala Glu Arg Glu Val Trp Glu 65 70 75 80

Glu Thr Gly Ile His Gly Glu Val Phe Thr Glu Leu Gly Val Ile Asp 85 90 95

Tyr Trp Phe Val Ser Glu Gly Lys Arg Ile His Lys Thr Val His His 100 105 110

His Leu Leu Arg Tyr Val Asp Gly Asp Leu Asn Asp Glu Asp Pro Glu 115 120 125

Val Thr Glu Val Ala Trp Ile Pro Ala Asn Gln Leu Ile Glu His Leu 130 135 140

Ala Phe Ala Asp Glu Arg Lys Leu Ala Arg Gln Ala His Asp Leu Leu 145 150 155 160

Pro Glu Phe Ala Leu Lys Glu Lys Ala Glu Gly Arg Ser Thr Pro Arg 165 170 175

<210> 105

<211> 509

<212> DNA

<213> Corynebacterium glutamicum

<220>

<221> CDS

<222> (1)..(486)

<223> RXS01716

<400> 105 48 gaa gtc act cct gag gga ttc aaa gag atc acc cgt gaa aac acc atc Glu Val Thr Pro Glu Gly Phe Lys Glu Ile Thr Arg Glu Asn Thr Ile gtt cgc ctg ggc aaa ggc gtc gac gcc acc ggt cag cta gac ccc gag 96 Val Arg Leu Gly Lys Gly Val Asp Ala Thr Gly Gln Leu Asp Pro Glu gca atc gag cgc act cgt gtc gct ttg gaa aac tac gtt gaa ctc atg 144 Ala Ile Glu Arg Thr Arg Val Ala Leu Glu Asn Tyr Val Glu Leu Met 192 gaa acc cat ggg gta gag gcc gta cga atg gtt gcc acc tcc gca acc Glu Thr His Gly Val Glu Ala Val Arg Met Val Ala Thr Ser Ala Thr cgc gat gcg tcc aac cgc gat gaa ttc ttt tcg atg acc cgc cag ctt 240 Arg Asp Ala Ser Asn Arg Asp Glu Phe Phe Ser Met Thr Arg Gln Leu ctg tcc aag atc cgt cct gga tac caa gct gaa gta att tcc ggc gaa 288 Leu Ser Lys Ile Arg Pro Gly Tyr Gln Ala Glu Val Ile Ser Gly Glu 336 gag gaa gct ctg ctg tcc ttc cga ggt gca atc gtt gac ctg cct gaa Glu Glu Ala Leu Leu Ser Phe Arg Gly Ala Ile Val Asp Leu Pro Glu 105 384 gac caa ggt cct ttc tgt gtt atc gac ctt ggc ggt gga tcc act gag Asp Gln Gly Pro Phe Cys Val Ile Asp Leu Gly Gly Gly Ser Thr Glu 120 ttc atc gtt ggc acc tac gac ggt gaa atc cta ggc tcc cac tca acc 432 Phe Ile Val Gly Thr Tyr Asp Gly Glu Ile Leu Gly Ser His Ser Thr 135 140 480 caa atg gga tgc gtg cgc ctg acc gaa cga atc atg cgc agc gac cca Gln Met Gly Cys Val Arg Leu Thr Glu Arg Ile Met Arg Ser Asp Pro 150 155 509 ccc gac tgaaaccgaa gtggaaatcg ccc Pro Asp

<210> 106

<211> 162

<212> PRT

<213> Corynebacterium glutamicum

<400> 106

Glu Val Thr Pro Glu Gly Phe Lys Glu Ile Thr Arg Glu Asn Thr Ile 1 5 10 15

Val Arg Leu Gly Lys Gly Val Asp Ala Thr Gly Gln Leu Asp Pro Glu Ala Ile Glu Arg Thr Arg Val Ala Leu Glu Asn Tyr Val Glu Leu Met Glu Thr His Gly Val Glu Ala Val Arg Met Val Ala Thr Ser Ala Thr Arg Asp Ala Ser Asn Arg Asp Glu Phe Phe Ser Met Thr Arg Gln Leu Leu Ser Lys Ile Arg Pro Gly Tyr Gln Ala Glu Val Ile Ser Gly Glu Glu Glu Ala Leu Leu Ser Phe Arg Gly Ala Ile Val Asp Leu Pro Glu 100 Asp Gln Gly Pro Phe Cys Val Ile Asp Leu Gly Gly Gly Ser Thr Glu 125 120 Phe Ile Val Gly Thr Tyr Asp Gly Glu Ile Leu Gly Ser His Ser Thr 135 Gln Met Gly Cys Val Arg Leu Thr Glu Arg Ile Met Arg Ser Asp Pro Pro Asp <210> 107 <211> 654 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(631) <223> RXS01835 <400> 107 tcaacatcta ttcctcctgc gatttgcatg ggatatatat taaaaaattct agccgaaagt 60 tteetgegtg aatacaettt eeeegegeet tegeaaaget atg aat act gee geg Met Asn Thr Ala Ala tgg gca cac cgc cac cac gta cgc aaa ggc ggt gga att ccg tat gtc 163 Trp Ala His Arg His His Val Arg Lys Gly Gly Gly Ile Pro Tyr Val 10 age cat ett tat tea gtg atg tae ttg etg gee age gte aet aat gat 211 Ser His Leu Tyr Ser Val Met Tyr Leu Leu Ala Ser Val Thr Asn Asp 25 gaa gat gtg ctc atc gcc ggg ctg ctc cac gac acc ctc gaa gac gta 259

Glu	Asp	Val 40	Leu	Ile	Ala	Gly	Leu 45	Leu	His	Asp	Thir	Leu 50		Asp	Val	
					tct Ser		Gln					Phe				307
					gaa Glu 75						Pro					355
					gct Ala					Leu						403
					atc Ile											451
		_	_	_	ctt Leu	_				_	-				-	499
ttt Phe	aac Asn 135	gct Ala	ggc Gly	aaa Lys	gag Glu	cag Gln 140	caa Gln	atc Ile	tgg Trp	tgg Trp	tat Tyr 145	agc Ser	gag Glu	gtt Val	tat Tyr	547
					cgc Arg 155											595
					aag Lys							tago	gege	tcg		641
gcgg	gegte	ga t	aa													654
<211 <212		7 RT	bact	eri	ım gl	utam	icum	ı								
<400 Met			Ala	Ala	Trp	Ala	His	Ara	His	His	Val	Ara	Lvs	Gl v	GIV	
1				5				- y	10		- 41	9	_,0	15	1	
Gly	Ile	Pro	Tyr 20	Val	Ser	His	Leu	Tyr 25	Ser	Val	Met	Tyr	Leu 30	Leu	Ala	
Ser	Val	Thr 35	Asn	Asp	Glu	Asp	Val 40	Leu	Ile	Ala	Gly	Leu 45	Leu	His	Asp	
Thr	Leu 50	Glu .	Asp	Val	Pro	Glu 55	Glu	Tyr	Asn	Ser	Ala 60	Gln	Leu	Glu	Ala	

Asp Phe Gly Pro Arg Val Arg Glu Leu Val Glu Glu Leu Thr Lys Gln

70

65

75 Pro Leu Lys Ser Trp Lys Ala Arg Ala Asp Ala Tyr Leu Leu His Leu Ser Ala Gly Ala Ser Leu Glu Ala Val Leu Ile Ser Thr Ala Asp Lys Leu His Asn Leu Met Ser Ile Leu Asp Asp Leu Glu Ile His Gly Glu Asp Leu Trp Gln Arg Phe Asn Ala Gly Lys Glu Gln Gln Ile Trp Trp Tyr Ser Glu Val Tyr Gln Ile Ser Leu Gln Arg Leu Gly Phe Asn Glu Leu Asn Lys Gln Leu Gly Leu Cys Val Glu Lys Leu Leu Lys Gln Ser 170 Ala <210> 109 <211> 1050 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(1027) <223> RXS02497 <400> 109 tegatgeege egetggegaa gaetegggga aacetaaaaa tacegaagaa gaatttgace 60 gattcacact ttgccaccct agaccgtcta acctttaggt gtg aga tta ggt gta 115 Val Arg Leu Gly Val tta gat gtg ggc agc aat act gtc cac cta gtt gca gta gac gcg cgt 163 Leu Asp Val Gly Ser Asn Thr Val His Leu Val Ala Val Asp Ala Arg 10 15 ecc ggt gga cac ecc acc ecg atg age aat tgg egt acc eca etg ege 211 Pro Gly Gly His Pro Thr Pro Met Ser Asn Trp Arg Thr Pro Leu Arg 30 ctt gtt gag ctt ctt gat gac tcc ggg gcg atc tcc gaa aag ggc atc 259 Leu Val Glu Leu Leu Asp Asp Ser Gly Ala Ile Ser Glu Lys Gly Ile 45 aac aaa ctc acc tca gca gtc ggg gaa gca gca gac cta gcg aaa acg 307 Asn Lys Leu Thr Ser Ala Val Gly Glu Ala Ala Asp Leu Ala Lys Thr

	Gly	-	-	-	_	Met			_	aca Thr 80	Ser		-	_		355
_			-		Ala			-		gtg Val		_	_			403
				Ile					Asp	gaa Glu						451
	_	-	Arg	_				Trp		gca Ala		_				499
		Ile					Leu			tcc Ser						547
tcc Ser 150	Pro	gac Asp	ctc Leu	gcg Ala	ttc Phe 155	tca Ser	ctg Leu	gat Asp	ctg Leu	ggt Gly 160	gcg Ala	ggc Gly	cgc Arg	ttg Leu	acc Thr 165	595
										cgt Arg						643
										gaa Glu						691
										gga Gly						739
										ccc Pro						787
										ctg Leu 240						835
										gct Ala						883
										ggt Gly						931
-		-	-		-	-		_	-	gta Val	-		-	_		979
gca	ctt	cgt	gaa	ggt	gtg	atc	ctc	acc	agg	atc	gac	aaa	gga	ctc	gag	1027

Ala Leu Arg Glu Gly Val Ile Leu Thr Arg Ile Asp Lys Gly Leu Glu 295 300 305

taacatttac ccggaaagga gtt

1050

<210> 110

<211> 309

<212> PRT

<213> Corynebacterium glutamicum

<400> 110

Val Arg Leu Gly Val Leu Asp Val Gly Ser Asn Thr Val His Leu Val 1 5 10 15

Ala Val Asp Ala Arg Pro Gly Gly His Pro Thr Pro Met Ser Asn Trp 20 25 30

Arg Thr Pro Leu Arg Leu Val Glu Leu Leu Asp Asp Ser Gly Ala Ile 35 40 45

Ser Glu Lys Gly Ile Asn Lys Leu Thr Ser Ala Val Gly Glu Ala Ala 50 60

Asp Leu Ala Lys Thr Leu Gly Cys Ala Glu Leu Met Pro Phe Ala Thr 65 70 75 80

Ser Ala Val Arg Ser Ala Thr Asn Ser Glu Ala Val Leu Asp His Val 85 90 95

Glu Lys Glu Thr Gly Val Arg Leu Ser Ile Leu Ser Gly Glu Asp Glu 100 105 110

Ala Arg Gln Thr Phe Leu Ala Val Arg Arg Trp Tyr Gly Trp Ser Ala 115 120 125

Gly Arg Ile Thr Asn Leu Asp Ile Gly Gly Gly Ser Leu Glu Leu Ser 130 135 140

Ser Gly Thr Asp Glu Ser Pro Asp Leu Ala Phe Ser Leu Asp Leu Gly 145 150 155 160

Ala Gly Arg Leu Thr His Asn Trp Phe Asp Thr Asp Pro Pro Ala Arg 165 170 175

Lys Lys Ile Asn Leu Leu Arg Asp Tyr Ile Asp Ala Glu Leu Ala Glu 180 185 190

Pro Ala Arg Gln Met Arg Thr Leu Gly Pro Ala Arg Leu Ala Val Gly 195 200 205

Thr Ser Lys Thr Phe Arg Thr Leu Ala Arg Leu Thr Gly Ala Ala Pro 210 215 220

Ser Ser Ala Gly Pro His Val Thr Arg Thr Leu Thr Ala Pro Gly Leu 225 230 235 240

Arg Gln Leu Ile Ala Phe Ile Ser Arg Met Thr Ala Ala Asp Arg Ala 250 Glu Leu Glu Gly Ile Ser Ser Asp Arg Ser His Gln Ile Val Ala Gly 265 Ala Leu Val Ala Glu Ala Ala Met Arg Ala Leu Asp Ile Asp Lys Val 280 Glu Ile Cys Pro Trp Ala Leu Arg Glu Gly Val Ile Leu Thr Arg Ile 295 Asp Lys Gly Leu Glu 305 <210> 111 <211> 534 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(511) <223> RXS02972 <400> 111 acctacgacg gtgaaatcct aggeteceae teaacceaaa tgggatgegt gegeetgace 60 gaacgaatca tgcgcagcga cccacccgac tgaaaccgaa gtg gaa atc gcc cgc Val Glu Ile Ala Arg gac tac gtt gca gaa cgc atc cag gaa gta aaa gcc atc gtc cca att Asp Tyr Val Ala Glu Arg Ile Gln Glu Val Lys Ala Ile Val Pro Ile tca aag gca aaa acc ttt gtg gga tgc gca ggc acc ttc acc aca atc 211 Ser Lys Ala Lys Thr Phe Val Gly Cys Ala Gly Thr Phe Thr Thr Ile 259 tcc gcc tgg gtg caa ggc cta gaa agc tac gac cgc gac gcg atc cac Ser Ala Trp Val Gln Gly Leu Glu Ser Tyr Asp Arg Asp Ala Ile His 45 307 ctc tct gca ctc aac ttc gat gca ctg cga gtt gtc acc gat gag atc Leu Ser Ala Leu Asn Phe Asp Ala Leu Arg Val Val Thr Asp Glu Ile att tca gaa tca tca tca cag cgc gcc agc aac cca gtt gtt gat cca 355 Ile Ser Glu Ser Ser Ser Gln Arg Ala Ser Asn Pro Val Val Asp Pro ggt cgc gcc gac gtc atc ggt ggc gga tcc gtt gtt gtc caa gca gcg 403 Gly Arg Ala Asp Val Ile Gly Gly Gly Ser Val Val Val Gln Ala Ala 95

atc gac tta gcc tcc aaa gaa gcc ggt gta gac tac atc att att tcc Ile Asp Leu Ala Ser Lys Glu Ala Gly Val Asp Tyr Ile Ile Ile Ser 105 gaa aaa gac atc ctc gac ggc ctc atc ctt ggc ctg gta gaa gcc gac Glu Lys Asp Ile Leu Asp Gly Leu Ile Leu Gly Leu Val Glu Ala Asp 120 534 tct ttg aag aaa taggacccta gttttaaacc act Ser Leu Lys Lys 135 <210> 112 <211> 137 <212> PRT <213> Corynebacterium glutamicum <400> 112 Val Glu Ile Ala Arg Asp Tyr Val Ala Glu Arg Ile Gln Glu Val Lys Ala Ile Val Pro Ile Ser Lys Ala Lys Thr Phe Val Gly Cys Ala Gly Thr Phe Thr Thr Ile Ser Ala Trp Val Gln Gly Leu Glu Ser Tyr Asp Arg Asp Ala Ile His Leu Ser Ala Leu Asn Phe Asp Ala Leu Arg Val Val Thr Asp Glu Ile Ile Ser Glu Ser Ser Ser Gln Arg Ala Ser Asn Pro Val Val Asp Pro Gly Arg Ala Asp Val Ile Gly Gly Ser Val Val Val Gln Ala Ala Ile Asp Leu Ala Ser Lys Glu Ala Gly Val Asp Tyr Ile Ile Ile Ser Glu Lys Asp Ile Leu Asp Gly Leu Ile Leu Gly Leu Val Glu Ala Asp Ser Leu Lys Lys 130 <210> 113 <211> 636 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(613) <223> RXA02159

<400> 113 tgatggacca gcgtccaaag ttttcgatga agcagaaaac cgcctccacg ctcagaaagc 60 actgctggtg tggctgctgg ccaaccagcc gaggtaagac atg tcc ctt ggc tca Met Ser Leu Gly Ser acc ccq tca aca ccg gaa aac tta aat ccc gtg act cgc act gca cgc 163 Thr Pro Ser Thr Pro Glu Asn Leu Asn Pro Val Thr Arg Thr Ala Arg caa gct ctc att ttg cag att ttg gac aaa caa aaa gtc acc agc cag 211 Gln Ala Leu Ile Leu Gln Ile Leu Asp Lys Gln Lys Val Thr Ser Gln gta caa ctg tct gaa ttg ctg ctg gat gaa ggc atc gat atc acc cag 259 Val Gln Leu Ser Glu Leu Leu Leu Asp Glu Gly Ile Asp Ile Thr Gln 45 307 gcc acc ttg tcc cga gat ctc gat gaa ctc ggt gca cgc aag gtt cgc Ala Thr Leu Ser Arg Asp Leu Asp Glu Leu Gly Ala Arg Lys Val Arg ccc gat ggg gga cgc gcc tac tac gcg gtc ggc cca gta gat agc atc 355 Pro Asp Gly Gly Arg Ala Tyr Tyr Ala Val Gly Pro Val Asp Ser Ile 80 403 gcc cgc gaa gat ctc cgg ggt ccg tcg gag aag ctg cgc cgc atg ctt Ala Arg Glu Asp Leu Arg Gly Pro Ser Glu Lys Leu Arg Arg Met Leu 95 gat gaa ctg ctg gtt tct aca gat cat tcc ggc aac atc gcg atg ctg 451 Asp Glu Leu Leu Val Ser Thr Asp His Ser Gly Asn Ile Ala Met Leu 499 cgc acc ccg ccg gga gct gcc cag tac ctg gca agt ttc atc gat agg Arg Thr Pro Pro Gly Ala Ala Gln Tyr Leu Ala Ser Phe Ile Asp Arg 125 gtg ggg ctg aaa gaa gtc gtt ggc acc atc gct ggt gat gac acc gtt 547 Val Gly Leu Lys Glu Val Val Gly Thr Ile Ala Gly Asp Asp Thr Val 595 ttc gtt ctc gcc cgt gat ccg ctc aca ggt aaa gaa cta ggt gaa tta Phe Val Leu Ala Arg Asp Pro Leu Thr Gly Lys Glu Leu Gly Glu Leu 155 160 636 ctc agc ggg cgc acc act taaagcgccc ctagttcaag gct Leu Ser Gly Arg Thr Thr 170

<210> 114

<211> 171

<212> PRT

<213> Corynebacterium glutamicum

<400> 114 Met Ser Leu Gly Ser Thr Pro Ser Thr Pro Glu Asn Leu Asn Pro Val Thr Arg Thr Ala Arg Gln Ala Leu Ile Leu Gln Ile Leu Asp Lys Gln Lys Val Thr Ser Gln Val Gln Leu Ser Glu Leu Leu Asp Glu Gly Ile Asp Ile Thr Gln Ala Thr Leu Ser Arg Asp Leu Asp Glu Leu Gly Ala Arg Lys Val Arg Pro Asp Gly Gly Arg Ala Tyr Tyr Ala Val Gly Pro Val Asp Ser Ile Ala Arg Glu Asp Leu Arg Gly Pro Ser Glu Lys Leu Arg Arg Met Leu Asp Glu Leu Leu Val Ser Thr Asp His Ser Gly Asn Ile Ala Met Leu Arg Thr Pro Pro Gly Ala Ala Gln Tyr Leu Ala Ser Phe Ile Asp Arg Val Gly Leu Lys Glu Val Val Gly Thr Ile Ala 135 Gly Asp Asp Thr Val Phe Val Leu Ala Arg Asp Pro Leu Thr Gly Lys 150 Glu Leu Gly Glu Leu Leu Ser Gly Arg Thr Thr <210> 115 <211> 486 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(463) <223> RXA02201 <400> 115 tctaccagcc aaatcatcaa ctcatagcga aggaatcaac ttcatgaata atcaaccatc 60 agtacttttc gtttgcgtcg gcaatggtgg aaaatctcaa atg gcc gca gcg cta Met Ala Ala Leu 1 163 gcc aaa aaa cat gcc ggg gac gct ctc aaa gtt tat tca gct ggc aca Ala Lys Lys His Ala Gly Asp Ala Leu Lys Val Tyr Ser Ala Gly Thr 10

211

aag cca ggt acg aaa tta aat caa cag tcc ctt gat tcc att gct gaa

	Thr Lys	Leu <i>I</i>	Asn Gln	Gln 30	Ser	Leu	Asp	Ser	Ile 35	Ala	Glu	
gtt ggc gca Val Gly Ala 40	gat atg Asp Met	tct o	caa ggg Gln Gly 45	ttt Phe	cca Pro	aag Lys	ggc Gly	att Ile 50	gac Asp	cag Gln	gag Glu	259
tta att aag Leu Ile Lys 55												307
cta gaa atg Leu Glu Met 70	cct ato	gat g Asp A	gca aac Ala Asn	ggc Gly	ata Ile	cta Leu 80	cag Gln	cgc Arg	tgg Trp	gta Val	act Thr 85	355
gac gaa ccc Asp Glu Pro		Arg G										403
gtc cga gat Val Arg Asp	gat att Asp Ile 105	gac g Asp A	gcc cga Ala Arg	gtc Val 110	caa Gln	aac Asn	ctc Leu	gtc Val	gct Ala 115	gaa Glu	cta Leu	451
acc caa aac Thr Gln Asn 120	-	cagttt	t ctaa	tctca	ac ac	ca						486
<210> 116 <211> 121 <212> PRT <213> Coryne	ebacteri	um glu	ıtamicu	n								
<211> 121 <212> PRT					Ala 10	Gly	Asp	Ala	Leu	Lys 15	Val	
<211> 121 <212> PRT <213> Coryno <400> 116 Met Ala Ala	Ala Leu 5	Ala L	ys Lys	His	10	_				15		
<211> 121 <212> PRT <213> Coryno <400> 116 Met Ala Ala 1	Ala Leu 5 Gly Thr 20	Ala L	ys Lys Pro Gly	His Thr 25	10 Lys	Leu	Asn	Gln	Gln 30	15 Ser	Leu	
<pre><211> 121 <212> PRT <213> Coryne <400> 116 Met Ala Ala 1 Tyr Ser Ala Asp Ser Ile</pre>	Ala Leu 5 Gly Thr 20 Ala Glu	Ala L Lys P Val G	ys Lys Pro Gly Gly Ala 40	His Thr 25 Asp	10 Lys Met	Leu	Asn Gln	Gln Gly 45	Gln 30 Phe	15 Ser Pro	Leu Lys	
<211> 121 <212> PRT <213> Coryne <400> 116 Met Ala Ala	Ala Leu 5 Gly Thr 20 Ala Glu Gln Glu	Ala L Lys P Val G Leu I	Pro Gly Sly Ala 40 le Lys 55	His Thr 25 Asp	10 Lys Met Val	Leu Ser Asp	Asn Gln Arg 60	Gln Gly 45 Val	Gln 30 Phe Val	15 Ser Pro	Leu Lys Leu	
<pre><211> 121 <212> PRT <213> Coryne <400> 116 Met Ala Ala 1 Tyr Ser Ala Asp Ser Ile</pre>	Ala Leu 5 Gly Thr 20 Ala Glu Gln Glu Ala Gln	Ala L Lys P Val G Leu I Leu G 70	Dro Gly Gly Ala 40 le Lys 55	His Thr 25 Asp Arg	10 Lys Met Val	Leu Ser Asp Asp	Asn Gln Arg 60 Ala	Gln Gly 45 Val Asn	Gln 30 Phe Val Gly	15 Ser Pro Ile	Leu Lys Leu Leu 80	
<pre><211> 121 <212> PRT <213> Coryno <400> 116 Met Ala Ala 1 Tyr Ser Ala Asp Ser Ile 35 Gly Ile Asp 50 Gly Ala Glu 65</pre>	Ala Leu 5 Gly Thr 20 Ala Glu Gln Glu Ala Gln Val Thr 85	Ala L Lys P Val G Leu I Leu G 70 Asp G	Dro Gly Gly Ala 40 le Lys 55 Glu Met lu Pro	His Thr 25 Asp Arg Pro	10 Lys Met Val Ile Glu 90	Leu Ser Asp Asp 75	Asn Gln Arg 60 Ala Gly	Gln Gly 45 Val Asn	Gln 30 Phe Val Gly	15 Ser Pro Ile Ile Gly 95	Leu Leu Leu 80 Met	

<21 <21	0> 1 1> 5 2> D 3> C	10 NA	ebac	teri	um g	luta	micu	m								
<22	1> C	101)	(4 599	87)												
	0> 1 cgat	_	ccct	ttga	tt g	aagt	ccca	g ta	ttag	tcgg	att	ggtt	tat (gtca	tgttgt	60
ggc	ttgg	acc .	aaaa	atct	tt a	aaaa	ggag	a at	gcag	gatc		aaa Lys				115
										cag Gln						163
										atc Ile						211
										gtg Val						259
										aaa Lys						307
										ttg Leu 80						355
										ctt Leu						403
gag Glu	gaa Glu	ccg Pro	gat Asp 105	gct Ala	caa Gln	ggt Gly	Met	gaa Glu 110	Arg	atg Met	cgt Arg	att Ile	gtg Val 115	cgg Arg	gat Asp	451
										gcg Ala		taaq	geged	ega		497
aaaa	gggg	rca t	gt													510

<210> 118 <211> 129 <212> PRT

. _ ..

<213> Corynebacterium glutamicum

<400> 118

Met Lys Ser Val Leu Phe Val Cys Val Gly Asn Gly Gly Lys Ser Gln 1 5 10 15

Met Ala Ala Leu Ala Gln Lys Tyr Ala Ser Asp Ser Val Glu Ile 20 25 30

His Ser Ala Gly Thr Lys Pro Ala Gln Gly Leu Asn Gln Leu Ser Val
35 40 45

Glu Ser Ile Ala Glu Val Gly Ala Asp Met Ser Gln Gly Ile Pro Lys 50 55 60

Ala Ile Asp Pro Glu Leu Leu Arg Thr Val Asp Arg Val Val Ile Leu 65 70 75 80

Gly Asp Asp Ala Gln Val Asp Met Pro Glu Ser Ala Gln Gly Ala Leu 85 90 95

Glu Arg Trp Ser Ile Glu Glu Pro Asp Ala Gln Gly Met Glu Arg Met
100 105 110

Arg Ile Val Arg Asp Gln Ile Asp Asn Arg Val Gln Ala Leu Leu Ala 115 120 125

Gly

<210> 119

<211> 1221

<212> DNA

<213> Corynebacterium glutamicum

<220>

<221> CDS

<222> (101)..(1198)

<223> RXA00600

<400> 119

eggagttaat gageggtagg tggatgggtg eggteatgte egteattata tattgaegea 60

catcgatatt gaaggtattt ttatatcggc aaacatcaat atg att gaa ggc tgg 115
Met Ile Glu Gly Trp
1

ctc atg acc ctt act aaa gag cat tcg aca cct cga gcg gct ggc tca $\,$ 163 Leu Met Thr Leu Thr Lys Glu His Ser Thr Pro Arg Ala Ala Gly Ser $\,$ 10 $\,$ 15 $\,$ 20

atg tcg ttt ctt gac cgc tgg tta gct gcc tgg att ttc ttg gct atg 211 Met Ser Phe Leu Asp Arg Trp Leu Ala Ala Trp Ile Phe Leu Ala Met 25 30 35

get get ggg ttg tta atc ggc aag gtc ttt cca gga att ggg gcg ctt 259

Ala	Ala	Gly 40		Leu	Ile	Gly	Lys 45	Val	Phe	Pro	Gly	Ile 50	Gly	Ala	Leu	
		Ala			att		Gly									307
	Ile				tat Tyr 75											355
					aca Thr											403
_				_	gga Gly		-		-		-	_			_	451
			_		cca Pro			-								499
					gcg Ala											547
					act Thr 155											595
					ggt Gly											643
	-		-		tta Leu	-		_	_						_	691
					gtt Val											739
					gtc Val											787
					ctg Leu 235											835
					gtt Val											883
					aca Thr											931

265 270 275 tac ttt gtg ggc atg ttt ttc att tcc ctg gtg gta tcc aaa ctg tcc 979 Tyr Phe Val Gly Met Phe Phe Ile Ser Leu Val Val Ser Lys Leu Ser 280 285 ggg tta act tat gag cga gct gct tcc gtg tct ttt act gca gca gga 1027 Gly Leu Thr Tyr Glu Arg Ala Ala Ser Val Ser Phe Thr Ala Ala Gly 300 aac aac ttt gaa tta gcg att gcg gta tcg atc gga acc ttt ggt gcg 1075 Asn Asn Phe Glu Leu Ala Ile Ala Val Ser Ile Gly Thr Phe Gly Ala 315 aca tca ccg cag gca tta gct gga acg atc ggc cct ttg att gaa gtc 1123 Thr Ser Pro Gln Ala Leu Ala Gly Thr Ile Gly Pro Leu Ile Glu Val cca gta tta gtc gga ttg gtt tat gtc atg ttg tgg ctt gga cca aaa 1171 Pro Val Leu Val Gly Leu Val Tyr Val Met Leu Trp Leu Gly Pro Lys atc ttt aaa aag gag aat gca gga tca tgaaatcagt tttgtttgtg 1218 Ile Phe Lys Lys Glu Asn Ala Gly Ser 360 tgc 1221 <210> 120 <211> 366 <212> PRT <213> Corynebacterium glutamicum Met Ile Glu Gly Trp Leu Met Thr Leu Thr Lys Glu His Ser Thr Pro Arg Ala Ala Gly Ser Met Ser Phe Leu Asp Arg Trp Leu Ala Ala Trp

Gly Ile Gly Ala Leu Leu Ser Ala Val Glu Ile Gly Gly Ile Ser Ile 50 Pro Ile Ala Ile Gly Leu Ile Val Met Met Tyr Pro Pro Leu Ala Lys 70 75 80

Val Arg Tyr Asp Lys Thr Lys Glu Ile Ser Thr Asp Arg Ala Leu Met 90 95

Val Val Ser Ile Met Leu Asn Trp Ile Val Gly Pro Ala Leu Met 100 Phe Leu Pro Asp Gln Pro Glu Leu Arg Thr Gly

Ile Phe Leu Ala Met Ala Ala Gly Leu Leu Ile Gly Lys Val Phe Pro

115 120 125

Leu Ile Ile Val Gly Leu Ala Arg Cys Ile Ala Met Val Leu Val Trp 130 135 140

Ser Asp Leu Ala Cys Gly Asp Arg Glu Ala Thr Ala Val Leu Val Ala 145 150 155 160

Ile Asn Ser Val Phe Gln Ile Leu Met Phe Gly Val Leu Gly Trp Phe 165 170 175

Tyr Leu Gln Ile Leu Pro Ser Trp Leu Gly Leu Asp Thr Thr Ser Val 180 185 190

Thr Phe Ser Val Val Ser Ile Val Thr Ser Val Leu Val Phe Leu Gly 195 200 205

Ile Pro Leu Val Ala Gly Val Leu Ser Arg Val Ile Gly Glu Lys Thr 210 215 220

Lys Gly Arg Arg Trp Tyr Glu Asp Thr Phe Leu Pro Lys Ile Ser Pro 225 230 235 240

Leu Ala Leu Ile Gly Leu Leu Tyr Thr Ile Val Leu Leu Phe Ser Leu 245 250 255

Gln Gly Asp Glu Ile Thr Ala Gln Pro Trp Thr Val Ala Arg Leu Ala 260 265 270

Leu Pro Leu Leu Met Tyr Phe Val Gly Met Phe Phe Ile Ser Leu Val 275 280 285

Val Ser Lys Leu Ser Gly Leu Thr Tyr Glu Arg Ala Ala Ser Val Ser 290 295 300

Phe Thr Ala Ala Gly Asn Asn Phe Glu Leu Ala Ile Ala Val Ser Ile 305 310 315 320

Gly Thr Phe Gly Ala Thr Ser Pro Gln Ala Leu Ala Gly Thr Ile Gly 325 330 335

Pro Leu Ile Glu Val Pro Val Leu Val Gly Leu Val Tyr Val Met Leu 340 345 350

Trp Leu Gly Pro Lys Ile Phe Lys Lys Glu Asn Ala Gly Ser 355 360 365

<210> 121

<211> 1233

<212> DNA

<213> Corynebacterium glutamicum

<220>

<221> CDS

<222> (101)..(1210)

<223> RXA02200

--- ------

<400> 121 attqtqtqqa qaqtqqtcat aaatccacta tatattqacq aatqtcqata ttqaaaqtat 60 tttgaatatc gacaggtatc aatataccga aaggtgtcgc atg aca aac tca act Met Thr Asn Ser Thr 1 cag acg cgg gcc aag cca gcc cga atc tca ttt ctt gat aaa tac att 163 Gln Thr Arg Ala Lys Pro Ala Arg Ile Ser Phe Leu Asp Lys Tyr Ile 10 cca ctt tgg att att ttg gcg atg gcg ttt ggg cta ttt tta ggc cgg 211 Pro Leu Trp Ile Ile Leu Ala Met Ala Phe Gly Leu Phe Leu Gly Arg 25 age gtt teg gga ete tea gge ttt eta gge gea atg gaa gte gga ggg 259 Ser Val Ser Gly Leu Ser Gly Phe Leu Gly Ala Met Glu Val Gly Gly 40 307 atc tcc ttg cca atc gct tta ggc ctc ctt gta atg atg tac cca ccg Ile Ser Leu Pro Ile Ala Leu Gly Leu Leu Val Met Met Tyr Pro Pro 55 60 ttg gcc aaa gtt cgg tat gac aaa act aaa caa att gcc act gat aag 355 Leu Ala Lys Val Arg Tyr Asp Lys Thr Lys Gln Ile Ala Thr Asp Lys 70 403 cat ttg atg ggc gtg tca ctc att ctc aat tgg gtg gtg ggt cct gcc His Leu Met Gly Val Ser Leu Ile Leu Asn Trp Val Val Gly Pro Ala 90 tta atg ttc gcg cta gct tgg ttg ttc ctc cca gac caa ccg gaa tta 451 Leu Met Phe Ala Leu Ala Trp Leu Phe Leu Pro Asp Gln Pro Glu Leu 105 110 cga acc ggc ctg att att gta gga ctc gca cga tgt att gcg atg gtc 499 Arg Thr Gly Leu Ile Ile Val Gly Leu Ala Arg Cys Ile Ala Met Val 120 ttg gtt tgg tct gat atg tcc tgt gga gac cgc gag gct aca gca gtt 547 Leu Val Trp Ser Asp Met Ser Cys Gly Asp Arg Glu Ala Thr Ala Val 135 140 145 ctc gta gcc att aat tca gtt ttt caa gtc gca atg ttt ggt gca ctt 595 Leu Val Ala Ile Asn Ser Val Phe Gln Val Ala Met Phe Gly Ala Leu 150 160 155 ggc tgg ttc tat ctg caa gtt tta cca tcc tgg cta gga tta cca act 643 Gly Trp Phe Tyr Leu Gln Val Leu Pro Ser Trp Leu Gly Leu Pro Thr 170 175 acc acc gct caa ttc tct ttc tgg tca att gtg act tcg gtt ttg gtg 691 Thr Thr Ala Gln Phe Ser Phe Trp Ser Ile Val Thr Ser Val Leu Val 185 190 tte ete qqa ata eet eta ett qet qqa qtt tte teq eqa att att gge 739

of the control of the

Phe	Leu	Gly 200	Ile	Pro	Leu	Leu	Ala 205	Gly	Val	Phe	Ser	Arg 210	Ile	Ile	Gly	
					cgt Arg											787
					cta Leu 235											835
					gat Asp											883
					ttg Leu											931
					aaa Lys				_			-	_		_	979
					gca Ala											1027
					ttt Phe 315											1075
					att Ile											1123
-	_	-			ggc Gly		-	_				_		_	_	1171
			-	_	tct Ser		-						tago	gaag	jga	1220
atca	actt	ca t	ga													1233

<210> 122

<211> 370

<212> PRT

<213> Corynebacterium glutamicum

<400> 122

Met Thr Asn Ser Thr Gln Thr Arg Ala Lys Pro Ala Arg Ile Ser Phe $1 \hspace{1cm} 5 \hspace{1cm} 10 \hspace{1cm} 15$

Leu Asp Lys Tyr Ile Pro Leu Trp Ile Ile Leu Ala Met Ala Phe Gly 20 25 30

Leu Phe Leu Gly Arg Ser Val Ser Gly Leu Ser Gly Phe Leu Gly Ala Met Glu Val Gly Gly Ile Ser Leu Pro Ile Ala Leu Gly Leu Leu Val 55 Met Met Tyr Pro Pro Leu Ala Lys Val Arg Tyr Asp Lys Thr Lys Gln Ile Ala Thr Asp Lys His Leu Met Gly Val Ser Leu Ile Leu Asn Trp Val Val Gly Pro Ala Leu Met Phe Ala Leu Ala Trp Leu Phe Leu Pro 105 Asp Gln Pro Glu Leu Arg Thr Gly Leu Ile Ile Val Gly Leu Ala Arg Cys Ile Ala Met Val Leu Val Trp Ser Asp Met Ser Cys Gly Asp Arg Glu Ala Thr Ala Val Leu Val Ala Ile Asn Ser Val Phe Gln Val Ala 150 Met Phe Gly Ala Leu Gly Trp Phe Tyr Leu Gln Val Leu Pro Ser Trp Leu Gly Leu Pro Thr Thr Ala Gln Phe Ser Phe Trp Ser Ile Val Thr Ser Val Leu Val Phe Leu Gly Ile Pro Leu Leu Ala Gly Val Phe 200 Ser Arg Ile Ile Gly Glu Lys Ile Lys Gly Arg Glu Trp Tyr Glu Gln Lys Phe Leu Pro Ala Ile Ser Pro Phe Ala Leu Ile Gly Leu Leu Tyr Thr Ile Val Leu Leu Phe Ser Leu Gln Gly Asp Gln Ile Val Ser Gln 250 Pro Trp Ala Val Val Arg Leu Ala Ile Pro Leu Val Ile Tyr Phe Val Gly Met Phe Phe Ile Ser Leu Ile Ala Ser Lys Leu Ser Gly Met Asn 280 Tyr Ala Lys Ser Ala Ser Val Ser Phe Thr Ala Ala Gly Asn Asn Phe Glu Leu Ala Ile Ala Val Ser Ile Gly Thr Phe Gly Ala Thr Ser Ala 315 Gln Ala Met Ala Gly Thr Ile Gly Pro Leu Ile Glu Ile Pro Val Leu 325 330

Val Gly Leu Val Tyr Ala Met Leu Trp Leu Gly Pro Lys Leu Phe Pro Asn Asp Pro Thr Leu Pro Ser Ser Ala Arg Ser Thr Ser Gln Ile Ile 360 Asn Ser 370 <210> 123 <211> 762 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(739) <223> RXA02202 <400> 123 cgctgaacta acccaaaacg catagcagtt ttctaatctc acacatcttc aacaccgtta 60 aatctattgg tttccccgta aaatcttcga aaggaagaac atg acc ggg caa gct Met Thr Gly Gln Ala 1 gca cca aac ttg cat acc aat att ttg aac cgt atc gca aat gaa ctg Ala Pro Asn Leu His Thr Asn Ile Leu Asn Arg Ile Ala Asn Glu Leu gcg ttg acc tat caa gga gtt ttc tct gca gag act atc aac cgc tat Ala Leu Thr Tyr Gln Gly Val Phe Ser Ala Glu Thr Ile Asn Arg Tyr 25 att ttt gaa tcg tat gtg tcg ttg gcg aga aca gca aaa atc cat acg 259 Ile Phe Glu Ser Tyr Val Ser Leu Ala Arg Thr Ala Lys Ile His Thr 40 cac ctg cca att ttg gca gaa ggt ttt gct aaa gac cgg ctg cac gca His Leu Pro Ile Leu Ala Glu Gly Phe Ala Lys Asp Arg Leu His Ala 55 60 ctt gcg gta gct gaa ggt aag gtg gct tca cct gtg cct cag gtc cta Leu Ala Val Ala Glu Gly Lys Val Ala Ser Pro Val Pro Gln Val Leu 70 80 ttt att tgc gtc cac aac gca ggt cgt tca caa att gct tcg gcg ttg 403 Phe Ile Cys Val His Asn Ala Gly Arg Ser Gln Ile Ala Ser Ala Leu 90 95 100 ttg tct cac tat gcc ggt agt tct gta gag gta cgt tct gca ggt tct 451 Leu Ser His Tyr Ala Gly Ser Ser Val Glu Val Arg Ser Ala Gly Ser 105 110 tta cct gct tct gaa att cac cca ctg gtg ttg gaa att ttg tca gag

Leu	Pro	Ala 120	Ser	Glu	Ile	His	Pro 125	Leu	Val	Leu	Glu	Ile 130	Leu	Ser	Glu	
					tct Ser											547
					gac Asp 155											595
					gga Gly											643
_		-	-		gag Glu	-	-		_	-				-		691
					gag Glu											739
tago	gcagt	ca a	aggt	ctg	jc ac	c										762
<211 <212)> 12 .> 21 !> PR !> Co	.3 lT	bact	eriu	ımgl	.utan	nicum	1								
)> 12 Thr	-	Gln	Ala 5	Ala	Pro	Asn	Leu	His 10	Thr	Asn	Ile	Leu	Asn 15	Arg	
Ile	Ala	Asn	Glu 20	Leu	Ala	Leu	Thr	Tyr 25	Gln	Gly	Val	Phe	Ser 30	Ala	Glu	
Thr	Ile	Asn 35	Arg	Tyr	Ile	Phe	Glu 40	Ser	Tyr	Val	Ser	Leu 45	Ala	Arg	Thr	

Glu Ile Leu Ser Glu Arg Gly Val Asn Ile Ser Asp Ala Phe Pro Lys

Ala Lys Ile His Thr His Leu Pro Ile Leu Ala Glu Gly Phe Ala Lys

Asp Arg Leu His Ala Leu Ala Val Ala Glu Gly Lys Val Ala Ser Pro 65 70 75 80

Val Pro Gln Val Leu Phe Ile Cys Val His Asn Ala Gly Arg Ser Gln

Ile Ala Ser Ala Leu Leu Ser His Tyr Ala Gly Ser Ser Val Glu Val
100 105 110

Arg Ser Ala Gly Ser Leu Pro Ala Ser Glu Ile His Pro Leu Val Leu

85

135 140 130 Pro Leu Thr Asp Asp Val Ile Arg Ala Ser Asp Tyr Val Ile Thr Met 150 145 155 Gly Cys Gly Asp Val Cys Pro Met Tyr Pro Gly Lys His Tyr Leu Asp 165 170 Trp Glu Leu Ala Asp Pro Ser Asp Glu Gly Glu Asp Lys Ile Gln Glu Ile Ile Glu Glu Ile Asp Gly Arg Ile Arg Glu Leu Trp Lys Ser Ile 200 Gln Leu Ser Gln Asn 210 <210> 125 <211> 1002 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(979) <223> RXA02205 <400> 125 gcccaaaccg agcctggata cccgcaaacc acttgaaccg accattcgct gtttcacgcc 60 caccacacta ctgaggtcat aaggtagtac ggtagatcgg gtg aat gaa gag ata Val Asn Glu Glu Ile 163 acc ctc cta gcc gca gca gca gat cct gcc gca act gaa aat att ggc Thr Leu Leu Ala Ala Ala Asp Pro Ala Ala Thr Glu Asn Ile Gly tgg gta caa acc att gtg ctc tcc atc gtt caa ggc ctc aca gag ttc 211 Trp Val Gln Thr Ile Val Leu Ser Ile Val Gln Gly Leu Thr Glu Phe 30 259 ctg ccg atc agc tcc agc gga cac ctc cga atc atc tct gag ctg ttc Leu Pro Ile Ser Ser Ser Gly His Leu Arg Ile Ile Ser Glu Leu Phe 45 307 tgg ggt gcc gat gcc ggc gcg tcc ttt acc gcc gtg gtt cag ctt ggt Trp Gly Ala Asp Ala Gly Ala Ser Phe Thr Ala Val Val Gln Leu Gly 355 acc gaa gcc gca gtg ctg gtg ttt ttt gcc aag gaa atc tgg caa atc Thr Glu Ala Ala Val Leu Val Phe Phe Ala Lys Glu Ile Trp Gln Ile 75 ate aca ggt tgg tte get gge gta tte aat aag gaa ege ege gga ttt 403 Ile Thr Gly Trp Phe Ala Gly Val Phe Asn Lys Glu Arg Arg Gly Phe

9	90	95	100
	ly Trp Met Ile I	tt gtt gcc acc att le Val Ala Thr Ile 10	
		ng atc cgt gag gcg eu Ile Arg Glu Ala 130	
	2 2 2	te ctg tte tee ctg le Leu Phe Ser Leu 145	
		aa ege gae tae gae Lu Arg Asp Tyr Asp 160	-
atg aaa gat gcc at Met Lys Asp Ala Il 17	e Ile Met Gly Le	t gca cag tgt ctt eu Ala Gln Cys Leu 175	
cct ggc gtg tct cg Pro Gly Val Ser Ar 185		r Ile Ser Ala Gly	
ggt ctc aag cgt ga Gly Leu Lys Arg Gl 200	- -	-	
cct gca gtg ctt gg Pro Ala Val Leu Gl 215		-	
cca agc tcc gga ca Pro Ser Ser Gly Gl 230			
ctg gtt gcc ttc gt Leu Val Ala Phe Va 25	l Val Gly Tyr Il	2 2 2 2	
ttc gtg gca aac ca Phe Val Ala Asn Hi 265	c tcc ttc agc tg s Ser Phe Ser Tr 27	p Phe Ala Ala Tyr	cgt att cct 931 Arg Ile Pro 275
gca ggt ctg ctc gt Ala Gly Leu Leu Va 280			
taaaattcct gtacatc	tta aaa		1002

<210> 126 <211> 293

<212> PRT

<213> Corynebacterium glutamicum

<400> 126 Val Asn Glu Glu Ile Thr Leu Leu Ala Ala Ala Asp Pro Ala Ala 10 Thr Glu Asn Ile Gly Trp Val Gln Thr Ile Val Leu Ser Ile Val Gln Gly Leu Thr Glu Phe Leu Pro Ile Ser Ser Ser Gly His Leu Arg Ile Ile Ser Glu Leu Phe Trp Gly Ala Asp Ala Gly Ala Ser Phe Thr Ala Val Val Gln Leu Gly Thr Glu Ala Ala Val Leu Val Phe Phe Ala Lys Glu Ile Trp Gln Ile Ile Thr Gly Trp Phe Ala Gly Val Phe Asn Lys Glu Arg Arg Gly Phe Glu Tyr Arg Met Gly Trp Met Ile Ile Val Ala Thr Ile Pro Val Val Ile Leu Gly Val Leu Gly Lys Asp Leu Ile Arg Glu Ala Leu Arg Asn Met Trp Ile Thr Ala Ser Val Leu Ile Leu Phe Ser Leu Val Phe Ile Leu Ala Glu Lys Met Gly Lys Lys Glu Arg Asp 155 Tyr Asp Lys Leu Thr Met Lys Asp Ala Ile Ile Met Gly Leu Ala Gln 170 Cys Leu Ala Leu Ile Pro Gly Val Ser Arg Ser Gly Gly Thr Ile Ser Ala Gly Leu Phe Leu Gly Leu Lys Arg Glu Val Ala Thr Lys Phe Ser Phe Leu Leu Ala Ile Pro Ala Val Leu Gly Ser Gly Leu Tyr Ser Leu Pro Asp Ala Phe Ala Pro Ser Ser Gly Gln Ala Ala Ser Gly Leu Gln 235 230 Leu Thr Val Gly Thr Leu Val Ala Phe Val Val Gly Tyr Ile Ser Ile 245 Ala Trp Leu Met Lys Phe Val Ala Asn His Ser Phe Ser Trp Phe Ala 265 Ala Tyr Arg Ile Pro Ala Gly Leu Leu Val Met Leu Leu Leu Ala Leu

Gly Met Leu Asn Pro

<21 <21	.0> 1 .1> 9 .2> 1 .3> 0	975 DNA	neba	cter	ium (gluta	micu	mı								
<22	1> 0	101)) (5 0900	952)												
	0> 1 cggt	-	tgc	gctg	gte g	gctag	ıtgtg	ıg tg	ıtgcg	geget	ggc	gccg	ıtcg	ataa	gcgtat	60
tag	tgat	cgc	acgo	ectgo	gtg c	aggg	gctt	g gc	ggcg	igtgo		Arg			gcg Ala 5	115
cgc Arg	gcg Ala	atc Ile	gtç Val	p cca Pro 10	Asp	ctt Leu	gaa Glu	cgc Arg	gga Gly 15	Gln	aag Lys	gct Ala	gcg Ala	cac His 20	Ala	163
ttt Phe	gca Ala	ctg Leu	ctg Leu 25	Met	att Ile	att	cag Gln	gga Gly 30	Ile	gct Ala	ccc Pro	gtg Val	gta Val 35	Ala	ccg Pro	211
ctc Leu	att Ile	ggt Gly 40	Gly	gtg Val	ctg Leu	gtc Val	ggg Gly 45	cct Pro	ttt Phe	ggc Gly	tgg Trp	cgg Arg 50	gga Gly	att Ile	ttc Phe	259
tgg Trp	gca Ala 55	ctt Leu	gca Ala	ctg Leu	gtg Val	aat Asn 60	ttt Phe	gcg Ala	cag Gln	ctg Leu	ctt Leu 65	gtt Val	gct Ala	ttg Leu	ctg Leu	307
cag Gln 70	att Ile	aag Lys	gag Glu	tcg Ser	aag Lys 75	cca Pro	gtt Val	gaa Glu	gag Glu	cgt Arg 80	acc Thr	gca Ala	gca Ala	gga Gly	ctt Leu 85	355
ggc Gly	gga Gly	atg Met	ctg Leu	tcc Ser 90	aac Asn	tat Tyr	gtc Val	ttt Phe	gtg Val 95	ctg Leu	aag Lys	aat Asn	cct Pro	caa Gln 100	ttt Phe	403
Leu	Ala	Tyr	Val	Phe	Thr	Leu	Gly	Leu	Ser	Phe	Gly	Ala	atg Met 115	Phe	tcc Ser	451
tac Tyr	att Ile	tcg Ser 120	gcg Ala	tcg Ser	ccg Pro	ttc Phe	gtg Val 125	ctg Leu	cag Gln	aat Asn	caa Gln	atg Met 130	ggc Gly	att Ile	ccg Pro	499
gta Val	ctg Leu 135	ctg Leu	tat Tyr	tcc Ser	att Ile	att Ile 140	ttc Phe	gga Gly	gtg Val	aat Asn	gct Ala 145	ttt Phe	ggt Gly	ttg Leu	att Ile	547
gtg	ggc	gga	atg	gtc	aat	agg	cga	ctt	ctg	cag	cgg	att	cat	cca	cac	595

Val Gly Gly 150		sn Arg Arg 55	Leu Leu	Gln Arg Ile 160	His Pro His 165	
					tgt gcg ctt Cys Ala Leu 180	643
					ttc ctg ttg Phe Leu Leu 195	691
	e Leu Ile V		Ile Pro		gct aac gcg Ala Asn Ala	739
					tcg ggt tct Ser Gly Ser	78 7
	Gly Phe V		Thr Met		gtg agt tca Val Ser Ser 245	835
					atc gca atg Ile Ala Met 260	883
					gca ggt cga Ala Gly Arg 275	931
aaa ggt att Lys Gly Ile 280			ctctagg t	ggcgtttta aç	39	975
<210> 128 <211> 284 <212> PRT <213> Coryn	ebacterium	glutamicum	ı			
<400> 128 Val Arg Gly 1	Ile Ala An 5	g Ala Ile	Val Pro 1	Asp Leu Glu	Arg Gly Gln 15	
Lys Ala Ala	His Ala Ph 20	e Ala Leu	Leu Met 1 25	lle Ile Gln	Gly Ile Ala 30	
Pro Val Val 35	Ala Pro Le	u Ile Gly 40	Gly Val I	Leu Val Gly 45	Pro Phe Gly	
Trp Arg Gly 50	Ile Phe Tr	p Ala Leu 55	Ala Leu V	Val Asn Phe 60	Ala Gln Leu	

Leu Val Ala Leu Leu Gln Ile Lys Glu Ser Lys Pro Val Glu Glu Arg 65 70 · 75 80

Thr Ala Ala Gly Leu Gly Gly Met Leu Ser Asn Tyr Val Phe Val Leu Lys Asn Pro Gln Phe Leu Ala Tyr Val Phe Thr Leu Gly Leu Ser Phe Gly Ala Met Phe Ser Tyr Ile Ser Ala Ser Pro Phe Val Leu Gln Asn Gln Met Gly Ile Pro Val Leu Leu Tyr Ser Ile Ile Phe Gly Val Asn Ala Phe Gly Leu Ile Val Gly Gly Met Val Asn Arg Arg Leu Leu Gln Arg Ile His Pro His Arg Ile Met Gln Thr Val Leu Ala Ser Phe Thr 170 Val Leu Cys Ala Leu Leu Leu Ile Glu Val Leu Phe Ile Asn Trp Ile Pro Leu Phe Leu Leu Leu Phe Leu Ile Val Ser His Ile Pro Met 195 200 Val Met Ala Asn Ala Thr Ala Leu Gly Thr Glu Val Val Arg Ser Arg Ala Gly Ser Gly Ser Ala Ile Leu Gly Phe Val Gln Phe Thr Met Gly 230 235 Ala Leu Val Ser Ser Leu Val Gly Leu Gly Ser Asp Lys Ala Leu Thr Met Gly Ile Ala Met Thr Ala Cys Ala Leu Leu Ala Cys Gly Cys Ala 270 Tyr Leu Ala Gly Arg Lys Gly Ile Pro Glu Met Lys 280 <210> 129 <211> 537 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(514) <223> RXN00901 <400> 129

aaataccccc aaatcttcga tatagataca cgagacagtg atg cag aaa aaa caa 115 Met Gln Lys Lys Gln 1 5

ttttaagtat tggtgctatc ttccggtgct gatggtacct gaatgaaaat ttctaattaa 60

		agc Ser														163
		cta Leu														211
		ttg Leu 40														259
		gct Ala														307
		ttg Leu														355
		gct Ala														403
		gca Ala														451
_	_	gcg Ala 120	-	-	-	-		-			-			_	-	499
-		ttg Leu			tgat	gatt	at t	cago	ggaat	t go	et					537
<21:	0> 13 1> 13 2> PF 3> Co	38	ebact	eriv	ım gl	.utan	nicum	n								
Met)> 13 Gln	30 Lys	Lys	Gln	Gln	Leu	Ser	Thr		Leu	Ile	Met	Gly		Ala	
l Leu	Leu	Ser	Ala 20	Ser	Ser	Ala	Leu	Ala 25	10 Thr	Asp	Met	Tyr	Leu 30	Pro	Ala	
Met	Pro	Gly 35	Ile	Ala	Glu	Asp	Leu 40	Gly	Thr	Thr	Ala	Pro 45	Met	Val	Gln	
Leu	Thr 50	Leu	Ser	Ser	Phe	Met 55	Ala	Gly	Met	Ala	Ile 60	Gly	Gln	Leu	Ile	
Ile 65	Gly	Pro	Leu	Ser	Asp 70	Gln	Leu	Gly	Arg	Lys 75	Gly	Leu	Leu	Val	Ala 80	

Gly Ala Val Ala Ala Leu Val Ala Ser Val Val Cys Ala Leu Ala Pro Ser Ile Ser Val Leu Val Ile Ala Arg Leu Val Gln Gly Leu Gly Gly Gly Ala Cys Val Val Leu Arg Ala Arg Ser Cys Gln Thr Leu Asn Ala Asp Lys Arg Leu Arg Thr Pro Leu His Cys <210> 131 <211> 501 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(478) <223> FRXA00901 <400> 131 acctgaatga aaatttctaa ttaaaaatac ccccaaatct tcgatataga tacacgagac 60 agtgatgcag aaaaaacaac agctgagcac cgccctgatt atg gga ttg gca tta Met Gly Leu Ala Leu ttg tca gcc agc tcc gcg cta gcg act gat atg tat ttg ccg gca atg 163 Leu Ser Ala Ser Ser Ala Leu Ala Thr Asp Met Tyr Leu Pro Ala Met cct ggt att gcg gaa gat ttg ggg aca act gca ccg atg gtg cag tta 211 Pro Gly Ile Ala Glu Asp Leu Gly Thr Thr Ala Pro Met Val Gln Leu 30 259 act ctt tct tcc ttt atg gct gga atg gcg att ggc caa ttg atc att Thr Leu Ser Ser Phe Met Ala Gly Met Ala Ile Gly Gln Leu Ile Ile ggt cct ttg tcg gat caa ttg gga agg aaa ggc ctg ctc gtt gca ggt 307 Gly Pro Leu Ser Asp Gln Leu Gly Arg Lys Gly Leu Leu Val Ala Gly 60 geg gtg get geg etg gte get agt gtg gtg tge geg etg geg eeg teg 355 Ala Val Ala Ala Leu Val Ala Ser Val Val Cys Ala Leu Ala Pro Ser 75 80 403 ata age gta tta gtg ate gea ege etg gtg eag ggg ett gge gge ggt Ile Ser Val Leu Val Ile Ala Arg Leu Val Gln Gly Leu Gly Gly 95 geg tgc gtg gta ttg cgc gcg cga tcg tgc cag acc ttg aac gcg gac 451 Ala Cys Val Val Leu Arg Ala Arg Ser Cys Gln Thr Leu Asn Ala Asp

reconstruction and a second reconstruction of the

WO 01/00804 PCT/IB00/00922 105 110 115 498 aaa agg ctg cgc acg cct ttg cac tgc tgatgattat tcagggaatt Lys Arg Leu Arg Thr Pro Leu His Cys 120 501 gct <210> 132 <211> 126 <212> PRT <213> Corynebacterium glutamicum <400> 132 Met Gly Leu Ala Leu Leu Ser Ala Ser Ser Ala Leu Ala Thr Asp Met Tyr Leu Pro Ala Met Pro Gly Ile Ala Glu Asp Leu Gly Thr Thr Ala Pro Met Val Gln Leu Thr Leu Ser Ser Phe Met Ala Gly Met Ala Ile 35 40 45 Gly Gln Leu Ile Ile Gly Pro Leu Ser Asp Gln Leu Gly Arg Lys Gly Leu Leu Val Ala Gly Ala Val Ala Leu Val Ala Ser Val Val Cys Ala Leu Ala Pro Ser Ile Ser Val Leu Val Ile Ala Arg Leu Val Gln Gly Leu Gly Gly Gly Ala Cys Val Val Leu Arg Ala Arg Ser Cys Gln Thr Leu Asn Ala Asp Lys Arg Leu Arg Thr Pro Leu His Cys 120 <210> 133 <211> 1299 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(1276) <223> RXA00289 <400> 133 cctccccata agttcactca agcaagttct cccgaacaga ttcacccgag aagtcgacag 60 accocattaa acagocogat toaagaaagg ottogoagoo atg ago acc acc acc

Met Ser Thr Thr Thr

														agt Ser 20		163
gcg Ala	gca Ala	ttt Phe	gtt Val 25	tat Tyr	gtc Val	acg Thr	ttc Phe	gag Glu 30	atg Met	ttt Phe	gca Ala	gtt Val	ggc Gly 35	ctc Leu	atc Ile	211
aag Lys	ccg Pro	atg Met 40	gcc Ala	agc Ser	gat Asp	ctt Leu	gga Gly 45	gtg Val	tca Ser	gaa Glu	tcc Ser	agc Ser 50	atc Ile	ggc Gly	ctg Leu	259
														cct Pro		307
														att Ile		355
ctg Leu	gca Ala	ttt Phe	ttg Leu	gcc Ala 90	acg Thr	ggc Gly	att Ile	gtt Val	gtt Val 95	cag Gln	gca Ala	ctg Leu	acc Thr	gtt Val 100	aat Asn	403
														cac His		451
gtg Val	ttt Phe	tgg Trp 120	gca Ala	ctt Leu	gtt Val	ggg Gly	cca Pro 125	atg Met	gca Ala	gcg Ala	cgt Arg	atg Met 130	tcc Ser	cca Pro	ggt Gly	499
cac His	act Thr 135	ggt Gly	cgt Arg	gca Ala	gta Val	ggc Gly 140	gtt Val	gtg Val	tcg Ser	att Ile	gga Gly 145	tca Ser	acc Thr	atg Met	gcg Ala	547
														atc Ile		595
tgg Trp	cgt Arg	Pro	Ala	Thr	Trp	Ile	Leu	Gly	Ala	Leu	acc Thr	Ile	Ala	gcc Ala 180	gtg Val	643
														gac Asp		691
														att Ile		739
ctg Leu	gtc Val 215	att Ile	ttc Phe	ctt Leu	ctc Leu	ctt Leu 220	gcc Ala	gtc Val	acc Thr	ggt Gly	gtt Val 225	ttt Phe	gct Ala	gcc Ala	tac Tyr	787
acc	tac	ctt	ggc	ctc	atc	atc	gct	gaa	aca	gca	ggg	gac	agc	ttc	gtg	835

Thr Tyr Leu 230	Gly Leu Ile 235	Ile Ala Glu	Thr Ala Gly 240	Asp Ser Phe	Val 245						
		ttc ggt gca Phe Gly Ala									
		gat caa cgc Asp Gln Arg 270									
	Leu Phe Val	att gct gca Ile Ala Ala 285									
		gcc gta gta Ala Val Val 300									
		ggc gct ctc Gly Ala Leu									
		gac cac cca Asp His Pro									
		ggt atc gcg Gly Ile Ala 350									
atg gct gtg Met Ala Val 360	Asp Ala Asp	tgg gtt gct Trp Val Ala 365	ggc act ttg Gly Thr Leu	tgg atc atg Trp Ile Met 370	gct 1219 Ala						
gga ctg tca Gly Leu Ser 375	ttg gct tcc Leu Ala Ser	acg ttg gcc Thr Leu Ala 380	ttg gcg ctg Leu Ala Leu 385	tgg tcc cgc Trp Ser Arg	ccg 1267 Pro						
cta ctg aag Leu Leu Lys 390		aattcagccc ac	et		1299						
<210> 134 <211> 392 <212> PRT <213> Corynebacterium glutamicum											

<400> 134

Met Ser Thr Thr Thr Ala Pro Glu Ala Arg Phe Pro Val Val Pro Leu

1 5 10 15

Thr Ala Met Ser Phe Ala Ala Phe Val Tyr Val Thr Phe Glu Met Phe 20 25 30

Ala Val Gly Leu Ile Lys Pro Met Ala Ser Asp Leu Gly Val Ser Glu

35 40 45

Ser Ser Ile Gly Leu Leu Met Thr Val Tyr Ala Thr Val Val Ala Val 50 55 60

Val Thr Ile Pro Ala Met Leu Trp Val Ser Arg Phe Asn Lys Arg Thr 65 70 75 80

Val Phe Leu Ile Thr Leu Ala Phe Leu Ala Thr Gly Ile Val Val Gln 85 90 95

Ala Leu Thr Val Asn Tyr Gly Met Leu Ala Ile Gly Arg Thr Ile Ala 100 105 110

Ala Leu Thr His Gly Val Phe Trp Ala Leu Val Gly Pro Met Ala Ala 115 120 125

Arg Met Ser Pro Gly His Thr Gly Arg Ala Val Gly Val Val Ser Ile 130 135 140

Gly Ser Thr Met Ala Leu Val Val Gly Ser Pro Leu Ala Thr Trp Ile 145 150 155 160

Gly Glu Leu Ile Gly Trp Arg Pro Ala Thr Trp Ile Leu Gly Ala Leu 165 170 175

Thr Ile Ala Ala Val Ala Val Leu Ile Pro Thr Val Pro Ser Leu Pro 180 185 190

Pro Leu Pro Asp Thr Glu Ser Glu Ser Lys Glu Lys Lys Ser Leu Pro 195 200 205

Trp Gly Leu Ile Ser Leu Val Ile Phe Leu Leu Leu Ala Val Thr Gly 210 215 220

Val Phe Ala Ala Tyr Thr Tyr Leu Gly Leu Ile Ile Ala Glu Thr Ala 225 230 235 240

Gly Asp Ser Phe Val Ser Ile Gly Leu Phe Ala Phe Gly Ala Leu Gly 245 250 255

Leu Ile Gly Val Thr Val Ala Thr Arg Thr Val Asp Gln Arg Met Leu 260 265 270

Arg Gly Ser Val His Thr Thr Leu Phe Val Ile Ala Ala Ile Leu 275 280 285

Gly Gln Ile Ala Phe Gly Leu Glu Gly Thr Leu Ala Val Val Ala Ile 290 295 300

Phe Leu Ala Val Thr Val Phe Gly Gly Ala Tyr Gly Ala Leu Pro Thr 305 310 315 320

Leu Gly Thr Thr Ile Phe Leu His Ala Gly Arg Asp His Pro Asp Thr 325 330 335

Ala Ser Ser Ile Tyr Val Val Thr Tyr Gln Val Gly Ile Ala Ser Gly

340 345 350 Ala Ala Leu Gly Ala Met Ala Val Asp Ala Asp Trp Val Ala Gly Thr 360 Leu Trp Ile Met Ala Gly Leu Ser Leu Ala Ser Thr Leu Ala Leu Ala 370 375 Leu Trp Ser Arg Pro Leu Leu Lys 390 <210> 135 <211> 420 <212> DNA <213> Corynebacterium glutamicum <221> CDS <222> (101)..(397) <223> RXN01984 <400> 135 aggaaatgtc tcacgtcaca accttttgaa aggtggctaa gtacgcacat ttgttgtctg 60 caatagtgcc ggtgagggag ctgtccgata ttgtgcttac atg cac gaa tct gga 115 Met His Glu Ser Gly aaa aat oot gto aag gtt gto gao tog oag goa ooa caa gga ogo ggt 163 Lys Asn Pro Val Lys Val Val Asp Ser Gln Ala Pro Gln Gly Arg Gly 10 15 ggg cat atc ggc gga cat atc aaa cgc cgc ccg att cct agg caa acg 211 Gly His Ile Gly Gly His Ile Lys Arg Arg Pro Ile Pro Arg Gln Thr gaa att tcc gag gtt cgt cga tat atc gtc atg act gcc ctc gca ctc 259 Glu Ile Ser Glu Val Arg Arg Tyr Ile Val Met Thr Ala Leu Ala Leu 307 ggt ggc ttc gcc atc ggt gtg acg gaa ttt gtc tcc atg ggt ctg ctc Gly Gly Phe Ala Ile Gly Val Thr Glu Phe Val Ser Met Gly Leu Leu age geg ate gee tee gae tit gag ate tee gaa gae caa gee gga cae 355 Ser Ala Ile Ala Ser Asp Phe Glu Ile Ser Glu Asp Gln Ala Gly His

atc atc acc atc tac gcc ctc gcg tgg ttg tgg gtg ccc cgc Ile Ile Thr Ile Tyr Ala Leu Ala Trp Leu Trp Val Pro Arg

<210> 136

· · · - · - -

tgatcacage gtttacegge aaa

397

<211> 99 <212> PRT <213> Corynebacterium glutamicum <400> 136 Met His Glu Ser Gly Lys Asn Pro Val Lys Val Val Asp Ser Gln Ala Pro Gln Gly Arg Gly Gly His Ile Gly Gly His Ile Lys Arg Pro Ile Pro Arg Gln Thr Glu Ile Ser Glu Val Arg Arg Tyr Ile Val Met Thr Ala Leu Ala Leu Gly Gly Phe Ala Ile Gly Val Thr Glu Phe Val Ser Met Gly Leu Leu Ser Ala Ile Ala Ser Asp Phe Glu Ile Ser Glu Asp Gln Ala Gly His Ile Ile Thr Ile Tyr Ala Leu Ala Trp Leu Trp Val Pro Arg <210> 137 <211> 379 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(379) <223> FRXA01984 <400> 137 aggaaatqtc tcacqtcaca accttttgaa aggtggctaa gtacqcacat ttgttgtctg 60 caatagtgcc ggtgagggag ctgtccgata ttgtgcttac atg cac gaa tct gga Met His Glu Ser Gly aaa aat cct gtc aag gtt gtc gac tcg cag gca cca caa gga cgc ggt 163 Lys Asn Pro Val Lys Val Val Asp Ser Gln Ala Pro Gln Gly Arg Gly ggg cat atc ggc gga cat atc aaa cgc cgc ccg att cct agg caa acg Gly His Ile Gly Gly His Ile Lys Arg Arg Pro Ile Pro Arg Gln Thr gaa att tcc gag gtt cgt cga tat atc gtc atg act gcc ctc gca ctc 259 Glu Ile Ser Glu Val Arg Arg Tyr Ile Val Met Thr Ala Leu Ala Leu 40

ggt ggc ttc gcc atc ggt gtg acg gaa ttt gtc tcc atg ggt ctg ctc

Gly Gly Phe Ala Ile Gly Val Thr Glu Phe Val Ser Met Gly Leu Leu 60 age geg ate gee tee gae tit gag ate tee gaa gae caa gee gga cae 355 Ser Ala Ile Ala Ser Asp Phe Glu Ile Ser Glu Asp Gln Ala Gly His 379 atc atc acc atc tac gcc ctc gcg Ile Ile Thr Ile Tyr Ala Leu Ala 90 <210> 138 <211> 93 <212> PRT <213> Corynebacterium glutamicum <400> 138 Met His Glu Ser Gly Lys Asn Pro Val Lys Val Val Asp Ser Gln Ala Pro Gln Gly Arg Gly Gly His Ile Gly Gly His Ile Lys Arg Arg Pro Ile Pro Arg Gln Thr Glu Ile Ser Glu Val Arg Arg Tyr Ile Val Met Thr Ala Leu Ala Leu Gly Gly Phe Ala Ile Gly Val Thr Glu Phe Val 55 50 Ser Met Gly Leu Leu Ser Ala Ile Ala Ser Asp Phe Glu Ile Ser Glu Asp Gln Ala Gly His Ile Ile Thr Ile Tyr Ala Leu Ala <210> 139 <211> 735 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(712) <223> RXA00109 <400> 139 aagtggggga agatttcgac aactaaccgg gcgcaaagat gaaactaatg cgtccgacca 60 cggcgaaaag gaagtttcgc ccatctatga gaggttgaat gtg gct tca gag aag Val Ala Ser Glu Lys 1 aat cta aaa ttg cgt acc ttg gcg gca gct gct ggg gtg ttg ggc gtt Asn Leu Lys Leu Arg Thr Leu Ala Ala Ala Ala Gly Val Leu Gly Val

15

ggc Gly	gcg Ala	ato Met	tcg Ser 25	Met	ctc Leu	gtg Val	gct Ala	ccg Pro 30	Gln	gct Ala	gct Ala	gcc Ala	cat His 35	gat Asp	gtg Val	211
gtg Val	gtg Val	gat Asp 40	Ser	aat Asn	cct Pro	gaa Glu	aat Asn 45	ggc Gly	agt Ser	gtc Val	gtt Val	gat Asp 50	gag Glu	ttc Phe	ccg Pro	259
gag Glu	acc Thr 55	Ile	gag Glu	ttg Leu	gag Glu	ttt Phe 60	tcc Ser	ggt Gly	att Ile	cct Pro	cag Gln 65	gat Asp	ctg Leu	ttc Phe	aca Thr	307
aca Thr 70	Val	gca Ala	ttg Leu	agc Ser	aat Asn 75	gcg Ala	gat Asp	tcc Ser	gga Gly	gag Glu 80	gtg Val	tta Leu	act Thr	tct Ser	gga Gly 85	355
act Thr	cct Pro	cag Gln	ctt Leu	gag Glu 90	ggg Gly	cag Gln	cac His	ttg Leu	agc Ser 95	tat Tyr	gaa Glu	gtg Val	cca Pro	tct Ser 100	gat Asp	403
gtg Val	cag Gln	acg Thr	gga Gly 105	gct Ala	ggt Gly	aac Asn	Tyr	att Ile 110	ttg Leu	ggt Gly	ttc Phe	cag Gln	atc Ile 115	act Thr	tct Ser	451
tct Ser	gat Asp	ggt Gly 120	cac His	gct Ala	act Thr	aaa Lys	ggt Gly 125	tca Ser	atc Ile	tct Ser	ttt Phe	gag Glu 130	gtg Val	aca Thr	ggc Gly	499
tct Ser	gct Ala 135	gaa Glu	acg Thr	aca Thr	aca Thr	gag Glu 140	aca Thr	aca Thr	gca Ala	gag Glu	acg Thr 145	aca Thr	act Thr	gag Glu	tca Ser	547
Ala 150	Ala	Thr	Thr	Asp	acc Thr 155	Ser	Glu	Thr	Thr	Glu 160	Ala	Glu	Thr	Thr	Glu 165	595
act Thr	gct Ala	gat Asp	gaa Glu	act Thr 170	tct Ser	gga Gly	att Ile	cct Pro	gcg Ala 175	ccg Pro	tgg Trp	aat Asn	tgg Trp	gtt Val 180	ttg Leu	643
					ctt Leu											691
					cag Gln		taag	aggg	tt t	attc	acca	t ga	а			735

<210> 140

<211> 204

<212> PRT

<213> Corynebacterium glutamicum

<400> 140

Val Ala Ser Glu Lys Asn Leu Lys Leu Arg Thr Leu Ala Ala Ala

1				5	,				10					15		
Gly	Val	Leu	Gly 20		Gly	Ala	Met	Ser 25		Leu	Val	Ala	Pro 30		Ala	
Ala	Ala	His 35	_	Val	Val	Val	Asp 40		Asn	Pro	Glu	Asn 45	_	Ser	Val	
Val	Asp 50		Phe	Pro	Glu	Thr 55		Glu	Leu	Glu	Phe 60	Ser	Gly	Ile	Pro	
Gln 65		Leu	Phe	Thr	Thr 70		Ala	Leu	Ser	Asn 75	Ala	Asp	Ser	Gly	Glu 80	
Val	Leu	Thr	Ser	Gly 85	Thr	Pro	Gln	Leu	Glu 90	Gly	Gln	His	Leu	Ser 95	Tyr	
Glu	Val	Pro	Ser 100	Asp	Val	Gln	Thr	Gly 105	Ala	Gly	Asn	Tyr	Ile 110		Gly	
Phe	Gln	Ile 115	Thr	Ser	Ser	Asp	Gly 120	His	Ala	Thr	Lys	Gly 125	Ser	Ile	Ser	
Phe	Glu 130	Val	Thr	Gly	Ser	Ala 135	Glu	Thr	Ţhr	Thr	Glu 140	Thr	Thr	Ala	Glu	
Thr 145	Thr	Thr	Glu	Ser	Ala 150	Ala	Thr	Thr	Asp	Thr 155	Ser	Glu	Thr	Thr	Glu 160	
Ala	Glu	Thr	Thr	Glu 165	Thr	Ala	Asp	Glu	Thr 170	Ser	Gly	Ile	Pro	Ala 175	Pro	
Trp	Asn	Trp	Val 180	Leu	Ser	Ile	Val	Ala 185	Val	Leu	Val	Val	Ala 190	Ser	Ala	
Ile	Val	Met 195	Met	Ile	Ala	_	Asn 200	Arg	Asn	Gln	Lys					
<210 <211 <212 <213	> 73 > DN	5	bact:	eriu	m gl	utam	icum									
<220 <221 <222 <223	> CD > (1	01).		2)												
<400		_	~=++1	cas	- 22	ct a a /	ccaa	aca.	.	~at .	~~~	at a a	+ ~ ~	at aa		60
															gacca	
cggc	gaaa	ag ga	aagtt	tege	c cca	atcta	atga	gag	gttga			gct Ala				115
aat d	cta a	aa t	tg c	gt a	icc t	tg g	jcg g	jca ç	gct g	gct q	ggg	gtg ·	ttg	ggc	gtt	163

Asn	Leu	Lys	Leu	Arg 10	Thr	Leu	Ala	Ala	Ala 15	Ala	Gly	Val	Leu	Gly 20	Val	
					ctc Leu											211
					cct Pro											259
			-	_	gag Glu						_	-	_			307
					aat Asn 75											355
		_			ggg Gly	_		_	_		_				-	403
					ggt Gly											451
					act Thr											499
	-	-	_		aca Thr				_		_			-		547
					acc Thr 155											595
					tct Ser											643
					ctt Leu											691
					cag Gln		taag	aggg	tt t	atto	acca	it ga	ıa			735

<210> 142

<211> 204

<212> PRT

<213> Corynebacterium glutamicum

<400> 142 Val Ala Ser Glu Lys Asn Leu Lys Leu Arg Thr Leu Ala Ala Ala Ala Gly Val Leu Gly Val Gly Ala Met Ser Met Leu Val Ala Pro Gln Ala Ala Ala His Asp Val Val Val Asp Ser Asn Pro Glu Asn Gly Ser Val Val Asp Glu Phe Pro Glu Thr Ile Glu Leu Glu Phe Ser Gly Ile Pro Gln Asp Leu Phe Thr Thr Val Ala Leu Ser Asn Ala Asp Ser Gly Glu Val Leu Thr Ser Gly Thr Pro Gln Leu Glu Gly Gln His Leu Ser Tyr Glu Val Pro Ser Asp Val Gln Thr Gly Ala Gly Asn Tyr Ile Leu Gly Phe Gln Ile Thr Ser Ser Asp Gly His Ala Thr Lys Gly Ser Ile Ser Phe Glu Val Thr Gly Ser Ala Glu Thr Thr Thr Glu Thr Thr Ala Glu 130 Thr Thr Glu Ser Ala Ala Thr Thr Asp Thr Ser Glu Thr Thr Glu 150 155 Ala Glu Thr Thr Glu Thr Ala Asp Glu Thr Ser Gly Ile Pro Ala Pro Trp Asn Trp Val Leu Ser Ile Val Ala Val Leu Val Val Ala Ser Ala Ile Val Met Met Ile Ala Lys Asn Arg Asn Gln Lys 200

<210> 143

<211> 864

<212> DNA

<213> Corynebacterium glutamicum

<220>

<221> CDS

<222> (101)..(841)

<223> RXA00996

<400> 143

atcttaagcc ttttgtccaa ggctctgagt tcttagtggc ggtatttacc aagaagtaac 60

acetetatet tgeacetgat etggegtaga eteataagtt atg age ace gta acg Met Ser Thr Val Thr 1

gca Ala	gtg Val	cag Gln	gto Val	aac Asn 10	Gly	cta Leu	aaa Lys	gtt Val	tcc Ser 15	ata Ile	tcg Ser	tcc Ser	ggt Gly	ttt Phe 20	tca Ser	163
				Lys		atc			Asp							211
acc Thr	gga Gly	aag Lys 40	Ile	acg Thr	gga Gly	ttg Leu	ctg Leu 45	ggg Gly	cca Pro	tcg Ser	ggc Gly	agc Ser 50	ggc Gly	aag Lys	aca Thr	259
						gtg Val 60										307
gag Glu 70	gtg Val	ttt Phe	gat Asp	cag Gln	ccc Pro 75	gca Ala	ggt Gly	gct Ala	gcc Ala	tct Ser 80	ctg Leu	cgc Arg	G] À ààà	aaa Lys	atc Ile 85	355
						gcc Ala										403
						ggg Gly										451
						ctg Leu										499
						cta Leu 140										547
						gcc Ala										595
		Val	Gly	Leu	Asp	ccc Pro	Ile	Thr	Arg	Gln	-	-		-		643
ttc Phe	acc Thr	acc Thr	atc Ile 185	gca Ala	aaa Lys	gca Ala	ggt Gly	gct Ala 190	gga Gly	gtg Val	gtt Val	atc Ile	tcc Ser 195	agt Ser	cac His	691
						cgg Arg										739
					Arg	gga Gly 220										787

ggc aaa agc tca tac gaa gat gct ttc ttg gct gcc att gac ggg gta 835 Gly Lys Ser Ser Tyr Glu Asp Ala Phe Leu Ala Ala Ile Asp Gly Val 235 240 245

agg tca tgaaccctca ctatctgctt gcc Arg Ser 864

<210> 144

<211> 247

<212> PRT

<213> Corynebacterium glutamicum

<400> 144

Met Ser Thr Val Thr Ala Val Gln Val Asn Gly Leu Lys Val Ser Ile 1 5 10 15

Ser Ser Gly Phe Ser Arg Lys Lys Thr Lys Thr Ile Leu His Asp Leu 20 · 25 30

Asp Phe Thr Val Glu Thr Gly Lys Ile Thr Gly Leu Leu Gly Pro Ser 35 40 45

Gly Ser Gly Lys Thr Thr Leu Met Arg Ala Ile Val Gly Val Gln Asn 50 55 60

Phe Asp Gly Thr Leu Glu Val Phe Asp Gln Pro Ala Gly Ala Ala Ser 65 70 75 80

Leu Arg Gly Lys Ile Gly Tyr Val Thr Gln Asn Ala Ser Val Tyr His $85 \hspace{1cm} 90 \hspace{1cm} 95$

Asp Leu Ser Val Ile Glu Asn Leu Lys Tyr Phe Gly Ala Leu Ala Lys 100 105 110

Gly Thr Ser Thr Pro Arg Thr Pro Glu Lys Ile Leu Glu Val Leu Asp 115 120 125

Ile Ala Asp Leu Ala Gln Arg Gln Val Ser Thr Leu Ser Gly Gln 130 140

Arg Gly Arg Val Ser Leu Gly Cys Ala Leu Ile Ala Ser Pro Glu Leu 145 150 155 160

Leu Val Met Asp Glu Pro Thr Val Gly Leu Asp Pro Ile Thr Arg Gln
165 170 175

Ala Leu Trp Glu Glu Phe Thr Thr Ile Ala Lys Ala Gly Ala Gly Val 180 185 190

Val Ile Ser Ser His Val Leu Glu Glu Ala Ala Arg Cys Asp Asn Leu 195 200 205

Ile Leu Leu Arg Asp Gly Arg Ile Ile Trp Arg Gly Thr Pro Thr Arg 210 215 220

Leu Leu Glu Asp Thr Gly Lys Ser Ser Tyr Glu Asp Ala Phe Leu Ala 225 230 235 240

Ala Ile Asp Gly Val Arg Ser 245

<210> 145

<211> 2463

<212> DNA

<213> Corynebacterium glutamicum

<220>

<221> CDS

<222> (101)..(2440)

<223> RXN00829

<400> 145

tgttttagcc atggacccca tactagggag agttttgttt tggtgctaga aaaggttcac 60

caagcgcgaa caggcctatg caaacggtac gatatgacac atg caa aaa gct gat 115 Met Gln Lys Ala Asp 1 5

tcc cat gat tgg att tcg gtc cac ggt gcg aat gaa aac aac ctc aaa 163 Ser His Asp Trp Ile Ser Val His Gly Ala Asn Glu Asn Asn Leu Lys 10 15 20

aat gtg tcg gtg cgc atc cct aaa agg cgt ctc acc gtg ttc acg ggt 211 Asn Val Ser Val Arg Ile Pro Lys Arg Arg Leu Thr Val Phe Thr Gly 25 30 35

gtg tcg gga tct ggc aag tcc tcg ctg gtg ttc ggc aca att gct gcg 259 Val Ser Gly Ser Gly Lys Ser Ser Leu Val Phe Gly Thr Ile Ala Ala 40 45 50

gaa toa ogo ogg ttg ato aac gaa aco tat ago act ttt gtg caa ggt 307 Glu Ser Arg Arg Leu Ile Asn Glu Thr Tyr Ser Thr Phe Val Gln Gly 55 60 65

ttc atg ccg tcg atg gca agg ccc gat gtt gac cat ttg gaa ggc atc 355
Phe Met Pro Ser Met Ala Arg Pro Asp Val Asp His Leu Glu Gly Ile
70 75 80 85

acc acg gcg atc atc gtc gat cag gag cag atg ggc gca aac cca cgg $\,$ 403 Thr Thr Ala Ile Ile Val Asp Gln Glu Gln Met Gly Ala Asn Pro Arg $\,$ 90 $\,$ 95 $\,$ 100

tct acg gtg ggt acc gca act gat gcc acc gcg atg ttg cgc att ttg $\,$ 451 Ser Thr Val Gly Thr Ala Thr Asp Ala Thr Ala Met Leu Arg Ile Leu $\,$ 105 $\,$ 110 $\,$ 115

ttt tcc cga atc gcg gaa cct aac gcg ggt ggc ccg gga gct tat tcc 499 Phe Ser Arg Ile Ala Glu Pro Asn Ala Gly Gly Pro Gly Ala Tyr Ser 120 125 130

tto aac gtc ccc tot gtt too gca too ggc gcc atc acg gtg gaa aag 547

Phe	Asn 135	Val	Pro	Ser	Val	Ser 140		Ser	Gly	Ala	Ile 145	Thr	Val	Glu	Lys	
				_		Glu		gct Ala				_	-			595
					Glu			ggc Gly								643
				Asp	-			tcc Ser 190			_		-	_		691
								tgg Trp	-			_			_	739
_				-	-	_	_	ccg Pro		_	_				-	787
_	_							gag Glu			-	_	_		_	835
			_					ctt Leu			_		_			883
_	_		_	-	-	_		atg Met 270	-	_			_			931
								cct Pro								979
								tcc Ser								1027
								cgt Arg								1075
								ccc Pro								1123
								ggt Gly 350								1171
								ggt Gly								1219

360 365 370

atc Ile	cgc Arg 375	His	ttg Leu	ggc Gly	tct Ser	gca Ala 380	Leu	act Thr	gac Asp	gtc Val	acc Thr 385	Tyr	gtt Val	ttt Phe	gat Asp	1267
gaa Glu 390	Pro	acc Thr	gcc	ggt Gly	ttg Leu 395	cac His	gcc Ala	tac Tyr	gac Asp	att Ile 400	gaa Glu	cgc Arg	atg Met	aac Asn	aag Lys 405	1315
										Thr	gtt Val					1363
				Thr							gtg Val					1411
											ttt Phe					1459
											ctc Leu 465					1507
											cat His					1555
											gtg Val					1603
-					_					_	gca Ala		-		_	1651
											tcg Ser					1699
											aat Asn 545					1747
											gcc Ala					1795
		-		_						-	ggc Gly		-			1843
							Tyr				ggc Gly					1891

gta Val	tct Ser	tcg Ser 600	ccg Pro	tgt Cys	gag Glu	gtg Val	tgc Cys 605	gag Glu	ggc Gly	aag Lys	cgt Arg	ttt Phe 610	gat Asp	gag Glu	tcc Ser	1939
	-	gac Asp						_	-		-	-		_		1987
		gct Ala														2035
		cct Pro														2083
		atc Ile		Leu												2131
_	_	cgt Arg 680	_	_		-			_	_	-	_	-			2179
		ttg Leu														2227
		ctg Leu														2275
		atc Ile														2323
Ile	Āsp	gtc Val	Gly 745	Pro	Gly	Ala	Gly	Ser 750	Asp	ĞÎy	Gly	Ser	Ile 755	Val	Phe	2371
gag Glu	ggc Gly	agc Ser 760	ccc Pro	gcg Ala	gaa Glu	ctc Leu	atc Ile 765	aaa Lys	act Thr	gat Asp	act Thr	cca Pro 770	aca Thr	gga Gly	cgc Arg	2419
		aaa Lys	-		-	-	tagt	ttct	ta t	ggaa	aacc	c to	ıg			2463

<210> 146

Met Gln Lys Ala Asp Ser His Asp Trp Ile Ser Val His Gly Ala Asn

<211> 780

<212> PRT

<213> Corynebacterium glutamicum

<400> 146

1				5					10					15	
Glu	Asn	Asn	Leu 20	Lys	Asn	Val	Ser	Val 25	Arg	Ile	Pro	Lys	Arg 30	Arg	Leu
Thr	Val	Phe 35	Thr	Gly	Val	Ser	Gly 40	Ser	Gly	Lys	Ser	Ser 45	Leu	Val	Phe
Gly	Thr 50	Ile	Ala	Ala	Glu	Ser 55	Arg	Arg	Leu	Ile	Asn 60	Glu	Thr	Tyr	Ser
Thr 65	Phe	Val	Gln	Gly	Phe 70	Met	Pro	Ser	Met	Ala 75	Arg	Pro	Asp	Val	Asp 80
His	Leu	Glu	Gly	Ile 85	Thr	Thr	Ala	Ile	Ile 90	Val	Asp	Gln	Glu	Gln 95	Met
Gly	Ala	Asn	Pro 100	Arg	Ser	Thr	Val	Gly 105	Thr	Ala	Thr	Asp	Ala 110	Thr	Ala
Met	Leu	Arg 115	Ile	Leu	Phe	Ser	Arg 120	Ile	Ala	Glu	Pro	Asn 125	Ala	Gly	G1 y
Pro	Gly 130	Ala	Tyr	Ser	Phe	Asn 135	Val	Pro	Ser	Val	Ser 140	Ala	Ser	Gly	Ala
Ile 145	Thr	Val	Glu	Lys	Gly 150	Gly	Asn	Thr	Lys	Arg 155	Glu	Lys	Ala	Thr	Phe 160
Lys	Arg	Thr	Gly	Gly 165	Met	Cys	Pro	Ala	Cys 170	Glu	Gly	Met	Gly	Arg 175	Ala
Ser	Asp	Ile	Asp 180	Leu	Lys	Glu	Leu	Phe 185	Asp	Ala	Ser	Leu	Ser 190	Leu	Asn
Asp	Gly	Ala 195	Leu	Thr	Ile	Pro	Gly 200	Tyr	Thr	Pro	Gly	Gly 205	Trp	Ser	Туг
Arg	Met 210	Tyr	Ser	Glu	Ser	Gly 215	Leu	Phe	Asp	Ala	Ala 220	Lys	Pro	Ile	Lys
Asp 225	Phe	Thr	Glu	Glu	Glu 230	Arg	His	Asn	Phe	Leu 235	Tyr	Leu	Glu	Pro	Thr 240
Lys	Met	Lys	Ile	Ala 245	Gly	Ile	Asn	Met	Thr 250	Tyr	Glu	Gly	Leu	11e 255	Pro
Arg	Ile	Gln	Lys 260	Ser	Met	Leu	Ser	Lys 265	Asp	Arg	Glu	Gly	Met 270	Gln	Lys
His	Ile	Arg 275	Ala	Phe	Val	Asp	Arg 280	Ala	Val	Thr	Phe	Ile 285	Pro	Cys	Pro
Ala	Cys 290	Gly	Gly	Thr	Arg	Leu 295	Ala	Pro	His	Ala	Leu 300	Glu	Ser	Lys	Ile
Asn	Gly	Lys	Asn	Ile	Ala	Glu	Leu	Cys	Ala	Met	Glu	Val	Arg	Asp	Leu

305					310					315					320
Ala	Lys	Trp	Ile	2 Lys	Thr	Val	Glu	Ala	Pro 330		Val	Ala	Pro	Leu 335	Let
Thr	Ala	Leu	340		Thr	Leu	Asp	Asn 345		Val	Glu	Ile	Gly 350		Gl
Tyr	Ile	Gln 355		Asp	Arg	Pro	Ala 360	_	Thr	Leu	Ser	Gly 365	Gly	Glu	Ala
Gln	Arg 370		Lys	Met	Ile	Arg 375		Leu	Gly	Ser	Ala 380		Thr	Asp	Va]
Thr 385		Val	Phe	Asp	Glu 390	Pro	Thr	Ala	Gly	Leu 395		Ala	Tyr	Asp	11e 400
Glu	Arg	Met	Asn	Lys 405	Leu	Leu	Leu	Asp	Leu 410	_	Asp	Lys	Gly	Asn 415	Thi
Val	Leu	Val	Val 420		His	Lys	Pro	Glu 425		Ile	Ala	Ile	Ala 430	Asp	His
Val	Val	Asp 435	Leu	Gly	Pro	Gly	Ala 440	Gly	Ala	Gly	Gly	Gly 445	Glu	Ile	Arg
Phe	Glu 450	_	Ser	Val	Asp	Lys 455		Lys	Asp	Ser	Asp 460	Thr	Val	Thr	Gly
Leu 465	His	Phe	Asn	Asp	Arg 470	Ala	Ser	Leu	Lys	Glu 475	Ser	Val	Arg	Ala	Pro 480
His	Gly	Ala	Leu	Glu 485	Ile	Arg	Gly	Ala	Asp 490	Arg	Asn	Asn	Leu	Asn 495	Asr
. Val	Asp	Val	Asp 500	Ile	Pro	Leu	Gly	Val 505	Phe	Thr	Ala	Ile	Ser 510	Gly	Va]
Ala	Gly	Ser 515	Gly	Lys	Ser	Ser	Leu 520	Ile	His	Glu	Ile	Pro 525	Arg	Asp	Glu
Ser	Val 530	Val	Phe	Val	Asp	Gln 535	Thr	Ala	Ile	His	Gly 540	Ser	Asn	Arg	Ser
Asn 545	Pro	Ala	Thr	Tyr	Thr 550	Gly	Met	Leu	Asp	Ser 555	Ile	Arg	Lys	Ala	Phe 560
Ala	Lys	Ala	Asn	Asp 565	Val	Lys	Pro	Ala	Leu 570	Phe	Ser	Pro	Asn	Ser 575	Glu
Gly	Ala	Cys	Pro 580	Asn	Cys	Lys	Gly	Ala 585	Gly	Ser	Val	Tyr	Val 590	Asp	Leu
Gly	Met	Met 595	Ala	Gly	Val	Ser	Ser 600	Pro	Cys	Glu	Val	Cys 605	Glu	Gly	Lys
Arg	Phe	Asp	Glu	Ser	Val	Leu	Asp	Tyr	His	Phe	Gly	Gly	Lys	Asp	Ile

620

Ala Asp Val Leu Gly Leu Ser Ala Ala Asn Ala Tyr Glu Phe Phe Ala 625 630 635 640
Ala Lys Asp Ser Lys Ile Leu Pro Ala Ala Lys Ile Ala Lys Arg Leu

615

645 650 655

Val Asp Val Gly Leu Gly Tyr Ile Thr Leu Gly Gln Pro Leu Thr Thr
660 665 670

Leu Ser Gly Gly Glu Arg Gln Arg Leu Lys Leu Ala Thr His Met Ala 675 680 685

Asp Lys Ala Thr Thr Phe Ile Leu Asp Glu Pro Thr Thr Gly Leu His 690 695 700

Leu Ala Asp Val Lys Thr Leu Leu Asp Leu Phe Asp Gln Leu Val Asp 705 710 715 720

Asp Gly Lys Ser Val Ile Val Ile Glu His His Leu Gly Val Leu Ala
725 730 735

His Ala Asp His Ile Ile Asp Val Gly Pro Gly Ala Gly Ser Asp Gly 740 745 750

Gly Ser Ile Val Phe Glu Gly Ser Pro Ala Glu Leu Ile Lys Thr Asp 755 760 765

Thr Pro Thr Gly Arg His Leu Lys Ala Tyr Val Asp 770 775 780

<210> 147

610

<211> 278

<212> DNA

<213> Corynebacterium glutamicum

<220>

<221> CDS

<222> (1)..(255)

<223> FRXA00829

<400> 147

ttg gat gag ccc acc aca ggc ctg cac ctc gct gat gtg aaa acc ttg
Leu Asp Glu Pro Thr Thr Gly Leu His Leu Ala Asp Val Lys Thr Leu
1 5 10 15

ctg gat ctt ttt gat caa ctg gtt gat gac ggc aag tct gtc atc gtc 96 Leu Asp Leu Phe Asp Gln Leu Val Asp Asp Gly Lys Ser Val Ile Val 20 25 30

atc gaa cac cac ctc ggc gtg ctc gct cac gct gac cac atc att gat 144
Ile Glu His His Leu Gly Val Leu Ala His Ala Asp His Ile Ile Asp
35 40 45

gtc ggc cct ggt gca ggt tct gat ggt ggc tcg att gta ttc gag ggc 192

to the series are a control of the c

Val Gly Pro Gly Ala Gly Ser Asp Gly Gly Ser Ile Val Phe Glu Gly 55 240 age ece geg gaa ete ate aaa aet gat aet eea aea gga ege eae ett Ser Pro Ala Glu Leu Ile Lys Thr Asp Thr Pro Thr Gly Arg His Leu 70 75 278 aaa gct tat gta gat tagtttctta tggaaaaccc tgg Lys Ala Tyr Val Asp <210> 148 <211> 85 <212> PRT <213> Corynebacterium glutamicum <400> 148 Leu Asp Glu Pro Thr Thr Gly Leu His Leu Ala Asp Val Lys Thr Leu Leu Asp Leu Phe Asp Gln Leu Val Asp Asp Gly Lys Ser Val Ile Val Ile Glu His His Leu Gly Val Leu Ala His Ala Asp His Ile Ile Asp Val Gly Pro Gly Ala Gly Ser Asp Gly Gly Ser Ile Val Phe Glu Gly Ser Pro Ala Glu Leu Ile Lys Thr Asp Thr Pro Thr Gly Arg His Leu 75 Lys Ala Tyr Val Asp <210> 149 <211> 1663 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(1663) <223> FRXA00834 <400> 149 tgttttagcc atggacccca tactagggag agttttgttt tggtgctaga aaaggttcac 60 caagegegaa caggeetatg caaaeggtae gatatgaeae atg caa aaa get gat Met Gln Lys Ala Asp 1 tee cat gat tgg att teg gte cae ggt geg aat gaa aac aac ete aaa Ser His Asp Trp Ile Ser Val His Gly Ala Asn Glu Asn Asn Leu Lys 10 15

		atc Ile							211
		aag Lys							259
		atc Ile							307
		gca Ala 75							355
_		gtc Val	_	_	 _	_	 _		 403
		gca Ala							451
		gaa Glu							499
		gtt Val							547
		cgg Arg 155							595
		gag Glu							643
		gcc Ala							691
		cca Pro							739
		gct Ala							787
		ctt Leu 235							835

					tat Tyr					Pro						883
				Asp	cgc Arg				Gln							931
			Ala		acc Thr			Pro								979
cga Arg	tta Leu 295	gcg Ala	cca Pro	cat	gcc Ala	ttg Leu 300	Glu	tcc Ser	aag Lys	atc Ile	aat Asn 305	ggc Gly	aaa Lys	aac Asn	atc Ile	1027
					atg Met 315											1075
_		-	-		tcg Ser	_	_		_			_	_		-	1123
					gtg Val											1171
					ttg Leu											1219
					tct Ser											1267
					ttg Leu 395											1315
					cgc Arg	Asp		Gly	Asn	Thr						1363
					atc Ile											1411
					ggt Gly											1459
					agc Ser											1507
cgg	gcg	tca	ttg	aag	gaa	tcc	gtg	cgt	gcg	ccg	cat	ggc	gcc	ctg	gag	1555

Arg Ala Ser Leu Lys Glu Ser Val Arg Ala Pro His Gly Ala Leu Glu 470 475 480 485

atc cgc ggg gcc gat cga aat aat ttg aac aat gtg gat gtc gat att 1603 Ile Arg Gly Ala Asp Arg Asn Asn Leu Asn Asn Val Asp Val Asp Ile 490 495 500

ccg ctc ggc gtg ttc acg gcg att tcc ggc gtt gca ggt tcg ggt aag 1651 Pro Leu Gly Val Phe Thr Ala Ile Ser Gly Val Ala Gly Ser Gly Lys 505 510

tcc tcg ttg att
Ser Ser Leu Ile
520

<210> 150

<211> 521

<212> PRT

<213> Corynebacterium glutamicum

<400> 150

Met Gln Lys Ala Asp Ser His Asp Trp Ile Ser Val His Gly Ala Asn
1 5 10 15

Glu Asn Asn Leu Lys Asn Val Ser Val Arg Ile Pro Lys Arg Arg Leu 20 25 30

Thr Val Phe Thr Gly Val Ser Gly Ser Gly Lys Ser Ser Leu Val Phe 35 40 45

Gly Thr Ile Ala Ala Glu Ser Arg Arg Leu Ile Asn Glu Thr Tyr Ser 50 55 60

Thr Phe Val Gln Gly Phe Met Pro Ser Met Ala Arg Pro Asp Val Asp 65 70 75 80

His Leu Glu Gly Ile Thr Thr Ala Ile Ile Val Asp Gln Glu Gln Met 85 90 95

Gly Ala Asn Pro Arg Ser Thr Val Gly Thr Ala Thr Asp Ala Thr Ala 100 105 110

Met Leu Arg Ile Leu Phe Ser Arg Ile Ala Glu Pro Asn Ala Gly Gly 115 120 125

Pro Gly Ala Tyr Ser Phe Asn Val Pro Ser Val Ser Ala Ser Gly Ala 130 135 140

Ile Thr Val Glu Lys Gly Gly Asn Thr Lys Arg Glu Lys Ala Thr Phe 145 150 155 160

Lys Arg Thr Gly Gly Met Cys Pro Ala Cys Glu Gly Met Gly Arg Ala 165 170 175

Ser Asp Ile Asp Leu Lys Glu Leu Phe Asp Ala Ser Leu Ser Leu Asn 180 185 190

Asp Gly Ala Leu Thr Ile Pro Gly Tyr Thr Pro Gly Gly Trp Ser Tyr Arg Met Tyr Ser Glu Ser Gly Leu Phe Asp Ala Ala Lys Pro Ile Lys Asp Phe Thr Glu Glu Glu Arg His Asn Phe Leu Tyr Leu Glu Pro Thr Lys Met Lys Ile Ala Gly Ile Asn Met Thr Tyr Glu Gly Leu Ile Pro Arg Ile Gln Lys Ser Met Leu Ser Lys Asp Arg Glu Gly Met Gln Lys His Ile Arg Ala Phe Val Asp Arg Ala Val Thr Phe Ile Pro Cys Pro Ala Cys Gly Gly Thr Arg Leu Ala Pro His Ala Leu Glu Ser Lys Ile Asn Gly Lys Asn Ile Ala Glu Leu Cys Ala Met Glu Val Arg Asp Leu Ala Lys Trp Ile Lys Thr Val Glu Ala Pro Ser Val Ala Pro Leu Leu Thr Ala Leu Thr Glu Thr Leu Asp Asn Phe Val Glu Ile Gly Leu Gly 345 Tyr Ile Gln Leu Asp Arg Pro Ala Gly Thr Leu Ser Gly Gly Glu Ala 360 Gln Arg Thr Lys Met Ile Arg His Leu Gly Ser Ala Leu Thr Asp Val Thr Tyr Val Phe Asp Glu Pro Thr Ala Gly Leu His Ala Tyr Asp Ile 390 Glu Arg Met Asn Lys Leu Leu Leu Asp Leu Arg Asp Lys Gly Asn Thr 410 Val Leu Val Val Glu His Lys Pro Glu Thr Ile Ala Ile Ala Asp His Val Val Asp Leu Gly Pro Gly Ala Gly Ala Gly Gly Glu Ile Arg Phe Glu Gly Ser Val Asp Lys Leu Lys Asp Ser Asp Thr Val Thr Gly Leu His Phe Asn Asp Arg Ala Ser Leu Lys Glu Ser Val Arg Ala Pro 470 475

His Gly Ala Leu Glu Ile Arg Gly Ala Asp Arg Asn Asn Leu Asn Asn

490

Val Asp Val Asp Ile Pro Leu Gly Val Phe Thr Ala Ile Ser Gly Val

500 505 Ala Gly Ser Gly Lys Ser Ser Leu Ile 515 520 <210> 151 <211> 864 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(841) <223> RXA00995 <400> 151 gtcggatcat ctggagggga acacccacac gccttctaga agatacaggc aaaagctcat 60 acgaagatge tttcttggct gecattgacg gggtaaggte atg aac eet cae tat Met Asn Pro His Tyr ctg ctt gcc acg gtc aaa cga gtc ctg ctg cag ctg aaa gcc gat aaa 163 Leu Leu Ala Thr Val Lys Arg Val Leu Leu Gln Leu Lys Ala Asp Lys 10 cgt tcc atc gcg ctg att ctt cta gca ccc gtg gcg ttg atg tcg ctg 211 Arg Ser Ile Ala Leu Ile Leu Leu Ala Pro Val Ala Leu Met Ser Leu 30 ttt tat tac atg tat tcc tcc aca ccg gca ggc acc cag ctg ttt aag 259 Phe Tyr Tyr Met Tyr Ser Ser Thr Pro Ala Gly Thr Gln Leu Phe Lys acc att tcc acg gtc atg atc gca gtg ttc ccc ttg atg ctc atg ttt 307 Thr Ile Ser Thr Val Met Ile Ala Val Phe Pro Leu Met Leu Met Phe 60 ttg atg acg tcg gtg acg atg caa aga gaa cgc aac gct gga acg ctc 355 Leu Met Thr Ser Val Thr Met Gln Arg Glu Arg Asn Ala Gly Thr Leu gag cgc ttg tgg acc acg aac att cac cgc gtt gat ttg atc ggt ggc 403 Glu Arg Leu Trp Thr Thr Asn Ile His Arg Val Asp Leu Ile Gly Gly tac ggg gtg gcc ttc ggc atc atg gcg gtg gcg caa tct ttg ctc atg Tyr Gly Val Ala Phe Gly Ile Met Ala Val Ala Gln Ser Leu Leu Met 110 gtg etc acc ett egg tat etc etg ggt gtg gaa acc gaa teg gag tgg Val Leu Thr Leu Arg Tyr Leu Leu Gly Val Glu Thr Glu Ser Glu Trp 120 125

													•		
		tct Ser													547
		ctg Leu	-	_				-	_				•		595
	-	ctg Leu	_	_			-		_	Phe	_	_		_	643
		cca Pro													691
	_	ccg Pro 200	_			-	_	-	-			-			739
		atc Ile													787
		gtg Val													835
acc Thr	_	taga	ttac	tc t	tcca	gcga	ıg gt	g							864

<210> 152

<211> 247

<212> PRT

<213> Corynebacterium glutamicum

<400> 152

Met Asn Pro His Tyr Leu Leu Ala Thr Val Lys Arg Val Leu Leu Gln 1 5 10 15

Leu Lys Ala Asp Lys Arg Ser Ile Ala Leu Ile Leu Leu Ala Pro Val 20 25 30

Ala Leu Met Ser Leu Phe Tyr Tyr Met Tyr Ser Ser Thr Pro Ala Gly 35 40 45

Thr Gln Leu Phe Lys Thr Ile Ser Thr Val Met Ile Ala Val Phe Pro 50 55 60

Leu Met Leu Met Phe Leu Met Thr Ser Val Thr Met Gln Arg Glu Arg 65 70 75 80

Asn Ala Gly Thr Leu Glu Arg Leu Trp Thr Thr Asn Ile His Arg Val 85 90 95

Asp Leu Ile Gly Gly Tyr Gly Val Ala Phe Gly Ile Met Ala Val Ala Gln Ser Leu Leu Met Val Leu Thr Leu Arg Tyr Leu Leu Gly Val Glu 120 Thr Glu Ser Glu Trp Trp Ile Ser Thr Leu Ile Ala Ala Ile Thr Gly Leu Ile Gly Val Ser Leu Gly Leu Leu Ser Ser Ala Phe Ala Ser Thr Glu Phe Gln Ala Ile Gln Thr Leu Pro Leu Leu Ile Leu Pro Gln Phe 170 Leu Leu Cys Gly Leu Leu Ile Pro Arg Asp Asp Leu Pro Asp Val Leu 180 Arg Trp Val Ser Asn Val Leu Pro Leu Ser Tyr Ala Val Asp Ala Ala 200 Leu Glu Ala Ser Arg Thr Gly Ile Gly Gln Gln Val Val Val Asn Ile 210 215 Ala Ile Cys Ala Ala Phe Ala Val Ser Phe Leu Leu Val Ala Ala Leu 230 235 Ser Met Pro Arg Met Thr Arg 245 <210> 153 <211> 1353 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(1330) <223> RXN00803 <400> 153 tcatccttcc ttagctcgcg tgagcttccc aagcgtaagc acccccgtgt gagggcataa 60 eggeegttet gttaaagatt ggtetggeea ttteeteeat atg ggg gtg tee geg Met Gly Val Ser Ala ctt aac atg tct gac atg gtg gcg aac aaa cgg gca cag cgt aaa gtc 163 Leu Asn Met Ser Asp Met Val Ala Asn Lys Arg Ala Gln Arg Lys Val 10 tgg cta gcg gta gct tta tcg gtc ttt acg gtc gcg tgg ggt ggc aat 211 Trp Leu Ala Val Ala Leu Ser Val Phe Thr Val Ala Trp Gly Gly Asn 25 gaa ttc act ccc ttg ctg gtg ttt tac cga ggt gaa ggg ttc ttt agc 259

the control of the co

Glu Phe Thr Pro Leu Leu Val Phe Tyr Arg Gly Glu Gly Phe Phe Ser aac ctg ttc atc gac ctt ttg ctg gtg ttt tat gcc atc gga gta gcg 307 Asn Leu Phe Ile Asp Leu Leu Leu Val Phe Tyr Ala Ile Gly Val Ala gta ggt ttg ctg gca gct ggt cct tta tct gac cgc tat ggc cga cgt 355 Val Gly Leu Leu Ala Ala Gly Pro Leu Ser Asp Arg Tyr Gly Arg Arg 75 80 gcc gtc atg ttg cct gcg cca ttg atc gcg atc ttg ggt tcc gcg ttg 403 Ala Val Met Leu Pro Ala Pro Leu Ile Ala Ile Leu Gly Ser Ala Leu 95 att gcc tcg ggt gaa gaa acc gcc atc ctg att gcc att ggt cga gtg 451 Ile Ala Ser Gly Glu Glu Thr Ala Ile Leu Ile Ala Ile Gly Arg Val 105 110 ctg tcg gga att tcg gtg ggc atg gtg atg aca gcg gga ggt tcc tgg 499 Leu Ser Gly Ile Ser Val Gly Met Val Met Thr Ala Gly Gly Ser Trp att aag gag ctt tca tcg tcg cgg ttt gag cca ggg gtg aaa acc agt 547 Ile Lys Glu Leu Ser Ser Ser Arg Phe Glu Pro Gly Val Lys Thr Ser 140 gct ggt gca aaa cgc gca tcg atg tct ttg acc ggt ggt ttt gcg ctc 595 Ala Gly Ala Lys Arg Ala Ser Met Ser Leu Thr Gly Gly Phe Ala Leu 155 ggc cca gcg ctt gct ggt gtg atg gca cag tgg ctg cca cta cct gga 643 Gly Pro Ala Leu Ala Gly Val Met Ala Gln Trp Leu Pro Leu Pro Gly 170 175 cag ttg gca tat gtt ttg cac att att ctc act ctg att ttg ttc ccg 691 Gln Leu Ala Tyr Val Leu His Ile Ile Leu Thr Leu Ile Leu Phe Pro 190 ttg ctt att aca gcg ccg gaa act cgt caa tca gcg cac ctg aaa act 739 Leu Leu Ile Thr Ala Pro Glu Thr Arg Gln Ser Ala His Leu Lys Thr 200 aag gga tca ttc tgg tca gat gtg ctt gtg cca tct gca cta gac aag 787 Lys Gly Ser Phe Trp Ser Asp Val Leu Val Pro Ser Ala Leu Asp Lys 215 220 cga ttc ttg ttt gtg gtt gct cca att gga ccg tgg gtt ttc ggt gcg 835 Arg Phe Leu Phe Val Val Ala Pro Ile Gly Pro Trp Val Phe Gly Ala 230 gee tte act gee tae gea gtt ttg eeg teg eag etg egt gae atg gtt 883 Ala Phe Thr Ala Tyr Ala Val Leu Pro Ser Gln Leu Arg Asp Met Val 250 tct gca ccc gtt gcg tat tct gcg ctg atc gct ttg gtt acc tta ggt 931 Ser Ala Pro Val Ala Tyr Ser Ala Leu Ile Ala Leu Val Thr Leu Gly

2	265	270		275	·							
tct gga ttt g Ser Gly Phe G 280	ggt atc caa Gly Ile Gln	caa ttc ggt Gln Phe Gly 285	cct caa atc atg Pro Gln Ile Met 290	ggc acc tct Gly Thr Ser	979							
aaa act cgc g Lys Thr Arg G 295	ggg ccg att Gly Pro Ile	ttg gcc atg Leu Ala Met 300	ttc gtc aca gtc Phe Val Thr Val 305	atc ggc atg Ile Gly Met	1027							
atc ggc gcg g Ile Gly Ala V 310	gtg atc gtg /al Ile Val 315	gtg atg aac Val Met Asn	cct cat cca tgg Pro His Pro Trp 320	tgg gcg cta Trp Ala Leu 325	1075							
			tat ggc ctg tgt Tyr Gly Leu Cys 335		1123							
Gly Leu Ala G	gaa act caa Glu Thr Gln B 4 5	aac att gct Asn Ile Ala 350	cca cct att gat Pro Pro Ile Asp	atg gca ggc Met Ala Gly 355	1171							
ctg acg ggt a Leu Thr Gly I 360	att ttc tac [le Phe Tyr	tgc ctg acg Cys Leu Thr 365	tac gta ggt atg Tyr Val Gly Met 370	Val Phe Pro	1219							
gcc ttg atg a Ala Leu Met T 375	Thr Trp Leu	aat caa tgg Asn Gln Trp 380	ctc agt tac ccg Leu Ser Tyr Pro 385	ttc atg ctg Phe Met Leu	1267							
ggc ttt ggt g Gly Phe Gly A 390	gcg gtg atg Ala Val Met 395	gca act att Ala Thr Ile	tgt ctg atc att Cys Leu Ile Ile 400	gtg agt ttt Val Ser Phe 405	1315							
agt gca cgc c Ser Ala Arg A		aaacaa ctaaa	gtgag cca	•	1353							
<210> 154 <211> 410 <212> PRT <213> Corynebacterium glutamicum												
<400> 154 Met Gly Val S	Ser Ala Leu 7 5	Asn Met Ser	Asp Met Val Ala 10	Asn Lys Arg 15								
	ys Val Trp : 20	Leu Ala Val 25	Ala Leu Ser Val	Phe Thr Val 30								
Ala Trp Gly G	Sly Asn Glu	Phe Thr Pro	Leu Leu Val Phe 45									

Glu Gly Phe Phe Ser Asn Leu Phe Ile Asp Leu Leu Leu Val Phe Tyr 50 60

Ala 65	Ile	Gly	Val	Ala	Val 70		Leu	Leu	Ala	Ala 75	Gly	Pro	Leu	Ser	Asp 80
Arg	Tyr	Gly	Arg	Arg 85		Val	Met	Leu	Pro 90		Pro	Leu	Ile	Ala 95	Ile
Leu	Gly	Ser	Ala 100		Ile	Ala	Ser	Gly 105	Glu	Glu	Thr	Ala	Ile 110	Leu	Ile
Ala	Ile	Gly 115	Arg	Val	Leu	Ser	Gly 120	Ile	Ser	Val	Gly	Met 125	Val	Met	Thr
Ala	Gly 130		Ser	Trp	Ile	Lys 135	Glu	Leu	Ser	Ser	Ser 140	Arg	Phe	Glu	Pro
Gly 145	Val	Lys	Thr	Ser	Ala 150	Gly	Ala	Lys	Arg	Ala 155	Ser	Met	Ser	Leu	Thr 160
Gly	Gly	Phe	Ala	Leu 165	Gly	Pro	Ala	Leu	Ala 170	Gly	Val	Met	Ala	Gln 175	Trp
Leu	Pro	Leu	Pro 180	Gly	Gln	Leu	Ala	Tyr 185	Val	Leu	His	Ile	Ile 190	Leu	Thr
Leu	Ile	Leu 195	Phe	Pro	Leu	Leu	11e 200	Thr	Ala	Pro	Glu	Thr 205	Arg	Gln	Ser
	210					215	Ser				220				
225			_		230		Leu		•	235					240
-			_	245			Thr		250					255	
		_	260				Pro	265					270		
		275					Phe 280	_				285			
	290	_			_	295	Arg	_			300				
305			_		310		Ala			315					320
				325			Cys		330					335	
	_		340				Ala	345					350		
Ile	Asp	Met 355	Ala	Gly	Leu	Thr	Gly 360	Ile	Phe	Tyr	Cys	Leu 365	Thr	Tyr	Val

Gly Met Val Phe Pro Ala Leu Met Thr Trp Leu Asn Gln Trp Leu Ser 370 380

Tyr Pro Phe Met Leu Gly Phe Gly Ala Val Met Ala Thr Ile Cys Leu 385 390 395 400

Ile Ile Val Ser Phe Ser Ala Arg Arg Phe
405
410

<210> 155

<211> 703

<212> DNA

<213> Corynebacterium glutamicum

<220>

<221> CDS

<222> (101)..(703)

<223> FRXA00803

<400> 155

tcatccttcc ttagctcgcg tgagcttccc aagcgtaagc acccccgtgt gagggcataa 60

cggccgttct gttaaagatt ggtctggcca tttcctccat atg ggg gtg tcc gcg 115

Met Gly Val Ser Ala

1 5

ctt aac atg tct gac atg gtg gcg aac aaa cgg gca cag cgt aaa gtc 163 Leu Asn Met Ser Asp Met Val Ala Asn Lys Arg Ala Gln Arg Lys Val

tgg cta gcg gta gct tta tcg gtc ttt acg gtc gcg tgg ggt ggc aat 211
Trp Leu Ala Val Ala Leu Ser Val Phe Thr Val Ala Trp Gly Gly Asn

gaa ttc act ccc ttg ctg gtg ttt tac cga ggt gaa ggg ttc ttt agc 259 Glu Phe Thr Pro Leu Leu Val Phe Tyr Arg Gly Glu Gly Phe Phe Ser 40 45 50

aac ctg ttc atc gac ctt ttg ctg gtg ttt tat gcc atc gga gta gcg 307 Asn Leu Phe Ile Asp Leu Leu Leu Val Phe Tyr Ala Ile Gly Val Ala 55 60 65

gta ggt ttg ctg gca gct ggt cct tta tct gac cgc tat ggc cga cgt 355
Val Gly Leu Leu Ala Ala Gly Pro Leu Ser Asp Arg Tyr Gly Arg Arg
70 75 80 85

gcc gtc atg ttg cct gcg cca ttg atc gcg atc ttg ggt tcc gcg ttg 403 Ala Val Met Leu Pro Ala Pro Leu Ile Ala Ile Leu Gly Ser Ala Leu 90 95 100

att gcc tcg ggt gaa gaa acc gcc atc ctg att gcc att ggt cga gtg 451 Ile Ala Ser Gly Glu Glu Thr Ala Ile Leu Ile Ala Ile Gly Arg Val 105 110 115

ctg tcg gga att tcg gtg ggc atg gtg atg aca gcg gga ggt tcc tgg 499 Leu Ser Gly Ile Ser Val Gly Met Val Met Thr Ala Gly Gly Ser Trp

130												
g gtg aaa acc agt 547 y Val Lys Thr Ser 5												
t ggt ttt gcg ctc 595 y Gly Phe Ala Leu 165												
g cca caa cct gga 643 u Pro Gln Pro Gly 180												
g att ttg ttc ccg 691 u Ile Leu Phe Pro 195												
703												
<210> 156 <211> 201 <212> PRT <213> Corynebacterium glutamicum												
l hle hee Ive hra												
l Ala Asn Lys Arg												
15												
15 r Val Phe Thr Val 30												
r Val Phe Thr Val												
r Val Phe Thr Val 30 l Phe Tyr Arg Gly												
r Val Phe Thr Val 30 1 Phe Tyr Arg Gly 45 u Leu Val Phe Tyr												
r Val Phe Thr Val 30 1 Phe Tyr Arg Gly 45 u Leu Val Phe Tyr 0 y Pro Leu Ser Asp												
r Val Phe Thr Val 30 l Phe Tyr Arg Gly 45 u Leu Val Phe Tyr 0 y Pro Leu Ser Asp 80 o Leu Ile Ala Ile												
r Val Phe Thr Val 30 l Phe Tyr Arg Gly 45 u Leu Val Phe Tyr 0 y Pro Leu Ser Asp 80 o Leu Ile Ala Ile 95 r Ala Ile Leu Ile												

Gly Val Lys Thr Ser Ala Gly Ala Lys Arg Ala Ser Met Ser Leu Thr

155

160

150

145

Gly Gly Phe Ala Leu Gly Pro Ala Leu Ala Gly Val Met Ala Gln Trp Leu Pro Gln Pro Gly Gln Leu Ala Tyr Val Leu His Ile Ile Leu Thr 185 Leu Ile Leu Phe Pro Leu Leu Ile Thr <210> 157 <211> 1014 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(991) <223> RXA01407 <400> 157 atccggggaa cggatcccaa agatctcctt gatgccatcg cgtttttaac ctggccagct 60 ctggttgccc cagtgatcgc cccacttctg ggaggtcttc ttg caa gat acc att Leu Gln Asp Thr Ile ggt tgc cga tgg atc ttc ctc ctc aac gtg ccc tta gga atc atc gcg 163 Gly Cys Arg Trp Ile Phe Leu Leu Asn Val Pro Leu Gly Ile Ile Ala 15 atc atg gct gga cta ttc atc cag ccc aag aac acg gcc gtg aat gtg 211 Ile Met Ala Gly Leu Phe Ile Gln Pro Lys Asn Thr Ala Val Asn Val 30 259 aag cga ttt gat cgg cca ggt ttc ctc ggc gca atg ctg gtg atg gtg Lys Arg Phe Asp Arg Pro Gly Phe Leu Gly Ala Met Leu Val Met Val gcg caa gcc gtg att gcg gag tta att tgc agc aga agt ccg gcc gca 307 Ala Gln Ala Val Ile Ala Glu Leu Ile Cys Ser Arg Ser Pro Ala Ala 60 ctt act atc tgt gca tgc ctc gtc tta agt gct gcg gtg gta tgc ggt 355 Leu Thr Ile Cys Ala Cys Leu Val Leu Ser Ala Ala Val Val Cys Gly 75 ttt gta gtg cgc tgg ctg cga gtt cca ggc cga ctt ttt gat ctc agc 403 Phe Val Val Arg Trp Leu Arg Val Pro Gly Arg Leu Phe Asp Leu Ser atc atg cgc atc cca ggt ttc cga gtg ggt aat tcc tcc gga agt atc 451 Ile Met Arg Ile Pro Gly Phe Arg Val Gly Asn Ser Ser Gly Ser Ile 110 105

											ttc Phe					499
											ggt Gly 145					547
			-				-				ttc Phe		-	_		595
		_						_	_	-	ttt Phe			_	_	643
	_	-	-	-	-			•		-	cgt Arg	_	-			691
											ggc Gly					739
											gtc Val 225					787
_			-		-					-	acc Thr	-				835
											gcc Ala					883
											gcg Ala					931
											ggc					979
		tcc Ser		taga	aacc	ca c	ttct	gaaa	ig gt	a						1014
<210	> 15	8														

<210> 158

<211> 297

<212> PRT

<213> Corynebacterium glutamicum

<400> 158

Leu Gln Asp Thr Ile Gly Cys Arg Trp Ile Phe Leu Leu Asn Val Pro 1 5 10 15

Leu Gly Ile Ile Ala Ile Met Ala Gly Leu Phe Ile Gln Pro Lys Asn 20 25 30

Thr Ala Val Asn Val Lys Arg Phe Asp Arg Pro Gly Phe Leu Gly Ala 35 40 45

Met Leu Val Met Val Ala Gln Ala Val Ile Ala Glu Leu Ile Cys Ser 50 60

Arg Ser Pro Ala Ala Leu Thr Ile Cys Ala Cys Leu Val Leu Ser Ala 65 70 75 80

Ala Val Val Cys Gly Phe Val Val Arg Trp Leu Arg Val Pro Gly Arg 85 90 95

Leu Phe Asp Leu Ser Ile Met Arg Ile Pro Gly Phe Arg Val Gly Asn 100 105 110

Ser Ser Gly Ser Ile Tyr Arg Leu Val Ile Thr Ala Ala Pro Phe Met 115 120 125

Phe Thr Leu Leu Phe Gln Val Ala Phe Gly Trp Ser Ala Thr Leu Ala 130 135 140

Gly Ala Met Val Val Ala Leu Phe Ala Gly Asn Val Ala Ile Lys Pro 145 150 155 160

Phe Thr Thr Pro Ile Ile Lys Arg Trp Asn Phe Lys Pro Val Leu Val 165 170 175

Phe Ser Asn Ala Ala Gly Ala Leu Val Leu Ala Thr Phe Leu Phe Val 180 185 190

Arg Ala Asp Thr Pro Leu Val Leu Ile Val Leu Leu Phe Val Ser 195 200 205

Gly Ala Leu Arg Ser Leu Gly Phe Ser Ala Tyr Asn Thr Leu Gln Phe 210 215 220

Val Asp Ile Ser Pro Glu Gln Thr Ser Asn Ala Asn Val Leu Ser Ala 225 230 235 240

Thr Leu His Gln Leu Gly Met Ser Leu Gly Ile Ala Val Ala Val Ile 245 250 255

Ala Met Ser Leu Ala Pro Thr Ala Asn Trp Ala Phe Pro Leu Ala Ala 260 265 270

Ala Leu Phe Leu Ile Pro Leu Ile Gly Ala Leu Ser Leu Pro Arg Asp 275 280 285

Gly Gly Ala Arg Ala Phe Ser Ser Ser 290 295

<210> 159

<211> 324 <212> DNA <213> Corynebacterium glutamicum													
<220> <221> CDS <222> (101)(301) <223> RXA01408													
<400> 159 cgcatagagt tatctcgaaa ctaccaagac ggtttctttt ctttagatct aaggaggaga													
gaccgtcttt caccctttca tctgatto		atg cgc aat gat cgg Met Arg Asn Asp Arg 1 5	115										
tcc ttt agc gtt ccc att gcg ct Ser Phe Ser Val Pro Ile Ala Le 10			163										
gaa atc ctc gac ggc acc atc ct Glu Ile Leu Asp Gly Thr Ile Le 25	-		211										
cgt gac ttc ggt att gac gcc gt Arg Asp Phe Gly Ile Asp Ala Va 40			259										
tac ttg gca gcc gca gca gct gg Tyr Leu Ala Ala Ala Ala Ala Gl 55 60			301										
tagcggatcg atttggtgtg cgc			324										
<210> 160 <211> 67 <212> PRT <213> Corynebacterium glutamicum													
<400> 160 Met Arg Asn Asp Arg Ser Phe Se 1 5	er Val Pro Ile . 10	Ala Leu Leu Ala Ala 15											
Gly Ala Leu Phe Leu Glu Ile Le 20	eu Asp Gly Thr	Ile Leu Thr Thr Ala 30											
Val Pro Ala Ile Ala Arg Asp Ph 35 4	ne Gly Ile Asp 7	Ala Val Asp Val Ser 45											
Ile Ala Leu Val Ala Tyr Leu Al. 50 55	a Ala Ala Ala i	Ala Gly Ile Pro Leu 60											

Gln Gly Gly 65

<210> 161 <211> 1275 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(1252) <223> RXN01922 <400> 161 acacteettt ggteacetgg tttggttgag ggaaacagae egeecaagaa cecaagaaat 60 cccaagaaaa catgctgctt atgaattaaa gtgagcaccc atg aga tca gga aac 115 Met Arg Ser Gly Asn gec aat ege gte tte ata ggt gtt ace ate etg etg ttt act gea gga 163 Ala Asn Arg Val Phe Ile Gly Val Thr Ile Leu Leu Phe Thr Ala Gly 15 tgg gca gcc aat Cat ttc gcg tca gtg ttg gtg ttg atc cgt gaa caa 211 Trp Ala Ala Asn His Phe Ala Ser Val Leu Val Leu Ile Arg Glu Gln 30 tta gac gta tca agc gtg ctg gtc aac ggc gct ttt ggt att tat gca 259 Leu Asp Val Ser Ser Val Leu Val Asn Gly Ala Phe Gly Ile Tyr Ala ctg gga ctt ctt cca agt ttg ctc gca ggc ggt gtg ctt gcc gac cgt 307 Leu Gly Leu Leu Pro Ser Leu Leu Ala Gly Gly Val Leu Ala Asp Arg 355 ttt ggt gcc cgc atg gtg gta ctc acc gga ggt gta ctt tct gcg ctt Phe Gly Ala Arg Met Val Val Leu Thr Gly Gly Val Leu Ser Ala Leu 75 gga aac ctt tct ctt tta gcg ttt cat gat ggt cct tcc ctc ctg gta 403 Gly Asn Leu Ser Leu Leu Ala Phe His Asp Gly Pro Ser Leu Leu Val 90 95 gga cga ttc atc gtt ggt ctg ggc gtt gga tta gtc gtc agc gcg ggc 451 Gly Arg Phe Ile Val Gly Leu Gly Val Gly Leu Val Val Ser Ala Gly 499 acc gca tgg gcg ggc aga ttg cgc gga gca agc ggc gtg aca ttg gcc Thr Ala Trp Ala Gly Arg Leu Arg Gly Ala Ser Gly Val Thr Leu Ala ggc att att ctg acc gcc ggt ttc atg atg ggg ccg att gtg aca agt 547 Gly Ile Ile Leu Thr Ala Gly Phe Met Met Gly Pro Ile Val Thr Ser ggg ttq qgq atg gcg tcg aca agc att att acg ccc ttt gcc ata agc 595 Gly Leu Gly Met Ala Ser Thr Ser Ile Ile Thr Pro Phe Ala Ile Ser

gtt Val	gcc Ala	ctc	tcg Ser	ctg Leu 170	Ile	gcg Ala	gtg Val	gtt Val	gtg Val 175	gga Gly	ttt Phe	gcg Ala	ctt Leu	ggc Gly 180	gat Asp	643
gcc Ala	cgc Arg	agc Ser	acc Thr 185	ccg Pro	agc Ser	gca Ala	ctt Leu	ggc Gly 190	gca Ala	tcc Ser	agc Ser	gga Gly	atc Ile 195	aaa Lys	cac His	691
gaa Glu	cga Arg	agc Ser 200	Met	aaa Lys	aag Lys	gcc Ala	ctc Leu 205	gcg Ala	gtg Val	tcc Ser	ttg Leu	ccg Pro 210	atg Met	gca Ala	att Ile	739
						acc Thr 220										787
						aac Asn										835
						ggc Gly										883
						tcc Ser										931
						gct Ala										979
						atc Ile 300										1027
						agc Ser										1075
_						atc Ile					_		-			1123
	_					gac Asp	-			_				_		1171
						gcg Ala										1219
-		-			Lys	cgc Arg 380				_	taga	tttc	ta c	ctac	gacct	1272
gaa																1275

<210> 162

<211> 384

<212> PRT

<213> Corynebacterium glutamicum

<400> 162

Met Arg Ser Gly Asn Ala Asn Arg Val Phe Ile Gly Val Thr Ile Leu
1 5 10 15

Leu Phe Thr Ala Gly Trp Ala Ala Asn His Phe Ala Ser Val Leu Val 20 25 30

Leu Ile Arg Glu Gln Leu Asp Val Ser Ser Val Leu Val Asn Gly Ala 35 40 45

Phe Gly Ile Tyr Ala Leu Gly Leu Leu Pro Ser Leu Leu Ala Gly Gly 50 55 60

Val Leu Ala Asp Arg Phe Gly Ala Arg Met Val Val Leu Thr Gly Gly 65 70 75 80

Val Leu Ser Ala Leu Gly Asn Leu Ser Leu Leu Ala Phe His Asp Gly 85 90 95

Pro Ser Leu Leu Val Gly Arg Phe Ile Val Gly Leu Gly Val Gly Leu
100 105 110

Val Val Ser Ala Gly Thr Ala Trp Ala Gly Arg Leu Arg Gly Ala Ser 115 120 125

Gly Val Thr Leu Ala Gly Ile Ile Leu Thr Ala Gly Phe Met Met Gly 130 140

Pro Ile Val Thr Ser Gly Leu Gly Met Ala Ser Thr Ser Ile Ile Thr 145 150 155 160

Pro Phe Ala Ile Ser Val Ala Leu Ser Leu Ile Ala Val Val Gly 165 170 175

Phe Ala Leu Gly Asp Ala Arg Ser Thr Pro Ser Ala Leu Gly Ala Ser 180 185 190

Ser Gly Ile Lys His Glu Arg Ser Met Lys Lys Ala Leu Ala Val Ser 195 200 205

Leu Pro Met Ala Ile Trp Val Phe Ser Cys Ile Thr Thr Ser Leu Ile 210 215 220

Val Met Ser Ala Arg Ile Asp Ser Thr Phe Gly Asn Ala Ile Leu Leu 225 230 235 240

Pro Gly Ile Gly Ala Ala Ile Ala Phe Ser Ala Gly Leu Ile Ala Gln
245 250 255

Phe Leu Gly Arg Lys Phe Ala Trp Gly Arg Gly Ser Gly Ile Val Gly

260 265 270

Ala Leu Cys Ala Leu Ala Gly Phe Ala Leu Ala Ala Phe Gly Gly Asp

Ala Leu Cys Ala Leu Ala Gly Phe Ala Leu Ala Ala Phe Gly Gly Asp 275 280 285

Ser Ile Pro Val Trp Leu Phe Val Ile Ala Ser Ile Leu Phe Gly Thr 290 295 300

Ala Tyr Gly Leu Cys Leu Arg Glu Gly Leu Leu Ser Ile Glu Thr Tyr 305 310 315 320

Thr Pro Leu Asn Arg Arg Gly Thr Gly Ile Gly Ile Tyr Tyr Val Phe 325 330 335

Thr Tyr Leu Gly Phe Gly Leu Pro Val Leu Leu Asp Ala Leu Leu Pro 340 345 350

His Leu Gly Ala Ser Ile Pro Leu Tyr Ala Leu Ala Ala Leu Ala Leu 355 360 365

Gly Ser Ala Val Ile Arg Gly Val Gln Ile Lys Arg Gly Tyr Val Val 370 380

<210> 163

<211> 1130

<212> DNA

<213> Corynebacterium glutamicum

<220>

<221> CDS

<222> (1)..(1107)

<223> FRXA01922

<400> 163

ctg ctg ttt act gca gga tgg gca gcc aat cat ttc gcg tca gtg ttg 48 Leu Leu Phe Thr Ala Gly Trp Ala Ala Asn His Phe Ala Ser Val Leu 1 5 10 15

gtg ttg atc cgt gaa caa tta gac gta tca agc gtg ctg gtc aac ggc 96 Val Leu Ile Arg Glu Gln Leu Asp Val Ser Ser Val Leu Val Asn Gly 20 25 30

gct ttt ggt att tat gca ctg gga ctt ctt cca agt ttg ctc gca ggc 144
Ala Phe Gly Ile Tyr Ala Leu Gly Leu Leu Pro Ser Leu Leu Ala Gly
35 40 45

ggt gtg ctt gcc gac cgt ttt ggt gcc cgc atg gtg gta ctc acc gga 192 Gly Val Leu Ala Asp Arg Phe Gly Ala Arg Met Val Val Leu Thr Gly 50 55 60

ggt gta ctt tct gcg ctt gga aac ctt tct ctt tta gcg ttt cat gat 240 Gly Val Leu Ser Ala Leu Gly Asn Leu Ser Leu Leu Ala Phe His Asp 65 70 75 80

					Val					Val	ggt Gly				gga Gly	288
				Ala					Ala		aga Arg			Gly		336
			Thr					Ile			gcc Ala					384
		Ile									tcg Ser 140					432
											atc Ile					480
											agc Ser					528
											aag Lys					576
											atc Ile					624
											ggc Gly 220					672
											gca Ala					720
caa Gln	ttt Phe	tta Leu	ggt Gly	agg Arg 245	aaa Lys	ttc Phe	gcg Ala	tgg Trp	ggt Gly 250	cgt Arg	ggc Gly	tcc Ser	gga Gly	atc Ile 255	gtg Val	768
											gca Ala					816
						Leu					tcg Ser					864
Thr	-				Cys	_	-	-			ctc Leu 300	-		-		912

tac acg cca ctc aac cga cgt ggc acc ggc atc ggc atc tat tat qtq 960 Tyr Thr Pro Leu Asn Arg Arg Gly Thr Gly Ile Gly Ile Tyr Tyr Val 305 310 ttc acg tat ttg gga ttc ggg ctg cca gtg ctt ctc gac gcc ctc ctc 1008 Phe Thr Tyr Leu Gly Phe Gly Leu Pro Val Leu Leu Asp Ala Leu Leu 325 330 ecg cac ctt ggc gcc tec att ecg etg tae geg etg geg ete gee 1056 Pro His Leu Gly Ala Ser Ile Pro Leu Tyr Ala Leu Ala Ala Leu Ala 340 345 350 ctt ggc tcc gca gta atc cgc ggc gta caa atc aag cgc ggg tat gtg 1104 Leu Gly Ser Ala Val Ile Arg Gly Val Gln Ile Lys Arg Gly Tyr Val 355 360 gtt tagatttcta cctacgacct gaa 1130 <210> 164 <211> 369 <212> PRT <213> Corynebacterium glutamicum <400> 164 Leu Leu Phe Thr Ala Gly Trp Ala Ala Asn His Phe Ala Ser Val Leu

Val Leu Ile Arg Glu Gln Leu Asp Val Ser Ser Val Leu Val Asn Gly

Ala Phe Gly Ile Tyr Ala Leu Gly Leu Leu Pro Ser Leu Leu Ala Gly

Gly Val Leu Ala Asp Arg Phe Gly Ala Arg Met Val Val Leu Thr Gly

Gly Val Leu Ser Ala Leu Gly Asn Leu Ser Leu Leu Ala Phe His Asp

Gly Pro Ser Leu Leu Val Gly Arg Phe Ile Val Gly Leu Gly Val Gly

Leu Val Val Ser Ala Gly Thr Ala Trp Ala Gly Arg Leu Arg Gly Ala

Ser Gly Val Thr Leu Ala Gly Ile Ile Leu Thr Ala Gly Phe Met Met

Gly Pro Ile Val Thr Ser Gly Leu Gly Met Ala Ser Thr Ser Ile Ile

Thr Pro Phe Ala Ile Ser Val Ala Leu Ser Leu Ile Ala Val Val 155

Gly Phe Ala Leu Gly Asp Ala Arg Ser Thr Pro Ser Ala Leu Gly Ala 165 170 175

Ser Ser Gly Ile Lys His Glu Arg Ser Met Lys Lys Ala Leu Ala Val 180 185

Ser Leu Pro Met Ala Ile Trp Val Phe Ser Cys Ile Thr Thr Ser Leu 195 200 205

Ile Val Met Ser Ala Arg Ile Asp Ser Thr Phe Gly Asn Ala Ile Leu 210 215 220

Leu Pro Gly Ile Gly Ala Ala Ile Ala Phe Ser Ala Gly Leu Ile Ala 225 230 235 240

Gln Phe Leu Gly Arg Lys Phe Ala Trp Gly Arg Gly Ser Gly Ile Val 245 250 255

Gly Ala Leu Cys Ala Leu Ala Gly Phe Ala Leu Ala Ala Phe Gly Gly 260 265 270

Asp Ser Ile Pro Val Trp Leu Phe Val Ile Ala Ser Ile Leu Phe Gly 275 280 285

Thr Ala Tyr Gly Leu Cys Leu Arg Glu Gly Leu Leu Ser Ile Glu Thr 290 295 300

Tyr Thr Pro Leu Asn Arg Gly Thr Gly Ile Gly Ile Tyr Tyr Val 305 310 315 320

Phe Thr Tyr Leu Gly Phe Gly Leu Pro Val Leu Leu Asp Ala Leu Leu 325 330 335

Pro His Leu Gly Ala Ser Ile Pro Leu Tyr Ala Leu Ala Ala Leu Ala 340 345 350

Leu Gly Ser Ala Val Ile Arg Gly Val Gln Ile Lys Arg Gly Tyr Val 355 360 365

Val

<210> 165

<211> 362

<212> DNA

<213> Corynebacterium glutamicum

<220>

<221> CDS

<222> (1)..(339)

<223> RXA02060

<400> 165

gaa ttt gcc cgc att ttg aag cca aag gga cag gtc atc gtg ctt acc 48
Glu Phe Ala Arg Ile Leu Lys Pro Lys Gly Gln Val Ile Val Leu Thr
1 5 10

											ctg Leu				96
											caa Gln 45				144
		-		-		_	_	-	•	 -	ttt Phe	-	_	_	192
											agc Ser				240
											gcc Ala				288
											agg Arg				336
atc Ile	taac	tctt	at c	tcac	tggg	jc ct	t								362

<210> 166

<211> 113

<212> PRT

<213> Corynebacterium glutamicum

<400> 166

Glu Phe Ala Arg Ile Leu Lys Pro Lys Gly Gln Val Ile Val Leu Thr 1 5 10 15

Ala Asp Thr Gly His Leu Ala Glu Leu Arg Glu Pro Leu Gly Ile Ile $20 \hspace{1cm} 25 \hspace{1cm} 30$

Asp Val Glu Ala Gly Lys Val Asp Arg Met Ile Glu Gln Ala Ala Gly 35 40 45

His Leu Lys Pro Val Gly Glu Arg Asp Leu Val Glu Phe Glu Met Leu
50 60

Leu Asp Gln Lys Ser Ile Ala Ser Gln Ile Gly Met Ser Pro Ser Ala 65 70 75 80

Arg His Ile Lys Pro Glu Ala Leu Ala Glu Arg Ile Ala Ala Leu Pro 85 90 95

Glu Gln Met Lys Val Thr Ala Arg Ala Lys Ile Thr Arg Leu Glu Arg 100 105 110

Ile

<21 <21	0> 1 1> 1 2> D 3> C	395 NA	ebac	teri:	.um g	luta	micu	ım								
<22	1> C 2> (DS 101) XN01		372)												
	0> 1 cggt		acca	cago	cg t	tgtc	agcg	g cg	cttg	gtct	gtg	gagg	atc	gccg	aggtta	60
cta	acaa	ata	ggcc	caac	aa a	gagg	tcta	a gc	tcta	cctg		Ser	ttc Phe	-	-	115
					Arg					ccg Pro						163
									Gly	gcc Ala						211
										Gly						259
										ttg Leu						307
										aaa Lys 80						355
-		_			_	_	-			gcc Ala				_	_	403
	Ile	Leu	Gly	Asn	Glu	Asn	Ile	Trp	Leu	ctg Leu	Leu	Ile	Asn	Phe		451
										ccc Pro						499
Leu		Ser			Pro		Asp			gcg Ala		Ala				547

WO 01/00804 PCT	Г/ІВ00/00922
-----------------	--------------

aat Asn 150	Met	ctg Leu	ctc Leu	atg Met	cag Gln 155	acc Thr	ggc	gca Ala	atc Ile	gtt Val 160	Gly	ccg Pro	ctg Leu	atc Ile	gca Ala 165	595
					Leu					Trp				ctt Leu 180		643
														cct Pro		691
			Ser											gtg Val		739
														gtg Val		787
														ctt Leu		835
														gca Ala 260		883
_	_	-		_				-	-	-		-	_	ctt Leu		931
		_					_			_	_	_		gtt Val	_	979
														ggt Gly		1027
														tgg Trp		1075
														agc Ser 340		1123
														gtg Val		1171
														cct Pro		1219
tta	gct	gac	gtc	ctt	cac	ggt	tgg	gcc	gct	gag	ccc	ctc	ggc	gca	ggt	1267

Leu Ala Asp Val Leu His Gly Trp Ala Ala Glu Pro Leu Gly Ala Gly 375 380 385

tgg acg gta tta tgg ggc gga gta gcg gtg gtt gta ctc act gca att 1315 Trp Thr Val Leu Trp Gly Gly Val Ala Val Val Val Leu Thr Ala Ile 390 395 400 405

tgt atg gtg gtg gtg cct aaa ttc tgg aaa tac gag aaa cca aaa att 1363 Cys Met Val Ala Val Pro Lys Phe Trp Lys Tyr Glu Lys Pro Lys Ile 410 415 420

acc ggc atc taaatactta tccatgccca ttt 1395
Thr Gly Ile

<210> 168

<211> 424

<212> PRT

<213> Corynebacterium glutamicum

<400> 168

Val Ser Phe Arg Asp Ile Phe Ala Asp Thr Arg Pro Leu Lys Glu Pro 1 5 10 15

Ala Phe Lys Arg Leu Trp Leu Gly Asn Val Ala Thr Val Ile Gly Ala 20 25 30

Gln Leu Thr Val Val Ala Val Pro Val Gln Ile Tyr Gln Met Thr Gly 35 40 45

Ser Ser Gly Tyr Val Gly Leu Thr Gly Leu Phe Gly Leu Ile Pro Leu 50 55 60

Val Ile Phe Gly Leu Tyr Gly Gly Ser Ile Ala Asp Ala Phe Asp Lys 65 70 75 80

Arg Ile Val Leu Ile Cys Thr Thr Ile Gly Met Cys Val Thr Thr Ala 85 90 95

Gly Phe Trp Val Leu Thr Ile Leu Gly Asn Glu Asn Ile Trp Leu Leu 100 105 110

Leu Ile Asn Phe Ser Leu Gln Gln Ala Phe Phe Ala Val Asn Gln Pro 115 120 125

Thr Arg Thr Ala Ile Leu Arg Ser Ile Leu Pro Ile Asp Gln Leu Ala 130 135 140

Ser Ala Thr Ser Leu Asn Met Leu Leu Met Gln Thr Gly Ala Ile Val 145 150 155 160

Gly Pro Leu Ile Ala Gly Ala Leu Ile Pro Leu Ile Gly Phe Gly Trp 165 170 175

Leu Tyr Phe Leu Asp Val Val Ser Ile Ile Pro Thr Leu Trp Ala Val
180 185 190

Trp Ser Leu Pro Ser Ile Lys Pro Ser Gly Lys Val Met Lys Ala Gly 195 200 205

Phe Ala Ser Val Val Asp Gly Leu Lys Tyr Leu Ala Gly Gln Pro Val 210 220

Leu Leu Met Val Met Val Leu Asp Leu Ile Ala Met Ile Phe Gly Met 225 230 235 240

Pro Arg Ala Leu Tyr Pro Glu Ile Ala Glu Val Asn Phe Gly Gly Gly 245 250 255

Asp Ala Gly Ala Thr Met Leu Ala Phe Met Tyr Ser Ser Met Ala Val 260 265 270

Gly Ala Val Leu Gly Gly Val Leu Ser Gly Trp Val Ala Arg Ile Ser 275 280 285

Arg Gln Gly Val Ala Val Tyr Trp Cys Ile Ile Ala Trp Gly Ala Ala 290 295 300

Val Ala Leu Gly Gly Val Ala Ile Val Val Ser Pro Gly Ala Val Thr 305 310 315 320

Ala Trp Ala Trp Met Phe Ile Ile Met Met Val Ile Gly Gly Met Ala 325 330 335

Asp Met Phe Ser Ser Ala Val Arg Asn Ala Ile Leu Gln Gln Ser Ala 340 345 350

Ala Glu His Val Gln Gly Arg Ile Gln Gly Val Trp Ile Ile Val Val 355. 360 365

Val Gly Gly Pro Arg Leu Ala Asp Val Leu His Gly Trp Ala Ala Glu 370 375 380

Pro Leu Gly Ala Gly Trp Thr Val Leu Trp Gly Gly Val Ala Val Val 385 390 395 400

Val Leu Thr Ala Ile Cys Met Val Ala Val Pro Lys Phe Trp Lys Tyr 405 410 415

Glu Lys Pro Lys Ile Thr Gly Ile 420

<210> 169

<211> 945

<212> DNA

<213> Corynebacterium glutamicum

<220>

<221> CDS

<222> (101)..(922)

<223> FRXA01936

<400> 169 tttacagcag gcatttttcg cggtgaatca acccacccga acggcgatcc ttcgaagtat 60 115 tttgccqatt qatcaataag cgtcggcaac atcactgaat atg ctg ctc atg cag Met Leu Leu Met Gln 163 acc ggc gca atc gtt ggc ccg ctg atc gca ggt gcg ttg att ccg ctg Thr Gly Ala Ile Val Gly Pro Leu Ile Ala Gly Ala Leu Ile Pro Leu atc ggt ttc ggg tgg ctg tat ttc ctt gat gtt gtc tcc atc atc ccc 211 Ile Gly Phe Gly Trp Leu Tyr Phe Leu Asp Val Val Ser Ile Ile Pro aca ctg tgg gct gta tgg tca ctg cct tcg atc aag cca tcc ggc aag 259 Thr Leu Trp Ala Val Trp Ser Leu Pro Ser Ile Lys Pro Ser Gly Lys 307 gtg atg aag gct ggt ttc gcc agt gtg gtg gat ggc ctg aag tat ttg Val Met Lys Ala Gly Phe Ala Ser Val Val Asp Gly Leu Lys Tyr Leu 60 355 gct ggc caa ccc gtg ttg ttg atg gtg atg gtg ctg gat ctt atc gcc Ala Gly Gln Pro Val Leu Leu Met Val Met Val Leu Asp Leu Ile Ala 75 atg att ttc ggc atg cca cgt gcg ctt tac ccc gag atc gca gaa gtg 403 Met Ile Phe Gly Met Pro Arg Ala Leu Tyr Pro Glu Ile Ala Glu Val 95 451 aac ttc qqt qqq ggt gac gcc ggt gca acg atg ctg gcg ttc atg tac Asn Phe Gly Gly Asp Ala Gly Ala Thr Met Leu Ala Phe Met Tyr 110 tca tcc atg gct gtt ggc gca gtt ctt ggc ggc gtg ctg tct ggt tgg 499 Ser Ser Met Ala Val Gly Ala Val Leu Gly Gly Val Leu Ser Gly Trp 547 gtg gcc cgg att agc cgc cag ggt gtt gca gtt tat tgg tgc atc atc Val Ala Arg Ile Ser Arg Gln Gly Val Ala Val Tyr Trp Cys Ile Ile 140 595 gcc tgg ggc gca gcc gtt gct ttg ggt ggt gtg gca att gtt gtc agc Ala Trp Gly Ala Ala Val Ala Leu Gly Gly Val Ala Ile Val Val Ser 155 ccc ggc gcg gtg act gcg tgg gcg tgg atg ttc atc atc atg atg gtc 643 Pro Gly Ala Val Thr Ala Trp Ala Trp Met Phe Ile Ile Met Met Val att ggt ggc atg gct gac atg ttc agc tcg gca gtt cga aac gct att 691 Ile Gly Gly Met Ala Asp Met Phe Ser Ser Ala Val Arg Asn Ala Ile ttg cag cag tct gct gcg gaa cat gtg cag ggc cga atc caa ggt gtg 739 Leu Gln Gln Ser Ala Ala Glu His Val Gln Gly Arg Ile Gln Gly Val

200 205 210

tgg atc atc gtc gtg gtg ggt gga cct cgt tta gct gac gtc ctt cac 787 Trp Ile Ile Val Val Gly Gly Pro Arg Leu Ala Asp Val Leu His 215 220 ggt tgg gcc gct gag ccc ctc ggc gca ggt tgg acg gta tta tgg ggc 835 Gly Trp Ala Ala Glu Pro Leu Gly Ala Gly Trp Thr Val Leu Trp Gly 230 gga gta gcg gtg gtt gta ctc act gca att tgt atg gtg gcg gtg cct 883 Gly Val Ala Val Val Leu Thr Ala Ile Cys Met Val Ala Val Pro 250 aaa ttc tgg aaa tac gag aaa cca aaa att acc ggc atc taaatactta 932 Lys Phe Trp Lys Tyr Glu Lys Pro Lys Ile Thr Gly Ile 265

tccatgccca ttt 945

<210> 170

<211> 274

<212> PRT

<213> Corynebacterium glutamicum

<400> 170

Met Leu Leu Met Gln Thr Gly Ala Ile Val Gly Pro Leu Ile Ala Gly 1 5 10 15

Ala Leu Ile Pro Leu Ile Gly Phe Gly Trp Leu Tyr Phe Leu Asp Val 20 25 30

Val Ser Ile Ile Pro Thr Leu Trp Ala Val Trp Ser Leu Pro Ser Ile 35 40 45

Lys Pro Ser Gly Lys Val Met Lys Ala Gly Phe Ala Ser Val Val Asp 50 55 60

Gly Leu Lys Tyr Leu Ala Gly Gln Pro Val Leu Leu Met Val Met Val 65 70 75 80

Leu Asp Leu Ile Ala Met Ile Phe Gly Met Pro Arg Ala Leu Tyr Pro 85 90 95

Glu Ile Ala Glu Val Asn Phe Gly Gly Gly Asp Ala Gly Ala Thr Met $100 \hspace{1.5cm} 105 \hspace{1.5cm} 110$

Leu Ala Phe Met Tyr Ser Ser Met Ala Val Gly Ala Val Leu Gly Gly
115 120 125

Val Leu Ser Gly Trp Val Ala Arg Ile Ser Arg Gln Gly Val Ala Val 130 135 140

Tyr Trp Cys Ile Ile Ala Trp Gly Ala Ala Val Ala Leu Gly Gly Val 145 150 155 160

Ala Ile Val Val Ser Pro Gly Ala Val Thr Ala Trp Ala Trp Met Phe 170 Ile Ile Met Met Val Ile Gly Gly Met Ala Asp Met Phe Ser Ser Ala Val Arg Asn Ala Ile Leu Gln Gln Ser Ala Ala Glu His Val Gln Gly Arg Ile Gln Gly Val Trp Ile Ile Val Val Gly Gly Pro Arg Leu Ala Asp Val Leu His Gly Trp Ala Ala Glu Pro Leu Gly Ala Gly Trp Thr Val Leu Trp Gly Gly Val Ala Val Val Leu Thr Ala Ile Cys Met Val Ala Val Pro Lys Phe Trp Lys Tyr Glu Lys Pro Lys Ile Thr 265 Gly Ile <210> 171 <211> 549 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(526) <223> FRXA01937 <400> 171 gcgcggtgac accacagecg ttgtcagegg egettggtet gtggaggate geegaggtta 60 ctaacaaata ggcccaacaa agaggtctaa gctctacctg gtg agt ttc cga gat 115 Val Ser Phe Arg Asp att ttc gct gac acc aga ccg ctg aaa gaa ccg gcc ttc aaa cgc ctc 163 Ile Phe Ala Asp Thr Arg Pro Leu Lys Glu Pro Ala Phe Lys Arg Leu 10 tgg ctt ggc aat gtt gcc acc gtc att ggt gcc caa tta act gtt gtt 211 Trp Leu Gly Asn Val Ala Thr Val Ile Gly Ala Gln Leu Thr Val Val gcc gtt ccg gtg cag att tac caa atg act ggg tcc tcc ggc tat gtg 259 Ala Val Pro Val Gln Ile Tyr Gln Met Thr Gly Ser Ser Gly Tyr Val 40 307 ggc ttg acc ggg ctt ttt ggc ctt att cct ttg gtt att ttt ggc ctt Gly Leu Thr Gly Leu Phe Gly Leu Ile Pro Leu Val Ile Phe Gly Leu 60 65

Tyr Gly Gly Ser Ile Ala Asp Ala Phe Asp Lys Arg Ile Val Leu Ile 70 75 80 85	355
tgc acc acg atc ggc atg tgt gtc acc act gcc ggt ttt tgg gtg ctg Cys Thr Thr Ile Gly Met Cys Val Thr Thr Ala Gly Phe Trp Val Leu 90 95 ·100	403
acc att tta ggc aat gag aat att tgg ctc ctg tta ata aac ttt tct Thr Ile Leu Gly Asn Glu Asn Ile Trp Leu Leu Leu Ile Asn Phe Ser 105 110 115	451
tta cag cag gca ttt ttc gcg gtg aat caa ccc acc cga acg gcg atc Leu Gln Gln Ala Phe Phe Ala Val Asn Gln Pro Thr Arg Thr Ala Ile 120 125 130	499
ctt cga agt att ttg ccg att gat caa taagcgtcgg caacatcact Leu Arg Ser Ile Leu Pro Ile Asp Gln 135 140	546
gaa	549
<210> 172 <211> 142 <212> PRT <213> Corynebacterium glutamicum	
<400> 172	
Val Ser Phe Arg Asp Ile Phe Ala Asp Thr Arg Pro Leu Lys Glu Pro 1 5 10 15	
Val Ser Phe Arg Asp Ile Phe Ala Asp Thr Arg Pro Leu Lys Glu Pro	
Val Ser Phe Arg Asp Ile Phe Ala Asp Thr Arg Pro Leu Lys Glu Pro l 1 5 10 15 Ala Phe Lys Arg Leu Trp Leu Gly Asn Val Ala Thr Val Ile Gly Ala	
Val Ser Phe Arg Asp Ile Phe Ala Asp Thr Arg Pro Leu Lys Glu Pro l 1 5 15 Ala Phe Lys Arg Leu Trp Leu Gly Asn Val Ala Thr Val Ile Gly Ala 20 25 30 Gln Leu Thr Val Val Ala Val Pro Val Gln Ile Tyr Gln Met Thr Gly	
Val Ser Phe Arg Asp Ile Phe Ala Asp Thr Arg Pro Leu Lys Glu Pro 1 5 10 10 15 Ala Phe Lys Arg Leu Trp Leu Gly Asn Val Ala Thr Val Ile Gly Ala 20 25 30 Gln Leu Thr Val Val Ala Val Pro Val Gln Ile Tyr Gln Met Thr Gly 35 40 45 Ser Ser Gly Tyr Val Gly Leu Thr Gly Leu Phe Gly Leu Ile Pro Leu	
Val Ser Phe Arg Asp Ile Phe Ala Asp Thr Arg Pro Leu Lys Glu Pro 1	
Val Ser Phe Arg Asp Ile Phe Ala Asp Thr Arg Pro Leu Lys Glu Pro 1	
Val Ser Phe Arg Asp Ile Phe Ala Asp Thr Arg Pro Leu Lys Glu Pro 10 15 Ala Phe Lys Arg Leu Trp Leu Gly Asn Val Ala Thr Val Ile Gly Ala 20 20	

<2 <2	10> : 11> : 12> ! 13> (1242 DNA	neba	cter.	ium (gluta	amicı	ım.								
<2: <2:	20> 21> (22> 23> I	(101))(: 1010	1219)											
	00> 1 gccaa		gttt	cct	gta a	aacq	gcata	a co	ccga	atac	: ccc	ctgt	ttc	caga	tccaaa	60
aaa	agat	ctg	gcaç	9999	gtt t	aggo	catag	ja tt	agga	actt		Lys			caa Gln 5	115
ato Met	rcc Pro	g gcc Ala	att Ile	tto Lev	g gto 1 Val	gga Gly	ggc Gly	ttt Phe	gtç Val	. Gly	ccg Pro	ttt Phe	act Thr	ggc Gly 20	Gln	163
gct Ala	cta Leu	tca Ser	gtg Val 25	Val	ttg Leu	ccg Pro	gaa Glu	ttt Phe 30	Ala	gac Asp	acc Thr	ttt Phe	gat Asp 35	Ile	agt Ser	211
gto Val	agc Ser	cag Gln 40	Ala	gcg Ala	ctg Leu	acc	atg Met 45	Thr	gca Ala	tac Tyr	ttg Leu	ttg Leu 50	Pro	ttt Phe	gcc Ala	259
		Met			tcg Ser		Arg									307
aag Lys 70	Val	gtg Val	cag Gln	gcg Ala	gct Ala 75	tat Tyr	att Ile	gtc Val	aca Thr	ctg Leu 80	cca Pro	ctt Leu	gcg Ala	ctg Leu	ttg Leu 85	355
ctc Leu	cta Leu	gtt Val	aca Thr	cca Pro 90	tcg Ser	tgg Trp	ggg Gly	ctg Leu	ttt Phe 95	atg Met	gct Ala	gcg Ala	tat Tyr	gcc Ala 100	acg Thr	403
att Ile	ggt Gly	atc Ile	gct Ala 105	aat Asn	gca Ala	ttt Phe	acc Thr	act Thr 110	ccg Pro	gtg Val	ctg Leu	caa Gln	att Ile 115	atg Met	ttg Leu	451
					ccg Pro											499
					ctc Leu											547
					tcg Ser 155											595

gcg Ala	tca Ser	ctg Leu	ttt Phe	att Ile 170	Leu	gtg Val	gcg Ala	cga Arg	ctc Leu 175	Pro	gtt Val	gtt Val	cca Pro	cca Pro 180	cca Pro	643
tca Ser	gca Ala	tcg Ser	aag Lys 185	Gln	aac Asn	gtt Val	agt Ser	ggc Gly 190	Lys	gtg Val	cag Gln	tgg Trp	gga Gly 195	ccg Pro	acc Thr	691
			Met					Val					Ile	atc Ile		739
att Ile	gga Gly 215	Phe	atg Met	aca Thr	tcg Ser	ctg Leu 220	His	gtt Val	ggc Gly	gag Glu	caa Gln 225	ttc Phe	gga Gly	ctt Leu	gat Asp	787
	Ala													gcg Ala		835
														gtg Val 260		883
gcg Ala	gtg Val	ctc Leu	att Ile 265	gtc Val	agt Ser	gct Ala	gtc Val	atc Ile 270	ggt Gly	acc Thr	atc Ile	gca Ala	ctc Leu 275	gca Ala	ctg Leu	931
														gcc Ala		979
														gct Ala		1027
														gct Ala		1075
									Val		Phe			atc Ile 340		1123
														ctg Leu		1171
ttc Phe	gtt Val	gcc Ala 360	atc Ile	gcc Ala	cag Gln	tgg Trp	ctc Leu 365	aac Asn	ccg Pro	cag Gln	cgg Arg	gtg Val 370	gag Glu	cgg Arg	ggc Gly	1219
tgag	ggag	gac g	tcga	gaag	c gt	С										1242

<210> 174

- <211> 373
- <212> PRT
- <213> Corynebacterium glutamicum
- <400> 174
- Met Lys Lys Leu Gln Met Pro Ala Ile Leu Val Gly Gly Phe Val Gly 1 5 15
- Pro Phe Thr Gly Gln Ala Leu Ser Val Val Leu Pro Glu Phe Ala Asp 20 25 30
- Thr Phe Asp Ile Ser Val Ser Gln Ala Ala Leu Thr Met Thr Ala Tyr 35 40 45
- Leu Leu Pro Phe Ala Thr Met Met Leu Phe Ser Gly Arg Ile Thr Arg
 50 55 60
- Lys Ile His Pro His Lys Val Val Gln Ala Ala Tyr Ile Val Thr Leu 65 70 75 80
- Pro Leu Ala Leu Leu Leu Val Thr Pro Ser Trp Gly Leu Phe Met 85 90 95
- Ala Ala Tyr Ala Thr Ile Gly Ile Ala Asn Ala Phe Thr Thr Pro Val 100 105 110
- Leu Gln Ile Met Leu Arg Glu Leu Val Pro Pro Arg Ser Leu Gly Lys 115 120 125
- Ala Leu Gly Thr Tyr Ala Ala Met Gln Ser Leu Gly Met Leu Ser Ala 130 135 140
- Pro Leu Ile Ala Gly Val Ser Ser Val Val Ser Trp Arg Leu Thr Phe 145 150 155 160
- Leu Val Thr Ala Ala Ala Ser Leu Phe Ile Leu Val Ala Arg Leu Pro 165 170 175
- Val Val Pro Pro Ser Ala Ser Lys Gln Asn Val Ser Gly Lys Val 180 185 190
- Gln Trp Gly Pro Thr Ile Ile His Met Val Ser Gly Phe Val Val Gly 195 200 205
- Ile Gly Ile Gly Ile Gly Phe Met Thr Ser Leu His Val Gly Glu 210 215 . 220
- Gln Phe Gly Leu Asp Ala Ala Arg Gly Leu Val Wat Cys Gly 225 230 235 240
- Gly Leu Ala Ala Phe Phe Ala Ser Arg Lys Ile Gly Asp Leu Ala Asp 245 250 255
- Lys Phe Gly Val Arg Ala Val Leu Ile Val Ser Ala Val Ile Gly Thr
- Ile Ala Leu Ala Leu Leu Pro Ile Ala Pro Trp Ile Ile Val Val Ala

275 280 285

Val Leu Trp Ala Phe Ala Val Ala Ala Gln Gly Ile Gln Ala Thr 290 295 300

Val Asn Leu Ala Val Ile Gly Ser Pro Gly Gly Ser Ser Leu Leu Ser 305 310 315 320

Thr Val Gln Ala Phe Arg Phe Phe Gly Ser Ala Ala Ala Pro Val Thr 325 330 335

Phe Leu Pro Ile Tyr Met Gly Ile Gly Ser Gly Ala Phe Trp Val Ser 340 345 350

Ala Val Ala Leu Phe Phe Val Ala Ile Ala Gln Trp Leu Asn Pro Gln 355 360 365

Arg Val Glu Arg Gly 370

<210> 175

<211> 871

<212> DNA

<213> Corynebacterium glutamicum

<220>

<221> CDS

<222> (101)..(871)

<223> FRXA01010

<400> 175

gtgccaaagc gtttcctgta aaacgcataa ccccgaatac cccctgtttc cagatccaaa 60

aaaagatctg gcagggggtt taggcataga ttaggaactt atg aag aaa ctg caa 115
Met Lys Lys Leu Gln

atg ccg gcc att ttg gtc gga ggc ttt gtg ggg ccg ttt act ggc caa 163 Met Pro Ala Ile Leu Val Gly Gly Phe Val Gly Pro Phe Thr Gly Gln

gct cta tca gtg gtc ttg ccg gaa ttt gca gac acc ttt gat atc agt 211
Ala Leu Ser Val Val Leu Pro Glu Phe Ala Asp Thr Phe Asp Ile Ser

gtc agc cag gca gcg ctg acc atg acc gca tac ttg ttg ccc ttt gcc 259 Val Ser Gln Ala Ala Leu Thr Met Thr Ala Tyr Leu Leu Pro Phe Ala 40 45 50

acc atg atg ttg ttt tcg ggg cgc atc acc aga aag atc cat ccg cat 307 Thr Met Met Leu Phe Ser Gly Arg Ile Thr Arg Lys Ile His Pro His 55 60 65

aag gtg gtg cag gcg gct tat att gtc aca ctg cca ctt gcg ctg ttg 355 Lys Val Val Gln Ala Ala Tyr Ile Val Thr Leu Pro Leu Ala Leu Leu 70 75 80 85

					Ser	tgg Trp										403
				Asn		ttt Phe										451
			Val			cgt Arg										499
						ggc Gly 140										547
	Ser					tgg Trp										595
gcg Ala	tca Ser	ctg Leu	ttt Phe	att Ile 170	ttg Leu	gtg Val	gcg Ala	cga Arg	ctc Leu 175	ccc Pro	gtt Val	gtt Val	cca Pro	cca Pro 180	cca Pro	643
tca Ser	gca Ala	ttg Leu	aag Lys 185	caa Gln	aac Asn	gtt Val	agt Ser	ggc Gly 190	aag Lys	gtg Val	cag Gln	tgg Trp	gga Gly 195	ccg Pro	acc Thr	691
atc Ile	atc Ile	cac His 200	atg Met	gtt Val	tcc Ser	ggc Gly	ttt Phe 205	gtg Val	gtg Val	ggc Gly	atc Ile	ggc Gly 210	atc Ile	atc Ile	ggc Gly	739
						ctg Leu 220										787
						gtg Val										835
						ggc Gly										871

<210> 176

<211> 257

<212> PRT

<213> Corynebacterium glutamicum

<400> 176

Met Lys Lys Leu Gln Met Pro Ala Ile Leu Val Gly Gly Phe Val Gly
1 5 10 15

Pro Phe Thr Gly Gln Ala Leu Ser Val Val Leu Pro Glu Phe Ala Asp 20 25 30

Thr Phe Asp Ile Ser Val Ser Gln Ala Ala Leu Thr Met Thr Ala Tyr 35 40 45

Leu Leu Pro Phe Ala Thr Met Met Leu Phe Ser Gly Arg Ile Thr Arg 50 55 60

Lys Ile His Pro His Lys Val Val Gln Ala Ala Tyr Ile Val Thr Leu 65 70 75 80

Pro Leu Ala Leu Leu Leu Val Thr Pro Ser Trp Gly Leu Phe Met 85 90 95

Ala Ala Tyr Ala Thr Ile Gly Ile Ala Asn Ala Phe Thr Thr Pro Val 100 105 110

Leu Gln Ile Met Leu Arg Glu Leu Val Pro Pro Arg Ser Leu Gly Lys 115 120 125

Ala Leu Gly Thr Tyr Ala Ala Met Gln Ser Leu Gly Met Leu Ser Ala 130 135 140

Pro Leu Ile Ala Gly Val Ser Ser Val Val Ser Trp Arg Leu Thr Phe 145 150 . 155 160

Leu Val Thr Ala Ala Ala Ser Leu Phe Ile Leu Val Ala Arg Leu Pro 165 170 175

Val Val Pro Pro Pro Ser Ala Leu Lys Gln Asn Val Ser Gly Lys Val 180 185 190

Gin Trp Gly Pro Thr Ile Ile His Met Val Ser Gly Phe Val Val Gly 195 200 205

Ile Gly Ile Ile Gly Ile Gly Phe Met Thr Ser Leu His Val Gly Glu 210 215 220

Gln Phe Gly Leu Asn Thr Ala Ala Arg Gly Leu Val Val Met Cys Gly 225 230 235 240

Gly Arg Ala Ala Phe Phe Ala Ser Arg Lys Ile Gly Asp Leu Ala Asp 245 250 255

Lys

<210> 177

<211> 1266

<212> DNA

<213> Corynebacterium glutamicum

<220>

<221> CDS

<222> (101)..(1243)

<223> RXN03142

<400> 177

gcaatttggc caatcaacaa cataggagga ctgcgtggcg gtcaccgcaa gaacggacat 60

- aaaaccacac ccatcgcaac caacggcact gttcactcca gtg ttt att ttg ggc 115 Val Phe Ile Leu Gly 1
- tgg ctc gtc aac ttg acc cag tac ttg agc ttc tac ttc ctg atc aca
 Trp Leu Val Asn Leu Thr Gln Tyr Leu Ser Phe Tyr Phe Leu Ile Thr
 10 15 20
- gtc atg gcg ctg tat gcg atg gaa agc ttc gcc gtt tca gag gcc gct 211 Val Met Ala Leu Tyr Ala Met Glu Ser Phe Ala Val Ser Glu Ala Ala 25 30 35
- gtc gga ttt gcg gcc agc tcc ttt gtt atc ggc gca acc gtg gct cgt 259 Val Gly Phe Ala Ala Ser Ser Phe Val Ile Gly Ala Thr Val Ala Arg
 40 45
- gtg ttc gcg gga tgg acg tcc gac cgt ttt ggt aaa aaa cag atc ctg 307 Val Phe Ala Gly Trp Thr Ser Asp Arg Phe Gly Lys Lys Gln Ile Leu 55 60 65
- ctc atc ttt gtc ggc ttg gaa gcg gta gca tca cta ttc tat att cca 355 Leu Ile Phe Val Gly Leu Glu Ala Val Ala Ser Leu Phe Tyr Ile Pro 70 75 80 85
- gct gcc tca cta cca gcg ctg gtt gct gtg cgt ttt gtt cac ggt ttt 403 Ala Ala Ser Leu Pro Ala Leu Val Ala Val Arg Phe Val His Gly Phe 90 95 100
- tct tat tct ctt gct tcc acc gct gtg atg gca ctt gtg cag tcc gtg 451 Ser Tyr Ser Leu Ala Ser Thr Ala Val Met Ala Leu Val Gln Ser Val 105 116
- att cct gca age cgt agg gca gag ggc acc ggc tac ttc gcg ctc gga 499

 Ile Pro Ala Ser Arg Arg Ala Glu Gly Thr Gly Tyr Phe Ala Leu Gly

 120
- tcc aca ctg gct aca gct ttc ggc cca gca att gcg ctg ttt gtt atc 547 Ser Thr Leu Ala Thr Ala Phe Gly Pro Ala Ile Ala Leu Phe Val Ile 135 140 145
- gat gac ttc aac tac aac acc ctg ttc tgg att acc act gcg acc agt 595 Asp Asp Phe Asn Tyr Asn Thr Leu Phe Trp Ile Thr Thr Ala Thr Ser 150 165
- gtt ttc ggc ctg atc ctc acc gtt ttg atc cgc aag ccg gag ttc att 643 Val Phe Gly Leu Ile Leu Thr Val Leu Ile Arg Lys Pro Glu Phe Ile 170 175
- aag aat gcg gaa cac ggc aga gta aag cca gtc tgg tct atc aag act 691 Lys Asn Ala Glu His Gly Arg Val Lys Pro Val Trp Ser Ile Lys Thr 185 190 195
- gtt gtg cac cca tcg gtc atg ctc att gga ttc ttc atg ctc gct gtc 739 Val Val His Pro Ser Val Met Leu Ile Gly Phe Phe Met Leu Ala Val

883

260

gga ctg gct tac gca ggc gtg atc acc ttc ctc aac ggc ttc gcg caa 787
Gly Leu Ala Tyr Ala Gly Val Ile Thr Phe Leu Asn Gly Phe Ala Gln
215

gac act ggc ctc acc gcc gga gcg ggt ctt ttc ttt atc gct tat gcg
Asp Thr Gly Leu Thr Ala Gly Ala Gly Leu Phe Phe Ile Ala Tyr Ala
230

235

210

835

cat ggt gac aac ccg gtt att tac ttc ggt ttg atc agc ttc gcc ctc 931 His Gly Asp Asn Pro Val Ile Tyr Phe Gly Leu Ile Ser Phe Ala Leu 265 270 275

gtt gcg atg ctg gtc atg cgt ttc ttc ctt gga cgc att cag gac aaa

Val Ala Met Leu Val Met Arg Phe Phe Leu Gly Arg Ile Gln Asp Lys

250

gcg ctg ggg ctt atg gct ttg gcg act gaa gac tgg cac att gtt ctc 979 Ala Leu Gly Leu Met Ala Leu Ala Thr Glu Asp Trp His Ile Val Leu 280 285 290

gct ggc gca ctc acc ggt ttg ggc tat ggc acc atc atg ccg gcc gca 1027 Ala Gly Ala Leu Thr Gly Leu Gly Tyr Gly Thr Ile Met Pro Ala Ala 295 300 305

caa gcc att gct gtc gat tca gtt cca agc act cag gtt ggt tcc ggt 1075 Gln Ala Ile Ala Val Asp Ser Val Pro Ser Thr Gln Val Gly Ser Gly 310 325

att tot acg ctt ttc ctg ttc acc gac atc ggc att ggc tta ggc cca 1123

Ile Ser Thr Leu Phe Leu Phe Thr Asp Ile Gly Ile Gly Leu Gly Pro
330 335 340

atc ctg ctg ggt gga ttg gtt gca gcg acc gga tac aac gtc atg tac 1171
Ile Leu Leu Gly Gly Leu Val Ala Ala Thr Gly Tyr Asn Val Met Tyr
345 350 355

gca gct ttg gcc gca gtg att gtt gtg gcg ggc gtg ctc tac ctg gtt 1219
Ala Ala Leu Ala Ala Val Ile Val Val Ala Gly Val Leu Tyr Leu Val
360 365 370

gct ttg ggt agg aaa gct agc cac taagttagag cattttattg agc 1266 Ala Leu Gly Arg Lys Ala Ser His 375 380

<210> 178

<211> 381

<212> PRT

<213> Corynebacterium glutamicum

<400> 178

Val Phe Ile Leu Gly Trp Leu Val Asn Leu Thr Gln Tyr Leu Ser Phe
1 5 10 15

Tyr Phe Leu Ile Thr Val Met Ala Leu Tyr Ala Met Glu Ser Phe Ala

20 25 30

Val Ser Glu Ala Ala Val Gly Phe Ala Ala Ser Ser Phe Val Ile Gly 35 40 45

Ala Thr Val Ala Arg Val Phe Ala Gly Trp Thr Ser Asp Arg Phe Gly 50 55 60

Lys Lys Gln Ile Leu Leu Ile Phe Val Gly Leu Glu Ala Val Ala Ser 65 70 75 80

Leu Phe Tyr Ile Pro Ala Ala Ser Leu Pro Ala Leu Val Ala Val Arg 85 90 95

Phe Val His Gly Phe Ser Tyr Ser Leu Ala Ser Thr Ala Val Met Ala 100 105 110

Leu Val Gln Ser Val Ile Pro Ala Ser Arg Arg Ala Glu Gly Thr Gly 115 120 125

Tyr Phe Ala Leu Gly Ser Thr Leu Ala Thr Ala Phe Gly Pro Ala Ile 130 135 140

Ala Leu Phe Val Ile Asp Asp Phe Asn Tyr Asn Thr Leu Phe Trp Ile 145 150 155 160

Thr Thr Ala Thr Ser Val Phe Gly Leu Ile Leu Thr Val Leu Ile Arg 165 170 175

Lys Pro Glu Phe Ile Lys Asn Ala Glu His Gly Arg Val Lys Pro Val 180 185 190

Trp Ser Ile Lys Thr Val Val His Pro Ser Val Met Leu Ile Gly Phe 195 200 205

Phe Met Leu Ala Val Gly Leu Ala Tyr Ala Gly Val Ile Thr Phe Leu 210 215 220

Asn Gly Phe Ala Gln Asp Thr Gly Leu Thr Ala Gly Ala Gly Leu Phe 225 230 240

Phe Ile Ala Tyr Ala Val Ala Met Leu Val Met Arg Phe Phe Leu Gly 245 250 255

Arg Ile Gln Asp Lys His Gly Asp Asn Pro Val Ile Tyr Phe Gly Leu 260 265 270

Ile Ser Phe Ala Leu Ala Leu Gly Leu Met Ala Leu Ala Thr Glu Asp 275 280 285

Trp His Ile Val Leu Ala Gly Ala Leu Thr Gly Leu Gly Tyr Gly Thr 290 295 300

Ile Met Pro Ala Ala Gln Ala Ile Ala Val Asp Ser Val Pro Ser Thr 305 310 315 320

Gln Val Gly Ser Gly Ile Ser Thr Leu Phe Leu Phe Thr Asp Ile Gly

325 330 335

Ile Gly Leu Gly Pro Ile Leu Leu Gly Gly Leu Val Ala Ala Thr Gly
340 345 350

Tyr Asn Val Met Tyr Ala Ala Leu Ala Ala Val Ile Val Val Ala Gly 355 360 365

Val Leu Tyr Leu Val Ala Leu Gly Arg Lys Ala Ser His 370 375 . 380

<210> 179

<211> 914

<212> DNA

<213> Corynebacterium glutamicum

<220>

<221> CDS

<222> (1)..(891)

<223> FRXA01150

<400> 179

.

cca gct gcc tca cta cca gcg ctg gtt gct gtg cgt ttt gtt cac ggt 48
Pro Ala Ala Ser Leu Pro Ala Leu Val Ala Val Arg Phe Val His Gly
1 5 10

ttt tct tat tct ctt gct tcc acc gct gtg atg gca ctt gtg cag tcc 96
Phe Ser Tyr Ser Leu Ala Ser Thr Ala Val Met Ala Leu Val Gln Ser
20 25 30

gtg att cct gca agc cgt agg gca gag ggc acc ggc tac ttc gcg ctc 144
Val Ile Pro Ala Ser Arg Arg Ala Glu Gly Thr Gly Tyr Phe Ala Leu

35

gga tcc aca ctg gct aca gct ttc ggc cca gca att gcg ctg ttt gtt 192 Gly Ser Thr Leu Ala Thr Ala Phe Gly Pro Ala Ile Ala Leu Phe Val 50 55 60

atc gat gac ttc aac tac aac acc ctg ttc tgg att acc act gcg acc 240 Ile Asp Asp Phe Asn Tyr Asn Thr Leu Phe Trp Ile Thr Thr Ala Thr 65 70 75 80

agt gtt ttc ggc ctg atc ctc acc gtt ttg atc cgc aag ccg gag ttc 288 Ser Val Phe Gly Leu Ile Leu Thr Val Leu Ile Arg Lys Pro Glu Phe 85 90 95

att aag aat gcg gaa cac ggc aga gta aag cca gtc tgg tct atc aag 336
Ile Lys Asn Ala Glu His Gly Arg Val Lys Pro Val Trp Ser Ile Lys

act gtt gtg cac cca tcg gtc atg ctc att gga ttc ttc atg ctc gct 384
Thr Val Val His Pro Ser Val Met Leu Ile Gly Phe Phe Met Leu Ala
115 120 125

gtc gga ctg gct tac gca ggc gtg atc acc ttc ctc aac ggc ttc gcg 432 Val Gly Leu Ala Tyr Ala Gly Val Ile Thr Phe Leu Asn Gly Phe Ala

														•		
	130					135					140					
	_				acc Thr 150	_										480
	-		_	_	gtc Val	_	_					_		_	-	528
					ccg Pro											576
					atg Met											624
					acc Thr											672
-		-		-	gtc Val 230	-		-		-		_	_			720
					ttc Phe											768
					gga Gly											816
	-	-	_	-	gca Ala			-							_	864
Val					aaa Lys				taag	gttag	ag c	attt	tatt	g		911
agc																914
<210 <211 <212 <213	> 29 > PR	7 T	bact	eriu	m gl	utam	icum	ı								
<400 Pro 1			Ser	Leu 5	Pro	Ala	Leu	Val	Ala 10	Val	Arg	Phe	Val	His 15	Gly	

Phe Ser Tyr Ser Leu Ala Ser Thr Ala Val Met Ala Leu Val Gln Ser 20 25 30

Val Ile Pro Ala Ser Arg Arg Ala Glu Gly Thr Gly Tyr Phe Ala Leu 35 40 45

Gly Ser Thr Leu Ala Thr Ala Phe Gly Pro Ala Ile Ala Leu Phe Val 50 55 60

Ile Asp Asp Phe Asn Tyr Asn Thr Leu Phe Trp Ile Thr Thr Ala Thr 65 70 75 80

Ser Val Phe Gly Leu Ile Leu Thr Val Leu Ile Arg Lys Pro Glu Phe 85 90 95

Ile Lys Asn Ala Glu His Gly Arg Val Lys Pro Val Trp Ser Ile Lys 100 105 110

Thr Val Val His Pro Ser Val Met Leu Ile Gly Phe Phe Met Leu Ala 115 120 125

Val Gly Leu Ala Tyr Ala Gly Val Ile Thr Phe Leu Asn Gly Phe Ala 130 135 140

Gln Asp Thr Gly Leu Thr Ala Gly Ala Gly Leu Phe Phe Ile Ala Tyr 145 150 155 160

Ala Val Ala Met Leu Val Met Arg Phe Phe Leu Gly Arg Ile Gln Asp 165 170 175

Lys His Gly Asp Asn Pro Val Ile Tyr Phe Gly Leu Ile Ser Phe Ala 180 185 190

Leu Ala Leu Gly Leu Met Ala Leu Ala Thr Glu Asp Trp His Ile Val 195 200 205

Leu Ala Gly Ala Leu Thr Gly Leu Gly Tyr Gly Thr Ile Met Pro Ala 210 215 220

Ala Gln Ala Ile Ala Val Asp Ser Val Pro Ser Thr Gln Val Gly Ser 225 230 235 240

Gly Ile Ser Thr Leu Phe Leu Phe Thr Asp Ile Gly Ile Gly Leu Gly 245 250 255

Pro Ile Leu Leu Gly Gly Leu Val Ala Ala Thr Gly Tyr Asn Val Met 260 265 270

Tyr Ala Ala Leu Ala Ala Val Ile Val Val Ala Gly Val Leu Tyr Leu 275 280 285

Val Ala Leu Gly Arg Lys Ala Ser His 290 295

<210> 181

<211> 1341

<212> DNA

<213> Corynebacterium glutamicum

<220> <221> CDS <222> (101)..(1318) <223> RXN02964 <400> 181 ttttatatcc tagcaagggt gttgcatgat gcaataaacg tggtagtttg tgttcataac 60 aaaattgcat gatgcaataa tttcgattta aaggagaaca gtg tcc gta gct gaa 115 Val Ser Val Ala Glu gaa ggg aaa ctt ttt aca cca acg ttt gtc atg gga tgg ttt gcc aac 163 Glu Gly Lys Leu Phe Thr Pro Thr Phe Val Met Gly Trp Phe Ala Asn 10 ctt ttc cag ttc ctg gtg ttc tac ttc ctc atc acc acc atg gct ttg 211 Leu Phe Gln Phe Leu Val Phe Tyr Phe Leu Ile Thr Thr Met Ala Leu 25 tac gcc atc aag gaa ttt caa gcc tct gaa gta gaa gct ggc ttc gca 259 Tyr Ala Ile Lys Glu Phe Gln Ala Ser Glu Val Glu Ala Gly Phe Ala 40 tcc agc tca att gtt atc ggc gca gtc ttt tcc agg ttt ttc tcc ggc 307 Ser Ser Ser Ile Val Ile Gly Ala Val Phe Ser Arg Phe Phe Ser Gly 55 60 tat att att gac cgt ttt ggt cga cgc aag att gtg ctc atc tca gtc 355 Tyr Ile Ile Asp Arg Phe Gly Arg Arg Lys Ile Val Leu Ile Ser Val 70 cta gtc act acc att gcg tgt gcc ttg tac ctt ccc atc gaa tca ttg 403 Leu Val Thr Thr Ile Ala Cys Ala Leu Tyr Leu Pro Ile Glu Ser Leu 90 cca ttg cta tac gca aac agg ttc ctc cac ggt gtt gga tac gct ttt 451 Pro Leu Leu Tyr Ala Asn Arg Phe Leu His Gly Val Gly Tyr Ala Phe 105 get gee ace geg ate atg gea atg gte cag gag ete att eea geg tea 499 Ala Ala Thr Ala Ile Met Ala Met Val Gln Glu Leu Ile Pro Ala Ser 120 125 130 cga cgt tcc gaa ggt act ggt tac ctg gca ttg ggc act acc gtt tct 547

Arg Arg Ser Glu Gly Thr Gly Tyr Leu Ala Leu Gly Thr Thr Val Ser

gca gca ctt gga cca gcc cta gca ctt ttt gtc cta gga aca ttt gat

Ala Ala Leu Gly Pro Ala Leu Ala Leu Phe Val Leu Gly Thr Phe Asp

tac gac atg ctg ttt atc gtg gtc ttg gca acc tcg gtc atc tct ttg Tyr Asp Met Leu Phe Ile Val Val Leu Ala Thr Ser Val Ile Ser Leu

atc gcc gtc gtg ttc atg tac ttt aag acc agc gac cct gag cct tct

140

155

170

135

150

595

145

Ile	Ala	Val	Val 185	Phe	Met	Tyr	Phe	Lys 190		Ser	Asp	Pro	Glu 195	Pro	Ser	
												aac Asn 210				739
		Ile					_			_		gct Ala				787
-	Ile	_				-		_	_	_	_	gat Asp	_		-	835
	_		-				-		-	-		atg Met			-	883
	_					_	-	-	-	_		gac Asp		_	_	931
				_				_			-	acg Thr 290		_		979
	_						-		_			gtc Val		-		1027
_					_	_		-		_		atc Ile	-	-		1075 .
												act Thr				1123
		-										ctg Leu		-	-	1171
												ctg Leu 370				1219
												gct Ala				1267
												gtc Val				1315
agc Ser	tagt	tctt	tc a	gctt	tecc	t cc	C									1341

<210> 182

<211> 406

<212> PRT

<213> Corynebacterium glutamicum

<400> 182

Val Ser Val Ala Glu Glu Gly Lys Leu Phe Thr Pro Thr Phe Val Met
1 5 10 15

Gly Trp Phe Ala Asn Leu Phe Gln Phe Leu Val Phe Tyr Phe Leu Ile 20 25 30

Thr Thr Met Ala Leu Tyr Ala Ile Lys Glu Phe Gln Ala Ser Glu Val 35 40 45

Glu Ala Gly Phe Ala Ser Ser Ser Ile Val Ile Gly Ala Val Phe Ser 50 55 60

Arg Phe Phe Ser Gly Tyr Ile Ile Asp Arg Phe Gly Arg Arg Lys Ile
65 70 75 80

Val Leu Ile Ser Val Leu Val Thr Thr Ile Ala Cys Ala Leu Tyr Leu 85 90 95

Pro Ile Glu Ser Leu Pro Leu Leu Tyr Ala Asn Arg Phe Leu His Gly 100 105 110

Val Gly Tyr Ala Phe Ala Ala Thr Ala Ile Met Ala Met Val Gln Glu 115 120 125

Leu Ile Pro Ala Ser Arg Arg Ser Glu Gly Thr Gly Tyr Leu Ala Leu 130 135 140 .

Gly Thr Thr Val Ser Ala Ala Leu Gly Pro Ala Leu Ala Leu Phe Val 145 150 155 160

Leu Gly Thr Phe Asp Tyr Asp Met Leu Phe Ile Val Val Leu Ala Thr 165 170 175

Ser Val Ile Ser Leu Ile Ala Val Val Phe Met Tyr Phe Lys Thr Ser 180 185 190

Asp Pro Glu Pro Ser Gly Glu Pro Ala Lys Phe Ser Phe Lys Ser Ile 195 200 205

Met Asn Pro Lys Ile Ile Pro Ile Gly Ile Phe Ile Leu Leu Ile Cys 210 215 220

Phe Ala Tyr Ser Gly Val Ile Ala Tyr Ile Asn Ala Phe Ala Glu Glu 225 230 240

Arg Asp Leu Ile Thr Gly Ala Gly Leu Phe Phe Ile Ala Tyr Ala Val 245 250 255

Ser Met Phe Val Met Arg Ser Phe Leu Gly Lys Leu Gln Asp Arg Arg Gly Asp Asn Val Val Ile Tyr Phe Gly Leu Phe Phe Val Ile Ser 280 Leu Thr Ile Leu Ser Phe Ala Thr Ser Asn Trp His Val Val Leu Ser Gly Val Ile Ala Gly Leu Gly Tyr Gly Thr Leu Met Pro Ala Val Gln Ser Ile Ala Val Gly Val Val Asp Lys Thr Glu Phe Gly Thr Ala Phe 330 Ser Thr Leu Phe Leu Phe Val Asp Leu Gly Phe Gly Phe Gly Pro Ile Ile Leu Gly Ala Val Ser Ala Ala Ile Gly Phe Gly Pro Met Tyr Ala Ala Leu Ala Gly Val Gly Val Ile Ala Gly Ile Phe Tyr Leu Phe Thr 375 370 His Ala Arg Thr Asp Arg Ala Lys Asn Gly Phe Val Lys His Pro Glu 395 Pro Val Ala Leu Val Ser 405 <210> 183 <211> 1006 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(1006) <223> FRXA02116 <400> 183 ttttatatcc tagcaagggt gttgcatgat gcaataaacg tggtagtttg tgttcataac 60 aaaattgcat gatgcaataa tttcgattta aaggagaaca gtg tcc gta gct gaa Val Ser Val Ala Glu gaa qqq aaa ctt ttt aca cca acg ttt qtc atg qqa tgg ttt gcc aac 163 Glu Gly Lys Leu Phe Thr Pro Thr Phe Val Met Gly Trp Phe Ala Asn 211 ctt ttc cag ttc ctg gtg ttc tac ttc ctc atc acc acc atg gct ttg Leu Phe Gln Phe Leu Val Phe Tyr Phe Leu Ile Thr Thr Met Ala Leu 25 259 tac qcc atc aag gaa ttt caa gcc tct gaa gta gaa gct ggc ttc gca

Tyr	Ala	Ile 40		Glu	Phe	Gln	Ala 45		Glu	Val	Glu	Ala 50	Gly	Phe	Ala	
tcc Ser	agc Ser 55	tca Ser	att Ile	gtt Val	atc Ile	ggc Gly 60	Ala	gtc Val	ttt Phe	tcc Ser	agg Arg 65	ttt Phe	ttc Phe	tcc Ser	ggc Gly	307
	Ile					Gly					gtg Val					355
											ccc Pro					403
	_			-							gtt Val			-		451
_	-				_	_	_	_	-		ctc Leu					499
											ggc Gly 145					547
_	_				_		_			_	cta Leu				_	595
											tcg Ser					643
											gac Asp					691
											atg Met					739
											ttt Phe 225					787
											cgc Arg					835
								Tyr			tca Ser					883
											gga Gly					931

265 270 275

att tac ttt gga ttg ttc ttc ttc gtt att tcc ttg acg att ttg tcc 979

Ile Tyr Phe Gly Leu Phe Phe Phe Val Ile Ser Leu Thr Ile Leu Ser
280 285 290

ttt gcc act tcc aac tgg cac gtt gtg Phe Ala Thr Ser Asn Trp His Val Val 295 1006

<210> 184

<211> 302

<212> PRT

<213> Corynebacterium glutamicum

<400> 184

Val Ser Val Ala Glu Glu Gly Lys Leu Phe Thr Pro Thr Phe Val Met

1 5 10 15

Gly Trp Phe Ala Asn Leu Phe Gln Phe Leu Val Phe Tyr Phe Leu Ile 20 25 30

Thr Thr Met Ala Leu Tyr Ala Ile Lys Glu Phe Gln Ala Ser Glu Val
35 40 45

Glu Ala Gly Phe Ala Ser Ser Ser Ile Val Ile Gly Ala Val Phe Ser
50 55 60

Arg Phe Phe Ser Gly Tyr Ile Ile Asp Arg Phe Gly Arg Arg Lys Ile 65 70 75 80

Val Leu Ile Ser Val Leu Val Thr Thr Ile Ala Cys Ala Leu Tyr Leu 85 90 95

Pro Ile Glu Ser Leu Pro Leu Leu Tyr Ala Asn Arg Phe Leu His Gly 100 105 110

Val Gly Tyr Ala Phe Ala Ala Thr Ala Ile Met Ala Met Val Gln Glu 115 120 125

Leu Ile Pro Ala Ser Arg Arg Ser Glu Gly Thr Gly Tyr Leu Ala Leu 130 135 140

Gly Thr Thr Val Ser Ala Ala Leu Gly Pro Ala Leu Ala Leu Phe Val 145 150 155 160

Leu Gly Thr Phe Asp Tyr Asp Met Leu Phe Ile Val Val Leu Ala Thr 165 170 175

Ser Val Ile Ser Leu Ile Ala Val Val Phe Met Tyr Phe Lys Thr Ser 180 185 190

Asp Pro Glu Pro Ser Gly Glu Pro Ala Lys Phe Ser Phe Lys Ser Ile 195 200 205

Met Asn Pro Lys Ile Ile Pro Ile Gly Ile Phe Ile Leu Leu Ile Cys

210 215 220 Phe Ala Tyr Ser Gly Val Ile Ala Tyr Ile Asn Ala Phe Ala Glu Glu Arg Asp Leu Ile Thr Gly Ala Gly Leu Phe Phe Ile Ala Tyr Ala Val Ser Met Phe Val Met Arg Ser Phe Leu Gly Lys Leu Gln Asp Arg Arg Gly Asp Asn Val Val Ile Tyr Phe Gly Leu Phe Phe Val Ile Ser Leu Thr Ile Leu Ser Phe Ala Thr Ser Asn Trp His Val Val 295 <210> 185 <211> 568 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(568) <223> RXA00858 <400> 185 ttttgttttt cagatgcatg ttagatgcgt tgagggacaa gggtggggga gacctccggt 60 tettaaattg tetaaccaag aaccggaggt tetttttgte atg gaa gta aac tta Met Glu Val Asn Leu gcc aca tgg cta atc act atc gca gtg att gct ggc ttc ttc att ttc 163 Ala Thr Trp Leu Ile Thr Ile Ala Val Ile Ala Gly Phe Phe Ile Phe gat tto tat tcc cac gtc cgc acc cca cac gag ccc act atc aaa gaa 211 Asp Phe Tyr Ser His Val Arg Thr Pro His Glu Pro Thr Ile Lys Glu 30 259 tee gea tgg tgg age etc tte tae gta gee etc gee tgt gtt tte gge Ser Ala Trp Trp Ser Leu Phe Tyr Val Ala Leu Ala Cys Val Phe Gly 4.5 gtg ttc ctc tgg ttt gct tgg ggc gag cca ggt aac cca cac cag cac 307 Val Phe Leu Trp Phe Ala Trp Gly Glu Pro Gly Asn Pro His Gln His ggc att gag ttc ttc acc ggt tac gtg aca gag aag gcg ttg agt gtt 355 Gly Ile Glu Phe Phe Thr Gly Tyr Val Thr Glu Lys Ala Leu Ser Val

403

gat aac ctc ttc atc ttc gcg ctg atc atg ggt tct ttc aag att cct

Asp Asn Leu Phe Ile Phe Ala Leu Ile Met Gly Ser Phe Lys Ile Pro

the control of the co

90 95 100

cgc aag tac cag cag aag gtt ctg ctc atc ggt atc gcg ctg gca ctg
Arg Lys Tyr Gln Gln Lys Val Leu Leu Ile Gly Ile Ala Leu Ala Leu
105 110 115

gtc ttc cgc ctg gca ttc atc ctc gca ggt gct gca gtt atc gaa gcc 499
Val Phe Arg Leu Ala Phe Ile Leu Ala Gly Ala Ala Val Ile Glu Ala
120 125 130

tgg tcc gat gtc ttc tac atc ttc tcc atc tgg ctg atc tac acc gct
Trp Ser Asp Val Phe Tyr Ile Phe Ser Ile Trp Leu Ile Tyr Thr Ala
135
140
145

gtg aag gct cct gtg cac gag 568 Val Lys Ala Pro Val His Glu 150 155

<210> 186

<211> 156

<212> PRT

<213> Corynebacterium glutamicum

<400> 186

Met Glu Val Asn Leu Ala Thr Trp Leu Ile Thr Ile Ala Val Ile Ala 1 5 10 15

Gly Phe Phe Ile Phe Asp Phe Tyr Ser His Val Arg Thr Pro His Glu 20 25 30

Pro Thr Ile Lys Glu Ser Ala Trp Trp Ser Leu Phe Tyr Val Ala Leu
35 40 45

Ala Cys Val Phe Gly Val Phe Leu Trp Phe Ala Trp Gly Glu Pro Gly
50 60

Asn Pro His Gln His Gly Ile Glu Phe Phe Thr Gly Tyr Val Thr Glu 65 70 75 80

Lys Ala Leu Ser Val Asp Asn Leu Phe Ile Phe Ala Leu Ile Met Gly 85 90 95

Ser Phe Lys Ile Pro Arg Lys Tyr Gln Gln Lys Val Leu Leu Ile Gly
100 105 110

Ile Ala Leu Ala Leu Val Phe Arg Leu Ala Phe Ile Leu Ala Gly Ala 115 120 125

Ala Val Ile Glu Ala Trp Ser Asp Val Phe Tyr Ile Phe Ser Ile Trp 130 135 140

Leu Ile Tyr Thr Ala Val Lys Ala Pro Val His Glu 145 150 155

<210> 187

<211> 975 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(952) <223> RXA02305 <400> 187 tatgcgcgca ggtgtctact ggtgacgcag ccgacgacga ttattttgac gaagccaccg 60 caaacgatga cttcgatccc gaaaagtgga ggaacatgta atg cca gcc ttt gag 115 Met Pro Ala Phe Glu 1 gca atg cca gga atg ccg tat tgg atc gac ctg tcc acc tcg gac att 163 Ala Met Pro Gly Met Pro Tyr Trp Ile Asp Leu Ser Thr Ser Asp Ile 15 20 gca aaa tct gca cac ttc tac gaa aac gtt ctc ggc tgg gaa att gaa 211 Ala Lys Ser Ala His Phe Tyr Glu Asn Val Leu Gly Trp Glu Ile Glu gaa gtc aac gat ggc tac cgc atg gct cgt ctg cag gga cta ccc gtg 259 Glu Val Asn Asp Gly Tyr Arg Met Ala Arg Leu Gln Gly Leu Pro Val 45 gca ggg ctg atc gat cag cgc ggt gaa tca agc atc ccg gat acc tgg 307 Ala Gly Leu Ile Asp Gln Arg Gly Glu Ser Ser Ile Pro Asp Thr Trp 55 att acc tac ttc ctc tcc tac gat ctg gat gcc act gca aag aag atc 355 Ile Thr Tyr Phe Leu Ser Tyr Asp Leu Asp Ala Thr Ala Lys Lys Ile 70 75 80 gca gaa ctg ggt gga cga att ctg gcc gag cca act gac gtg cac ttg 403 Ala Glu Leu Gly Gly Arg Ile Leu Ala Glu Pro Thr Asp Val His Leu 95 gga cgc atg atc cta gct gtt gat act gcc ggc gca ctg ttc ggc gtt 451 Gly Arg Met Ile Leu Ala Val Asp Thr Ala Gly Ala Leu Phe Gly Val 105 110 att gag cca ggc agc gag gaa tca ttc gtc gct gct ggt gaa cca ggc 499 Ile Glu Pro Gly Ser Glu Glu Ser Phe Val Ala Ala Gly Glu Pro Gly 120 125 aca too gtg tgg cat gaa oto aco act gto too aaa tat too gaa got 547 Thr Ser Val Trp His Glu Leu Thr Thr Val Ser Lys Tyr Ser Glu Ala 140 atc gat ttc tac ggt gag ctg ttc act tgg aca acc tct gaa atg gct 595 Ile Asp Phe Tyr Gly Glu Leu Phe Thr Trp Thr Thr Ser Glu Met Ala 160 agt gct gaa gac gat agt ttc cgc tac acc acc gca ttg gct gac ggt

Ser	Ala	Glu	Asp	Asp 170	Ser	Phe	Arg	Tyr	Thr 175	Thr	Ala	Leu	Ala	Asp 180	Gly	
tcc Ser	gcc Ala	ttt Phe	gct Ala 185	gga Gly	att Ile	ttt Phe	gat Asp	gcc Ala 190	aaa Lys	ggc Gly	cac His	ttc Phe	cca Pro 195	cct Pro	cag Gln	691
gtt Val	cca Pro	agc Ser 200	ttc Phe	tgg Trp	cag Gln	tcc Ser	tac Tyr 205	ctt Leu	ggc Gly	gtg Val	ctc Leu	aac Asn 210	gcc Ala	gat Asp	gat Asp	739
			aag Lys													787
			gaa Glu													835
			acc Thr													883
gaa Glu	ggc Gly	gat Asp	gat Asp 265	ctc Leu	ttc Phe	gac Asp	atc Ile	gat Asp 270	ctc Leu	agt Ser	gct Ala	ttc Phe	gaa Glu 275	gag Glu	cag Gln	931
			caa Gln				taat	ccta	ica g	jeged	atgo	ıa gç	_r a			975
<211 <212	<210> 188 <211> 284 <212> PRT <213> Corynebacterium glutamicum															
<400 Met 1		-	Phe	Glu 5	Ala	Met	Pro	Gly	Met 10	Pro	Tyr	Trp	Ile	Asp 15	Leu	

Ser Thr Ser Asp Ile Ala Lys Ser Ala His Phe Tyr Glu Asn Val Leu

Gly Trp Glu Ile Glu Glu Val Asn Asp Gly Tyr Arg Met Ala Arg Leu

Gln Gly Leu Pro Val Ala Gly Leu Ile Asp Gln Arg Gly Glu Ser Ser 50 60

Ile Pro Asp Thr Trp Ile Thr Tyr Phe Leu Ser Tyr Asp Leu Asp Ala

Thr Ala Lys Lys Ile Ala Glu Leu Gly Gly Arg Ile Leu Ala Glu Pro

Thr Asp Val His Leu Gly Arg Met Ile Leu Ala Val Asp Thr Ala Gly

100 105 110

Ala Leu Phe Gly Val Ile Glu Pro Gly Ser Glu Glu Ser Phe Val Ala 115 120 125

Ala Gly Glu Pro Gly Thr Ser Val Trp His Glu Leu Thr Thr Val Ser 130 135 140

Lys Tyr Ser Glu Ala Ile Asp Phe Tyr Gly Glu Leu Phe Thr Trp Thr 145 150 155 160

Thr Ser Glu Met Ala Ser Ala Glu Asp Asp Ser Phe Arg Tyr Thr Thr 165 170 175

Ala Leu Ala Asp Gly Ser Ala Phe Ala Gly Ile Phe Asp Ala Lys Gly
180 185 190

His Phe Pro Pro Gln Val Pro Ser Phe Trp Gln Ser Tyr Leu Gly Val 195 200 205

Leu Asn Ala Asp Asp Ala Ala Ala Lys Ala Lys Glu Phe Gly Gly Asp 210 215 220

Val Ile Arg Lys Pro Trp Asp Ser Glu Phe Gly Arg Met Val Leu Ile 225 230 235 240

Ser Asp Ser Thr Gly Ala Thr Ile Thr Leu Cys Glu Val Glu Glu Tyr 245 250 255

Val Glu Glu Ala Ala Glu Gly Asp Asp Leu Phe Asp Ile Asp Leu Ser 260 265 270

Ala Phe Glu Glu Gln Phe Arg Lys Gln Glu Gly Gln 275 280

<210> 189

<211> 948

<212> DNA

<213> Corynebacterium glutamicum

<220>

<221> CDS

<222> (101)..(925)

<223> RXA00084

<400> 189

teaceettgt egataceage taetgggtat etggegtegg teeacttgge ggeageaaag 60 .

tcttggaaga catcgatgcc ttcctcgacg cacagcaata atg tcc aca gct ctc 115

Met Ser Thr Ala Leu

ccc gat cag ctc aag tgg gaa tac agt gcc ttc ccc gtg cag atc tcg 163
Pro Asp Gln Leu Lys Trp Glu Tyr Ser Ala Phe Pro Val Gln Ile Ser
10 15 20

cag Gln	aag Lys	caa Gln	cgg Arg 25	Leu	agt Ser	ccc Pro	ggc Gly	ttc Phe 30	atg Met	cgg Arg	atc Ile	acc Thr	gtc Val 35	Thr	ggt Gly	211
gac Asp	aag Lys	ctc Leu 40	cga Arg	ttc Phe	ttt Phe	ggç Gly	cag Gln 45	tgg Trp	ggt Gly	ttg Leu	gac Asp	caa Gln 50	cgc Arg	atc Ile	aaa Lys	259
		Ile								cca Pro						307
	Glu									ctt Leu 80						355
										acc Thr						403
										gat Asp						451
	_			-		_		-	-	aac Asn	_	_	-	-	-	499
										gca Ala						547
					_					gat Asp 160	_		-			595
										aat Asn						643
		Pro		Thr	Val	Phe	Leu	His	Val	gac Asp	Ser	Leu	Ğlu	Asp		691
										act Thr						739
_			_	_	_				_	tca Ser	_		_		_	787
				Phe						act Thr 240						835
att	cgc	aaa	gaa	cta	atc	aac	agc	tac	cga	gtt	gat	tcc	tca	cga	atc	883

Ile Arg Lys Glu Leu Ile Asn Ser Tyr Arg Val Asp Ser Ser Arg Ile 250 255 260

act ttc ctc ggc tac tgg aaa tac ggc cga cga acc gta gac 925
Thr Phe Leu Gly Tyr Trp Lys Tyr Gly Arg Arg Thr Val Asp
265 270 275

tagettteag atteagacce eag

948

<210> 190

<211> 275

<212> PRT

<213> Corynebacterium glutamicum

<400> 190

Met Ser Thr Ala Leu Pro Asp Gln Leu Lys Trp Glu Tyr Ser Ala Phe 1 5 10 15

Pro Val Gln Ile Ser Gln Lys Gln Arg Leu Ser Pro Gly Phe Met Arg
20 25 30

Ile Thr Val Thr Gly Asp Lys Leu Arg Phe Phe Gly Gln Trp Gly Leu 35 40 45

Asp Gln Arg Ile Lys Leu Ile Ile Pro Ser Pro Ala Gly Asn Ile Pro 50 55 60

Asp Phe Gly Ile Leu Asp Glu Pro Thr Pro Pro Pro Thr Thr Trp Leu 65 70 75 80

Pro Arg Ala Lys Ser Phe Pro Ala Asp Gln Arg Pro Ile Leu Arg Thr 85 90 95

Tyr Thr Pro Ser Ala Val Arg Pro Glu Leu Cys Glu Val Asp Ile Asp 100 105 110

Ile Tyr Leu His Asn Pro Ser Gly Pro Val Ser Arg Trp Ala Lys Asn 115 120 125

Cys Ser Val Asp Asp Glu Leu Ile Ile Thr Gly Pro Asp Val Arg Ala 130 135 140

Gly Glu Thr Gly Tyr Gly Ile Thr Tyr His Pro Thr Ser Ala Ile Asp 145 150 155 160

Arg Leu Cys Leu Ile Gly Asp Cys Ala Ser Ala Pro Ala Ile Ala Asn 165 170 175

Ile Val Asn Gln Ser Lys Val Pro Thr Thr Val Phe Leu His Val Asp 180 185 190

Ser Leu Glu Asp Asp Val Leu Ile Ala Asp Ser Ser Thr Lys Leu Thr 195 200 205

Phe Glu Asp Ile Asp Ala Tyr Lys Ala Lys Val Phe Gln Trp Ala Ser 210 215 220

Ala Asn Ala Ala Asp Pro Ser Val His Phe Trp Ile Ala Gly Glu Thr Ser Met Val Arg Phe Ile Arg Lys Glu Leu Ile Asn Ser Tyr Arg Val Asp Ser Ser Arg Ile Thr Phe Leu Gly Tyr Trp Lys Tyr Gly Arg Arg 265 Thr Val Asp <210> 191 <211> 468 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(445) <223> RXA00843 <400> 191 gccctgatgc gaaaccggcg ccaacaatga tgccgacgaa ggcaaatgcc actcttagga 60 tttgaataat catggaacaa accttagtag gctcaacgtt atg aaa gtc acg att Met Lys Val Thr Ile ttc cat aat ccg cgt tgt tcc aca tcc aga aat acc ctc gct tac ctc 163 Phe His Asn Pro Arg Cys Ser Thr Ser Arg Asn Thr Leu Ala Tyr Leu 15 cgc gac aag gac att gag cct gaa att gtt cag tat ctc aaa gac acg 211 Arg Asp Lys Asp Ile Glu Pro Glu Ile Val Gln Tyr Leu Lys Asp Thr ccc acc gct tcc gag ctc aaa gaa cta ttc aat acg ctg gga att cca 259 Pro Thr Ala Ser Glu Leu Lys Glu Leu Phe Asn Thr Leu Gly Ile Pro 45 gtc cac gac ggc atc aga acc cgc gaa gct gag tac aca gaa ctg ggc 307 Val His Asp Gly Ile Arg Thr Arg Glu Ala Glu Tyr Thr Glu Leu Gly ctg tca cca gaa aca cct gaa act gag ctt atc gac gcc atc gtt gcc 355 Leu Ser Pro Glu Thr Pro Glu Thr Glu Leu Ile Asp Ala Ile Val Ala cat ecc agg etc ett eag egt eeg ate gtg gtg aeg gee aaa gge geg 403 His Pro Arg Leu Leu Gln Arg Pro Ile Val Val Thr Ala Lys Gly Ala cgc att qcg cqc ccc aaa atc gac qtc att gac aqc atc ttg 445 Arg Ile Ala Arg Pro Lys Ile Asp Val Ile Asp Ser Ile Leu

468

105 110 115

tgacaacatt ttgtagagca acc

<210> 192

<211> 115

<212> PRT

<213> Corynebacterium glutamicum

<400> 192

Met Lys Val Thr Ile Phe His Asn Pro Arg Cys Ser Thr Ser Arg Asn 1 5 10 15

Thr Leu Ala Tyr Leu Arg Asp Lys Asp Ile Glu Pro Glu Ile Val Gln
20 25 30

Tyr Leu Lys Asp Thr Pro Thr Ala Ser Glu Leu Lys Glu Leu Phe Asn 35 40 . 45

Thr Leu Gly Ile Pro Val His Asp Gly Ile Arg Thr Arg Glu Ala Glu 50 55 60

Tyr Thr Glu Leu Gly Leu Ser Pro Glu Thr Pro Glu Thr Glu Leu Ile
65 70 75 80

Asp Ala Ile Val Ala His Pro Arg Leu Leu Gln Arg Pro Ile Val Val 85 90 95

Thr Ala Lys Gly Ala Arg Ile Ala Arg Pro Lys Ile Asp Val Ile Asp 100 105 110

Ser Ile Leu 115

<210> 193

<211> 432

<212> DNA

<213> Corynebacterium glutamicum

<220>

<221> CDS

<222> (101)..(409)

<223> RXA01052

<400> 193

tatggccaac cctaggggga tggcctgtgt gttcactgtt aggtttcctc aaaatcttta 60

acgaacaacg aagagcttgc ccgagagtat cttgggtcgc atg gac aca aaa tta 115 Met Asp Thr Lys Leu

ggc gct gaa ttg ggt act gaa ttt gat ctc att gtt ggt ggt ttc ggc 163 Gly Ala Glu Leu Gly Thr Glu Phe Asp Leu Ile Val Val Gly Phe Gly 10 15 20

			aag Lys 25													211
-	•	-	atc Ile		_	-		_	_					-		259
	-		tgc Cys			-	_		_	-				-	_	307
	_	-	ttc Phe	-	-		-			-	-	_	-			355
_	_		gcc Ala	_				_	_		-	_		-		403
cgt Arg		tgat	ggaa	aa g	ctac	gttt	a ca	ıg								432

<210> 194

<211> 103

<212> PRT

<213> Corynebacterium glutamicum

<400> 194

Met Asp Thr Lys Leu Gly Ala Glu Leu Gly Thr Glu Phe Asp Leu Ile 1 5 10 15

Val Val Gly Phe Gly Lys Ala Gly Lys Thr Ile Ala Met Lys Arg Ser 20 25 30

Ala Ala Gly Asp Lys Val Ala Leu Ile Glu Gln Ser Pro Gln Met Tyr 35 40 45

Gly Gly Thr Cys Ile Asn Val Gly Cys Ile Pro Thr Lys Lys Leu Leu 50 55 60

Phe Glu Thr Ala Thr Gly Lys Asp Phe Pro Asp Ala Val Val Ala Arg
65 70 75 80

Asp Gln Leu Ile Gly Lys Leu Asn Ala Lys Asn Leu Ala Met Ala Thr 85 90 95

Asp Lys Gly Val Thr Arg His 100

<210> 195

<211> 543

<212> DNA

<213> Corynebacterium glutamicum

<220> <221> CDS <222> (101)..(520) <223> RXA01053 <400> 195 ttgcgatggc cacagacaag ggtgtcaccc gtcattgatg gaaaagctac gtttacagct 60 agccacgaaa tcacaagtaa cttcaggtag tgacactctt gtg ctg tat gcg cca Val Leu Tyr Ala Pro acg att gtg atc aac acg ggc tcc acg ccg gtc atc ccc aat gtc cca 163 Thr Ile Val Ile Asn Thr Gly Ser Thr Pro Val Ile Pro Asn Val Pro ggc acc gac aat ccg cat gtt ttt gat tcc act ggc att cag cac att 211 Gly Thr Asp Asn Pro His Val Phe Asp Ser Thr Gly Ile Gln His Ile 30 teg eec etg eeg aag eac ete geg ate ate gge ggt gge eec ate ggt 259 Ser Pro Leu Pro Lys His Leu Ala Ile Ile Gly Gly Gly Pro Ile Gly 45 ttg gaa ttt gcc acg ctt ttc agt gga caa ggc tcc aaa gtc acc atc 307 Leu Glu Phe Ala Thr Leu Phe Ser Gly Gln Gly Ser Lys Val Thr Ile atc gac cgt ggt gaa ttg ccg ctg aaa aat ttc gac agg gaa gta gcg 355 Ile Asp Arg Gly Glu Leu Pro Leu Lys Asn Phe Asp Arg Glu Val Ala 75 403 gag ctg gcc aaa acc gac ctg gag gcc cgc gga atc acc ttc ctc aac Glu Leu Ala Lys Thr Asp Leu Glu Ala Arg Gly Ile Thr Phe Leu Asn 90 aac get gaa etc acc gga ttc agc ggt gac etc acc atc geg etc aaa 451 Asn Ala Glu Leu Thr Gly Phe Ser Gly Asp Leu Thr Ile Ala Leu Lys 105 110 gac cac gac ctc ctc gcc gac gcc gca ctt ttt gca tcg gcc gac gcc 499 Asp His Asp Leu Leu Ala Asp Ala Ala Leu Phe Ala Ser Ala Asp Ala 125 543 cgg cac cga cgg gct cgg cct tgaacaggcg ggcatcaaaa cag Arg His Arg Arg Ala Arg Pro <210> 196 <211> 140 <212> PRT <213> Corynebacterium glutamicum

<400> 196

Val Leu Tyr Ala Pro Thr Ile Val Ile Asn Thr Gly Ser Thr Pro Val

1 5 10 15 Ile Pro Asn Val Pro Gly Thr Asp Asn Pro His Val Phe Asp Ser Thr 25 Gly Ile Gln His Ile Ser Pro Leu Pro Lys His Leu Ala Ile Ile Gly Gly Gly Pro Ile Gly Leu Glu Phe Ala Thr Leu Phe Ser Gly Gln Gly Ser Lys Val Thr Ile Ile Asp Arg Gly Glu Leu Pro Leu Lys Asn Phe Asp Arg Glu Val Ala Glu Leu Ala Lys Thr Asp Leu Glu Ala Arg Gly Ile Thr Phe Leu Asn Asn Ala Glu Leu Thr Gly Phe Ser Gly Asp Leu 100 110 Thr Ile Ala Leu Lys Asp His Asp Leu Leu Ala Asp Ala Ala Leu Phe 120 Ala Ser Ala Asp Ala Arg His Arg Arg Ala Arg Pro 130 135 <210> 197 <211> 612 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(589) <223> RXA01054 <400> 197 gaceteeteg eegacgeege actttttgca teggeegacg eeeggeaceg aegggetegg 60 ccttgaacag gcgggcatca aaacaggcac gcgtggggag gtg ctt gtc gac gcc Val Leu Val Asp Ala cac ctc cgg acc aac atc gac ggc atc ttc gct gta ggt gat gtc aat 163 His Leu Arg Thr Asn Ile Asp Gly Ile Phe Ala Val Gly Asp Val Asn 10 ggc ggc ccg cag ttt acc tac gtg tcc tac gat gac cac cgc att gtg 211 Gly Gly Pro Gln Phe Thr Tyr Val Ser Tyr Asp Asp His Arg Ile Val 259 ctg gat caa cta gcc gga aca ggt aag aaa tcc att gca cac cga ctg Leu Asp Gln Leu Ala Gly Thr Gly Lys Lys Ser Ile Ala His Arg Leu 45 307 ate ece ace acg tte ate gaa eeg eeg tta tee ace ate ggt gae

.... --- ---

Ile	Pro 55	Thr	Thr	Thr	Phe	Ile 60	Glu	Pro	Pro	Leu	Ser 65	Thr	Ile	Gly	Asp	
aac Asn 70	act Thr	gaa Glu	ggg Gly	gaa Glu	aat Asn 75	gtg Val	gtg Val	gtg Val	aaa Lys	aag Lys 80	gcc Ala	ttg Leu	att Ile	gca Ala	gat Asp 85	355
											caa Gln					403
											ctg Leu					451
											acc Thr					499
											gac Asp 145					547
		_		_							ttg Leu		-			589
taad	cgcaq	gcg (gatc	gaac	gg ct	:t										612
<213	0> 19 l> 16 2> PE 3> Co	53 RT	ebact	eri	ım gl	lutan	nicum	n								
)> 19 Leu		Asp	Ala 5	His	Leu	Arg	Thr	Asn	Tle	7.00	Cl v	Tle	Phe	Ala	
Val									10		Asp	GIY	116	15		
	Gly	Asp	Val 20	Asn	Gly	Gly	Pro	Gln 25	10		Tyr			15		
Asp	•	-	20		-	_		25	10 Phe	Thr		Val	Ser 30	15 Tyr	Asp	
	His	Arg 35	20 Ile	Val	Leu	Asp	Gln 40	25 Leu	10 Phe Ala	Thr Gly	Tyr	Val Gly 45	Ser 30 Lys	15 Tyr Lys	Asp Ser	
Ile	His Ala 50	Arg 35 His	20 Ile Arg	Val Leu	Leu	Asp Pro 55	Gln 40 Thr	25 Leu Thr	10 Phe Ala Thr	Thr Gly Phe	Tyr Thr	Val Gly 45 Glu	Ser 30 Lys Pro	15 Tyr Lys Pro	Asp Ser Leu	
Ile Ser 65	His Ala 50	Arg 35 His	20 Ile Arg Gly	Val Leu Asp	Leu Ile Asn 70	Asp Pro 55 Thr	Gln 40 Thr	25 Leu Thr Gly	10 Phe Ala Thr	Thr Gly Phe Asn 75	Tyr Thr Ile 60	Val Gly 45 Glu Val	Ser 30 Lys Pro Val	Tyr Lys Pro Lys	Asp Ser Leu Lys 80	

Leu Leu Gly Ala Thr Leu Tyr Cys Ala Asp Ser Gln Glu Leu Ile Asn 115 120 125

Thr Val Ala Leu Ala Met Arg His Gly Val Thr Ala Ser Glu Leu Gly 130 135 140

Asp Gly Ile Tyr Thr His Pro Ala Thr Ser Glu Ile Phe Asn Gln Leu 145 150 155 160

Leu Gly Ser

<210> 199

<211> 561

<212> DNA

<213> Corynebacterium glutamicum

<220>

<221> CDS

<222> (101)..(538)

<223> RXN03123

<400> 199

agetetacea aegegeetae acettgacea aegtggatge egatgeeggt acetttgace 60

tggcttttgt gctgcacgag ccgctggggc ccgcctcggc gtg ggc gac gcg ctg 115
Val Gly Asp Ala Leu
1

cga ggc cgg gga aag cct gaa gtc atg cgc tac cca gga att ccg ttc 163 Arg Gly Arg Gly Lys Pro Glu Val Met Arg Tyr Pro Gly Ile Pro Phe 10 15 20

gcc atc cca gat cca gcg ccg cgt ggc ttc ctt ttc tta ggc gat ctc 211
Ala Ile Pro Asp Pro Ala Pro Arg Gly Phe Leu Phe Leu Gly Asp Leu
25 30 35

acc tct tac cca gcg atc tgc tcg att ctg gag acc ttg gac ggt gaa 259
Thr Ser Tyr Pro Ala Ile Cys Ser Ile Leu Glu Thr Leu Asp Gly Glu
40 45 50

atc cct gcg acc gcg tat ctt atc gcc cac gat cca ctt gat tac acc

Ile Pro Ala Thr Ala Tyr Leu Ile Ala His Asp Pro Leu Asp Tyr Thr

55 60 65

ttc gat ttt ccc cag ggc gag cac atc acc gcg cag tgg att tcc aac 355
Phe Asp Phe Pro Gln Gly Glu His Ile Thr Ala Gln Trp Ile Ser Asn
70 75 80 85

gaa caa tcc ttc att gat cac atc gct gac acg gat tac acc gat ttt 403 Glu Gln Ser Phe Ile Asp His Ile Ala Asp Thr Asp Tyr Thr Asp Phe 90 95 100

tat acc tgg atc ggc gcg gaa tcc tcc gaa acc cgt gcg gcc aag aag 451 Tyr Thr Trp Ile Gly Ala Glu Ser Ser Glu Thr Arg Ala Ala Lys Lys 105 110 115

499 cat ctg cag acc cac gcc ggc atg ccc aag acg cac atg aac gcg caa His Leu Gln Thr His Ala Gly Met Pro Lys Thr His Met Asn Ala Gln 125 548 ggt tat tgg aac aag ggc aga gcc atg ggt aaa agc aat taaaagattt Gly Tyr Trp Asn Lys Gly Arg Ala Met Gly Lys Ser Asn 140 561 ttgcttatcg acg <210> 200 <211> 146 <212> PRT <213> Corynebacterium glutamicum <400> 200 Val Gly Asp Ala Leu Arg Gly Arg Gly Lys Pro Glu Val Met Arg Tyr Pro Gly Ile Pro Phe Ala Ile Pro Asp Pro Ala Pro Arg Gly Phe Leu 25 30 Phe Leu Gly Asp Leu Thr Ser Tyr Pro Ala Ile Cys Ser Ile Leu Glu Thr Leu Asp Gly Glu Ile Pro Ala Thr Ala Tyr Leu Ile Ala His Asp Pro Leu Asp Tyr Thr Phe Asp Phe Pro Gln Gly Glu His Ile Thr Ala Gln Trp Ile Ser Asn Glu Gln Ser Phe Ile Asp His Ile Ala Asp Thr Asp Tyr Thr Asp Phe Tyr Thr Trp Ile Gly Ala Glu Ser Ser Glu Thr Arg Ala Ala Lys Lys His Leu Gln Thr His Ala Gly Met Pro Lys Thr 120 His Met Asn Ala Gln Gly Tyr Trp Asn Lys Gly Arg Ala Met Gly Lys 135 140 Ser Asn 145 <210> 201 <211> 736 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(736)

<223> FRXA00993

<400> 201 getgagetag tgettttgeg acacacetet tgegaatqtt gattaggtta ggeaageeat 60 atttacaggg tgttgtgaaa gcataaggga gcaaggaaac atg ggc aag gga ttt Met Gly Lys Gly Phe acc ggc gct att ttg acc gtc atg ggc gtg aaa tcg cat atc gcc acc 163 Thr Gly Ala Ile Leu Thr Val Met Gly Val Lys Ser His Ile Ala Thr acc acg gga aaa acc gtg atc aat gac cgc atg gtg acc att cat ttt 211 Thr Thr Gly Lys Thr Val Ile Asn Asp Arg Met Val Thr Ile His Phe cat too gag acg otg otc aac acg gaa ggt gaa gto coo ggo gat tgg 259 His Ser Glu Thr Leu Leu Asn Thr Glu Gly Glu Val Pro Gly Asp Trp 45 ctg cgt ctg tgg ttc ccg cac gag agc cga cct gga aag ctc tac caa 307 Leu Arg Leu Trp Phe Pro His Glu Ser Arg Pro Gly Lys Leu Tyr Gln 60 ege gee tac ace ttg ace aac gtg gat gee gat gee ggt ace ttt gae 355 Arg Ala Tyr Thr Leu Thr Asn Val Asp Ala Asp Ala Gly Thr Phe Asp etg get ttt gtg etg eac gag eeg etg ggg eec gee teg geg tgg geg 403 Leu Ala Phe Val Leu His Glu Pro Leu Gly Pro Ala Ser Ala Trp Ala 95 acg cgc tgc gag gcc ggg gaa agc ctg gaa gtc atg cgc tac cca gga 451 Thr Arg Cys Glu Ala Gly Glu Ser Leu Glu Val Met Arg Tyr Pro Gly att ccg ttc gcc atc cca gat cca gcg ccg cgt ggc ttc ctt ttc cta 499 Ile Pro Phe Ala Ile Pro Asp Pro Ala Pro Arg Gly Phe Leu Phe Leu 125 ggc gat etc ace tet tac eea geg ate tge teg att etg gag ace ttg 547 Gly Asp Leu Thr Ser Tyr Pro Ala Ile Cys Ser Ile Leu Glu Thr Leu gac ggt gaa atc cct gcg acc gcg tat ctt atc gcc cac gat cca ctt 595 Asp Gly Glu Ile Pro Ala Thr Ala Tyr Leu Ile Ala His Asp Pro Leu gat tac acc ttc gat ttt ccc cag ggc gag cac atc acc gcg cag tgg 643 Asp Tyr Thr Phe Asp Phe Pro Gln Gly Glu His Ile Thr Ala Gln Trp 175 att too aac gaa caa too tto att gat cac atc got gac acg gat tac Ile Ser Asn Glu Gln Ser Phe Ile Asp His Ile Ala Asp Thr Asp Tyr 185 190

acc gat ttt tat acc tgg atc ggc gcg gaa tcc tcc gaa acc cgt
Thr Asp Phe Tyr Thr Trp Ile Gly Ala Glu Ser Ser Glu Thr Arg
200 205 210

736

<210> 202

<211> 212

<212> PRT

<213> Corynebacterium glutamicum

<400> 202

Met Gly Lys Gly Phe Thr Gly Ala Ile Leu Thr Val Met Gly Val Lys 1 5 10 15

Ser His Ile Ala Thr Thr Thr Gly Lys Thr Val Ile Asn Asp Arg Met
20 25 30

Val Thr Ile His Phe His Ser Glu Thr Leu Leu Asn Thr Glu Gly Glu 35 40 45

Val Pro Gly Asp Trp Leu Arg Leu Trp Phe Pro His Glu Ser Arg Pro 50 55 60

Gly Lys Leu Tyr Gln Arg Ala Tyr Thr Leu Thr Asn Val Asp Ala Asp 65 70 75 80

Ala Gly Thr Phe Asp Leu Ala Phe Val Leu His Glu Pro Leu Gly Pro 85 90 95

Ala Ser Ala Trp Ala Thr Arg Cys Glu Ala Gly Glu Ser Leu Glu Val 100 105 110

Met Arg Tyr Pro Gly Ile Pro Phe Ala Ile Pro Asp Pro Ala Pro Arg 115 120 125

Gly Phe Leu Phe Leu Gly Asp Leu Thr Ser Tyr Pro Ala Ile Cys Ser 130 135 140

Ile Leu Glu Thr Leu Asp Gly Glu Ile Pro Ala Thr Ala Tyr Leu Ile 145 150 155 160

Ala His Asp Pro Leu Asp Tyr Thr Phe Asp Phe Pro Gln Gly Glu His
165 170 175

Ile Thr Ala Gln Trp Ile Ser Asn Glu Gln Ser Phe Ile Asp His Ile 180 185 . 190

Ala Asp Thr Asp Tyr Thr Asp Phe Tyr Thr Trp Ile Gly Ala Glu Ser 195 200 205

Ser Glu Thr Arg 210

<210> 203

<211> 732

<212> DNA

<213> Corynebacterium glutamicum

<220> <221> CDS

<222> (101)..(709)

<223> RXA01051

<400> 203

tgcgacccaa gatactctcg ggcaagctct tcgttgttcg ttaaagattt tgaggaaacc 60 taacagtgaa cacacaggcc atccccctag ggttggccat atg tca acc att cac 115 Met Ser Thr Ile His 1 gcc tcc gga atc cag gct cca caa gtg cca cac ggt tcc cac cat gcc 163 Ala Ser Gly Ile Gln Ala Pro Gln Val Pro His Gly Ser His His Ala 10 ccg cca caa aag gac gaa tca gtg aag aag agc ttc aat gcc tct tct 211 Pro Pro Gln Lys Asp Glu Ser Val Lys Lys Ser Phe Asn Ala Ser Ser tta ctg ttc gcg ttt tcc ttc ggc gtg tac ctg gtg ctg ctt gtg atg 259 Leu Leu Phe Ala Phe Ser Phe Gly Val Tyr Leu Val Leu Leu Val Met 40 45 atg aca ctt ctt aaa agt cgc ctt tct tta ggc gga ctg tgg aac aca 307 Met Thr Leu Leu Lys Ser Arg Leu Ser Leu Gly Gly Leu Trp Asn Thr 55 60 gaa gca cac caa tac aga tcc atc gac tta gag ctt ttc aac ggc ttt 355 Glu Ala His Gln Tyr Arg Ser Ile Asp Leu Glu Leu Phe Asn Gly Phe 70 gct gat cca cca att tgg tgg ggg cct tgg acc aac act ttt ggc aac 403 Ala Asp Pro Pro Ile Trp Trp Gly Pro Trp Thr Asn Thr Phe Gly Asn atc gca ctg ttc atg cca ttt ggg ttt ttc ctg tac aaa atg ctc cgt 451 Ile Ala Leu Phe Met Pro Phe Gly Phe Phe Leu Tyr Lys Met Leu Arg 105 110 aga ttc aac cat cga ttc ccc ttc gta gaa acc atc ctg ttt gcc agc 499 Arg Phe Asn His Arg Phe Pro Phe Val Glu Thr Ile Leu Phe Ala Ser 130 120 125 547 gtc acc agc ctc agt atc gaa gtt ctg caa tgg gtg ttt gct att gga Val Thr Ser Leu Ser Ile Glu Val Leu Gln Trp Val Phe Ala Ile Gly 135 140 145 tat toa gat gtc gat gac ctg ttg ttt aat acg atc ggc gga ctc att 595 Tyr Ser Asp Val Asp Asp Leu Leu Phe Asn Thr Ile Gly Gly Leu Ile 150 155 160

gga gca tcc gta gca gcg ctt gtc tcg ctt aaa tcc tcc aag gta gtc Gly Ala Ser Val Ala Ala Leu Val Ser Leu Lys Ser Ser Lys Val Val

agc gga atc atc atg ggc ggt tca cta tct gtg atg gcg atg atg atg 691 Ser Gly Ile Ile Met Gly Gly Ser Leu Ser Val Met Ala Met Met Met 185 190 195

tat tca agt ttt atc gcc tagaaggttt cagcagttcc gct 732
Tyr Ser Ser Phe Ile Ala
200

<210> 204 <211> 203

<212> PRT <213> Corynebacterium glutamicum

<400> 204

Met Ser Thr Ile His Ala Ser Gly Ile Gln Ala Pro Gln Val Pro His
1 5 10 15

Gly Ser His His Ala Pro Pro Gln Lys Asp Glu Ser Val Lys Lys Ser 20 25 30

Phe Asn Ala Ser Ser Leu Leu Phe Ala Phe Ser Phe Gly Val Tyr Leu
35 40 45

Val Leu Leu Val Met Met Thr Leu Leu Lys Ser Arg Leu Ser Leu Gly 50 55 60

Gly Leu Trp Asn Thr Glu Ala His Gln Tyr Arg Ser Ile Asp Leu Glu 65 70 75 80

Leu Phe Asn Gly Phe Ala Asp Pro Pro Ile Trp Trp Gly Pro Trp Thr 85 90 95

Asn Thr Phe Gly Asn Ile Ala Leu Phe Met Pro Phe Gly Phe Phe Leu 100 105 110

Tyr Lys Met Leu Arg Arg Phe Asn His Arg Phe Pro Phe Val Glu Thr 115 120 125

Ile Leu Phe Ala Ser Val Thr Ser Leu Ser Ile Glu Val Leu Gln Trp 130 135 140

Val Phe Ala Ile Gly Tyr Ser Asp Val Asp Asp Leu Leu Phe Asn Thr 145 150 155 160

Ile Gly Gly Leu Ile Gly Ala Ser Val Ala Ala Leu Val Ser Leu Lys 165 170 175

Ser Ser Lys Val Val Ser Gly Ile Ile Met Gly Gly Ser Leu Ser Val 180 185 190

Met Ala Met Met Met Tyr Ser Ser Phe Ile Ala 195 200

<210> 205

<211> 1359 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(1336) <223> RXN01873 <400> 205 ccgtcgttgc ccatggtcac agcctacatg cacaaagtga atcaaaaaca gctatttcta 60 acattttact aatatttgct gttggcgcat gatgaactcc atg agc caa gca ata Met Ser Gln Ala Ile gat age aag gte gag gea cae gaa gge cae gaa gge cae gaa gge ate 163 Asp Ser Lys Val Glu Ala His Glu Gly His Glu Gly His Glu Gly Ile 10 gag cga gga aca cgc aat tac aag cgc gct gtg ttt gcg atg ctg gcc 211 Glu Arg Gly Thr Arg Asn Tyr Lys Arg Ala Val Phe Ala Met Leu Ala 25 30 gcc ggt ctt gct gct ttc aat ggt ctt tat tgc acg cag gca ttg ctt 259 Ala Gly Leu Ala Ala Phe Asn Gly Leu Tyr Cys Thr Gln Ala Leu Leu 40 ccc acc atg acg gaa gag ttg gga att acg ccc act gag tcc gcg ctg 307 Pro Thr Met Thr Glu Glu Leu Gly Ile Thr Pro Thr Glu Ser Ala Leu 55 acg gtg tcg gct acg act gga atg ttg gcg ctg tgt att gtt ccg gcg 355 Thr Val Ser Ala Thr Thr Gly Met Leu Ala Leu Cys Ile Val Pro Ala tcg ata ctt tcg gag aaa ttt ggt cgc ggt cgg gtg ctg aca att tca 403 Ser Ile Leu Ser Glu Lys Phe Gly Arg Gly Arg Val Leu Thr Ile Ser 90 ctc acg ttg gcc atc atc gtg gga tta att ttg ccg ctt gtc ccc aat 451 Leu Thr Leu Ala Ile Ile Val Gly Leu Ile Leu Pro Leu Val Pro Asn 105 110 att act get etc atc etg etc aga ggt etc caa ggt geg etg ett get 499 Ile Thr Ala Leu Ile Leu Leu Arg Gly Leu Gln Gly Ala Leu Leu Ala 120 ggc act cca gcg gtg gcg atg acc tgg ttg tct gag gaa att cac ccc 547 Gly Thr Pro Ala Val Ala Met Thr Trp Leu Ser Glu Glu Ile His Pro 135 595 aag gat att ggg cat gcg atg gga att tac atc gcg gga aat act gtc Lys Asp Ile Gly His Ala Met Gly Ile Tyr Ile Ala Gly Asn Thr Val 150 155 643

ggc ggg ctc act gga cgt atg att ccg gcg gga cta ctt gaa gta act

Gly	Gly	Leu	Thr	Gly 170	/ Arg	Met	: Ile	Pro	Ala 175	-	Leu	Leu	Glu	Val 180	Thr	
				Ala	ctg Leu				Ser							691
	_		Met		gtg Val	_		Pro	_	-			Phe	_	_	739
aag Lys	aat Asn 215	Ile	aat Asn	ctg Leu	cgc Arg	cat His 220	Glu	att Ile	tcg Ser	gcg Ala	atg Met 225	gct Ala	gct Ala	cat His	tgg Trp	787
	Asn				gcg Ala 235											835
					ctg Leu											883
					gaa Glu											931
ctg Leu	gcc Ala	ggg Gly 280	acc Thr	tgg Trp	agt Ser	tcc Ser	acc Thr 285	cag Gln	gcg Ala	ggt Gly	gcg Ala	ttg Leu 290	agg Arg	gag Glu	aag Lys	979
					acg Thr											1027
					ggg Gly 315											1075
-					gcg Ala	•			-	_			_	_	-	1123
					atc Ile											1171
					tat Tyr											1219
					acg Thr											1267
ttg Leu																1315

390 395 400 405

agg ctt gcc cgc aac gcc aat taatacgagt ttgtccgtgt tta 1359 Arg Leu Ala Arg Asn Ala Asn

<210> 206

<211> 412

<212> PRT

<213> Corynebacterium glutamicum

<400> 206

Met Ser Gln Ala Ile Asp Ser Lys Val Glu Ala His Glu Gly His Glu 1 5 10 15

Gly His Glu Gly Ile Glu Arg Gly Thr Arg Asn Tyr Lys Arg Ala Val 20 25 30

Phe Ala Met Leu Ala Ala Gly Leu Ala Ala Phe Asn Gly Leu Tyr Cys 35 40 45

Thr Gln Ala Leu Leu Pro Thr Met Thr Glu Glu Leu Gly Ile Thr Pro 50 55 60

Thr Glu Ser Ala Leu Thr Val Ser Ala Thr Thr Gly Met Leu Ala Leu 65 70 75 80

Cys Ile Val Pro Ala Ser Ile Leu Ser Glu Lys Phe Gly Arg Gly Arg 85 90 95

Val Leu Thr Ile Ser Leu Thr Leu Ala Ile Ile Val Gly Leu Ile Leu 100 105 110

Pro Leu Val Pro Asn Ile Thr Ala Leu Ile Leu Leu Arg Gly Leu Gln 115 120 125

Gly Ala Leu Leu Ala Gly Thr Pro Ala Val Ala Met Thr Trp Leu Ser 130 135 140

Glu Glu Ile His Pro Lys Asp Ile Gly His Ala Met Gly Ile Tyr Ile 145 150 155 160

Ala Gly Asn Thr Val Gly Gly Leu Thr Gly Arg Met Ile Pro Ala Gly 165 170 175

Leu Leu Glu Val Thr His Trp Gln Asn Ala Leu Leu Gly Ser Ser Ile 180 185 190

Ala Ala Leu Ile Phe Gly Val Ile Met Val Val Leu Leu Pro Lys Gln 195 200 205

Arg Lys Phe Gln Pro Lys Asn Ile Asn Leu Arg His Glu Ile Ser Ala 210 215 220

Met Ala Ala His Trp Arg Asn Pro Arg Leu Ala Leu Leu Phe Gly Thr 225 230 235 240

Ala Phe Leu Gly Met Gly Thr Phe Val Ser Leu Tyr Asn Tyr Leu Gly Phe Arg Met Ile Asp Gln Phe Gly Leu Ser Glu Val Leu Val Gly Ala Val Phe Ile Met Tyr Leu Ala Gly Thr Trp Ser Ser Thr Gln Ala Gly Ala Leu Arg Glu Lys Ile Gly Asn Gly Ser Thr Val Ile Phe Leu Ser Leu Thr Met Ile Ala Ser Met Ala Leu Met Gly Ile Asn Asn Leu Trp 305 310 315 Val Thr Leu Val Ala Leu Phe Val Phe Thr Ala Ala Phe Phe Ala Leu 330 His Ser Ser Ala Ser Gly Trp Ile Gly Ile Ile Ala Thr Lys Asp Arg 340 345 350 Ala Glu Ala Ser Ser Met Tyr Leu Phe Cys Tyr Tyr Val Gly Ser Ser 360 Val Ile Gly Trp Val Ser Gly Phe Ala Phe Thr His Leu Pro Trp Leu Ala Phe Ile Gly Trp Leu Ile Leu Leu Cys Gly Val Leu Ala Ile 390 395 Cys Val Thr Leu Ala Arg Leu Ala Arg Asn Ala Asn <210> 207 <211> 1215 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(1192) <223> FRXA01873 <400> 207 ccgtcgttgc ccatggtcac agcctacatg cacaaagtga atcaaaaaca gctatttcta 60 acattttact aatatttgct gttggcgcat gatgaactcc atg agc caa gca ata 115 Met Ser Gln Ala Ile gat agc aag gtc gag gca cac gaa ggc cac gaa ggc cac gaa ggc atc 163 Asp Ser Lys Val Glu Ala His Glu Gly His Glu Gly His Glu Gly Ile gag cga gga aca cgc aat tac aag cgc gct gtg ttt gcg atg ctg gcc 211

Glu	Arg	Gly	Thr 25	-	Asn	Tyr	Lys	Arg 30	Ala	Val	Phe	Ala	Met 35	Leu	Ala	
					ttc Phe											259
					gag Glu											307
					act Thr 75											355
					aaa Lys											403
					atc Ile											451
					ctg Leu											499
					gcg Ala											547
aag Lys 150	gat Asp	att Ile	ggg Gly	cat His	gcg Ala 155	atg Met	gga Gly	att Ile	tac Tyr	atc Ile 160	gcg Ala	gga Gly	aat Asn	act Thr	gtc Val 165	595
					cgt Arg											643
					ctg Leu											691
					gtg Val											739
					cgc Arg											787
					gcg Ala 235											835
					ctg Leu											883

		250				255					260		
	ctg Leu 265												931
	acc Thr												979
	ggg Gly												1027
	ctg Leu												1075
	ttt Phe											tcg Ser	1123
	gga Gly 345												1171
	 ttc Phe	-	-	tago	gated	etc (ggtga	attg	gt to	aa			1215

<210> 208

<211> 364

<212> PRT

<213> Corynebacterium glutamicum

<400> 208

Met Ser Gln Ala Ile Asp Ser Lys Val Glu Ala His Glu Gly His Glu 1 5 10 15

Gly His Glu Gly Ile Glu Arg Gly Thr Arg Asn Tyr Lys Arg Ala Val 20 25 30

Phe Ala Met Leu Ala Ala Gly Leu Ala Ala Phe Asn Gly Leu Tyr Cys 35 40 45

Thr Gln Ala Leu Leu Pro Thr Met Thr Glu Glu Leu Gly Ile Thr Pro 50 55 60

Thr Glu Ser Ala Leu Thr Val Ser Ala Thr Thr Gly Met Leu Ala Leu 65 70 75 80

Cys Ile Val Pro Ala Ser Ile Leu Ser Glu Lys Phe Gly Arg Gly Arg 85 90 95

Val Leu Thr Ile Ser Leu Thr Leu Ala Ile Ile Val Gly Leu Ile Leu 100 105 110

Pro Leu Val Pro Asn Ile Thr Ala Leu Ile Leu Leu Arg Gly Leu Gln 115 120 125

Gly Ala Leu Leu Ala Gly Thr Pro Ala Val Ala Met Thr Trp Leu Ser 130 135 140

Glu Glu Ile His Pro Lys Asp Ile Gly His Ala Met Gly Ile Tyr Ile 145 150 155 160

Ala Gly Asn Thr Val Gly Gly Leu Thr Gly Arg Met Ile Pro Ala Gly
165 170 175

Leu Leu Glu Val Thr His Trp Gln Asn Ala Leu Leu Gly Ser Ser Ile 180 185 190

Ala Ala Leu Ile Phe Gly Val Ile Met Val Val Leu Leu Pro Lys Gln 195 200 205

Arg Lys Phe Gln Pro Lys Asn Ile Asn Leu Arg His Glu Ile Ser Ala 210 215 220

Met Ala Ala His Trp Arg Asn Pro Arg Leu Ala Leu Leu Phe Gly Thr 225 230 235 240

Ala Phe Leu Gly Met Gly Thr Phe Val Ser Leu Tyr Asn Tyr Leu Gly
245 250 255

Phe Arg Met Ile Asp Gln Phe Gly Leu Ser Glu Val Leu Val Gly Ala 260 265 270

Val Phe Ile Met Tyr Leu Ala Gly Thr Trp Ser Ser Thr Gln Ala Gly 275 280 285

Ala Leu Arg Glu Lys Ile Gly Asn Gly Ser Thr Val Ile Phe Leu Ser 290 295 300

Leu Thr Met Ile Ala Ser Met Ala Leu Met Gly Ile Asn Asn Leu Trp 305 310 315 320

Val Thr Leu Val Ala Leu Phe Val Phe Thr Ala Ala Phe Phe Ala Leu 325 330 335

His Ser Ser Ala Ser Gly Trp Ile Gly Ile Ile Ala Thr Lys Asp Arg
340 345 350

Ala Glu Ala Ser Ser Met Tyr Leu Phe Cys Glu Tyr 355 360

<210> 209

<211> 1572

<212> DNA

<213> Corynebacterium glutamicum

<220>

<221> CDS

<222> (101)..(1549) <223> RXN00034

<400> 209

taaattttgt ggcactcccc acatttctat caatctatag aaagtatgac ttaaagtcga 60

ttt aaa ggc gat gat aaa gcc ctc atc ggc ata gtt tta tca gtt ctc $\,$ 163 Phe Lys Gly Asp Asp Lys Ala Leu Ile Gly Ile Val Leu Ser Val Leu $\,$ 10 $\,$ 15 $\,$ 20

aca ttt tgg ctt ttt gct cag tca acc cta aat atc ggc cca gat atg 211 Thr Phe Trp Leu Phe Ala Gln Ser Thr Leu Asn Ile Gly Pro Asp Met 25 30 35

gca act gat tta ggg atg agc gat ggc acc atg aac ata gct gtc gtg 259
Ala Thr Asp Leu Gly Met Ser Asp Gly Thr Met Asn Ile Ala Val Val
40 45 50

gcc gcc gcg tta ttc tgt gga aca ttt atc gtc gca gcc ggc ggc atc 307 Ala Ala Ala Leu Phe Cys Gly Thr Phe Ile Val Ala Ala Gly Gly Ile 55 60 65

gca gat gtc ttt ggc cga gta cga atc atg atg att ggc aac atc ctt 355 Ala Asp Val Phe Gly Arg Val Arg Ile Met Met Ile Gly Asn Ile Leu

aac atc ctg gga tct ctc ctc atc gcc acg gca acg act tct tta gcc 403 Asn Ile Leu Gly Ser Leu Leu Ile Ala Thr Ala Thr Thr Ser Leu Ala

acc caa atg gtg atc acc ggc cga gtt ctc caa gga ctg gca gcg 451
Thr Gln Met Val Ile Thr Gly Arg Val Leu Gln Gly Leu Ala Ala Ala
105 110

gcc atc atg tct gca tcc cta gca tta gtt aag aca tat tgg tta ggt 499
Ala Ile Met Ser Ala Ser Leu Ala Leu Val Lys Thr Tyr Trp Leu Gly
120 125 130

act gac cgc caa cga gca gtc tcc att tgg tcc att ggt tca tgg ggt 547 Thr Asp Arg Gln Arg Ala Val Ser Ile Trp Ser Ile Gly Ser Trp Gly 135 140 145

ggc acc gga ttc tgc gcg ctt ttc gcg ggt ctt gtt gta gca agc ccc 595 Gly Thr Gly Phe Cys Ala Leu Phe Ala Gly Leu Val Val Ala Ser Pro 150 155 160 165

ttt ggt tgg aga gga atc ttc gcc ctc tgc gcg atc gtc tcc atc gtt
Phe Gly Trp Arg Gly Ile Phe Ala Leu Cys Ala Ile Val Ser Ile Val

gct att gcc ctt acc cgc cac atc ccg gaa tcc cgt ccg gct caa tcc 691 Ala Ile Ala Leu Thr Arg His Ile Pro Glu Ser Arg Pro Ala Gln Ser 185 190 195

			His	ttg Leu												739
				gaa Glu												787
				acc Thr												835
				ttc Phe 250												883
				aaa Lys	_		_		_							931
				gct Ala												979
_		_		tgg Trp		-					_				-	1027
			-	gcc Ala		_					-	_		_	-	1075
-	_	_		gtt Val 330		_	_	_					-			1123
-	-	-		gcg Ala		_			_				-	_		1171
	Thr		Ile	gtc Val	Ile		Leu	Ala	Gly	Phe	Ser		Tyr			1219
				ttc Phe												1267
				cgt Arg												1315
				gca Ala 410												1363

														ctc Leu		1411
		_						-	_		_	_		gcc Ala		1459
		-	-	-					-	-			_	tca Ser		1507
	_				cct Pro 475			_		-	-					1549
taa	aact	tca (ccag	gaca	ga ta	aa										1572
<21: <21:	0> 2: 1> 40 2> Pl 3> Co	83 RT	ebaci	teri	ım gi	lutar	nicur	n								
	0> 2: Ser		Thr	Ser 5	Phe	Lys	Gly	Asp	Asp 10	Lys	Ala	Leu	Ile	Gly 15	Ile	
Val	Leu	Ser	Val 20	Leu	Thr	Phe	Trp	Leu 25	Phe	Ala	Gln	Ser	Thr 30	Leu	Asn	
Ile	Gly	Pro 35	Asp	Met	Ala	Thr	Asp 40	Leu	Gly	Met	Ser	Asp 45	Gly	Thr	Met	
Asn	Ile 50	Ala	Val	Val	Ala	Ala 55	Ala	Leu	Phe	Cys	Gly 60	Thr	Phe	Ile	Val	
Ala 65	Ala	Gly	Gly	Ile	Ala 70	Asp	Val	Phe	Gly	Arg 75	Val	Arg	Ile	Met	Met 80	
Ile	Gly	Asn	Ile	Leu 85	Asn	Ile	Leu	Gly	Ser 90	Leu	Leu	Ile	Ala	Thr 95	Ala	
Thr	Thr	Ser	Leu 100	Ala	Thr	Gln	Met	Val 105	Ile	Thr	Gly	Arg	Val 110	Leu	Gln	
Gly	Leu	Ala 115	Ala	Ala	Ala	Ile	Met 120	Ser	Ala	Ser	Leu	Ala 125	Leu	Val	Lys	
	Tyr 130	Trp	Leu	Gly	Thr	Asp 135	Arg	Gln	Arg	Ala	Val 140	Ser	Ile	Trp	Ser	
Ile 145	Gly	Ser	Trp	Gly	Gly 150	Thr	Gly	Phe	Cys	Ala 155	Leu	Phe	Ala	Gly	Leu 160	
Val	Val	Ala	Ser	Pro 165	Phe	Gly	Trp	Arg	Gly 170	Ile	Phe	Ala	Leu	Cys 175	Ala	

- Ile Val Ser Ile Val Ala Ile Ala Leu Thr Arg His Ile Pro Glu Ser 180 185 190
- Arg Pro Ala Gln Ser Ile Gly Met His Leu Asp Trp Ser Gly Ile Ile 195 200 205
- Val Leu Ala Leu Ser Val Leu Ser Leu Glu Leu Phe Ile Thr Gln Gly 210 215 220
- Glu Ser Leu Gly Trp Thr His Trp Met Thr Trp Thr Leu Leu Ala Val 225 230 235 240
- Ser Leu Thr Phe Leu Ala Val Phe Val Phe Ile Glu Arg Ile Ala Ser 245 250 255
- Trp Pro Val Leu Asp Phe Asn Leu Phe Lys Asp His Ala Phe Ser Gly 260 265 270
- Ala Thr Ile Thr Asn Phe Ile Met Ser Ala Thr Gly Gly Val Val Ala 275 280 285
- Val Val Met Trp Val Gln Gln Met Gly Trp Gly Val Ser Pro Thr Ile 290 295 300
- Ser Gly Leu Thr Ser Ile Gly Phe Ala Ala Phe Val Ile Leu Phe Ile 305 310 315 320
- Arg Val Gly Glu Lys Ala Met Gln Lys Val Gly Ala Arg Ala Val Ile 325 330 335
- Ile Thr Ala Gly Ile Leu Val Ala Thr Ala Thr Ala Leu Leu Met Ile 340 345 350
- Thr Ala Val Ser Glu Ser Thr Tyr Ile Val Ile Ser Leu Ala Gly Phe 355 360 365
- Ser Leu Tyr Gly Leu Gly Leu Gly Leu Phe Ala Thr Pro Val Thr Asp 370 375 380
- Thr Ala Leu Gly Thr Leu Pro Lys Asp Arg Thr Gly Ala Gly Ala Gly 385 390 395 400
- Val Phe Lys Met Ser Ser Ser Leu Gly Ala Ala Leu Gly Ile Ala Ile 405 410 415
- Ser Thr Ser Val Phe Leu Ala Leu Arg Asp Gly Thr Ser Ile Asn Ser 420 425 430
- Asp Val Ala Leu Ala Gly Thr Val Ser Leu Gly Ile Asn Val Val Phe 435 440 445
- Ala Ala Thr Ala Thr Ile Thr Ala Ala Val Leu Ile Pro Lys Ala Ala 450 455 460
- Gly Lys Val Ser Gln Thr Ser Ile Thr Leu Pro Glu Pro Ala Ile Ala 465 470 475 480

Val Lys Ile

<210> 211 <211> 1045 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(1045) <223> FRXA02273 <400> 211 taaattttgt ggcactcccc acatttctat caatctatag aaagtatgac ttaaagtcga 60 ttttgcaagt ttctatagat tgatagaaaa gggagtttag atg tct tac aca tct 115 Met Ser Tyr Thr Ser ttt aaa ggc gat gat aaa gcc ctc atc ggc ata gtt tta tca gtt ctc 163 Phe Lys Gly Asp Asp Lys Ala Leu Ile Gly Ile Val Leu Ser Val Leu 10 · 15 aca ttt tgg ctt ttt gct cag tca acc cta aat atc ggc cca gat atg 211 Thr Phe Trp Leu Phe Ala Gln Ser Thr Leu Asn Ile Gly Pro Asp Met gca act gat tta ggg atg agc gat ggc acc atg aac ata gct gtc gtg 259 Ala Thr Asp Leu Gly Met Ser Asp Gly Thr Met Asn Ile Ala Val Val 40 gee gee geg tta tte tgt gga aca ttt ate gte gea gee gge gge ate 307 Ala Ala Ala Leu Phe Cys Gly Thr Phe Ile Val Ala Ala Gly Gly Ile gca gat gtc ttt ggc cga gta cga atc atg atg att ggc aac atc ctt 355 Ala Asp Val Phe Gly Arg Val Arg Ile Met Met Ile Gly Asn Ile Leu 70 75 80 aac atc ctg gga tct ctc ctc atc gcc acg gca acg act tct tta gcc 403 Asn Ile Leu Gly Ser Leu Leu Ile Ala Thr Ala Thr Thr Ser Leu Ala 90 95 acc caa atg gtg atc acc ggc cga gtt ctc caa gga ctg gca gcg 451 Thr Gln Met Val Ile Thr Gly Arg Val Leu Gln Gly Leu Ala Ala Ala 105 110 gcc atc atg tct gca tcc cta gca tta gtt aag aca tat tgg tta ggt 499 Ala Ile Met Ser Ala Ser Leu Ala Leu Val Lys Thr Tyr Trp Leu Gly 120 125 act gac ege caa ega gea gte tee att tgg tee att ggt tea tgg ggt Thr Asp Arg Gln Arg Ala Val Ser Ile Trp Ser Ile Gly Ser Trp Gly 135 140

ggc Gly 150	acc Thr	gga Gly	ttc Phe	tgc Cys	gcg Ala 155	Leu	ttc Phe	gcg Ala	ggt Gly	ctt Leu 160	Val	gta Val	gca Ala	agc Ser	ccc Pro 165	595
ttt Phe	ggt Gly	tgg Trp	aga Arg	gga Gly 170	lle	ttc Phe	gcc	ctc Leu	tgc Cys 175	Ala	atc Ile	gtc Val	tcc Ser	atc Ile 180	gtt Val	643
gct Ala	att Ile	gcc Ala	ctt Leu 185	acc Thr	cgc Arg	cac His	atc Ile	ccg Pro 190	gaa Glu	tcc Ser	cgt Arg	ccg Pro	gct Ala 195	caa Gln	tcc Ser	691
att Ile	ggc [.]	atg Met 200	cat His	ttg Leu	gat Asp	tgg Trp	agt Ser 205	ggc	atc Ile	atc Ile	gtt Val	ctt Leu 210	gcc Ala	ctc Leu	agt Ser	739
														ggc Gly		787
														ttt Phe		835
gca Ala	gtt Val	ttc Phe	gtc Val	ttc Phe 250	att Ile	gaa Glu	cgc Arg	atc Ile	gcc Ala 255	agc Ser	tgg Trp	cca Pro	gtt Val	ctc Leu 260	gac Asp	883
ttc Phe	aac Asn	ctt Leu	ttc Phe 265	aaa Lys	gac Asp	cac His	gcc Ala	ttc Phe 270	agc Ser	ggt Gly	gcg Ala	acc Thr	atc Ile 275	acc Thr	aac Asn	931
ttc Phe	att Ile	atg Met 280	agc Ser	gct Ala	act Thr	ggc Gly	gga Gly 285	gta Val	gtt Val	gcc Ala	gtt Val	gtc Val 290	atg Met	tgg Trp	gtt Val	979
Gln														acc Thr		1027
atc Ile 310		ttc Phe	-	-												1045
<210 <211 <212 <213	> 31 > PR	5 T	bact	eriu	m gl	utam	icum									
<400 Met 1			Thr	Ser 5	Phe	Lys	Gly	Asp .	Asp 10	Lys	Ala	Leu	Ile	Gly 15	Ile	
Val :	Leu :	Ser '	Val : 20	Leu	Thr	Phe	Trp	Leu 25	Phe	Ala	Gln	Ser	Thr 30	Leu	Asn	

Ile Gly Pro Asp Met Ala Thr Asp Leu Gly Met Ser Asp Gly Thr Met 35 40 45

Asn Ile Ala Val Val Ala Ala Leu Phe Cys Gly Thr Phe Ile Val 50 55 60

Ala Ala Gly Gly Ile Ala Asp Val Phe Gly Arg Val Arg Ile Met Met 65 70 75 80

Ile Gly Asn Ile Leu Asn Ile Leu Gly Ser Leu Leu Ile Ala Thr Ala 85 90 95

Thr Thr Ser Leu Ala Thr Gln Met Val Ile Thr Gly Arg Val Leu Gln
100 105 110

Gly Leu Ala Ala Ala Ile Met Ser Ala Ser Leu Ala Leu Val Lys 115 120 125

Thr Tyr Trp Leu Gly Thr Asp Arg Gln Arg Ala Val Ser Ile Trp Ser 130 135 140

Ile Gly Ser Trp Gly Gly Thr Gly Phe Cys Ala Leu Phe Ala Gly Leu 145 150 155 160

Val Val Ala Ser Pro Phe Gly Trp Arg Gly Ile Phe Ala Leu Cys Ala 165 170 175

Ile Val Ser Ile Val Ala Ile Ala Leu Thr Arg His Ile Pro Glu Ser 180 185 190

Arg Pro Ala Gln Ser Ile Gly Met His Leu Asp Trp Ser Gly Ile Ile 195 200 205

Val Leu Ala Leu Ser Val Leu Ser Leu Glu Leu Phe Ile Thr Gln Gly 210 215 220

Glu Ser Leu Gly Trp Thr His Trp Met Thr Trp Thr Leu Leu Ala Val 225 230 235 240

Ser Leu Thr Phe Leu Ala Val Phe Val Phe Ile Glu Arg Ile Ala Ser 245 250 255

Trp Pro Val Leu Asp Phe Asn Leu Phe Lys Asp His Ala Phe Ser Gly 260 265 270

Ala Thr Ile Thr Asn Phe Ile Met Ser Ala Thr Gly Gly Val Val Ala 275 280 285

Val Val Met Trp Val Gln Gln Met Gly Trp Gly Val Ser Pro Thr Ile 290 295 300

Ser Gly Leu Thr Ser Ile Gly Phe Ala Ala Phe 305 310 315

<210> 213

<211> 826 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(826) <223> RXN03075 <400> 213 tgtgcaaaat tgcattcagg ctgaaaaatt cctaaaggga ctccgtccga ataattggaa 60 agcccagaag aacagtcaac tcctagatta aaggataatc gtg gcg aaa ttc ctg Val Ala Lys Phe Leu 1 tat aag tta ggc tcc acg gcc tat caa aag aaa tgg ccg ttt ctt gcg Tyr Lys Leu Gly Ser Thr Ala Tyr Gln Lys Lys Trp Pro Phe Leu Ala 15 gtc tgg ctc gtg att ctc ata ggt atc acg acg ctg gcg ggg ctg tat 211 Val Trp Leu Val Ile Leu Ile Gly Ile Thr Thr Leu Ala Gly Leu Tyr 25 gcc aag cca acg tcg agt agc ttc tct atc cct ggt ctt gat tct gtc Ala Lys Pro Thr Ser Ser Phe Ser Ile Pro Gly Leu Asp Ser Val 40 acg acc atg gag aag atg cag gag cgt ttc cct ggt tcg gat gat gca 307 Thr Thr Met Glu Lys Met Gln Glu Arg Phe Pro Gly Ser Asp Asp Ala 55 aca tog got coc act ggt tot gto gto att cag goa cog gaa ggo aag Thr Ser Ala Pro Thr Gly Ser Val Val Ile Gln Ala Pro Glu Gly Lys 70 80 acc ctc act gat cct gag gtt ggg gct gaa gta aac cag atg ctt gat 403 Thr Leu Thr Asp Pro Glu Val Gly Ala Glu Val Asn Gln Met Leu Asp 95 gag gtt cgg gcg act ggt gtg ctg aag gat gct gat tcc gtt gtg gat 451 Glu Val Arg Ala Thr Gly Val Leu Lys Asp Ala Asp Ser Val Val Asp 105 110 cct gtg ttg gct gcg cag ggt gtg gct gct cag atg acc cca gcc ctg 499 Pro Val Leu Ala Ala Gln Gly Val Ala Ala Gln Met Thr Pro Ala Leu 120 125 gag gct cag ggt gta cct gcg gag aag atc gcc gca gat att gag tcg 547 Glu Ala Gln Gly Val Pro Ala Glu Lys Ile Ala Ala Asp Ile Glu Ser att agt cca ctg agt gca gat gag act acc ggc atc atc tcg atg act 595 Ile Ser Pro Leu Ser Ala Asp Glu Thr Thr Gly Ile Ile Ser Met Thr 150 160

643

ttt gat gca gat tct gcc atg gat ata tcc gca gag gat cgt gag aag

Phe Asp Ala Asp Ser Ala Met Asp Ile Ser Ala Glu Asp Arg Glu Lys 170 175 gtc acc aat att ctt gat gaa tac gat gac ggc gat ctg act gtt gtc 691 Val Thr Asn Ile Leu Asp Glu Tyr Asp Asp Gly Asp Leu Thr Val Val 185 190 tac aac ggc aac gtg ttt ggc gca gct gca acc agc ttg gac atg acc 739 Tyr Asn Gly Asn Val Phe Gly Ala Ala Ala Thr Ser Leu Asp Met Thr 205 210 tct gag ctc atc ggc ctg ctg gtg gct gcg gtc gtt ctt atc gtg acc 787 Ser Glu Leu Ile Gly Leu Leu Val Ala Ala Val Val Leu Ile Val Thr 220 ttc ggt tcg ttc atc gct gcc ggt atg ccg ctg atc tct 826

Phe Gly Ser Phe Ile Ala Ala Gly Met Pro Leu Ile Ser 230 235 240

<210> 214

<211> 242

<212> PRT

<213> Corynebacterium glutamicum

<400> 214

Val Ala Lys Phe Leu Tyr Lys Leu Gly Ser Thr Ala Tyr Gln Lys Lys 1 5 10 15

Trp Pro Phe Leu Ala Val Trp Leu Val Ile Leu Ile Gly Ile Thr Thr
20 25 30

Leu Ala Gly Leu Tyr Ala Lys Pro Thr Ser Ser Ser Phe Ser Ile Pro
35 40 45

Gly Leu Asp Ser Val Thr Thr Met Glu Lys Met Gln Glu Arg Phe Pro 50 55 60

Gly Ser Asp Asp Ala Thr Ser Ala Pro Thr Gly Ser Val Val Ile Gln 65 70 75 80

Ala Pro Glu Gly Lys Thr Leu Thr Asp Pro Glu Val Gly Ala Glu Val
85 90 95

Asn Gln Met Leu Asp Glu Val Arg Ala Thr Gly Val Leu Lys Asp Ala
100 105 110

Asp Ser Val Val Asp Pro Val Leu Ala Ala Gln Gly Val Ala Ala Gln
115 120 125

Met Thr Pro Ala Leu Glu Ala Gln Gly Val Pro Ala Glu Lys Ile Ala 130 135 140

Ala Asp Ile Glu Ser Ile Ser Pro Leu Ser Ala Asp Glu Thr Thr Gly
145 150 155 160

Ile Ile Ser Met Thr Phe Asp Ala Asp Ser Ala Met Asp Ile Ser Ala

280

165 170 175

Glu Asp Arg Glu Lys Val Thr Asn Ile Leu Asp Glu Tyr Asp Asp Gly
180 185 190

Asp Leu Thr Val Val Tyr Asn Gly Asn Val Phe Gly Ala Ala Thr 195 200 205

Ser Leu Asp Met Thr Ser Glu Leu Ile Gly Leu Leu Val Ala Ala Val 210 215 220

Val Leu Ile Val Thr Phe Gly Ser Phe Ile Ala Ala Gly Met Pro Leu 225 230 235 240

Ile Ser

<210> 215

<211> 826

<212> DNA

<213> Corynebacterium glutamicum

<220>

<221> CDS

<222> (101)..(826)

<223> FRXA02907

<400> 215

tgtgcaaaat tgcattcagg ctgaaaaatt cctaaaggga ctccgtccga ataattggaa 60

agcccagaag aacagtcaac tcctagatta aaggataatc gtg gcg aaa ttc ctg 115 Val Ala Lys Phe Leu

tat aag tta ggc tcc acg gcc tat caa aag aaa tgg ccg ttt ctt gcg 163 Tyr Lys Leu Gly Ser Thr Ala Tyr Gln Lys Lys Trp Pro Phe Leu Ala

gtc tgg ctc gtg att ctc ata ggt atc acg acg ctg gcg ggg ctg tat 211 Val Trp Leu Val Ile Leu Ile Gly Ile Thr Thr Leu Ala Gly Leu Tyr

gcc aag cca acg tcg agt agc ttc tct atc cct ggt ctt gat tct gtc 259
Ala Lys Pro Thr Ser Ser Ser Phe Ser Ile Pro Gly Leu Asp Ser Val
40 45 50

acg acc atg gag aag atg cag gag cgt ttc cct ggt tcg gat gat gca 307 Thr Thr Met Glu Lys Met Gln Glu Arg Phe Pro Gly Ser Asp Asp Ala 55 60 65

aca tcg gct ccc act ggt tct gtc gtc att cag gca ccg gaa ggc aag 355
Thr Ser Ala Pro Thr Gly Ser Val Val Ile Gln Ala Pro Glu Gly Lys
70 75 80 85

acc ctc act gat cct gag gtt ggg gct gaa gta aac cag atg ctt gat 403 Thr Leu Thr Asp Pro Glu Val Gly Ala Glu Val Asn Gln Met Leu Asp

90 95 100

 _			ggt Gly		_	_	-	_	-		_	 _	451
			cag Gln										499
 -	_	 _	cct Pro			-		_	-	-		 _	547
			gca Ala 155										595
			gcc Ala										643
			gat Asp										691
			ttt Phe										739
			ctg Leu	_		-		-	-				787
	_		gct Ala 235	-		_	_	-					826

<210> 216

<211> 242

<212> PRT

<213> Corynebacterium glutamicum

<400> 216

Val Ala Lys Phe Leu Tyr Lys Leu Gly Ser Thr Ala Tyr Gln Lys Lys 1 5 10 15

Trp Pro Phe Leu Ala Val Trp Leu Val Ile Leu Ile Gly Ile Thr Thr 20 25 30

Leu Ala Gly Leu Tyr Ala Lys Pro Thr Ser Ser Ser Phe Ser Ile Pro 35 40 45

Gly Leu Asp Ser Val Thr Thr Met Glu Lys Met Gln Glu Arg Phe Pro 50 55 60

Gly Ser Asp Asp Ala Thr Ser Ala Pro Thr Gly Ser Val Val Ile Gln Ala Pro Glu Gly Lys Thr Leu Thr Asp Pro Glu Val Gly Ala Glu Val Asn Gln Met Leu Asp Glu Val Arg Ala Thr Gly Val Leu Lys Asp Ala Asp Ser Val Val Asp Pro Val Leu Ala Ala Gln Gly Val Ala Ala Gln 120 Met Thr Pro Ala Leu Glu Ala Gln Gly Val Pro Ala Glu Lys Ile Ala Ala Asp Ile Glu Ser Ile Ser Pro Leu Ser Ala Asp Glu Thr Thr Gly Ile Ile Ser Met Thr Phe Asp Ala Asp Ser Ala Met Asp Ile Ser Ala 170 Glu Asp Arg Glu Lys Val Thr Asn Ile Leu Asp Glu Tyr Asp Asp Gly 190 Asp Leu Thr Val Val Tyr Asn Gly Asn Val Phe Gly Ala Ala Ala Thr 200 Ser Leu Asp Met Thr Ser Glu Leu Ile Gly Leu Leu Val Ala Ala Val 210 215 Val Leu Ile Val Thr Phe Gly Ser Phe Ile Ala Ala Gly Met Pro Leu Ile Ser <210> 217 <211> 2313 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(2290) <223> RXA00479 <400> 217 tagatcccaa ggctcaaaat ttattactta aacaagttga gcaactagcc agccgcaaat 60 cttagaacta acctttacgc ctttaacgga agtgaatttg atg tct act agc atc Met Ser Thr Ser Ile

aca aca gag aac aag aag aaa tot ggt oot oot ogc ttg atg aga atc Thr Thr Glu Asn Lys Lys Ser Gly Pro Pro Arg Leu Met Arg Ile

10

					cta Leu											211
ggc Gly	ggt Gly	cct Pro 40	tat Tyr	ttt Phe	ggc Gly	aag Lys	gtt Val 45	agt Ser	gag Glu	gtc Val	tcc Ser	tcc Ser 50	aac Asn	agc Ser	cag Gln	259
					gaa Glu											307
ttg Leu 70	gga Gly	gat Asp	ttt Phe	act Thr	gat Asp 75	tct Ser	gaa Glu	tcc Ser	atc Ile	cca Pro 80	gcc Ala	att Ile	gtc Val	gta Val	atg Met 85	355
					tta Leu											403
gtt Val	gtt Val	gct Ala	ggg Gly 105	ctt Leu	tca Ser	gaa Glu	tta Leu	gac Asp 110	ata Ile	gtt Val	tcc Ser	gat Asp	gaa Glu 115	gtc Val	tcc Ser	451
					gag Glu											499
ctc Leu	aat Asn 135	cca Pro	tca Ser	gcg Ala	gag Glu	ctg Leu 140	acg Thr	gaa Glu	agc Ser	gtc Val	gag Glu 145	aag Lys	ctc Leu	tct Ser	gag Glu	547
					acg Thr 155											595
					gct Ala											643
ggg Gly	Leu	ctc Leu	Leu	Ala	gtc Val	Ala	Leu	Ala	Ala	Val	Leu	Val	att Ile 195	ctt Leu	gtc Val	691
atc Ile	gtc Val	tat Tyr 200	cgc Arg	tcc Ser	ttc Phe	att Ile	ctg Leu 205	ccc Pro	atc Ile	gcc Ala	gtg Val	ctt Leu 210	gcc Ala	acc Thr	agt Ser	739
ttg Leu	ttt Phe 215	gcg Ala	ctg Leu	act Thr	gta Val	gct Ala 220	cta Leu	ttg Leu	gtg Val	gtg Val	tgg Trp 225	tgg Trp	cta Leu	gct Ala	aag Lys	787
tgg Trp 230	gac Asp	atc Ile	ctg Leu	ctg Leu	ctt Leu 235	tcg Ser	ggt Gly	cag Gln	act Thr	caa Gln 240	ggc Gly	atc Ile	ctc Leu	ttc Phe	att Ile 245	835

			ggc Gly		Ala					Leu						883
			gag Glu 265	Leu					Asp							931
			cgg Arg					Pro								979
_			ggc			-	-			_	_	_				1027
	Thr		ggt Gly													1075
			act Thr													1123
			ccc Pro 345													1171
			atc Ile													1219
			cat His													1267
			gcg Ala													1315
			cta Leu													1363
			gaa Glu 425													1411
			gaa Glu													1459
	_		ttc Phe			_		_		_	_	_				1507
ggc	tca	gcc	cca	atc	acc	gct	gac	ggt	att	gtg	ccg	tta	ggt	tct	ggt	1555

Gly 470		Ala	Pro	Ile	Thr 475	Ala	Asp	Gly	Ile	Val 480		Leu	Gly	Ser	Gly 485	
					Val	gtt Val										1603
				Ala		gat Asp			Glu							1651
agt Ser	atc Ile	cgc Arg 520	caa Gln	act Thr	ttt Phe	gca Ala	gat Asp 525	Glu	aat Asn	ata Ile	tca Ser	gcg Ala 530	gta Val	gta Val	ggc Gly	1699
						gta Val 540										1747
_		•				att Ile	_	-	-	-		-	_			1795
_	_	-	_			att Ile	~	_			_		-	_		1843
					_	act Thr	_				-	-				1891
						cca Pro										1939
						gcc Ala 620										1987
						gaa Glu										2035
						gta Val										2083
						ttc Phe										2131
						ttc Phe										2179
						ttc Phe										2227

695 700 705

gga ccg aaa atc tgg tgg ccg tca aaa ttg tcc aat cag aaa tac cag 2275 Gly Pro Lys Ile Trp Trp Pro Ser Lys Leu Ser Asn Gln Lys Tyr Gln 710 725

aag cag cct cag cta tgacacacca aaattcgcct ctc 2313 Lys Gln Pro Gln Leu

<210> 218

<211> 730

<212> PRT

<213> Corynebacterium glutamicum

<400> 218

Met Ser Thr Ser Ile Thr Thr Glu Asn Lys Lys Ser Gly Pro Pro 1 5 10 15

Arg Leu Met Arg Ile Phe Leu Pro Ala Leu Leu Ile Leu Val Trp Leu
20 25 30

Val Gly Ala Gly Val Gly Gly Pro Tyr Phe Gly Lys Val Ser Glu Val 35 40 45

Ser Ser Asn Ser Gln Thr Thr Tyr Leu Pro Glu Ser Ala Asp Ala Thr 50 55 60

Gln Val Gln Glu Gln Leu Gly Asp Phe Thr Asp Ser Glu Ser Ile Pro 65 70 75 80

Ala Ile Val Val Met Val Ser Asp Glu Pro Leu Thr Gln Gln Asp Ile 85 90 95

Thr Gln Leu Asn Glu Val Val Ala Gly Leu Ser Glu Leu Asp Ile Val
100 105 110

Ser Asp Glu Val Ser Pro Ala Ile Pro Ser Glu Asp Gly Arg Ala Val 115 120 125

Gln Val Phe Val Pro Leu Asn Pro Ser Ala Glu Leu Thr Glu Ser Val 130 135 140

Glu Lys Leu Ser Glu Thr Leu Thr Gln Gln Thr Pro Asp Tyr Val Ser 145 150 155 160

Thr Tyr Val Thr Gly Pro Ala Gly Phe Thr Ala Asp Leu Ser Ala Ala 165 170 175

Phe Ala Gly Ile Asp Gly Leu Leu Leu Ala Val Ala Leu Ala Ala Val 180 185 190

Leu Val Ile Leu Val Ile Val Tyr Arg Ser Phe Ile Leu Pro Ile Ala 195 200 205

Val Leu Ala Thr Ser Leu Phe Ala Leu Thr Val Ala Leu Leu Val Val

210 215 220

Trp Trp Leu Ala Lys Trp Asp Ile Leu Leu Leu Ser Gly Gln Thr Gln 225 230 235 240

Gly Ile Leu Phe Ile Leu Val Ile Gly Ala Ala Thr Asp Tyr Ser Leu 245 250 255

Leu Tyr Val Ala Arg Phe Arg Glu Glu Leu Arg Val Gln Gln Asp Lys 260 265 270

Gly Ile Ala Thr Gly Lys Ala Ile Arg Ala Ser Val Glu Pro Ile Leu 275 280 285

Ala Ser Gly Ser Thr Val Ile Ala Gly Leu Leu Cys Leu Leu Phe Ser 290 295 300

Asp Leu Lys Ser Asn Ser Thr Leu Gly Pro Val Ala Ser Val Gly Ile 305 310 315 320

Ile Phe Ala Met Leu Ser Ala Leu Thr Leu Leu Pro Ala Leu Leu Phe 325 330 335

Val Phe Gly Arg Val Ala Phe Trp Pro Lys Arg Pro Lys Tyr Glu Pro 340 345 350

Glu Lys Ala Arg Ala Lys Asn Asp Ile Pro Ala Ser Gly Ile Trp Ser 355 360 365

Lys Val Ala Asp Leu Val Glu Gln His Pro Arg Ala Ile Trp Val Ser 370 380

Thr Leu Ile Val Leu Leu Gly Ala Ala Phe Val Pro Thr Leu Lys 385 390 395 400

Ala Asp Gly Val Ser Gln Ser Asp Leu Val Leu Gly Ser Ser Glu Ala 405 . 410 415

Arg Asp Gly Gln Gln Ala Leu Gly Glu His Phe Pro Gly Gly Ser Gly
420 425 430

Ser Pro Ala Tyr Ile Ile Val Asp Glu Thr Gln Ala Ala Gln Ala Ala 435 440 445

Asp Val Val Leu Asn Asn Asp Asn Phe Glu Thr Val Thr Ser 450 455 460

Ala Asp Ser Pro Ser Gly Ser Ala Pro Ile Thr Ala Asp Gly Ile Val 465 470 475 480

Pro Leu Gly Ser Gly Thr Ala Pro Gly Pro Val Val Glu Gly Gln
485
495

Val Leu Leu Gln Ala Thr Leu Val Glu Ala Pro Asp Ser Glu Glu Ala 500 505 510

Gln Lys Ala Ile Arg Ser Ile Arg Gln Thr Phe Ala Asp Glu Asn Ile

515 520 525

Ser Ala Val Val Gly Gly Val Thr Ala Thr Ser Val Asp Thr Asn Asp 530 535 540

Ala Ser Ile His Asp Arg Asn Leu Ile Ile Pro Ile Val Leu Leu Val 545 550 555 560

Ile Leu Val Ile Leu Met Leu Leu Leu Arg Ser Ile Val Ala Pro Leu 565 570 575

Leu Leu Val Val Thr Thr Val Val Ser Phe Ala Thr Ala Leu Gly Val 580 585 590

Ala Ala Leu Leu Phe Asn His Val Phe Ser Phe Pro Gly Ala Asp Pro 595 600 605

Ala Val Pro Leu Tyr Gly Phe Val Phe Leu Val Ala Leu Gly Ile Asp 610 620

Tyr Asn Ile Phe Leu Val Thr Arg Ile Arg Glu Glu Thr Lys Thr His 625 630 635 640

Gly Thr Arg Leu Gly Ile Leu Arg Gly Leu Thr Val Thr Gly Gly Val $645 \hspace{1cm} 650 \hspace{1cm} 655$

Ile Thr Ser Ala Gly Val Val Leu Ala Ala Thr Phe Ala Ala Leu Tyr 660 665 670

Val Ile Pro Ile Leu Phe Leu Ala Gln Ile Ala Phe Ile Val Ala Phe 675 680 685

Gly Val Leu Ile Asp Thr Leu Leu Val Arg Ala Phe Leu Val Pro Ala 690 695 700

Leu Phe Tyr Asp Ile Gly Pro Lys Ile Trp Trp Pro Ser Lys Leu Ser 705 710 715 720

Asn Gln Lys Tyr Gln Lys Gln Pro Gln Leu 725 730

<210> 219

<211> 983

<212> DNA

<213> Corynebacterium glutamicum

<220>

<221> CDS

<222> (1)..(960)

<223> RXN03124

<400> 219

atg act cct acc ctg gcg tcg atg att ggt ctg gct gtc ggt atc gac 48 Met Thr Pro Thr Leu Ala Ser Met Ile Gly Leu Ala Val Gly Ile Asp 1 5 10

				Ile	gtg Val				Arg					Ser		96
			Asn		ctg Leu			Lys								144
		Pro			gct Ala		Ala									192
	Ala				gtt Val 70											240
					atc Ile											288
					acc Thr											336
Phe	Leu	Pro 115	Ala	Leu	ctt Leu	Gly	Leu 120	Leu	Gly	Thr	Arg	Ile 125	Phe	Ala	Ala	384
					aag Lys											432
Met 145	Ğly	Leu	Lys	Trp	gtc Val 150	Arg	Leu	Val	Arg	Lys 155	Met	Pro	Val	Āla	Tyr 160	480
Leu	Leu	Val	Gly	Val 165	gtt Val	Leu	Leu	Gly	Ala 170	Ile	Ala	Ile	Pro	Ala 175	Thr	528
					atg Met											576
	-	-	-		tat Tyr	_	-	-	-	_				_		624
-				_	att Ile				-	-		-	_			672
					gtg Val 230				Ala							720
act	gat	ggt	gtg	aag	aat	gct	cag	atc	act	cag	acc	acg	gag	aat	ttc	768

				-												1 0 1/120
Thr	Asp	Gly	Val	Lys 245		Ala	Gln	Ile	Thr 250	Gln	Thr	Thr	Glu	Asn 255	Phe	
		gcg Ala		Ile												816
		ctg Leu 275														864
		aca Thr														912
		aca Thr														960
tgai	tegt	ttt	ggtt	ctage	eg ti	tc										983
<213 <213	0> 2. 1> 3: 2> P: 3> C:	20	ebact	teri	ım gl	lutar	micur	n								
	0> 2: Thr	20 Pro	Thr	Leu 5	Ala	Ser	Met	Ile	Gly 10	Leu	Ala	Val	Gly	Ile 15	Asp	
Tyr	Ala	Leu	Phe 20	Ile	Val	Ser	Arg	Phe 25	Arg	Asn	Glu	Leu	Ile 30	Ser	Gln	
Thr	Gly	Ala 35	Asn	Asp	Leu	Glu	Pro 40	Lys	Glu	Leu	Ala	Glu 45	Arg	Leu	Arg	
Thr	Met 50	Pro	Leu	Ala	Ala	Arg 55	Ala	His	Ala	Met	Gly 60	Met	Ala	Val	Gly	
Thr 65	Ala	Gly	Ser	Ala	Val 70	Val	Phe	Ala	Gly	Thr 75	Thr	Val	Leu	Ile	Ala 80	
Leu	Val	Ala	Leu	Ser 85	Ile	Ile	Asn	Ile	Pro .90	Phe	Leu	Thr	Val	Met 95	Ala	
Ile	Ala	Ala	Ala 100	Ile	Thr	Val	Ala	Ile 105	Ala	Val	Leu	Val	Ala 110	Leu	Ser	
Phe	Leu	Pro 115	Ala	Leu	Leu	Gly	Leu 120	Leu	Gly	Thr	Arg	Ile 125	Phe	Ala	Ala	
Arg	Val 130	Pro	Gly	Pro		Val 135	Pro	Asp	Pro	Glu	Asp 140	Glu	Lys	Pro	Thr	
Met 145	Gly	Leu	Lys	-	Val 150	Arg	Leu	Val	Arg	Lys 155	Met	Pro	Val	Ala	Tyr 160	

315

 Leu Leu Val
 Gly Val 165
 Val 165
 Leu Leu Gly 170
 Ala 11e Ala Ile Ala Ile Pro 175
 Thr Asn Met Arg Leu 180
 Ala Met 180
 Pro Thr Asp 185
 Gly Thr Ser Thr Ser Thr Leu 190
 Gly Thr 190
 Thr Ala Asp 61y
 Thr Ala Asp Ala Pro 190
 Thr Ala Asp 200
 Thr Ala Asp Ala Asp Ala Pro 190
 Thr Gly 195
 Pro Gly 205
 Pro Gly 205</

<210> 221
<211> 762
<212> DNA
<213> Corynebacterium glutamicum

<220>
<221> CDS
<222> (1)..(762)
<223> FRXA01180

<400> 221
atg act cct acc ctg gcg tcg atg att ggt ctg gct gtc ggt atc gac Met Thr Pro Thr Leu Ala Ser Met Ile Gly Leu Ala Val Gly Ile Asp 1 5 10 15

tac gcg cta ttt atc gtg tcc cgt ttc cgc aat gag ttg att tct cag Tyr Ala Leu Phe Ile Val Ser Arg Phe Arg Asn Glu Leu Ile Ser Gln 20 25 30

act ggc gct aat gat ctg gag cca aag gaa ttg gct gag cgt ctg cgc

35

Thr Gly Ala Asn Asp Leu Glu Pro Lys Glu Leu Ala Glu Arg Leu Arg

40

310

	_	_	_	-	-	cgt Arg 55				-		_	-			192
						gta Val										240
_	_	_	_	-		att Ile								_	-	288
						gtt Val										336
						ggc Gly										384
_		Pro			-	gtt Val 135	_	_			-		_		_	432
_		_	_		_	cgc Arg		-	-	_	_	_		_		480
						ttg Leu										528
						ccg Pro										576
						gac Asp										624
cgc Arg	aac Asn 210	gcg Ala	ccc Pro	atg Met	att Ile	gcg Ala 215	ctt Leu	atc Ile	gac Asp	gca Ala	acc Thr 220	gac Asp	gtc Val	cct Pro	gag Glu	672
gaa Glu 225	gaa Glu	cgc Arg	cca Pro	ttg Leu	gtg Val 230	ttt Phe	gga Gly	cag Gln	gcg Ala	gtg Val 235	gag Glu	caa Gln	ttc Phe	ttg Leu	aac Asn 240	720
	-		-	-		gct Ala	-	Ile		_		_				762

<210> 222 <211> 254 <212> PRT

<213> Corynebacterium glutamicum

<400> 222

Met Thr Pro Thr Leu Ala Ser Met Ile Gly Leu Ala Val Gly Ile Asp 1 5 10 15

Tyr Ala Leu Phe Ile Val Ser Arg Phe Arg Asn Glu Leu Ile Ser Gln 20 25 30

Thr Gly Ala Asn Asp Leu Glu Pro Lys Glu Leu Ala Glu Arg Leu Arg 35 40 45

Thr Met Pro Leu Ala Ala Arg Ala His Ala Met Gly Met Ala Val Gly
50 55 60

Thr Ala Gly Ser Ala Val Val Phe Ala Gly Thr Thr Val Leu Ile Ala 65 70 75 80

Leu Val Ala Leu Ser Ile Ile Asn Ile Pro Phe Leu Thr Val Met Ala 85 90 95

Ile Ala Ala Ala Ile Thr Val Ala Ile Ala Val Leu Val Ala Leu Ser 100 105 110

Phe Leu Pro Ala Leu Leu Gly Leu Leu Gly Thr Arg Ile Phe Ala Ala 115 120 125

Arg Val Pro Gly Pro Lys Val Pro Asp Pro Glu Asp Glu Lys Pro Thr 130 135 140

Met Gly Leu Lys Trp Val Arg Leu Val Arg Lys Met Pro Val Ala Tyr 145 150 155 160

Leu Leu Val Gly Val Val Leu Leu Gly Ala Ile Ala Ile Pro Ala Thr 165 170 175

Asn Met Arg Leu Ala Met Pro Thr Asp Gly Thr Ser Thr Leu Gly Thr 180 185 190

Ala Pro Arg Thr Gly Tyr Asp Met Thr Ala Asp Ala Phe Gly Pro Gly 195 200 205

Arg Asn Ala Pro Met Ile Ala Leu Ile Asp Ala Thr Asp Val Pro Glu 210 215 220

Glu Glu Arg Pro Leu Val Phe Gly Gln Ala Val Glu Gln Phe Leu Asn 225 230 235 240

Thr Asp Gly Val Lys Asn Ala Gln Ile Thr Gln Thr Thr Glu 245 250

<210> 223

<211> 393

<212> DNA

<213> Corynebacterium glutamicum

<220> <221> CDS <222> (101)..(370) <223> RXA02586 <400> 223 ttctctgaga tcgtcatgat gaagtacatc gcgttcggca tgatcgcagc gctgattctg 60 115 gatgecacca teateegeat getgettgte eccegeegtg atg cae etg ett ege Met His Leu Leu Arg 1 163 gac gac aac tgg tgg gca ccc ggc ttc gtt aaa aag gcc tac acc gtc Asp Asp Asn Trp Trp Ala Pro Gly Phe Val Lys Lys Ala Tyr Thr Val 211 atg ggt cac ggc tct gag gtg gag gaa gca cct cgc cca acc acc cgt Met Gly His Gly Ser Glu Val Glu Glu Ala Pro Arg Pro Thr Thr Arg cgc ctc aac gac gat gag gaa gtc acc gtg cat gaa gca gtt gtc gct 259 Arg Leu Asn Asp Asp Glu Glu Val Thr Val His Glu Ala Val Val Ala 40 ggc gat acc gtg gca tct cgc ggt ggt ttg agc acg cag gaa aac cgt 307 Gly Asp Thr Val Ala Ser Arg Gly Gly Leu Ser Thr Gln Glu Asn Arg 55 gat ctg gtg tcc ttc gtg gaa ctt aag gct cgt ttg gaa aag cgc agg 355 Asp Leu Val Ser Phe Val Glu Leu Lys Ala Arg Leu Glu Lys Arg Arg 75 393 ctt gag gat cta gat taaatctatg cgaggatttt tca Leu Glu Asp Leu Asp <210> 224 <211> 90 <212> PRT <213> Corynebacterium glutamicum Met His Leu Leu Arg Asp Asp Asn Trp Trp Ala Pro Gly Phe Val Lys Lys Ala Tyr Thr Val Met Gly His Gly Ser Glu Val Glu Glu Ala Pro Arg Pro Thr Thr Arg Arg Leu Asn Asp Asp Glu Glu Val Thr Val His

Glu Ala Val Val Ala Gly Asp Thr Val Ala Ser Arg Gly Gly Leu Ser

Thr Gln Glu Asn Arg Asp Leu Val Ser Phe Val Glu Leu Lys Ala Arg

Leu Glu Lys Arg Arg Leu Glu Asp Leu Asp 85 90

<210> 225 <211> 2214 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(2191) <223> RXA02587 <400> 225 agectggata acctgccaga cggtggcgca tggctgcagc cgttccgccc tctgactgcc 60 ttgttatcca accgccacaa ttcccaggag taatccaccc gtg ttt tct aaa tgg Val Phe Ser Lys Trp 1 ggc cac ttt gct tac aga ttt agg cgc att gtt ccg tta gtc gtc atc 163 Gly His Phe Ala Tyr Arg Phe Arg Ile Val Pro Leu Val Val Ile 10 . 20 gcc gcg att ttg gct ttg ttt gtc att ttc ggc acc aag ctg ggc gac 211 Ala Ala Ile Leu Ala Leu Phe Val Ile Phe Gly Thr Lys Leu Gly Asp 25 ege atg age cag gaa gga tgg gat gat eet ggt tet tee teg ace get 259 Arg Met Ser Gln Glu Gly Trp Asp Asp Pro Gly Ser Ser Ser Thr Ala gcg gcg cgc atc gag ttg gag acc ttt ggg cgt gac aat gac ggc gat 307 Ala Ala Arg Ile Glu Leu Glu Thr Phe Gly Arg Asp Asn Asp Gly Asp 55 gtc gtg ttg ctg ttt act gcg cct gaa ggc act tct ttc gat gca 355 Val Val Leu Leu Phe Thr Ala Pro Glu Gly Thr Ser Phe Asp Asp Ala 70 75 80 gag gtg ttc tcc agc atc tct ggc tac tta gat ggg cta atc gag aac 403 Glu Val Phe Ser Ser Ile Ser Gly Tyr Leu Asp Gly Leu Ile Glu Asn 90 aac cct gat gaa gtc agc cac atc aac agc tac ttt gac act cgt aat Asn Pro Asp Glu Val Ser His Ile Asn Ser Tyr Phe Asp Thr Arg Asn 105 caa aat ctc ctc agc aaa gac ggc acc caa acc ttt gca gct ctc ggg 499 Gln Asn Leu Leu Ser Lys Asp Gly Thr Gln Thr Phe Ala Ala Leu Gly 120 547 ctc aaa ggt gac ggc gag caa acg ctg aag gac ttc cgg gag att gaa Leu Lys Gly Asp Gly Glu Gln Thr Leu Lys Asp Phe Arg Glu Ile Glu 135 140 145

	Gln							gcc Ala								595
								gca Ala								643
								gcg Ala 190								691
ctg Leu	ctc Leu	atc Ile 200	gtg Val	ttt Phe	ggc Gly	tca Ser	gtt Val 205	gtt Val	gcc Ala	gcg Ala	gcg Ala	atg Met 210	cca Pro	ttg Leu	atc Ile	739
								tcg Ser								787
								ttt Phe								835
								tat Tyr								883
								acc Thr 270								931
								act Thr								979
								ttt Phe								1027
	Ser	Val	Ala	Phe	Gly	Ala	Ile	tcc Ser	Ala	Val	Gly	Leu				1075
								ctg Leu								1123
atc Ile	gat Asp	aag Lys	tgg Trp 345	agt Ser	ttg Leu	cgt Arg	cgc Arg	act Thr 350	gct Ala	cga Arg	aca Thr	gcg Ala	cgc Arg 355	cgt Arg	ttg Leu	1171
gaa Glu	gac Asp	acc Thr 360	att Ile	tgg Trp	tac Tyr	cgc Arg	gtg Val 365	ccg Pro	gca Ala	tgg Trp	gca Ala	atg Met 370	cgc Arg	cat His	gcc Ala	1219

					ggc											1267
	Leu				aaa Lys 395											1315
					cgc Arg											1363
	-		_		gag Glu	-	-	_			_				gac Asp	1411
		-	_		gat Asp			-	_	-		-	_			1459
					acc Thr											1507
	_				att Ile 475	_	-	-					_	-		1555
					att Ile											1603
					atg Met											1651
					gct Ala											1699
					ggt Gly											1747
_			•		atg Met 555		-		_					_	_	1795
					ggt Gly											1843
					ctg Leu											1891
tcc	acc	gac	tat	gag	gtg	ttc	ctg	gta	tct	cgc	atg	gtg	gag	gcc	cgc	1939

Ser	Thr	Asp 600	Tyr	Glu	Val	Phe	Leu 605	Val	Ser	Arg ·	Met	Val 610	Glu	Ala	Arg	
				tcc Ser												1987
				atc Ile												2035
				ttc Phe 650												2083
				gcg Ala												2131
				cgt Arg												2179
		ctt Leu	-	taaa	aagg	jcc t	acad	eegto	ea to	3 9						2214

<210> 226

<211> 697

<212> PRT

<213> Corynebacterium glutamicum

<400> 226

Val Phe Ser Lys Trp Gly His Phe Ala Tyr Arg Phe Arg Arg Ile Val 1 5 10 15

Pro Leu Val Val Ile Ala Ala Ile Leu Ala Leu Phe Val Ile Phe Gly
20 25 30

Thr Lys Leu Gly Asp Arg Met Ser Gln Glu Gly Trp Asp Asp Pro Gly 35 40 45

Ser Ser Ser Thr Ala Ala Ala Arg Ile Glu Leu Glu Thr Phe Gly Arg 50 55 60

Asp Asn Asp Gly Asp Val Val Leu Leu Phe Thr Ala Pro Glu Gly Thr 65 70 75 80

Ser Phe Asp Asp Ala Glu Val Phe Ser Ser Ile Ser Gly Tyr Leu Asp $85 \hspace{1cm} 90 \hspace{1cm} 95$

Gly Leu Ile Glu Asn Asn Pro Asp Glu Val Ser His Ile Asn Ser Tyr 100 105 110

Phe Asp Thr Arg Asn Gln Asn Leu Leu Ser Lys Asp Gly Thr Gln Thr 115 120 125

Phe	130		Leu	Gl)	/ Leu	Lys 135		Asp	Gly	Glu	Gln 140		Leu	Lys	Asp
Phe 145		Glu	Ile	: Glu	Asp 150		Leu	His	Pro	Asp 155		Leu	Ala	Gly	G1 ₅
Val	Thr	Thr	Glu	Val 165	Ala	Gly	Ala	Thr	Ala 170		Ala	Asp	Ala	Leu 175	Asp
Glu	Gly	Met	Ala 180	_	Asp	Ile	Ser	Arg 185		Glu	Val	Phe	Ala 190		Pro
Phe	Val	Ala 195		Leu	Leu	Leu	11e 200		Phe	Gly	Ser	Val 205		Ala	Ala
Ala	Met 210		Leu	Ile	Val	Gly 215		Leu	Ser	Ile	Leu 220	Gly	Ser	Leu	Gly
11e 225		Ala	Ile	Leu	Ala 230		Phe	Phe	Gln	Val 235	Asn	Val	Phe	Ala	Glr 240
Ser	Val	Val	Thr	Leu 245	Leu	Gly	Leu	Gly	Leu 250	Ala	Ile	Asp	Tyr	Gly 255	Leu
Phe	Met	Val	Ser 260		Phe	Arg	Glu	Glu 265	Met	Asp	Lys	Gly	Thr 270	Pro	Val
		275			Thr		280					285			
Phe	Ser 290	Ala	Ala	Met	Val	Ala 295	Val	Ala	Leu	Ser	Gly 300	Leu	Phe	Val	Phe
Pro 305	Gln	Ala	Phe	Leu	Lys 310	Ser	Val	Ala	Phe	Gly 315	Ala	Ile	Ser	Ala	Val 320
_				325	Met				330					335	
			340		Ile			345					350		
		355	_		Glu	_	360		-	_		365			
	370	_			Lys	375					380				
385					Pro 390			_		395					400
Glu	Thr	Tyr	Leu	Pro 405	Pro	Ala	Asn	Asp	Thr 410	_	Val	Ala	Gln	Glu 415	Arg
Phe	Asp	Glu	Ala 420	Phe	Pro	Ala	Phe	Arg 425	Thr	Glu	Pro	Val	Lys 430	Leu	Val

Val Thr Gly Ala Asp Asn Asn Gln Leu Ile Asp Ile Tyr Val Gln Ala 435 440 445

Asn Glu Val Glu Gly Leu Thr Asp Arg Phe Thr Ala Gly Ala Thr Thr 450 455 460

Asp Asp Gly Thr Thr Val Leu Ser Thr Gly Ile Gln Asp Arg Ser Leu 465 470 475 480

Asn Glu Gln Val Val Glu Gln Leu Arg Ala Ile Ser Val Pro Glu Gly 485 490 495

Val Glu Val Gln Ile Gly Gly Thr Pro Ala Met Glu Ile Glu Ser Ile 500 505 510

Glu Ala Leu Phe Glu Lys Leu Leu Trp Met Ala Leu Tyr Ile Val Leu 515 520 525

Ala Thr Phe Ile Leu Met Ala Leu Val Phe Gly Ser Val Ile Leu Pro 530 535 540

Ala Lys Ala Ile Ile Met Thr Ile Leu Gly Met Gly Ala Thr Leu Gly 545 550 560

Ile Leu Thr Leu Met Phe Val Asp Gly Val Gly Ala Ser Ala Leu Asn 565 570 575

Phe Ser Pro Gly Pro Leu Met Ser Pro Val Leu Val Leu Ile Met Ala 580 585 590

Ile Ile Tyr Gly Leu Ser Thr Asp Tyr Glu Val Phe Leu Val Ser Arg 595 600 605

Met Val Glu Ala Arg Asp Lys Gly Glu Ser Thr Asp Asp Ala Ile Arg 610 615 620

Tyr Gly Thr Ala His Thr Gly Ser Ile Ile Thr Ala Ala Ala Leu Ile 625 630 635 640

Met Ile Val Val Cys Gly Ala Phe Gly Phe Ser Glu Ile Val Met Met 645 650 655

Lys Tyr Ile Ala Phe Gly Met Ile Ala Ala Leu Ile Leu Asp Ala Thr 660 665 670

Ile Ile Arg Met Leu Leu Val Pro Arg Arg Asp Ala Pro Ala Ser Arg 675 680 685

Arg Gln Leu Val Gly Thr Arg Leu Arg 690 695

<210> 227

<211> 729

<212> DNA

<213> Corynebacterium glutamicum

<220>
<221> CDS
<222> (101)..(706)
<223> RXN03042

<400> 227 atgacaccgg cgcgacgtat ggcattactg gcgtacccca atttacgatg acatctctgc 60 tegectegge gaegteetgg tteettaegt tetgategtt ttg gtt eta geg tte Leu Val Leu Ala Phe ctc gtg ctg ttg ctc gtg ttc cgg tcc att tgg gtc cca ttg atc gcg 163 Leu Val Leu Leu Val Phe Arg Ser Ile Trp Val Pro Leu Ile Ala get etg gge ttt gge ttg tea gtt etg get ace ttt ggt get ace gtg 211 Ala Leu Gly Phe Gly Leu Ser Val Leu Ala Thr Phe Gly Ala Thr Val 30 gcg atc ttc caa gaa ggt gct ttc ggc atc atc gac gat cct cag cca 259 Ala Ile Phe Gln Glu Gly Ala Phe Gly Ile Ile Asp Asp Pro Gln Pro ctg ctg tcc ttc ttg ccg atc atg ctc atc ggc ctg gta ttt ggt ctg 307 Leu Leu Ser Phe Leu Pro Ile Met Leu Ile Gly Leu Val Phe Gly Leu gcc atg gat tac cag atc ttc ctc gtt act cgt atg cgt gag ggc ttc 355 Ala Met Asp Tyr Gln Ile Phe Leu Val Thr Arg Met Arg Glu Gly Phe 80 403 acc aag ggc aag act gcg ggc aac gca acg tcg aat ggt ttc aag cac Thr Lys Gly Lys Thr Ala Gly Asn Ala Thr Ser Asn Gly Phe Lys His ggt gcc cgc gtg gtc act gct gcg gcg ctg atc atg gtg tct gtg ttc 451 Gly Ala Arg Val Val Thr Ala Ala Ala Leu Ile Met Val Ser Val Phe 105 110 gcg gca ttc ata gcg cag gac atg gcg ttt att aag acc atg ggc ttt 499 Ala Ala Phe Ile Ala Gln Asp Met Ala Phe Ile Lys Thr Met Gly Phe 125 gct ctg gcc gtt gct gtg ttc ttc gat gcc ttc gtt gtt cgc atg atg 547 Ala Leu Ala Val Ala Val Phe Phe Asp Ala Phe Val Val Arg Met Met att atc cct gca aca atg ttc ctg ctt gat gac aag gct tgg tgg cta 595 Ile Ile Pro Ala Thr Met Phe Leu Leu Asp Asp Lys Ala Trp Trp Leu

cct aag tgg ttg gat aag att ctt ccc aac gtt gat gtt gaa ggt gag

Pro Lys Trp Leu Asp Lys Ile Leu Pro Asn Val Asp Val Glu Gly Glu

175

170

ggt ctt agt gaa cta cat gag gct cgc acc gag gaa ctg aag gaa aat 691 Gly Leu Ser Glu Leu His Glu Ala Arg Thr Glu Glu Leu Lys Glu Asn 185 190 195

gta ggt gtc ggg gct tagagaaaca aaaaaggctg cta 729 Val Gly Val Gly Ala 200

<210> 228

<211> 202

<212> PRT

<213> Corynebacterium glutamicum

<400> 228

Leu Val Leu Ala Phe Leu Val Leu Leu Val Phe Arg Ser Ile Trp
1 5 10 15

Val Pro Leu Ile Ala Ala Leu Gly Phe Gly Leu Ser Val Leu Ala Thr 20 25 30

Phe Gly Ala Thr Val Ala Ile Phe Gln Glu Gly Ala Phe Gly Ile Ile 35 40 45

Asp Asp Pro Gln Pro Leu Leu Ser Phe Leu Pro Ile Met Leu Ile Gly
50 55 60

Leu Val Phe Gly Leu Ala Met Asp Tyr Gln Ile Phe Leu Val Thr Arg 65 70 75 80

Met Arg Glu Gly Phe Thr Lys Gly Lys Thr Ala Gly Asn Ala Thr Ser 85 90 95

Asn Gly Phe Lys His Gly Ala Arg Val Val Thr Ala Ala Ala Leu Ile 100 105 110

Met Val Ser Val Phe Ala Ala Phe Ile Ala Gln Asp Met Ala Phe Ile 115 120 125

Lys Thr Met Gly Phe Ala Leu Ala Val Ala Val Phe Phe Asp Ala Phe 130 135 140

Val Val Arg Met Met Ile Ile Pro Ala Thr Met Phe Leu Leu Asp Asp 145 150 155 160

Lys Ala Trp Trp Leu Pro Lys Trp Leu Asp Lys Ile Leu Pro Asn Val 165 170 175

Asp Val Glu Gly Glu Gly Leu Ser Glu Leu His Glu Ala Arg Thr Glu
180 185 190

Glu Leu Lys Glu Asn Val Gly Val Gly Ala 195 200

<210> 229 <211> 729

<212> DNA

<213> Corynebacterium glutamicum

<220>

<221> CDS

<222> (101)..(706)

<223> FRXA02893

<400> 229

atgacaccgg cgcgacgtat ggcattactg gcgtacccca atttacgatg acatctctgc 60

tcgcctcggc gacgtcctgg ttccttacgt tctgatcgtt ttg gtt cta gcg ttc 115

Leu Val Leu Ala Phe
1 5

ctc gtg ctg ttg ctc gtg ttc cgg tcc att tgg gtc cca ttg atc gcg 163 Leu Val Leu Leu Val Phe Arg Ser Ile Trp Val Pro Leu Ile Ala 10 15 20

gct ctg ggc ttt ggc ttg tca gtt ctg gct acc ttt ggt gct acc gtg 211 Ala Leu Gly Phe Gly Leu Ser Val Leu Ala Thr Phe Gly Ala Thr Val 25 30 35

gcg atc ttc caa gaa ggt gct ttc ggc atc atc gac gat cct cag cca 259 Ala Ile Phe Gln Glu Gly Ala Phe Gly Ile Ile Asp Asp Pro Gln Pro 40 45 50

ctg ctg tcc ttc ttg ccg atc atg ctc atc ggc ctg gta ttt ggt ctg 307 Leu Leu Ser Phe Leu Pro Ile Met Leu Ile Gly Leu Val Phe Gly Leu 55 60 65

gcc atg gat tac cag atc ttc ctc gtt act cgt atg cgt gag ggc ttc 355
Ala Met Asp Tyr Gln Ile Phe Leu Val Thr Arg Met Arg Glu Gly Phe
70 75 80 85

acc aag ggc aag act gcg ggc aac gca acg tcg aat ggt ttc aag cac 403 Thr Lys Gly Lys Thr Ala Gly Asn Ala Thr Ser Asn Gly Phe Lys His 90 95 100

ggt gcc cgc gtg gtc act gct gcg gcg ctg atc atg gtg tct gtg ttc 451 Gly Ala Arg Val Val Thr Ala Ala Ala Leu Ile Met Val Ser Val Phe 105 110 115

gcg gca ttc ata gcg cag gac atg gcg ttt att aag acc atg ggc ttt 499
Ala Ala Phe Ile Ala Gln Asp Met Ala Phe Ile Lys Thr Met Gly Phe
120 125 130

gct ctg gcc gtt gct gtg ttc ttc gat gcc ttc gtt gtt cgc atg atg 547 Ala Leu Ala Val Ala Val Phe Phe Asp Ala Phe Val Val Arg Met Met

att atc cct gca aca atg ttc ctg ctt gat gac aag gct tgg tgg cta 595

Ile Ile Pro Ala Thr Met Phe Leu Leu Asp Asp Lys Ala Trp Trp Leu

150 160 165

cct aag tgg ttg gat aag att ctt ccc aac gtt gat gtt gaa ggt gag 643 Pro Lys Trp Leu Asp Lys Ile Leu Pro Asn Val Asp Val Glu Gly Glu

170 175 180

ggt ctt agt gaa cta cat gag gct cgc acc gag gaa ctg aag gaa aat 691 Gly Leu Ser Glu Leu His Glu Ala Arg Thr Glu Glu Leu Lys Glu Asn 185 190 195

gta ggt gtc ggg gct tagagaaaca aaaaaggctg cta 729 Val Gly Val Gly Ala 200

<210> 230

<211> 202

<212> PRT

<213> Corynebacterium glutamicum

<400> 230

Leu Val Leu Ala Phe Leu Val Leu Leu Val Phe Arg Ser Ile Trp
1 5 10 15

Val Pro Leu Ile Ala Ala Leu Gly Phe Gly Leu Ser Val Leu Ala Thr 20 25 30

Phe Gly Ala Thr Val Ala Ile Phe Gln Glu Gly Ala Phe Gly Ile Ile 35 40 45

Asp Asp Pro Gln Pro Leu Leu Ser Phe Leu Pro Ile Met Leu Ile Gly 50 55 60

Leu Val Phe Gly Leu Ala Met Asp Tyr Gln Ile Phe Leu Val Thr Arg 65 70 75 80

Met Arg Glu Gly Phe Thr Lys Gly Lys Thr Ala Gly Asn Ala Thr Ser 85 90 95

Asn Gly Phe Lys His Gly Ala Arg Val Val Thr Ala Ala Ala Leu Ile 100 105 110

Met Val Ser Val Phe Ala Ala Phe Ile Ala Gln Asp Met Ala Phe Ile 115 120 125

Lys Thr Met Gly Phe Ala Leu Ala Val Ala Val Phe Phe Asp Ala Phe 130 135 140

Val Val Arg Met Met Ile Ile Pro Ala Thr Met Phe Leu Leu Asp Asp 145 150 155 160

Lys Ala Trp Trp Leu Pro Lys Trp Leu Asp Lys Ile Leu Pro Asn Val 165 170 175

Asp Val Glu Gly Glu Gly Leu Ser Glu Leu His Glu Ala Arg Thr Glu 180 185 190

Glu Leu Lys Glu Asn Val Gly Val Gly Ala 195 200

<210> 231 <211> 1605 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(1582) <223> RXA01616 <400> 231 cctacgattt ccgacgtctt aaatcgccac acagcgccgt ggtctaaaac accaacaaaa 60 gagttgtaac tgtaccgacc attcgttaca gttacqatcc atg act tca gaa acc 115 Met Thr Ser Glu Thr tta cag gcg caa gcg cct acg aaa acc caa cgt tgg gct ttc ctc gcc 163 Leu Gln Ala Gln Ala Pro Thr Lys Thr Gln Arg Trp Ala Phe Leu Ala 10 gtt atc agc ggt ggt ctc ttt ctg atc ggt gta gac aac tcg att ctc 211 Val Ile Ser Gly Gly Leu Phe Leu Ile Gly Val Asp Asn Ser Ile Leu tac acc gca ctc cct ctg ctg cgt gaa cag ctc gca gcc tcc gaa acc 259 Tyr Thr Ala Leu Pro Leu Leu Arg Glu Gln Leu Ala Ala Ser Glu Thr 45 caa gcg ttg tgg atc atc aac gca tat ccc ctg ctc atg gcg ggc ctt 307 Gln Ala Leu Trp Ile Ile Asn Ala Tyr Pro Leu Leu Met Ala Gly Leu 60 cgt ttg ggt gcc ggc act ttg ggt gac aaa aac ggc cac cgc cgg atg 355 Arg Leu Gly Ala Gly Thr Leu Gly Asp Lys Asn Gly His Arg Arg Met 75 tte etc atg gge ttg age att tte gga ate get tea ett ggt get geg 403 Phe Leu Met Gly Leu Ser Ile Phe Gly Ile Ala Ser Leu Gly Ala Ala 95 ttt gct cca act gcg tgg gct ctt gtt gct gcg aga gct ttc ctt ggc 451 Phe Ala Pro Thr Ala Trp Ala Leu Val Ala Ala Arg Ala Phe Leu Gly atc ggt gcg gca acg atg atg cct gca acc ttg gct ctg atc cqc att 499 Ile Gly Ala Ala Thr Met Met Pro Ala Thr Leu Ala Leu Ile Arg Ile acg ttt gag gat gag cgt gag cgc aac act gca att ggt att tgg ggt 547 Thr Phe Glu Asp Glu Arg Glu Arg Asn Thr Ala Ile Gly Ile Trp Gly 140 tee gtg gea att ett gge get geg gea gge eeg ate att ggt ggt geg 595 Ser Val Ala Ile Leu Gly Ala Ala Ala Gly Pro Ile Ile Gly Gly Ala 155

WO 01/00804	PCT/IB00/00922

ctg Leu	ttg Leu	gaa Glu	ttc Phe	ttc Phe 170	tgg Trp	tgg Trp	ggt Gly	tcg Ser	gtt Val 175	ttc Phe	ctc Leu	att Ile	aac Asn	gtt Val 180	ccg Pro	643
gtg Val	gct Ala	gtt Val	atc Ile 185	gcg Ala	ttg Leu	atc Ile	gct Ala	acg Thr 190	ctt Leu	ttt Phe	gtg Val	gcg Ala	ccg Pro 195	gcc Ala	aat Asn	691
atc Ile	gcg Ala	aat Asn 200	ccg Pro	tct Ser	aag Lys	cat His	tgg Trp 205	gat Asp	ttc Phe	ttg Leu	tcg Ser	tcg Ser 210	ttc Phe	tat Tyr	gcg Ala	739
ctg Leu	ctc Leu 215	aca Thr	ctt Leu	gct Ala	ggg Gly	ttg Leu 220	atc Ile	atc Ile	acg Thr	atc Ile	aag Lys 225	gaa Glu	tct Ser	gtg Val	aat Asn	787
act Thr 230	gca Ala	cgc Arg	cat His	atg Met	cct Pro 235	ctt Leu	ctt Leu	ttg Leu	ggt Gly	gca Ala 240	gtc Val	atc Ile	atg Met	ttg Leu	atc Ile 245	835 .
att Ile	ggt Gly	gcg Ala	gtg Val	ttg Leu 250	ttt Phe	agc Ser	agt Ser	cgt Arg	cag Gln 255	aag Lys	aag Lys	atc Ile	gag Glu	gag Glu 260	cca Pro	883
														ggt Gly		931
gtt Val	gct Ala	gcg Ala 280	ggc Gly	atg Met	gcg Ala	atg Met	ttt Phe 285	act Thr	gtg Val	tcc Ser	ggt Gly	ttg Leu 290	gaa Glu	atg Met	act Thr	979
acc Thr	tcg Ser 295	cag Gln	cgt Arg	ttc Phe	cag Gln	ttg Leu 300	tct Ser	gtg Val	ggt Gly	ttc Phe	act Thr 305	cca Pro	ctt Leu	gag Glu	gct Ala	1027
ggt Gly 310	ttg Leu	ctc Leu	atg Met	atc Ile	cca Pro 315	gct Ala	gca Ala	ttg Leu	ggt Gly	agc Ser 320	ttc Phe	ccg Pro	atg Met	tct Ser	att Ile 325	1075
atc Ile	ggt Gly	Glv	Ala	Asn	ctg Leu	His	Arg	Trp	Gly	Phe	Lys	Pro	Leu	atc Ile 340	agt Ser	1123
ggt Gly	ggt Gly	ttt Phe	gct Ala 345	gcc Ala	act Thr	gcc Ala	gtt Val	ggc Gly 350	atc Ile	gcc Ala	ctg Leu	tgt Cys	att Ile 355	tgg Trp	ggc Gly	1171
gcg Ala	act Thr	cat His 360	act Thr	gat Asp	ggt Gly	ttg Leu	ccg Pro 365	ttt Phe	ttc Phe	atc Ile	gcg Ala	ggt Gly 370	cta Leu	ttc Phe	ttc Phe	1219
atg Met	ggc Gly 375	gcg Ala	ggt Gly	gct Ala	ggt Gly	tcg Ser 380	gta Val	atg Met	tct Ser	gtg Val	tct Ser 385	tcc Ser	act Thr	gcg Ala	att Ile	1267
atc	ggt	tcc	gcg	ccg	gtg	cgt	aag	gct	ggc	atg	gcg	tcg	tcg	atc	gaa	1315

	•	. • • -	.,	-												1 C 1/1B00
Ile 390		Ser	Ala	Pro	Val 395		Lys	Ala	Gly	Met 400		Ser	Ser	Ile	Glu 405	
gag Glu	gtc Val	tct Ser	tat Tyr	gag Glu 410	Phe	ggc	acg Thr	ctg Leu	ttg Leu 415	Ser	gtc Val	gcg Ala	att Ile	ttg Leu 420	ggt Gly	1363
				Phe										gtt Val		1411
			Ser										Asp	gcg Ala		1459
		Ser										Ile		gcc Ala		1507
gta Val 470	tgc Cys	gca Ala	gta Val	gcg Ala	gct Ala 475	gct Ala	ctg Leu	atc Ile	agc Ser	agt Ser 480	tac Tyr	ctt Leu	ttc Phe	cgc Arg	gga Gly 485	1555
							gcg Ala		tag	taaa	aaa	gaga	tgati	tc		1602
tgc																1605
<211 <212	0> 2: l> 4! 2> PI 3> Co	94 RT	ebact	teri	ım gi	lutar	nicum	n								
)> 23 Thr		Glu	Thr	Leu	Gln	Ala	Gln	Ala	Pro	Thr	Lys	Thr	Gln	Arq	
1				5					10					15	_	
Trp	Ala	Phe	Leu 20	Ala	Val	Ile	Ser	Gly 25	Gly	Leu	Phe	Leu	Ile 30	Gly	Val	
Asp	Asn	Ser 35	Ile	Leu	Tyr	Thr	Ala 40	Leu	Pro	Leu	Leu	Arg 45	Glu	Gln	Leu	
Ala	Ala 50	Ser	Glu	Thr	Gln	Ala 55	Leu	Trp	Ile	Ile	Asn 60	Ala	Tyr	Pro	Leu	
Leu 65	Met	Ala	Gly	Leu	Arg 70	Leu	Gly	Ala	Gly	Thr 75	Leu	Gly	Asp	Lys	Asn 80	
Gly.	His	Arg	Arg	Met 85	Phe	Leu	Met	Gly	Leu 90	Ser	Ile	Phe	Gly	Ile 95	Ala	
Ser	Leu	Gly	Ala 100	Ala	Phe	Ala		Thr 105	Ala	Trp	Ala	Leu	Val 110	Ala	Ala	

Arg Ala Phe Leu Gly Ile Gly Ala Ala Thr Met Met Pro Ala Thr Leu 115 120 125

- Ala Leu Ile Arg Ile Thr Phe Glu Asp Glu Arg Glu Arg Asn Thr Ala 130 135 140
- Ile Gly Ile Trp Gly Ser Val Ala Ile Leu Gly Ala Ala Ala Gly Pro 145 150 155 160
- Ile Ile Gly Gly Ala Leu Leu Glu Phe Phe Trp Trp Gly Ser Val Phe 165 170 175
- Leu Ile Asn Val Pro Val Ala Val Ile Ala Leu Ile Ala Thr Leu Phe 180 185 190
- Val Ala Pro Ala Asn Ile Ala Asn Pro Ser Lys His Trp Asp Phe Leu 195 200 205
- Ser Ser Phe Tyr Ala Leu Leu Thr Leu Ala Gly Leu Ile Ile Thr Ile 210 215 220
- Lys Glu Ser Val Asn Thr Ala Arg His Met Pro Leu Leu Gly Ala 235 240
- Val Ile Met Leu Ile Ile Gly Ala Val Leu Phe Ser Ser Arg Gln Lys 245 250 255
- Lys Ile Glu Glu Pro Leu Leu Asp Leu Ser Leu Phe Arg Asn Arg Leu 260 265 270
- Phe Leu Gly Gly Val Val Ala Ala Gly Met Ala Met Phe Thr Val Ser 275 280 285
- Gly Leu Glu Met Thr Thr Ser Gln Arg Phe Gln Leu Ser Val Gly Phe 290 295 300
- Thr Pro Leu Glu Ala Gly Leu Leu Met Ile Pro Ala Ala Leu Gly Ser 305 310 315 320
- Phe Pro Met Ser Ile Ile Gly Gly Ala Asn Leu His Arg Trp Gly Phe 325 330 335
- Lys Pro Leu Ile Ser Gly Gly Phe Ala Ala Thr Ala Val Gly Ile Ala 340 345 350
- Leu Cys Ile Trp Gly Ala Thr His Thr Asp Gly Leu Pro Phe Phe Ile 355 360 365
- Ala Gly Leu Phe Phe Met Gly Ala Gly Ala Gly Ser Val Met Ser Val 370 380
- Ser Ser Thr Ala Ile Ile Gly Ser Ala Pro Val Arg Lys Ala Gly Met 385 390 395 400
- Ala Ser Ser Ile Glu Glu Val Ser Tyr Glu Phe Gly Thr Leu Leu Ser 405 410 415

Val Ala Ile Leu Gly Ser Leu Phe Pro Phe Phe Tyr Ser Leu His Ala 420 425 430

- Pro Ala Glu Val Ala Asp Asn Phe Ser Ala Gly Val His His Ala Ile 435 440 445
- Asp Gly Asp Ala Ala Arg Ala Ser Leu Asp Thr Ala Tyr Ile Asn Val 450 455 460
- Leu Ile Ile Ala Leu Val Cys Ala Val Ala Ala Ala Leu Ile Ser Ser 465 470 475 480
- Tyr Leu Phe Arg Gly Asn Pro Lys Gly Ala Asn Asn Ala His 485 490
- <210> 233
- <211> 1500
- <212> DNA
- <213> Corynebacterium glutamicum
- <220>
- <221> CDS
- <222> (101)..(1477)
- <223> RXA01666
- <400> 233
- cgacgcgccc ctccaccttt tcagtagcgt cacgggcgcc aatcctgtat ttttagcagc 60
- agtttgaggg tttttgctcc ccatctttag gagacacccc gtg tcc acg ttt cat 119 Val Ser Thr Phe His 1 5
- aaa gtt ttg atc aac acc atg atc tcc aac gtc acc act gga ttt ctg 163 Lys Val Leu Ile Asn Thr Met Ile Ser Asn Val Thr Thr Gly Phe Leu 10 15 20
- ttc ttt gcc gtg gtg ttt tgg atg tat ctt tcc act ggc aac gtc gca 211
 Phe Phe Ala Val Val Phe Trp Met Tyr Leu Ser Thr Gly Asn Val Ala
 25 30 . 35
- ctg acc ggc atc gtc agt gga att tac atg ggt ttg atc gcc gtt tgt 259 Leu Thr Gly Ile Val Ser Gly Ile Tyr Met Gly Leu Ile Ala Val Cys 40 45 50
- tcc atc ttt ttc gga acc gtt gtt gat cac aat cgc aag aag tcc gtc 307 Ser Ile Phe Phe Gly Thr Val Val Asp His Asn Arg Lys Lys Ser Val 55 60 65
- atg ctg ttt tcc agc gtc acc aca ctc gtg ttt tat tgt ctc agt gcc 355
 Met Leu Phe Ser Ser Val Thr Thr Leu Val Phe Tyr Cys Leu Ser Ala
 70 80 85
- ctg gtg tgg gtg ttt tgg ctg gag gaa gac ggc ctg agc atc gga aat 403 Leu Val Trp Val Phe Trp Leu Glu Glu Asp Gly Leu Ser Ile Gly Asn 90 95 100

WO 01/00804	PCT/IB00/00922
WO 01/00804	PC 1/1B00/00922

				Val			tct Ser									451		
			Arg				ctg Leu 125									499		
							gca Ala									547		
	Val				_		agc Ser	_		_			-			595		
							ctg Leu									643		
Val	Ala	Leu	Leu 185	His	Leu	Leu	ccg Pro	Ile 190	Arg	Val	Asp	Ğlu	Pro 195	Glu	Ile	691		
Ile	Thr	Gln 200	Glu	Asp	Ala	Gln	Pro 205	Thr	Val	Ser	Asp	Asp 210	Ser	Val	Pro	739	. <i>'</i>	
Thr	Pro 215	Thr	Ser	Asp	Leu	Ala 220	atc Ile	Val	Ser	Lys	Gly 225	Ile	Asp	Leu	Lys	787		
Gly 230	Ser	Met	Lys	Ile	Ile 235	Leu	agt Ser	Val	Pro	Gly 240	Leu	Leu	Ala	Leu	Val 245	835		
Leu	Phe	Ala	Ser	Phe 250	Asn	Asn	ctc Leu ctt	Ile	Gly 255	ĞÎy	Val	Tyr	Ser	Ala 260	Leu	931		
Met	Asp	Pro	Tyr 265	Gly	Leu	Glu	Leu	Phe 270	Ser	Pro	Gln	Leu	Trp 275	Gly	Leu	979		
Leu	Leu	Gly 280	Leu	Thr	Ser	Leu	Gly 285	Phe	Ile	Val	Gly	Gly 290	Ala	Val	Ile	1027		
Ser	Lys 295	Thr	ĞÎy	Leu	Ğly	Lys 300	Asn ggc	Pro	Val	Arg	Thr 305	Leu	Leu	Leu	Val	1075		
	Val	Ğİy	Val	Ala	Phe 315	Val	Gly	Met	Leu	Phe 320	Ala	Ile	Arg	Glu	Trp 325	1123		
- ッフ	~ > >				· - 7							J						

Trp Trp Le	u Tyr Il 33		y Ile Phe	e Ile Phe 335	Met Ala	Ile Th		
gct gcc ga Ala Ala Gl				e Leu Gln				1171
cgc caa ca Arg Gln Gl 36	n Gly Ar					Glu Me		1219
gcc aac co Ala Asn Pr 375			l Ile Val					1267
ctc att co Leu Ile Pr 390					Thr Ile			1315
atc ctc go Ile Leu Gl		y Lys Ala					u Ala	1363
tca ggt gc Ser Gly Al				Leu Leu				1411
tcc tac cg Ser Tyr Ar 44	g Lys Let			•	_	_		1459
gcg gga gc Ala Gly Al 455			agtgctct	agaccgtt	gt ttg			1500
<210> 234 <211> 459 <212> PRT <213> Cory	nebacteri	.um gluta	micum					
<400> 234 Val Ser Th 1	r Phe His 5		Leu Ile	Asn Thr	Met Ile	Ser As		
Thr Thr Gl	y Phe Leu 20	Phe Phe	Ala Val 25	Val Phe	Trp Met	Tyr Le 30	u Ser	
Thr Gly As	_	Leu Thr	Gly Ile	Val Ser	Gly Ile 45	Tyr Me	t Gly	
Leu Ile Al	a Val Cys	Ser Ile 55		Gly Thr	Val Val 60	Asp Hi	s Asn	
Arg Lys Ly								

Tyr Cys Leu Ser Ala Leu Val Trp Val Phe Trp Leu Glu Glu Asp Gly Leu Ser Ile Gly Asn Thr Ala Leu Trp Val Phe Val Ser Phe Ile Leu Ile Gly Ser Ile Val Glu His Met Arg Asn Ile Ala Leu Ser Thr Val 120 Val Thr Leu Leu Val Pro Glu Ala Glu Arg Asp Lys Ala Asn Gly Leu Val Gly Ala Val Gln Gly Val Gly Phe Leu Val Thr Ser Val Ile Ala Gly Ser Ala Ile Gly Phe Leu Gly Met Glu Ile Thr Leu Trp Ile Cys 170 Leu Gly Leu Ser Leu Val Ala Leu Leu His Leu Leu Pro Ile Arg Val Asp Glu Pro Glu Ile Ile Thr Gln Glu Asp Ala Gln Pro Thr Val Ser 200 Asp Asp Ser Val Pro Thr Pro Thr Ser Asp Leu Ala Ile Val Ser Lys 215 Gly Ile Asp Leu Lys Gly Ser Met Lys Ile Ile Leu Ser Val Pro Gly 230 Leu Leu Ala Leu Val Leu Phe Ala Ser Phe Asn Asn Leu Ile Gly Gly Val Tyr Ser Ala Leu Met Asp Pro Tyr Gly Leu Glu Leu Phe Ser Pro Gln Leu Trp Gly Leu Leu Leu Gly Leu Thr Ser Leu Gly Phe Ile Val 280 Gly Gly Ala Val Ile Ser Lys Thr Gly Leu Gly Lys Asn Pro Val Arg Thr Leu Leu Val Asn Val Gly Val Ala Phe Val Gly Met Leu Phe 315 Ala Ile Arg Glu Trp Trp Trp Leu Tyr Ile Leu Gly Ile Phe Ile Phe Met Ala Ile Thr Pro Ala Ala Glu Ala Ala Glu Gln Thr Ile Leu Gln 345 Arg Val Val Pro Phe Arg Gln Gln Gly Arg Val Phe Gly Leu Ala Met 355

Ala Val Glu Met Ala Ala Asn Pro Leu Ser Thr Val Ile Val Ala Ile

Leu Ala Glu Ala Tyr Leu Ile Pro Trp Met Ala Gly Pro Gly Ala Asp Thr Ile Trp Gly Val Ile Leu Gly Glu Gly Lys Ala Arg Gly Met Ala Leu Met Phe Leu Ala Ser Gly Ala Ile Met Leu Val Val Leu Leu Ala Phe Met Ser Arg Ser Tyr Arg Lys Leu Ser Gln Tyr Tyr Ala Thr 440 Thr Ser Gln Asp Ile Ala Gly Ala Ala Glu Lys 455 <210> 235 <211> 1521 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(1498) <223> RXA00062 <400> 235 cttcaacata ggcgttgggg ctgactttta aacaggtacc agtagtaccg gcataagcga 60 tcactgttgc gttttcttgc tgccatcaaa aattagtcac atg att tta agc atc Met Ile Leu Ser Ile 163 gtc ctt ttg ggc tac ttc atg att ctg ctt gac acc tcc atc gtc att Val Leu Leu Gly Tyr Phe Met Ile Leu Leu Asp Thr Ser Ile Val Ile 15 acg ggt cta cct gcc atc ggc agt gaa ctt ggc atc gat ccc gtg cac 211 Thr Gly Leu Pro Ala Ile Gly Ser Glu Leu Gly Ile Asp Pro Val His 30 259 ctg tca tgg gtg cag agt tcc tac aca tta gtc ttc ggc gca ctt ctt Leu Ser Trp Val Gln Ser Ser Tyr Thr Leu Val Phe Gly Ala Leu Leu 40 45 ctg ctg gga gct cgt gcc ggt gat atc ttc ggc cga aag aaa gtg ctc 307 Leu Leu Gly Ala Arg Ala Gly Asp Ile Phe Gly Arg Lys Lys Val Leu 60 355 tac att ggt ctc gcg ttg ttt gcg gct tca tcg ttg gca att gcg ctt Tyr Ile Gly Leu Ala Leu Phe Ala Ala Ser Ser Leu Ala Ile Ala Leu tct cca aat gct gcg gtc ctc att gga gca cgc gta gtt caa ggc gcg 403 Ser Pro Asn Ala Ala Val Leu Ile Gly Ala Arg Val Val Gln Gly Ala

				Ile				aca Thr 110								451
ttc Phe	Pro	gaa Glu 120	Gly	cca Pro	gct Ala	cgc Arg	ctt Leu 125	cgt Arg	gct Ala	acc Thr	tct Ser	gct Ala 130	Tyr	ggt Gly	gct Ala	499
		Gly						ggc Gly				Gly				547
	Asp							ggc Gly								595
								cac His								643
								ttc Phe 190								691
								att Ile								739
								tcc Ser								787
				Leu	-		-	tcc Ser		_		-			_	835
								agg Arg								883
_			_	Val	Gly	Ser	Val	atg Met 270	Ser	Phe	Phe	Phe		_		931
								atg Met								979
								cag Gln								1027
								tct Ser								1075
ggt	ttc	gcc	atc	atg	gtc	atc	ggc	atg	gca	ggc	ctc	gca	ttt	gta	cca	1123

.

Gly	Phe	Ala	Ile	Met 330	Val	Ile	Gly	Met	Ala 335	Gly	Leu	Ala	Phe	Val 340	Pro	
			atc Ile 345													1171
			gct Ala													1219
Pro			caa Gln													1267
caa Gln 390			ggc Gly													1315
gct Ala																1363
cac His				_					_	_	_	_	-			1411
ttt Phe																1459
cgc Arg													tagt	gcg	ctg	1508
cago	atco	ca g	ŗtt													1521
<211: <212:	<210> 236 <211> 466 <212> PRT <213> Corynebacterium glutamicum															
<400 Met 1		-	Ser	Ile 5	Val	Leu	Leu	Gly	Tyr 10	Phe	Met	Ile	Leu	Leu 15	Asp	

Thr Ser Ile Val Ile Thr Gly Leu Pro Ala Ile Gly Ser Glu Leu Gly

Ile Asp Pro Val His Leu Ser Trp Val Gln Ser Ser Tyr Thr Leu Val

Phe Gly Ala Leu Leu Leu Gly Ala Arg Ala Gly Asp Ile Phe Gly 50 55 60

Arg Lys Lys Val Leu Tyr Ile Gly Leu Ala Leu Phe Ala Ala Ser Ser '

75

65 80 Leu Ala Ile Ala Leu Ser Pro Asn Ala Ala Val Leu Ile Gly Ala Arg Val Val Gln Gly Ala Gly Ala Ala Ile Ile Ala Pro Ala Thr Leu Ala

70

Leu Ile Thr Glu Phe Phe Pro Glu Gly Pro Ala Arg Leu Arg Ala Thr

Ser Ala Tyr Gly Ala Val Ala Gly Ile Gly Val Ala Ala Gly Leu Val

Ile Gly Gly Val Phe Ala Asp Leu Leu Ser Trp Arg Ile Gly Phe Phe

Ile Asn Val Pro Ile Ala Ala Val Leu Ala Tyr Ile Val His Lys Ala 165 170

Ile Pro Ala Thr Phe Ser Arg Pro Gly Ser Leu Asp Ile Phe Gly Ala 185

Ile Thr Ser Thr Ala Gly Ile Ala Ala Val Leu Tyr Ala Ile Val Arg 200

Ser Ala Asp Tyr Ser Trp Thr Asp Pro Phe Val Leu Ile Ser Leu Val

Leu Gly Ile Ala Val Phe Ile Trp Phe Leu Arg His Glu Ser Ser Ala 230

Lys Glu Pro Leu Pro Leu Gly Leu Phe Lys Asn Arg Arg Asn 250

Thr Ile Leu Ala Ser Arg Phe Leu Leu Val Gly Ser Val Met Ser Phe

Phe Phe Phe Ala Thr Gln Leu Phe Gln Asp Thr Met Gly Met Asn Ala 280

Leu Gln Ala Gly Leu Ala Phe Met Pro Leu Ser Leu Leu Gln Phe Ala 295

Ser Ala Ala Met Val Pro Arg Leu Ser Arg Ala Gly Val Ser Asp Ser

Met Leu Thr Val Ile Gly Phe Ala Ile Met Val Ile Gly Met Ala Gly

Leu Ala Phe Val Pro Asn Thr Met Ile Ala Leu Ile Leu Pro Ile Val

Leu Val Gly Phe Gly Gln Gly Phe Ala Phe Gly Pro Met Thr Ala Leu

Ala Val Gln Gly Ala Pro Lys Asp Gln Ser Gly Ala Val Ser Gly Leu

370 375 380

Val Asn Ser Leu His Gln Ile Gly Gly Thr Phe Gly Leu Gly Val Phe 385 390 395 400

Ser Ser Leu Ala Val Ala Val Ile Gly His Asp Ala Thr Ser Glu Met 405 410 415

Ile Ser Asp Arg Ala His Phe Gly Phe Leu Leu Ser Thr Val Thr Leu 420 425 430

Thr Leu Ala Thr Ile Phe Ala Val Thr Leu Leu Lys Arg His Glu Thr 435 440 445

Arg Lys Ser Ser Glu Arg Pro Thr Gln Leu Val Asp Glu Lys Ala Val 450 455 460

Thr Ser

<210> 237

<211> 1584

<212> DNA

<213> Corynebacterium glutamicum

<220>

<221> CDS

<222> (101)..(1561)

<223> RXA00215

<400> 237

cagtgcaaac tgaccccgca tcctaaaccg cgccagattt ctacctcaaa gaattgaagg 60

ccttttccag gcgccctcgt gcgtgaaaga ataactcaac gtg tct gac aaa aag 115 Val Ser Asp Lys Lys 1 5

cag gat cta aca tcc tcc gca gca ggt agt gct gca ccc caa acc aag 163 Gln Asp Leu Thr Ser Ser Ala Ala Gly Ser Ala Ala Pro Gln Thr Lys 10 15 20

gcc tac ccc gcc atg ccc ttg cct gaa aag caa gct tgg cca gct cta 211 Ala Tyr Pro Ala Met Pro Leu Pro Glu Lys Gln Ala Trp Pro Ala Leu 25 30 35

att gcc ttg tgc att ggg ttt ttc atg atc ctg ttg gat caa acc atc 259 Ile Ala Leu Cys Ile Gly Phe Phe Met Ile Leu Leu Asp Gln Thr Ile 40 45 50

gtg gcc gtc tct acc cca gcg tta cag gca gac atg ggc gcg tcc tac 307 Val Ala Val Ser Thr Pro Ala Leu Gln Ala Asp Met Gly Ala Ser Tyr 55 60 65

aac gag gtc atc tgg gta acc tcg gtg tat ctc ctc act ttc gcg gtg 355
Asn Glu Val Ile Trp Val Thr Ser Val Tyr Leu Leu Thr Phe Ala Val
70 75 80 85

cca Pro	ctg Leu	ctt Leu	gtt Val	act Thr	: Gly	cgt Arg	ttg Leu	ggc	gac Asp 95	Lys	tac Tyr	ggt	ccg Pro	aaa Lys 100	aat Asn	403
				Gly					Thr		agc Ser					451
			Pro					Leu			gct Ala					499
ggt Gly	ttg Leu 135	ggc Gly	gca Ala	gcc Ala	Leu	ttg Leu 140	Thr	cca Pro	caa Gln	acc Thr	atg Met 145	gca Ala	aca Thr	atc Ile	aac Asn	547
	Ile					Arg					ctt Leu					595
					Ala						atc Ile					643
											tac Tyr					691
		-		_			_	-	_	_	tac Tyr	_		-		739
											atc Ile 225					787
											gaa Glu					835
_			-					_		_	gcc Ala	-				883
											gag Glu					931
	Pro										aga Arg					979
Gly											gtg Val 305					1027

ctg Leu 310	Pro	atc Ile	atg Met	ttg Leu	tac Tyr 315	ttc Phe	cag Gln	caa Gln	gca Ala	cac His 320	gga Gly	atg Met	aac Asn	gcc Ala	atg Met 325	1075
					atg Met											1123
					aag Lys											1171
					agc Ser											1219
					gat Asp											1267
	_				gga Gly 395		_				_	_		_		1315
					ctg Leu											1363
					cgc Arg											1411
					cag Gln											1459
					ctt Leu											1507
		-		_	atg Met 475	-				-				_	-	1555
aag Lys		taaa	ggtc	gc a	tgaa	tect	t cg	a								1584

```
<210> 238
```

<211> 487

<212> PRT

<213> Corynebacterium glutamicum

<400> 238

Val Ser Asp Lys Lys Gln Asp Leu Thr Ser Ser Ala Ala Gly Ser Ala 1 5 10 15

Ala Pro Gln Thr Lys Ala Tyr Pro Ala Met Pro Leu Pro Glu Lys Gln Ala Trp Pro Ala Leu Ile Ala Leu Cys Ile Gly Phe Phe Met Ile Leu Leu Asp Gln Thr Ile Val Ala Val Ser Thr Pro Ala Leu Gln Ala Asp Met Gly Ala Ser Tyr Asn Glu Val Ile Trp Val Thr Ser Val Tyr Leu Leu Thr Phe Ala Val Pro Leu Leu Val Thr Gly Arg Leu Gly Asp Lys Tyr Gly Pro Lys Asn Val Tyr Val Ala Gly Met Val Ile Phe Thr Val Ser Ser Leu Ala Cys Gly Leu Ala Pro Asp Met Phe Thr Leu Ile Ile Ala Arg Gly Val Gln Gly Leu Gly Ala Ala Leu Leu Thr Pro Gln Thr 135 Met Ala Thr Ile Asn Arg Ile Phe Ala Phe Glu Arg Arg Gly Ala Ala 150 155 Leu Gly Val Trp Gly Ser Thr Ala Gly Leu Ala Ser Leu Ala Gly Pro Ile Leu Gly Gly Val Ile Thr Glu Asn Trp Gly Trp Gln Trp Val Phe Tyr Ile Asn Val Pro Ile Gly Val Ile Ser Val Ile Ala Val Met Lys 200 Tyr Val Pro Glu Phe Pro Pro Leu Thr Arg Pro Leu Asp Pro Leu Ser Ile Val Leu Ser Ile Val Ala Val Phe Phe Leu Val Phe Ala Phe Gln 230 235 Glu Gly Glu Gly Ala Gly Trp Ala Ala Trp Val Trp Ile Met Ile Val Ala Ala Phe Ala Leu Phe Ala Trp Phe Ile Tyr Gln Gln Ser Arg Ala 265 Glu Lys Ser Gly Asn Asp Pro Leu Val Pro Leu Glu Ile Phe Lys Phe Arg Asn Phe Ser Leu Gly Asn Ile Cys Ile Met Ala Met Gly Phe Thr Val Ala Gly Thr Pro Leu Pro Ile Met Leu Tyr Phe Gln Gln Ala His

Gly Met Asn Ala Met Glu Ala Gly Phe Met Met Val Pro Gln Ala Leu Met Ala Ala Val Leu Ser Pro Phe Val Gly Lys Leu Val Asp Arg Ser Asn Pro Gly Leu Met Ala Ala Leu Gly Phe Ser Thr Val Ala Val Ser 360 Ile Val Leu Leu Ser Met Val Met Ile Phe Asp Thr Gly Leu Val Trp 375 Ala Leu Val Ser Met Thr Leu Leu Gly Ile Gly Asn Ala Phe Val Trp Ala Pro Asn Ser Thr Ser Thr Met Arg Asp Leu Pro His Lys Phe Met Gly Ala Gly Ser Gly Val Phe Asn Thr Thr Arg Gln Leu Gly Ser Val 420 Ile Gly Ala Ala Ala Ile Gly Ala Val Met Gln Ile Arg Leu Ala Ala 440 Gly Asp Glu Gly Ala Ala Phe Gly Gln Ala Leu Leu Leu Ala Ala Ala 450 455 Val Leu Val Ile Gly Ile Val Ala Ser Thr Met Ala Gly Lys Asn Ala 475 His Pro Ala Pro Val Lys Pro 485 <210> 239 <211> 1455 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(1432) <223> RXN03064 <400> 239 tggagccttg tcttcctcca gcaatcccac aacggagcag gttgggatcc cgagaaatgt 60 tgtcatcatc ttggctgtat tagtttttac agcctttgtc atg atg ttg aat gag Met Met Leu Asn Glu act act ctg gca gtc gcg ttg ccg tcg atc atg gcg gac ttt gac att Thr Thr Leu Ala Val Ala Leu Pro Ser Ile Met Ala Asp Phe Asp Ile 15 gag gcg aat act gcg cag tgg ttg ctc act ggt ttt atg ttg acc atg

--- --- --- --- --- --- --- --- --- --- --- --- ---

Glu	Ala	Asn	Thr 25		Gln	Trp	Leu	Leu 30	Gly	Phe	Met	Leu 35	Thr	Met	
								tgg Trp							259
							Thr	gtg Val			Ile				307
_	-		_					gcg Ala	_		_	_	_	_	355
								atc Ile							403
								cgc Arg 110							451
								cct Pro							499
								tgg Trp							5 47
-	_	-				_	_	ctg Leu			_	_	_		595
								cct Pro							643
		_	, ,	_				ctt Leu 190		_	_	-	-		691
								agc Ser							739
								gtg Val							787
								ctg Leu							835
								ttg Leu							883

	•	. •		-												1 C 1/1D00
				250)				255					260		
ggt Gly	gtc Val	atg Met	aat Asn 265	Thr	ctg Leu	ccg Pro	ctc Leu	tac Tyr 270	Leu	cag Gln	gga Gly	tcc Ser	ttg Leu 275	atg Met	gtc Val	931
			Val		ggt Gly			Leu								979
ggt Gly	gtg Val 295	Leu	tcg Ser	cca Pro	ttt Phe	gtg Val 300	ggt Gly	cga Arg	att Ile	tat Tyr	gat Asp 305	cgt Arg	cat His	ggt Gly	cca Pro	1027
					ggc Gly 315											1075
					gat Asp											1123
					tcc Ser											1171
atg Met	aca Thr	gtc Val 360	gcg Ala	ctc Leu	gca Ala	tcc Ser	gtc Val 365	ccc Pro	gac Asp	aac Asn	atg Met	tac Tyr 370	ggc Gly	cac His	ggc Gly	1219
tcc Ser	gcg Ala 375	atc Ile	ctc Leu	aac Asn	acc Thr	ctc Leu 380	caa Gln	cag Gln	ctc Leu	gcc Ala	ggc Gly 385	gcc Ala	gca Ala	ggc Gly	acc Thr	1267
					gtt Val 395											1315
					caa Gln											1363
					tgc Cys											1411
					gcc Ala		taag	ctag	gt c	gcat	gato	a go	:a			1455

<210> 240

<211> 444

<212> PRT

<213> Corynebacterium glutamicum

<400> 240

Met Met Leu Asn Glu Thr Thr Leu Ala Val Ala Leu Pro Ser Ile Met 10 Ala Asp Phe Asp Ile Glu Ala Asn Thr Ala Gln Trp Leu Leu Thr Gly Phe Met Leu Thr Met Ala Val Val Leu Pro Ala Thr Gly Trp Met Leu Glu Arg Phe Thr Thr Arg Ser Val Phe Ile Phe Ala Thr Val Val Phe Leu Ile Gly Thr Val Thr Ala Ala Leu Ser Pro Thr Phe Ala Ile Met Leu Ala Ala Arg Val Ala Gln Ala Ile Gly Thr Ala Val Ile Met Pro Leu Leu Met Thr Val Ala Met Thr Val Val Pro Pro Glu Arg Arg Gly Ala Val Met Gly Leu Ile Ala Val Val Met Ala Val Gly Pro Ala Leu Gly Pro Ser Val Ala Gly Phe Val Leu Ser Leu Ser Ser Trp His Ala Ile Phe Trp Val Met Val Pro Leu Val Phe Val Ala Ser Leu Ile Gly 145 150 155 Thr Leu Arg Leu Thr Asn Val Ser Glu Pro Lys Lys Thr Pro Leu Asp 170 Val Ile Ser Phe Leu Ile Ser Ala Val Ala Phe Gly Gly Leu Val Tyr Ala Leu Ser Ser Ile Gly Ile Ile Leu Glu Gly Asp Arg Ser Ala Leu 200 Val Val Leu Ala Val Gly Ile Ile Ala Leu Val Val Phe Val Trp Arg Gln Ile Ala Met Gly Lys Gln Asp Lys Ala Leu Leu Asp Leu Arg Pro Leu Ala Ile Arg Glu Tyr Thr Ile Pro Leu Val Val Leu Leu Thr Leu Phe Gly Ala Leu Leu Gly Val Met Asn Thr Leu Pro Leu Tyr Leu Gln 265 Gly Ser Leu Met Val Thr Ala Leu Val Ala Gly Leu Val Leu Pro 280 275 Gly Gly Leu Leu Glu Gly Val Leu Ser Pro Phe Val Gly Arg Ile Tyr 295 300

Asp Arg His Gly Pro Arg Gly Leu Val Ile Gly Gly Met Ser Leu Val Val Ile Ser Leu Phe Ala Leu Ser Thr Val Asp Glu Phe Ala Asn Val Trp Phe Ile Ile Gly Val His Ile Val Phe Ser Ile Gly Leu Ala Leu Leu Phe Thr Pro Leu Met Thr Val Ala Leu Ala Ser Val Pro Asp Asn Met Tyr Gly His Gly Ser Ala Ile Leu Asn Thr Leu Gln Gln Leu Ala Gly Ala Ala Gly Thr Ala Val Met Ile Ala Val Tyr Ser Thr Val Ser 385 Asn Asn Ala Leu Ile Asp Gly Ala Thr Gln Gln Thr Ala Leu Ala Asp Gly Ala Asn Ser Ala Phe Phe Ala Ser Ala Cys Val Ala Val Phe Ala 420 425 Leu Ile Val Gly Phe Phe Val Lys Arg Pro Ala Arg 435 440 <210> 241 <211> 1093 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(1093) <223> FRXA00565 <400> 241 tggagccttg tcttcctcca gcaatcccac aacggagcag gttgggatcc cgagaaatgt 60 tgtcatcatc ttggctgtat tagtttttac agcctttgtc atg atg ttg aat gag Met Met Leu Asn Glu act act ctg gca gtc gcg ttg ccg tcg atc atg gcg gac ttt gac att 163 Thr Thr Leu Ala Val Ala Leu Pro Ser Ile Met Ala Asp Phe Asp Ile gag gcg aat act gcg cag tgg ttg ctc act ggt ttt atg ttg acc atg Glu Ala Asn Thr Ala Gln Trp Leu Leu Thr Gly Phe Met Leu Thr Met gct gtg gtt ctt cca gct act ggt tgg atg ttg gaa cgt ttt acc act 259 Ala Val Val Leu Pro Ala Thr Gly Trp Met Leu Glu Arg Phe Thr Thr 40 45

					ttc Phe											307
					cct Pro 75											355
					acc Thr											403
					cct Pro											451
					gcc Ala											499
					ttg Leu											547
					gtg Val 155											595
					aaa Lys											643
					ttc Phe											691
					ggt Gly											739
					gtg Val											787
aag Lys 230	cag Gln	gat Asp	aag Lys	gcg Ala	ctg Leu 235	ttg Leu	gat Asp	ctg Leu	cgt Arg	ccg Pro 240	ttg Leu	gcg Ala	att Ile	cgt Arg	gag Glu 245	835
					gtt Val											883
ggt Gly	gtc Val	atg Met	aat Asn 265	aca Thr	ctg Leu	ccg Pro	ctc Leu	tac Tyr 270	ctg Leu	cag Gln	gga Gly	tcc Ser	ttg Leu 275	atg Met	gtc Val	931
acc	gcc	ttg	gtc	gcg	ggt	cta	gtg	ctg	ttg	cca	ggt	ggt	ctt	ttg	gaa	979

Thr Ala Leu Val Ala Gly Leu Val Leu Pro Gly Gly Leu Leu Glu 285 cg att tat gat cgt cat ggt cca 1027 Gly Val Leu Ser Pro Phe Val Gly Arg Ile Tyr Asp Arg His Gly Pro 305 cgc gga ctc gtg atc ggc ggt atg tca ctc gtt gtg atc tcc ctg ttt Arg Gly Leu Val Ile Gly Gly Met Ser Leu Val Val Ile Ser Leu Phe 325 cgc ctg tcc acc gtc gat Ala Leu Ser Thr Val Asp 330

<210> 242

<211> 331

<212> PRT

<213> Corynebacterium glutamicum

<400> 242

Met Met Leu Asn Glu Thr Thr Leu Ala Val Ala Leu Pro Ser Ile Met 1 5 10 15

Ala Asp Phe Asp Ile Glu Ala Asn Thr Ala Gln Trp Leu Leu Thr Gly
20 25 30

Phe Met Leu Thr Met Ala Val Val Leu Pro Ala Thr Gly Trp Met Leu 35 40 45

Glu Arg Phe Thr Thr Arg Ser Val Phe Ile Phe Ala Thr Val Val Phe 50 55 60

Leu Ile Gly Thr Val Thr Ala Ala Leu Ser Pro Thr Phe Ala Ile Met 65 70 75 80

Leu Ala Ala Arg Val Ala Gln Ala Ile Gly Thr Ala Val Ile Met Pro 85 90 95

Leu Leu Met Thr Val Ala Met Thr Val Val Pro Pro Glu Arg Arg Gly
100 105 110

Ala Val Met Gly Leu Ile Ala Val Val Met Ala Val Gly Pro Ala Leu 115 120 125

Gly Pro Ser Val Ala Gly Phe Val Leu Ser Leu Ser Ser Trp His Ala 130 . 135 140

Ile Phe Trp Val Met Val Pro Leu Val Phe Val Ala Ser Leu Ile Gly 145 150 155 160

Thr Leu Arg Leu Thr Asn Val Ser Glu Pro Lys Lys Thr Pro Leu Asp 165 170 175

Val Ile Ser Phe Leu Ile Ser Ala Val Ala Phe Gly Gly Leu Val Tyr 180 185 190

Ala Leu Ser Ser Ile Gly Ile Ile Leu Glu Gly Asp Arg Ser Ala Leu Val Val Leu Ala Val Gly Ile Ile Ala Leu Val Val Phe Val Trp Arg Gln Ile Ala Met Gly Lys Gln Asp Lys Ala Leu Leu Asp Leu Arg Pro Leu Ala Ile Arg Glu Tyr Thr Ile Pro Leu Val Val Leu Leu Thr Leu Phe Gly Ala Leu Leu Gly Val Met Asn Thr Leu Pro Leu Tyr Leu Gln Gly Ser Leu Met Val Thr Ala Leu Val Ala Gly Leu Val Leu Leu Pro 280 Gly Gly Leu Leu Glu Gly Val Leu Ser Pro Phe Val Gly Arg Ile Tyr 295 Asp Arg His Gly Pro Arg Gly Leu Val Ile Gly Gly Met Ser Leu Val Val Ile Ser Leu Phe Ala Leu Ser Thr Val Asp 325 <210> 243 <211> 380 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (1)..(357) <223> FRXA02878 <400> 243 tgc ctg tcc acc gtc gat gag ttc gcc acg tgt tgg tca tca ttc gcg Cys Leu Ser Thr Val Asp Glu Phe Ala Thr Cys Trp Ser Ser Phe Ala gac aca tcg tgg ttc tca tcg gcc ctt gcg ctg ctg ttc acc cca ctg 96 Asp Thr Ser Trp Phe Ser Ser Ala Leu Ala Leu Leu Phe Thr Pro Leu 20 atg aca gtc gcg ctc gca tcc gtc ccc gac aac atg tac ggc cac ggc 144 Met Thr Val Ala Leu Ala Ser Val Pro Asp Asn Met Tyr Gly His Gly 45 35 40 tee geg ate ete aac ace ete caa cag ete gee gge gee gea gge ace 192 Ser Ala Ile Leu Asn Thr Leu Gln Gln Leu Ala Gly Ala Ala Gly Thr 55 50 gcg gtc atg att gcg gtt tat tcc acc gtc agc aac aac gcg ctt atc

Ala Val Met Ile Ala Val Tyr Ser Thr Val Ser Asn Asn Ala Leu Ile 80

gac ggc gca acc caa caa acc gcc ctc gcc gac ggc gcc aac tct gca 288
Asp Gly Ala Thr Gln Gln Thr Ala Leu Ala Asp Gly Ala Asn Ser Ala 85

ttc ttc gcc tca gcg tgc gtg gca gtg ttt gca ctg atc gtg ggc ttc 336
Phe Phe Ala Ser Ala Cys Val Ala Val Phe Ala Leu Ile Val Gly Phe 100

ttt gta aag agg cca gcc cgc taagctaggt cgcatgatca gca 380
Phe Val Lys Arg Pro Ala Arg

<210> 244

<211> 119

<212> PRT

<213> Corynebacterium glutamicum

<400> 244

Cys Leu Ser Thr Val Asp Glu Phe Ala Thr Cys Trp Ser Ser Phe Ala 1 5 10 15

Asp Thr Ser Trp Phe Ser Ser Ala Leu Ala Leu Leu Phe Thr Pro Leu 20 25 30

Met Thr Val Ala Leu Ala Ser Val Pro Asp Asn Met Tyr Gly His Gly 35 40 45

Ser Ala Ile Leu Asn Thr Leu Gln Gln Leu Ala Gly Ala Ala Gly Thr
50 60

Ala Val Met Ile Ala Val Tyr Ser Thr Val Ser Asn Asn Ala Leu Ile 65 70 75 80

Asp Gly Ala Thr Gln Gln Thr Ala Leu Ala Asp Gly Ala Asn Ser Ala 85 90 95

Phe Phe Ala Ser Ala Cys Val Ala Val Phe Ala Leu Ile Val Gly Phe 100 105 110

Phe Val Lys Arg Pro Ala Arg 115

<210> 245

<211> 1533

<212> DNA

<213> Corynebacterium glutamicum

<220>

<221> CDS

<222> (101)..(1510)

<223> RXA00648

<400> 245 qtttgccagc tattgcatct tgcacaaaat gtgtaccata cacataatgt catcgagtcc 60 tecegaatea gecacaceae agateaaata eggeetgetg gtg gte act ete gee Val Val Thr Leu Ala tca gct ggt atc act gtt tcc cta gcg cag acc ctg gtt att ccg atc 163 Ser Ala Gly Ile Thr Val Ser Leu Ala Gln Thr Leu Val Ile Pro Ile att ggt egg ttg eee gag ate tte aac ace acg get get aat gee tet 211 Ile Gly Arg Leu Pro Glu Ile Phe Asn Thr Thr Ala Ala Asn Ala Ser 30 tgg atc att act gtg acg ctg ttg gtg ggc gca gtg gcg act cct gtg 259 Trp Ile Ile Thr Val Thr Leu Leu Val Gly Ala Val Ala Thr Pro Val atg ggc agg ctt gca gat atg tac ggc aag aaa aag atg atg ctc atc 307 Met Gly Arg Leu Ala Asp Met Tyr Gly Lys Lys Met Met Leu Ile 60 tca ctt gtc ccg ttc att ctt gga tca gtg atc tgc gct gtg tcg gtg 355 Ser Leu Val Pro Phe Ile Leu Gly Ser Val Ile Cys Ala Val Ser Val gat ttg att ccg atg atc atc ggc cgt ggt ttt cag ggg ctt ggc tct 403 Asp Leu Ile Pro Met Ile Ile Gly Arg Gly Phe Gln Gly Leu Gly Ser ggc ctg att cct ctt ggc att tct ctc atg cat gat ttg ttg ccc cgg 451 Gly Leu Ile Pro Leu Gly Ile Ser Leu Met His Asp Leu Leu Pro Arg gag aaa gca ggg tct gcc att gct ttg atg agt tct tcc atg ggc att 499 Glu Lys Ala Gly Ser Ala Ile Ala Leu Met Ser Ser Met Gly Ile ggc ggt gca ctc ggt cta ccg ctg gct gct att gcc cag ttt gcg 547 Gly Gly Ala Leu Gly Leu Pro Leu Ala Ala Ala Ile Ala Gln Phe Ala 140 tcc tgg cgg gtg ctg ttc tgg ttc acc gct ctg gta gcg ctt aca gtt 595 Ser Trp Arg Val Leu Phe Trp Phe Thr Ala Leu Val Ala Leu Thr Val 155 ggc gcg gtc att tgg aag gcg att cct gct aga ccc agg atc gtg agg 643 Gly Ala Val Ile Trp Lys Ala Ile Pro Ala Arg Pro Arg Ile Val Arg agt ggc ggc ttt gat tat ttc ggt gct ctc ggc ctt gca atg gga ctt Ser Gly Gly Phe Asp Tyr Phe Gly Ala Leu Gly Leu Ala Met Gly Leu atc gca ttg ttg ctc gcg gtg tcc aag gga tca gaa tgg ggc tgg aga 739 Ile Ala Leu Leu Leu Ala Val Ser Lys Gly Ser Glu Trp Gly Trp Arg

200 205 210

agt Ser	gcc Ala 215	Leu	aco Thr	att Ile	ggg Gly	y tta / Leu 220	Phe	gtg Val	gca Ala	a geg a Ala	ctg Leu 225	Val	att	ttg Leu	gtg Val	787
ggt Gly 230	Trp	ggc	tgg Trp	tto Phe	gaa Glu 235	a acc Thr	cgc Arg	cag Gln	aaa Lys	tcc Ser 240	Pro	ttg Leu	att Ile	gat Asp	ctg Leu 245	835
cgc Arg	acc Thr	act Thr	att	Arg 250	, Ala	acc Thr	gtg Val	ttg Leu	atg Met 255	Thr	aat Asn	att Ile	gcg Ala	tcc Ser 260	atc Ile	883
				Thr		tat Tyr			Asn							931
			Pro			ctg Leu										979
						atc Ile 300										1027
tcg Ser 310	aat Asn	gca Ala	ggt Gly	gca Ala	gcc Ala 315	att Ile	agc Ser	gct Ala	gct Ala	cat His 320	ggt Gly	cct Pro	cgt Arg	gtg Val	acg Thr 325	1075
						gtg Val										1123
						ggc Gly										1171
						acc Thr										1219
gtg Val	gtc Val 375	ggt Gly	atc Ile	ggc Gly	att Ile	ggc Gly 380	ctg Leu	gca Ala	ttt Phe	ggt Gly	tcc Ser 385	atg Met	cct Pro	gcc Ala	ttg Leu	1267
						gcc Ala										1315
						ctg Leu										1363
ggt Gly	gca Ala	Val	ttg Leu 425	gcc Ala	gga Gly	atg Met	Met	agt Ser 430	ggc Gly	gga Gly	gta Val	ccc Pro	acc Thr 435	tta Leu	ggg Gly	1411

gga ttc atg acc act ctg atc atc gga tgc tgc gcc gcg ctt gtg gct 1459 Gly Phe Met Thr Thr Leu Ile Ile Gly Cys Cys Ala Ala Leu Val Ala 440 445 gcg gtc atc tcc tat ttc atc ccc acc aca acc act gtg gtg gaa gca 1507 Ala Val Ile Ser Tyr Phe Ile Pro Thr Thr Thr Val Val Glu Ala 460 465 aaa taatcccggc agcgactcga cca 1533 Lys 470 <210> 246 <211> 470 <212> PRT <213> Corynebacterium glutamicum <400> 246 Val Val Thr Leu Ala Ser Ala Gly Ile Thr Val Ser Leu Ala Gln Thr 10 Leu Val Ile Pro Ile Ile Gly Arg Leu Pro Glu Ile Phe Asn Thr Thr 25 Ala Ala Asn Ala Ser Trp Ile Ile Thr Val Thr Leu Leu Val Gly Ala Val Ala Thr Pro Val Met Gly Arg Leu Ala Asp Met Tyr Gly Lys Lys Lys Met Met Leu Ile Ser Leu Val Pro Phe Ile Leu Gly Ser Val Ile Cys Ala Val Ser Val Asp Leu Ile Pro Met Ile Ile Gly Arg Gly Phe Gln Gly Leu Gly Ser Gly Leu Ile Pro Leu Gly Ile Ser Leu Met His 105 Asp Leu Leu Pro Arg Glu Lys Ala Gly Ser Ala Ile Ala Leu Met Ser 120 115 Ser Ser Met Gly Ile Gly Gly Ala Leu Gly Leu Pro Leu Ala Ala Ala Ile Ala Gln Phe Ala Ser Trp Arg Val Leu Phe Trp Phe Thr Ala Leu Val Ala Leu Thr Val Gly Ala Val Ile Trp Lys Ala Ile Pro Ala Arg Pro Arg Ile Val Arg Ser Gly Gly Phe Asp Tyr Phe Gly Ala Leu Gly Leu Ala Met Gly Leu Ile Ala Leu Leu Leu Ala Val Ser Lys Gly Ser

195 200 205

Glu Trp Gly Trp Arg Ser Ala Leu Thr Ile Gly Leu Phe Val Ala Ala 210 215 220

Leu Val Ile Leu Val Gly Trp Gly Trp Phe Glu Thr Arg Gln Lys Ser 225 230 235 240

Pro Leu Ile Asp Leu Arg Thr Thr Ile Arg Ala Thr Val Leu Met Thr 245 250 255

Asn Ile Ala Ser Ile Leu Ile Gly Phe Thr Met Tyr Gly Met Asn Leu 260 265 270

Ile Leu Pro Gln Val Met Gln Leu Pro Val Ile Leu Gly Tyr Gly Leu 275 280 285

Gly Gln Ser Met Leu Gln Met Gly Ile Trp Leu Ile Pro Met Gly Leu 290 295 300

Gly Met Met Leu Ile Ser Asn Ala Gly Ala Ala Ile Ser Ala Ala His 305 310 315 320

Gly Pro Arg Val Thr Leu Thr Ile Ala Gly Val Val Ile Ala Val Gly 325 330 335

Tyr Ala Leu Thr Ala Thr Val Leu Phe Thr Ile Gly Asn Arg Thr Pro 340 345 350

Gly Gly Asp Ala Asp Asn Ala Leu Ile Leu Thr Thr Leu Val Leu Phe 355 360 365

Ser Val Cys Ser Leu Val Val Gly Ile Gly Ile Gly Leu Ala Phe Gly 370 375 380

Ser Met Pro Ala Leu Ile Met Gly Ala Val Pro Ala Thr Glu Lys Ala 385 390 395 400

Ala Ala Asn Gly Phe Asn Ser Leu Met Arg Ser Leu Gly Thr Thr Gly 405 410 415

Ser Ser Ala Val Ile Gly Ala Val Leu Ala Gly Met Met Ser Gly Gly 420 425 430

Val Pro Thr Leu Gly Gly Phe Met Thr Thr Leu Ile Ile Gly Cys Cys
435
440
445

Ala Ala Leu Val Ala Ala Val Ile Ser Tyr Phe Ile Pro Thr Thr 450 455 460

Thr Val Val Glu Ala Lys 465 470

<210> 247 <211> 1770

<212> DNA

<213> Corynebacterium glutamicum

<220> <221> CDS <222> (101)..(1747) <223> RXN01320 <400> 247 gtgaatggca cgacatgcca caaggcacgc aagctgattt ccaagcctgc tgtcgcaaag 60 caattaaaaa tacttttctt cttagaggtg gattttcaga atg aca tca cag gtc Met Thr Ser Gln Val aag ccg gac gac gaa cgt ccg gta aca aca att tca aaa agt ggt gca Lys Pro Asp Asp Glu Arg Pro Val Thr Thr Ile Ser Lys Ser Gly Ala 10 cet teq que cac ace tea gea cea tat ggt gea gea act gaa gaa 211 Pro Ser Ala His Thr Ser Ala Pro Tyr Gly Ala Ala Ala Thr Glu Glu 25 259 get gtc gag gaa aaa acc aaa ggt cgc gtt gga ttt atc atc gca gcc Ala Val Glu Glu Lys Thr Lys Gly Arg Val Gly Phe Ile Ile Ala Ala 40 ctc atg ttg gcg atg ctt ctt agc tcc ttg ggt cag acc att ttc ggt Leu Met Leu Ala Met Leu Leu Ser Ser Leu Gly Gln Thr Ile Phe Gly 55 60 tot god otg coa acg att gtt ggt gag ott ggc ggc gtt aac cac atg Ser Ala Leu Pro Thr Ile Val Gly Glu Leu Gly Gly Val Asn His Met 70 75 acc tgg gtg att acc gcc ttc ctc ttg ggc cag acc att tca ttg cct Thr Trp Val Ile Thr Ala Phe Leu Gly Gln Thr Ile Ser Leu Pro 90 95 451 att ttc ggc aag ttg ggt gac cag ttt ggt cgc aaa tac ctc ttc atg Ile Phe Gly Lys Leu Gly Asp Gln Phe Gly Arg Lys Tyr Leu Phe Met 105 115 ttt gcc atc gca ctg ttc gtg gtg ggt tcc atc atc ggt gct ttg gct Phe Ala Ile Ala Leu Phe Val Val Gly Ser Ile Ile Gly Ala Leu Ala 120 cag aac atg acc acc ttg att gtg gct cgt gca ctg cag ggt atc gcc 547 Gln Asn Met Thr Thr Leu Ile Val Ala Arg Ala Leu Gln Gly Ile Ala 135 140 ggt ggt ggc ttg atg att ctt tct cag gca att acc gct gat gtc acc 595 Gly Gly Gly Leu Met Ile Leu Ser Gln Ala Ile Thr Ala Asp Val Thr 165 150 155 160 acc gcc cgt gag cgt gca aag tac atg ggc atc atg ggt tcc gtt ttc Thr Ala Arg Glu Arg Ala Lys Tyr Met Gly Ile Met Gly Ser Val Phe 170 175

				Ile	ctt Leu											691
			Trp		tgg Trp											739
atc Ile	gca Ala 215	ctg Leu	gtt Val	gct Ala	atc Ile	gct Ala 220	gtg Val	ctg Leu	ctg Leu	aaa Lys	ctt Leu 225	cca Pro	gct Ala	cgt Arg	gaa Glu	787
cgt Arg 230	ggc Gly	aag Lys	gtc Val	tcc Ser	gtt Val 235	gac Asp	tgg Trp	ttg Leu	gga Gly	agc Ser 240	atc Ile	ttc Phe	atg Met	gct Ala	atc Ile 245	835
					gtc Val											883
					atg Met											931
					gtt Val											979
					ttc Phe											1027
					ggc Gly 315											1075
					atg Met											1123
					atg Met			Gly	Leu		Gly					1171
					tcc Ser											1219
					atg Met											1267
					ttg Leu 395											1315

WO 01/00804	PCT/IB00/00922

	ttc Phe		_		_	_	-	_	_	_				-	1363
	tcc Ser														1411
	ttc Phe	_					-	_		_	•				1459
_	ttt Phe 455				_		_	-		_		_		_	1507
	gtg Val														1555
	gat Asp				-							-	-		1603
	cca Pro														1651
	aca Thr														1699
	ctc Leu 535					_	-	_		_	-	_		_	1747
taat	gaca	ica c	gaaa	ctto	c gt	c									1770

<210> 248

<211> 549

<212> PRT

<213> Corynebacterium glutamicum

<400> 248

Met Thr Ser Gln Val Lys Pro Asp Asp Glu Arg Pro Val Thr Thr Ile 1 5 10 15

Ser Lys Ser Gly Ala Pro Ser Ala His Thr Ser Ala Pro Tyr Gly Ala 20 25 30

Ala Ala Thr Glu Glu Ala Val Glu Glu Lys Thr Lys Gly Arg Val Gly 35 4045

Phe Ile Ile Ala Ala Leu Met Leu Ala Met Leu Leu Ser Ser Leu Gly 50 55 60

Gln 65	Thr	Ile	Phe	Gly	Ser 70	Ala	Leu	Pro	Thr	Ile 75	Val	Gly	Glu	Leu	Gly 80
Gly	Val	Asn	His	Met 85		Trp	Val	Ile	Thr 90		Phe	Leu	Leu	Gly 95	Gln
Thr	Ile	Ser	Leu 100	Pro	Ile	Phe	Gly	Lys 105	Leu	Gly	Asp	Gln	Phe 110	Gly	Arg
Lys	Tyr	Leu 115	Phe	Met	Phe	Ala	Ile 120	Ala	Leu	Phe	Val	Val 125	Gly	Ser	Ile
Ile	Gly 130	Ala	Leu	Ala	Gln	Asn 135	Met	Thr	Thr	Leu	Ile 140	Val	Ala	Arg	Ala
Leu 145	Gln	Gly	Ile	Ala	Gly 150	Gly	Gly	Leu	Met	Ile 155	Leu	Ser	Gln	Ala	Ile 160
Thr	Ala	Asp	Val	Thr 165	Thr	Ala	Arg	Glu	Arg 170	Ala	Lys	Tyr	Met	Gly 175	Ile
Met	Gly	Ser	Val 180	Phe	Gly	Leu		Ser 185	Ile	Leu	Gly	Pro	Leu 190	Leu	Gly
Gly	Trp	Phe 195	Thr	Asp	Gly	Pro	Gly 200	Trp	Arg	Trp	Gly	Leu 205	Trp	Leu	Asn
Val	Pro 210	Ile	Gly	Ile	Ile	Ala 215	Leu	Val	Ala	Ile	Ala 220	Val	Leu	Leu	Lys
Leu 225	Pro	Ala	Arg	Glu	Arg 230	Gly	Lys	Val	Ser	Val 235	Asp	Trp	Leu	Gly	Ser 240
Ile	Phe	Met	Ala	11e 245	Ala	Thr	Thr	Ala	Phe 250	Val	Leu	Ala	Val	Thr 255	Trp
Gly	Gly	Asn	Glu 260	Tyr	Glu	Trp	Ala	Ser 265	Pro	Met	Ile	Ile	Gly 270	Leu	Phe
Ile	Thr	Thr 275	Leu	Val	Ala	Ala	Ile 280	Val	Phe	Val	Phe	Val 285	Glu	Lys	Arg
Ala	Val 290	Asp	Pro	Leu	Val	Pro 295	Met	Gly	Leu	Phe	Ser 300	Asn	Arg	Asn	Phe
Val 305	Leu	Thr	Ala	Val	Ala 310	Gly	Ile	Gly	Val	Gly 315	Leu	Phe	Met	Met	Gly 320
Thr	Ile	Ala	Tyr	Met 325	Pro	Thr	Tyr	Leu	Gln 330	Met	Val	His	Gly	Leu 335	Asn
Pro	Thr	Gln	Ala 340	Gly	Leu	Met	Leu	Ile 345	Pro	Met	Met	Ile	Gly 350	Leu	Ile

Gly Thr Ser Thr Val Val Gly Asn Ile Val Ser Lys Thr Gly Lys Tyr 355 360 365

Lys Trp Tyr Pro Phe Ile Gly Met Leu Ile Met Val Leu Ala Leu Val 370 375 380

Leu Leu Ser Thr Leu Thr Pro Ser Ala Ser Leu Ala Leu Ile Gly Leu 385 390 395 400

Tyr Phe Phe Val Phe Gly Phe Gly Leu Gly Cys Ala Met Gln Ile Leu 405 410 415

Val Leu Ile Val Gln Asn Ser Phe Pro Ile Thr Met Val Gly Thr Ala 420 425 430

Thr Gly Ser Asn Asn Phe Phe Arg Gln Ile Gly Gly Ala Val Gly Ser 435 440 445

Ala Leu Ile Gly Gly Leu Phe Ile Ser Asn Leu Ser Asp Arg Phe Thr 450 455 460

Glu Asn Val Pro Ala Ala Val Ala Ser Met Gly Glu Gly Ala Gln 465 470 475 480

Tyr Ala Ser Ala Met Ser Asp Phe Ser Gly Ala Ser Asn Leu Thr Pro 485 490 495

His Leu Val Glu Ser Leu Pro Gln Ala Leu Arg Glu Ala Ile Gln Leu 500 505 510

Ser Tyr Asn Asp Ala Leu Thr Pro Ile Phe Leu Ala Leu Thr Pro Ile 515 520 525

Ala Val Val Ala Ala Ile Leu Leu Phe Phe Ile Arg Glu Asp His Leu 530 540

Lys Glu Thr His Glu 545

<210> 249

<211> 841

<212> DNA

<213> Corynebacterium glutamicum

<220>

<221> CDS

<222> (101)..(841)

<223> FRXA01314

<400> 249

gtgaatggca cgacatgcca caaggcacgc aagctgattt ccaagcctgc tgtcgcaaag 60

caattaaaaa tacttttctt cttagaggtg gattttcaga atg aca tca cag gtc 115

Met Thr Ser Gln Val

1 5

aag ccg gac gac ga ccg ccg gta aca aca att tca aaa agt ggt gca 163 Lys Pro Asp Asp Glu Arg Pro Val Thr Thr Ile Ser Lys Ser Gly Ala 10 15 20

cct Pro	tcg Ser	gco Ala	cac His	Thr	tca Ser	gca Ala	cca Pro	tat Tyr 30	Gly	gca Ala	gca Ala	gca Ala	act Thr 35	Glu	gaa Glu	211
gct Ala	gtc Val	gaç Glu 40	Glu	aaa Lys	acc Thr	aaa Lys	ggt Gly 45	Arg	gtt Val	gga Gly	ttt Phe	atc Ile 50	Ile	gca Ala	gcc Ala	259
ctc Leu	atg Met 55	Leu	geg Ala	atg Met	ctt Leu	ctt Leu 60	Ser	tcc Ser	ttg Leu	ggt Gly	cag Gln 65	acc Thr	att Ile	ttc Phe	ggt Gly	307
tct Ser 70	gcc Ala	ctg Leu	cca Pro	acg Thr	att Ile 75	gtt Val	ggt Gly	gag Glu	ctt Leu	ggc Gly 80	Gly	gtt Val	aac Asn	cac His	atg Met 85	355
acc Thr	tgg Trp	gtg Val	att	acc Thr 90	Ala	ttc Phe	ctc Leu	ttg Leu	ggc Gly 95	cag Gln	acc Thr	att Ile	tca Ser	ttg Leu 100	cct Pro	403
att Ile	ttc Phe	ggc Gly	aag Lys 105	ttg Leu	ggt Gly	gac Asp	cag Gln	ttt Phe 110	ggt Gly	cgc Arg	aaa Lys	tac Tyr	ctc Leu 115	ttc Phe	atg Met	451
ttt Phe	gcc Ala	atc Ile 120	gca Ala	ctg Leu	ttc Phe	gtg Val	gtg Val 125	ggt Gly	tcc Ser	atc Ile	atc Ile	ggt Gly 130	gct Ala	ttg Leu	gct Ala	499
cag Gln	aac Asn 135	atg Met	acc Thr	acc Thr	ttg Leu	att Ile 140	gtg Val	gct Ala	cgt Arg	gca Ala	ctg Leu 145	cag Gln	ggt Gly	atc Ile	gcc Ala	547
											acc Thr					595
											atg Met					643
		Ser		Ile	Leu	Gly	Pro		Leu		ggc Gly			Thr		691
											gtt Val					739
Ile					Ile						ctt Leu 225					787
cgt Arg 230	ggc Gly	aag Lys	gtc Val	Ser	gtt Val 235	Asp	tgg Trp	ttg Leu	gga Gly	agc Ser 240	atc Ile	ttc Phe	atg Met	gct Ala	atc Ile 245	835

gcc acc 841 Ala Thr

<210> 250

<211> 247 <212> PRT

<213> Corynebacterium glutamicum

<400> 250

Met Thr Ser Gln Val Lys Pro Asp Asp Glu Arg Pro Val Thr Thr Ile 1 5 10 15

Ser Lys Ser Gly Ala Pro Ser Ala His Thr Ser Ala Pro Tyr Gly Ala
20 25 30

Ala Ala Thr Glu Glu Ala Val Glu Glu Lys Thr Lys Gly Arg Val Gly
35 40 45

Phe Ile Ile Ala Ala Leu Met Leu Ala Met Leu Leu Ser Ser Leu Gly 50 55 60

Gln Thr Ile Phe Gly Ser Ala Leu Pro Thr Ile Val Gly Glu Leu Gly 65 70 75 80

Gly Val Asn His Met Thr Trp Val Ile Thr Ala Phe Leu Leu Gly Gln 85 90 95

Thr Ile Ser Leu Pro Ile Phe Gly Lys Leu Gly Asp Gln Phe Gly Arg 100 105 110

Lys Tyr Leu Phe Met Phe Ala Ile Ala Leu Phe Val Val Gly Ser Ile 115 120 125

Ile Gly Ala Leu Ala Gln Asn Met Thr Thr Leu Ile Val Ala Arg Ala 130 135 140

Leu Gln Gly Ile Ala Gly Gly Gly Leu Met Ile Leu Ser Gln Ala Ile 145 150 155 160

Thr Ala Asp Val Thr Thr Ala Arg Glu Arg Ala Lys Tyr Met Gly Ile 165 170 175

Met Gly Ser Val Phe Gly Leu Ser Ser Ile Leu Gly Pro Leu Leu Gly 180 185 190

Gly Trp Phe Thr Asp Gly Pro Gly Trp Arg Trp Gly Leu Trp Leu Asn 195 200 205

Val Pro Ile Gly Ile Ile Ala Leu Val Ala Ile Ala Val Leu Leu Lys 210 215 220

Leu Pro Ala Arg Glu Arg Gly Lys Val Ser Val Asp Trp Leu Gly Ser 225 230 235 240

Ile Phe Met Ala Ile Ala Thr

245

<21 <21	0> 2 1> 8 2> D 3> C	03 NA	ebac	cteri	.um g	luta	micu	ım								
<22	1> C 2> (DS 1) RXA0														
gtt		cca			Pro					Ser				ttc Phe 15		48
				Ala					Gly					Gly	acc Thr	96
			Met					Gln							cca Pro	144
														att Ile	ggt Gly	192
														tac Tyr	aag Lys 80	240
														gta Val 95	ctg Leu	288
cta Leu	tcg Ser	acg Thr	ctg Leu 100	aca Thr	cct Pro	tcg Ser	gca Ala	agc Ser 105	ttg Leu	gct Ala	ctc Leu	att Ile	gga Gly 110	ctg Leu	tac Tyr	336
														ttg Leu		384
														gcg Ala		432
						_					_	_		tcc Ser	_	480
														acc Thr 175		528

					gtg Val										576
		-			gat Asp										624
	-	-			cca Pro		-		_	-	-				672
		-	-	_	aca Thr 230				-				-	-	720
-	-	-			ctc Leu					-	•	-		_	768
-	_	cac His	-	taat	gaca	ca c	gaaa	ctto	c gt	c					803

<210> 252

<211> 260

<212> PRT

<213> Corynebacterium glutamicum

<400> 252

Val Asp Pro Leu Val Pro Met Gly Leu Phe Ser Asn Arg Asn Phe Val 1 5 10 15

Leu Thr Ala Val Ala Gly Ile Gly Val Gly Leu Phe Met Met Gly Thr 20 . 25 30

Ile Ala Tyr Met Pro Thr Tyr Leu Gln Met Val His Gly Leu Asn Pro 35 40 45

Thr Gln Ala Gly Leu Met Leu Ile Pro Met Met Ile Gly Leu Ile Gly 50 55

Thr Ser Thr Val Val Gly Asn Ile Val Ser Lys Thr Gly Lys Tyr Lys
65 70 75 80

Trp Tyr Pro Phe Ile Gly Met Leu Ile Met Val Leu Ala Leu Val Leu
85 90 95

Leu Ser Thr Leu Thr Pro Ser Ala Ser Leu Ala Leu Ile Gly Leu Tyr 100 105 110

Phe Phe Val Phe Gly Phe Gly Leu Gly Cys Ala Met Gln Ile Leu Val 115 120 125

Leu Ile Val Gln Asn Ser Phe Pro Ile Thr Met Val Gly Thr Ala Thr

130 135 140 Gly Ser Asn Asn Phe Phe Arg Gln Ile Gly Gly Ala Val Gly Ser Ala 150 Leu Ile Gly Gly Leu Phe Ile Ser Asn Leu Ser Asp Arg Phe Thr Glu 170 Asn Val Pro Ala Ala Val Ala Ser Met Gly Glu Gly Ala Gln Tyr 185 Ala Ser Ala Met Ser Asp Phe Ser Gly Ala Ser Asn Leu Thr Pro His 200 Leu Val Glu Ser Leu Pro Gln Ala Leu Arg Glu Ala Ile Gln Leu Ser Tyr Asn Asp Ala Leu Thr Pro Ile Phe Leu Ala Leu Thr Pro Ile Ala 225 Val Val Ala Ala Ile Leu Leu Phe Phe Ile Arg Glu Asp His Leu Lys 250 Glu Thr His Glu 260 <210> 253 <211> 1755 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(1732) <223> RXN02926 <400> 253 ccctqacacc aatcttcttg gcgctcaccc cgatcgcagt agtcgccgcg atcctcctct 60 ttttcatccq tqaaqatcac ctcaaqqaaa cgcacqaata atg aca cac gaa act Met Thr His Glu Thr 1 tee gte eec gga eet gee gae geg eag gte gea gga gat aeg aag etg Ser Val Pro Gly Pro Ala Asp Ala Gln Val Ala Gly Asp Thr Lys Leu 10 15 cgc aaa ggc cgc gcg aag aag gaa aaa act cct tca tca atg acg cct 211 Arg Lys Gly Arg Ala Lys Lys Glu Lys Thr Pro Ser Ser Met Thr Pro 259 gaa caa caa aag aaa gtc tgg tgg gtc ctc agc gcg ctg atg gtc gcc Glu Gln Gln Lys Lys Val Trp Trp Val Leu Ser Ala Leu Met Val Ala

40

307

atg atg gcc tcc ctt gac cag atg att ttc ggc aca gcc ctg cca

Met	Met 55		Ala	Ser	Leu	Asp 60	Gln	Met	Ile	Phe	Gly 65	Thr	Ala	Leu	Pro	
	Ile						ggc Gly									355
					Ala		acc Thr									403
							aaa Lys									451
		-				-	atc Ile 125				-			_		499
							gta Val									547
_			-	_	•		atc Ile		-	-	-		-	_	_	595
							atg Met									643
-							ggc Gly				-					691
							atc Ile 205									739
_	_				-	_	att Ile		_	_	-	-	_		-	787
tgg Trp 230	gat Asp	tac Tyr	ctg Leu	ggc Gly	act Thr 235	ttc Phe	ttc Phe	atg Met	atc Ile	gtt Val 240	gcc Ala	gca Ala	acc Thr	agc Ser	ctg Leu 245	835
							gga Gly									883
							acc Thr									931
							aaa Lys									979

280 285 290

ttc Phe	caa Gln 295	Asn	cgc Arg	aac Asn	ttc Phe	acg Thr 300	Leu	acc Thr	acc Thr	att Ile	gca Ala 305	Gly	ctg Leu	atc Ile	ctg Leu	1027
ggt Gly 310	Ile	gca Ala	atg Met	ttc Phe	ggc Gly 315	Ile	ato	ggc	tac Tyr	Leu 320	ccg Pro	acc Thr	tac Tyr	ctc Leu	cag Gln 325	1075
atg Met	gtc Val	cac His	gga Gly	atc Ile 330	Asn	gcc Ala	acc Thr	gaa Glu	gcc Ala 335	Gly	tac Tyr	atg Met	ctg Leu	atc Ile 340	cca Pro	1123
atg Met	atg Met	gtc Val	ggc Gly 345	atg Met	atg Met	ggt Gly	acc Thr	tcc Ser 350	Ile	tgg Trp	act Thr	ggt Gly	atc Ile 355	cgc Arg	atc Ile	1171
											atc Ile					1219
											gaa Glu 385					1267
											ggc Gly					1315
											aac Asn					1363
		_			-		-				ttc Phe		_			1411
											atg Met					1459
Leu		Thr	Leu	Met		Glu	Arg	Met	Pro	Ala	gcc Ala 465	Met				1507
tca Ser 470	cca Pro	gaa Glu	gaa Glu	caa Gln	gcc Ala 475	gcc Ala	atg Met	gca Ala	gcc Ala	caa Gln 480	ggc Gly	gga Gly	ctg Leu	gac Asp	tcc Ser 485	1555
											cca Pro					1603
		Phe					Asn				atc Ile					1651

- - -

gtg atg atg cca ctg atc ggc atc gcg ctg ctt ctc ttg ctg ttt att 1699 Val Met Met Pro Leu Ile Gly Ile Ala Leu Leu Leu Leu Phe Ile 520 525 530

aag caa gaa aaa cta cgc gaa acc acc aca gac taaacacaaa acaaatgaga 1752 Lys Gln Glu Lys Leu Arg Glu Thr Thr Thr Asp 535 540

cct 1755

<210> 254

<211> 544

<212> PRT

<213> Corynebacterium glutamicum

<400> 254

Met Thr His Glu Thr Ser Val Pro Gly Pro Ala Asp Ala Gln Val Ala 1 5 10 15

Gly Asp Thr Lys Leu Arg Lys Gly Arg Ala Lys Lys Glu Lys Thr Pro 20 25 30

Ser Ser Met Thr Pro Glu Gln Gln Lys Lys Val Trp Trp Val Leu Ser 35 40 45

Ala Leu Met Val Ala Met Met Met Ala Ser Leu Asp Gln Met Ile Phe 50 55 60

Gly Thr Ala Leu Pro Thr Ile Val Gly Glu Leu Gly Gly Val Asp His 65 70 75 80

Met Met Trp Val Ile Thr Ala Tyr Leu Leu Ala Glu Thr Ile Met Leu 85 90 95

Pro Ile Tyr Gly Lys Leu Gly Asp Leu Val Gly Arg Lys Gly Leu Phe 100 105 110

Ile Gly Ala Leu Gly Ile Phe Leu Ile Gly Ser Val Ile Gly Gly Leu 115 120 125

Ala Gly Asn Met Thr Trp Leu Ile Val Gly Arg Ala Val Gln Gly Ile 130 135 140

Gly Gly Gly Leu Met Ile Leu Ser Gln Ala Ile Ile Ala Asp Val 145 150 155 160

Val Pro Ala Arg Glu Arg Gly Arg Tyr Met Gly Val Met Gly Gly Val 165 170 175

Phe Gly Leu Ser Ala Val Leu Gly Pro Leu Leu Gly Gly Trp Phe Thr 180 185 190

Glu Gly Pro Gly Trp Arg Trp Ala Phe Trp Met Asn Ile Pro Leu Gly 195 200 205

Ile	11e 210		a Ile	e Gly	/ Val	Ala 215		Туг	Phe	Leu	Asp 220		Pro	Lys	Lys
Ser 225		. Lys	s Phe	e Arg	230		Tyr	Leu	Gly	Thr 235		Phe	Met	Ile	Val 240
Ala	Ala	Thi	Ser	Leu 245		e Leu	Phe	Thr	Thr 250	Trp	Gly	Gly	Ser	Gln 255	Tyr
Glu	Trp	Ser	260		lle	lle	lle	Gly 265		Ile	Ile	Thr	Thr 270	Ile	Val
Ala	Ala	Ala 275		Leu	val	Val	Val 280		Leu	Arg	Ala	Lys 285	_	Pro	Leu
Val	Pro 290		Ser	Phe	Phe	Gln 295		Arg	Asn	Phe	Thr 300	Leu	Thr	Thr	Ile
Ala 305		Leu	Ile	Leu	Gly 310		Ala	Met	Phe	Gly 315	Ile	Ile	Gly	Tyr	Leu 320
Pro	Thr	Tyr	Leu	Gln 325		Val	His	Gly	11e 330	Asn	Ala	Thr	Glu	Ala 335	Gly
Tyr	Met	Leu	11e 340	Pro	Met	Met	Val	Gly 345	Met	Met	Gly	Thr	Ser 350	Ile	Trp
Thr	Gly	11e 355		Ile	Ser	Asn	Thr 360	Gly	Lys	Tyr	Lys	Leu 365	Phe	Pro	Pro
	370					375				Ile	380				
385					390					11e 395					400
				405					410	Leu				415	
			420					425		Ala			430		
		435					440			Ser		445			
Met	Phe 450	Val	Gly	Asn	Leu	Gly 455	Thr	Leu	Met	Glu	Glu 460	Arg	Met	Pro	Ala
Ala 465	Met	Ala	Gln	Leu	Ser 470	Pro	Glu	Glu	Gln	Ala 475	Ala	Met	Ala	Ala	Gln 480
Gly	Gly	Leu	Asp	Ser 485	Asn	Glu	Leu	Thr	Pro 490	Ala	Ile	Val	Asn	Gln 495	Leu
Pro	Thr	Ala	Leu 500	His	Asp	Ala	Phe	Ala 505	Gly	Ser	Tyr	Asn	Asp 510	Ala	Leu

Ile Pro Val Phe Tyr Val Met Met Pro Leu Ile Gly Ile Ala Leu Leu 515 520 525

Leu Leu Phe Ile Lys Gln Glu Lys Leu Arg Glu Thr Thr Thr Asp 530 535 540

<210> 255 <211> 1294 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(1294) <223> FRXA01319 <400> 255 ccctgacacc aatcttettg gcgctcaccc cgatcgcagt agtcgccgcg atcctcctct 60 ttttcatccg tgaagatcac ctcaaggaaa cgcacgaata atg aca cac gaa act Met Thr His Glu Thr tcc gtc ccc gga cct gcc gac gcg cag gtc gca gga gat acg aag ctg 163 Ser Val Pro Gly Pro Ala Asp Ala Gln Val Ala Gly Asp Thr Lys Leu 15 cgc aaa ggc cgc gcg aag aag gaa aaa act cct tca tca atg acg cct 211 Arg Lys Gly Arg Ala Lys Lys Glu Lys Thr Pro Ser Ser Met Thr Pro gaa caa caa aag aaa gtc tgg tgg gtc ctc agc gcg ctg atg gtc gcc 259 Glu Gln Gln Lys Lys Val Trp Trp Val Leu Ser Ala Leu Met Val Ala 45 atg atg gcc tcc ctt gac cag atg att ttc ggc aca gcc ctg cca 307 Met Met Ala Ser Leu Asp Gln Met Ile Phe Gly Thr Ala Leu Pro aca atc gtc ggt gaa ctc ggc ggc gtt gac cac atg atg tgg gtc atc 355 Thr Ile Val Gly Glu Leu Gly Gly Val Asp His Met Met Trp Val Ile ace gea tac cta ctt gee gaa ace ate atg etg eeg ate tac gga aag 403 Thr Ala Tyr Leu Leu Ala Glu Thr Ile Met Leu Pro Ile Tyr Gly Lys ctc ggc gac ctg gtt gga cgt aaa ggt ctc ttc atc gga gcc ctc ggc 451 Leu Gly Asp Leu Val Gly Arg Lys Gly Leu Phe Ile Gly Ala Leu Gly 105 110 atc ttc ctg atc ggc tcc gtc atc ggc ggg ctt gca gga aat atg acc 499 Ile Phe Leu Ile Gly Ser Val Ile Gly Gly Leu Ala Gly Asn Met Thr

120 125 130

		Ile					Val	cag Gln				Gly				547
atç Met 150	: Ile	ctc Leu	tcg Ser	cag Gln	gca Ala 155	Ile	ato	gcg Ala	gac	gtt Val 160	Val	cca Pro	gca Ala	cgt Arg	gaa Glu 165	595
					Gly			ggt Gly		Val						643
_				Leu				tgg Trp 190			_					691
								cca Pro								739
								cca Pro								787
	Asp							atg Met								835
								tcc Ser								883
								acc Thr 270								931
_	_		-	_	-	-		gat Asp		_	_		_			979
		Aşn	Arg	Asn		Thr	Leu	acc Thr		Ile	_	Ğĺy	_		_	1027
		-	_					ggc Gly			_				-	1075
								gaa Glu								1123
-	_	Val		_	-			tcc Ser 350				ĞÎy		_		1171

tcc aac aca gga aag tac aaa ctc ttc cca cca atc ggc atg gtg gt Ser Asn Thr Gly Lys Tyr Lys Leu Phe Pro Pro Ile Gly Met Val Va 360 365 370	
acc ttc gtg gca ctg atc ttc ttt gcc cga atg gaa gtg tcc acc ac Thr Phe Val Ala Leu Ile Phe Phe Ala Arg Met Glu Val Ser Thr Th 375 380 385	
ctg tgg cag atc gga atc tac ctc ttc Leu Trp Gln Ile Gly Ile Tyr Leu Phe 390 395	1294
<210> 256 <211> 398 <212> PRT <213> Corynebacterium glutamicum	
<pre><400> 256 Met Thr His Glu Thr Ser Val Pro Gly Pro Ala Asp Ala Gln Val Al</pre>	a .
Gly Asp Thr Lys Leu Arg Lys Gly Arg Ala Lys Lys Glu Lys Thr Pr 20 25 30	o
Ser Ser Met Thr Pro Glu Gln Gln Lys Lys Val Trp Trp Val Leu Se 35 40 45	r
Ala Leu Met Val Ala Met Met Met Ala Ser Leu Asp Gln Met Ile Ph 50 55 60	e
Gly Thr Ala Leu Pro Thr Ile Val Gly Glu Leu Gly Gly Val Asp Hi 65 70 75 8	
Met Met Trp Val Ile Thr Ala Tyr Leu Leu Ala Glu Thr Ile Met Le 85 90 95	1
Pro Ile Tyr Gly Lys Leu Gly Asp Leu Val Gly Arg Lys Gly Leu Pho 100 105 110	•
Ile Gly Ala Leu Gly Ile Phe Leu Ile Gly Ser Val Ile Gly Gly Le 115 120 125	1
Ala Gly Asn Met Thr Trp Leu Ile Val Gly Arg Ala Val Gln Gly Ile 130 135 140	2
Gly Gly Gly Leu Met Ile Leu Ser Gln Ala Ile Ile Ala Asp Va 145 150 155 16	
Val Pro Ala Arg Glu Arg Gly Arg Tyr Met Gly Val Met Gly Gly Val 165 170 175	L
Phe Gly Leu Ser Ala Val Leu Gly Pro Leu Leu Gly Gly Trp Phe The	:
Glu Gly Pro Gly Trp Arg Trp Ala Phe Trp Met Asn Ile Pro Leu Gly	,

195 200 205

Ile Ile Ala Ile Gly Val Ala Ile Tyr Phe Leu Asp Ile Pro Lys Lys 210 215 220

Ser Val Lys Phe Arg Trp Asp Tyr Leu Gly Thr Phe Phe Met Ile Val 225 230 235 240

Ala Ala Thr Ser Leu Ile Leu Phe Thr Thr Trp Gly Gly Ser Gln Tyr
245 250 255

Glu Trp Ser Asp Pro Ile Ile Ile Gly Leu Ile Ile Thr Thr Ile Val 260 265 270

Ala Ala Leu Leu Val Val Glu Leu Arg Ala Lys Asp Pro Leu 275 280 285

Val Pro Met Ser Phe Phe Gln Asn Arg Asn Phe Thr Leu Thr Thr Ile 290 295 300

Ala Gly Leu Ile Leu Gly Ile Ala Met Phe Gly Ile Ile Gly Tyr Leu 305 310 315 320

Pro Thr Tyr Leu Gln Met Val His Gly Ile Asn Ala Thr Glu Ala Gly 325 330 335

Tyr Met Leu Ile Pro Met Met Val Gly Met Met Gly Thr Ser Ile Trp 340 345 350

Thr Gly Ile Arg Ile Ser Asn Thr Gly Lys Tyr Lys Leu Phe Pro Pro 355 360 365

Ile Gly Met Val Val Thr Phe Val Ala Leu Ile Phe Phe Ala Arg Met 370 375 380

Glu Val Ser Thr Thr Leu Trp Gln Ile Gly Ile Tyr Leu Phe 385 390 395

<210> 257

<211> 1510

<212> DNA

<213> Corynebacterium glutamicum

<220>

<221> CDS

<222> (93)..(1487)

<223> RXA01578

<400> 257

tgacctcccc tcaaccactc actgaaaaga gaacactgat gtcacttcct gttcagccga 60

gtaaaacctc ggccgccaca gtcataccat tgatg atc gcc ctg ctg gtc gcg 113

Met Ile Ala Leu Leu Val Ala

1 5

gta ttc gcc ttc cag ctc aac gcc tcc atg ctg gcg ccg gca ctg gcc 161

transfer of the control of the contr

Val	Phe	Ala 10		Gln	Leu	Asn	Ala 15	Ser	Met	Leu	Ala	Pro 20	Ala	Leu	Ala	
	_	Glu		_			Ala	aca Thr	-	_				-	_	209
	Thr					Ala		gcg Ala			Ser					257
_			-	_	Ile		-	cgc Arg			-	-		-	_	305
								gtc Val 80								353
			Phe	-		_	_	att Ile			_	_				401
								cgc Arg								449
								gtt Val			_					497
								ggc Gly								545
								gct Ala 160								593
	_	_			_		_	gaa Glu			_	_	-		-	641
								cca Pro								689
								ggc Gly								737
								atc Ile								785
								aag Lys								833

			, Glr					Ala			ctg Leu		Thr			881
aca Thi	ato Met 265	Thr	ggt Gly	gta Val	tto L Phe	geo Ala 270	Val	atg Met	aat Asn	ggt Gly	ctg Leu 275	ctg Leu	ccc Pro	aac Asn	ctt Leu	929
gcg Ala 280	Glr	gat Asp	gct Ala	gco Ala	aac Asn 285	Gly	gcc Ala	ggc	atg Met	tca Ser 290	gcg Ala	agc Ser	gtg Val	gtg Val	tcc Ser 295	977
					Pro					Gly	ttg Leu					1025
				Leu							aag Lys					1073
											gga Gly					1121
gtc Val	gga Gly 345	Ser	acc Thr	tcg Ser	cat His	ctc Leu 350	gcg Ala	tac Tyr	ctc Leu	ggc Gly	atc Ile 355	tcc Ser	atc Ile	ttc Phe	gtg Val	1169
ggt Gly 360	att Ile	acc Thr	tat Tyr	gca Ala	ggt Gly 365	att Ile	gcc Ala	aac Asn	atc Ile	atg Met 370	ctc Leu	aac Asn	ggc Gly	ctg Leu	ggc Gly 375	1217
atc Ile	gtg Val	ctc Leu	tcc Ser	cct Pro 380	gct Ala	aac Asn	aac Asn	caa Gln	ggc Gly 385	tat Tyr	ctg Leu	cct Pro	ggc Gly	atg Met 390	aac Asn	1265
-		_					_				ttc Phe	_				1313
gca Ala	gtt Val	tcc Ser 410	acg Thr	gca Ala	ttc Phe	Ser	gac Asp 415	Asn	ggc Gly	gga Gly	gga Gly	tac Tyr 420	gcc Ala	gca Ala	ggc Gly	1361
											ttc Phe 435					1409
											gtg Val					1457
_	_	-	-	-	-	caa Gln	-	-	-	taaa	tcca	ca a	actg	yaact	a	1507

agg 1510

<210> 258

<211> 465

<212> PRT

<213> Corynebacterium glutamicum

<400> 258

Met Ile Ala Leu Leu Val Ala Val Phe Ala Phe Gln Leu Asn Ala Ser 1 5 10 15

Met Leu Ala Pro Ala Leu Ala Thr Met Glu Thr Glu Leu Asn Ala Thr 20 25 30

Ala Ala Gln Ile Gly Met Thr Gln Thr Ala Phe Phe Thr Ala Ala Ala 35 40 45

Leu Phe Ser Leu Phe Leu Pro Arg Trp Gly Asp Leu Ile Gly Arg Arg 50 55 60

Lys Val Leu Val Gly Met Met Ile Val Thr Gly Ile Gly Cys Val Val 65 70 75 80

Ala Ala Phe Ala Pro Asn Val Thr Ile Leu Phe Leu Gly Arg Leu Ile 85 90 95

Gln Gly Val Ala Gly Pro Thr Val Pro Leu Cys Leu Ile Ile Leu Arg 100 105 110

Gln Gln Val Thr Asn Glu Lys Gln Tyr Ala Leu Leu Gly Ile Val 115 120 125

Thr Ser Val Asn Gly Gly Ile Gly Gly Val Asp Ala Leu Ala Gly Gly 130 135 140

Trp Leu Ala Glu Thr Leu Gly Phe Arg Ser Ile Phe Trp Val Met Ala 145 150 155 160

Ala Phe Cys Ala Val Ala Ala Leu Ala Leu Pro Phe Ser Val Lys Glu 165 170 175

Ser Thr Ala Glu Glu Thr Pro Lys Met Asp Trp Leu Gly Val Leu Pro 180 185 190

Leu Ala Val Ser Ile Gly Ser Leu Leu Met Ala Phe Asn Glu Ala Gly 195 200 205

Lys Leu Gly Ala Ala Asn Trp Ile Leu Val Val Val Leu Phe Ile Ile 210 215 220

Gly Ile Ala Gly Val Ile Phe Phe Tyr Asn Ile Glu Lys Arg Val Lys 225 230 235 240

His Pro Leu Val Ser Val Glu Tyr Leu Gly Gln Arg Arg Thr Trp Ala 245 250 255

Leu Leu Ser Thr Leu Leu Thr Met Thr Gly Val Phe Ala Val Met Asn Gly Leu Leu Pro Asn Leu Ala Gln Asp Ala Ala Asn Gly Ala Gly 280 Met Ser Ala Ser Val Val Ser Trp Trp Thr Leu Thr Pro Tyr Ala Leu Ala Gly Leu Val Phe Gly Pro Ile Ala Gly Ile Leu Ala Gly Lys Phe Gly Tyr Lys Ile Val Leu Gln Ile Gly Ile Ala Ala Thr Ile Ile Gly Val Ala Gly Ala Thr Phe Leu Val Gly Ser Thr Ser His Leu Ala Tyr Leu Gly Ile Ser Ile Phe Val Gly Ile Thr Tyr Ala Gly Ile Ala Asn 360 Ile Met Leu Asn Gly Leu Gly Ile Val Leu Ser Pro Ala Asn Asn Gln 375 Gly Tyr Leu Pro Gly Met Asn Ala Gly Ala Phe Asn Leu Gly Ala Gly 390 385 395 Ile Ser Phe Ala Ile Leu Phe Ala Val Ser Thr Ala Phe Ser Asp Asn Gly Gly Gly Tyr Ala Ala Gly Met Trp Ala Gly Val Ile Ile Leu Val Leu Ala Phe Leu Cys Ser Leu Leu Ile Pro Arg Pro Glu Ser Ile Thr 440 Asp Thr Val Ala Ala Lys Val Gln Ala Glu Glu Ala Ala Gln Ala Ala 455 Ser 465 <210> 259 <211> 1470 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(1447) <223> RXA02087 <400> 259 aatcggattc atgctgtgtg gtgtgatcag tttgctggct gcggtcgcat ggatcttcgg 60

356

ccg	ggag	acg	ctgo	ccaac	gg d	gaaa	igtcg	ia go	aggt	ataa	-	Thr		att Ile		115
					Lys		ctg Leu			Leu						163
				Asp			ttg Leu		Ala							211
			Leu				ctg Leu 45									259
		Leu					gtg Val									307
	_	_			_	Arg	aat Asn				_		_	_		355
					_	_	tgt Cys	-		-		_		_		403
							cag Gln									451
_	-		-	_			cac His 125	-					-	-		499
							agt Ser									547
	Gly	Pro	Val	Ile	Gly	Gly	gtt Val	Leu	Val	Gly	Trp	Ile	Ser	Trp		595
							ccg Pro									643
							ctt Leu									691
tgg Trp	ctc Leu	tcg Ser 200	ggt Gly	gcg Ala	gtc Val	tca Ser	ctt Leu 205	gtt Val	gct Ala	gta Val	ctt Leu	ggt Gly 210	gtg Val	gtt Val	ctt Leu	739
gcc	ttg	cag	cag	ggg	cca	gaa	ctt	ggg	tgg	gga	aca	ctg	att	tgg	gtg	787

Ala	Leu 215	Gln	Gln	Gly	Pro	Glu 220	Leu	Gly	Trp	Gly	Thr 225	Leu	Ile	Trp	Val	
		-	-			-	_	-			ttt Phe			-		835
											att Ile					883
											ctg Leu					931
											caa Gln					979
											ccg Pro 305					1027
			-			-			_	_	gtg Val	-	_	_	-	1075
											ctg Leu					1123
gcg Ala	ttg Leu	atg Met	gct Ala 345	gtc Val	ttt Phe	atg Met	atc Ile	gcc Ala 350	aac Asn	cta Leu	tcg Ser	ccg Pro	tgg Trp 355	tgg Trp	cta Leu	1171
											gcg Ala					1219
											cag Gln 385					1267
tct Ser 390	gct Ala	tct Ser	ggt Gly	ttt Phe	tac Tyr 395	aac Asn	acc Thr	tca Ser	cgc Arg	cag Gln 400	gtg Val	ggc Gly	gct Ala	gtt Val	ttg Leu 405	1315
ggc Gly	gcc Ala	gct Ala	acc Thr	ttg Leu 410	ggc Gly	gct Ala	gtg Val	atg Met	caa Gln 415	ata Ile	gga Gly	gtg Val	ggc Gly	acg Thr 420	gtg Val	1363
tcc Ser	ttc Phe	ggt Gly	gtt Val 425	gcc Ala	atg Met	ggt Gly	gcg Ala	gca Ala 430	atc Ile	ctg Leu	gtg Val	aca Thr	ctc Leu 435	gtg Val	ccc Pro	1411
					cta Leu						aga Arg	tagt	tgct	cc		1457

And the sum of the first see that the sum of
440 445

gattttctca cga 1470

<210> 260

<211> 449

<212> PRT

<213> Corynebacterium glutamicum

<400> 260

Met Thr Pro Ile Val Glu Ser Arg Ala Trp Lys Ala Leu Gly Ala Leu 1 5 10 15

Ser Val Gly Leu Phe Leu Thr Leu Leu Asp Gln Ser Leu Val Ala Val 20 25 30

Ala Leu Pro Lys Ile Gln Glu Asp Leu Gly Ala Ser Leu Asn Gln Ala 35 40 45

Val Trp Val Ser Ala Val Tyr Leu Leu Thr Phe Ala Val Pro Leu Leu 50 55 60

Ile Thr Gly Arg Leu Gly Asp Arg Tyr Gly Gln Arg Asn Ile Tyr Leu 65 70 75 80

Ala Gly Met Ala Val Phe Thr Leu Ala Ala Leu Ala Cys Val Phe Ala 85 90 95

Pro Ser Ile Glu Trp Leu Ile Ala Ala Arg Ala Val Gln Gly Leu Gly 100 105 110

Gly Ser Leu Leu Asn Pro Gln Pro Leu Ser Ile Ile His Lys Ile Phe 115 120 125

Ala His Asp Arg Arg Gly Ala Ala Thr Gly Val Trp Ser Ala Val Ala 130 135 140

Ser Ser Ala Gly Leu Phe Gly Pro Val Ile Gly Gly Val Leu Val Gly 145 150 155 160

Trp Ile Ser Trp Arg Ala Val Phe Leu Val Tyr Val Pro Leu Gly Leu 165 170 175

Ile Ser Leu Phe Met Val Ala Arg Tyr Val Pro Lys Leu Pro Thr Gly 180 185 190

Thr Ser Lys Ile Asp Trp Leu Ser Gly Ala Val Ser Leu Val Ala Val 195 200 205

Leu Gly Val Val Leu Ala Leu Gln Gln Gly Pro Glu Leu Gly Trp Gly 210 220

Thr Leu Ile Trp Val Ser Leu Ala Val Gly Ile Ala Ala Ala Val Leu 225 230 235 240

Phe Ile Trp Met Gln Thr Arg Ser Lys Ala Pro Leu Met Pro Leu Arg

245 · 250 255

Ile Phe Lys Thr Arg Asn Phe Ala Ile Gly Ala Phe Ser Ile Phe Ser 260 265 270

Leu Gly Phe Thr Val Tyr Ser Val Asn Leu Pro Ile Met Leu Tyr Leu 275 280 285

Gln Thr Ala Gln Gly Met Ser Ser Gln Leu Ala Gly Leu Met Leu Val

Pro Met Gly Ile Ile Ser Val Val Met Ser Pro Val Ile Gly Arg Leu 305 310 315 320

Val Asp Arg Leu Ala Pro Gly Met Ile Ser Lys Ile Gly Phe Gly Ala 325 330 335

Leu Ile Phe Ser Met Ala Leu Met Ala Val Phe Met Ile Ala Asn Leu 340 345 350

Ser Pro Trp Trp Leu Leu Ile Pro Ile Ile Leu Phe Gly Ser Ser Asn 355 360 365

Ala Met Ser Phe Ala Pro Asn Ser Val Ile Ala Leu Arg Asp Val Pro 370 375 380

Gln Asp Leu Val Gly Ser Ala Ser Gly Phe Tyr Asn Thr Ser Arg Gln 385 390 395 400

Val Gly Ala Val Leu Gly Ala Ala Thr Leu Gly Ala Val Met Gln Ile 405 410 415

Gly Val Gly Thr Val Ser Phe Gly Val Ala Met Gly Ala Ala Ile Leu 420 425 430

Val Thr Leu Val Pro Leu Ile Phe Gly Phe Leu Ala Val Thr Gln Phe 435 440 445

Arg

<210> 261

<211> 1338

<212> DNA

<213> Corynebacterium glutamicum

<220>

<221> CDS

<222> (101)..(1315)

<223> RXA02088

<400> 261

agagcaccca agcgacattg ttcgataata tgttctatta ttggtattaa tactggtcag 60

ctagatataa aaggggcgca gggctagcct tgggtgtgaa atg tta act caa aaa 115 Met Leu Thr Gln Lys

....

											1				5	
ata Ile	gaa Glu	tta Leu	gag Glu	gct Ala 10	aaa Lys	cca Pro	aaa Lys	atc Ile	cca Pro 15	gag Glu	gag Glu	atc Ile	tgg Trp	gtg Val 20	ctg Leu	163
						att Ile										211
						gtc Val										259
agt Ser	gcg Ala 55	gtg Val	gtg Val	tcc Ser	atc Ile	ttt Phe 60	gcg Ala	ggc Gly	gcc Ala	cgg Arg	ttg Leu 65	ttg Leu	ttt Phe	gcg Ala	ccg Pro	307
atg Met 70	tcg Ser	ggg Gly	agt Ser	ttg Leu	atc Ile 75	gat Asp	aag Lys	atc Ile	ggt Gly	tcc Ser 80	cgt Arg	cgt Arg	gtg Val	tat Tyr	ctc Leu 85	355
						gct Ala										403
cag Gln	gaa Glu	tac Tyr	tgg Trp 105	cag Gln	att Ile	ctg Leu	ctg Leu	ctt Leu 110	cgt Arg	ggc Gly	atc Ile	gca Ala	ggt Gly 115	att Ile	ggt · Gly	451
						tct Ser										499
ccg Pro	gtg Val 135	gag Glu	atc Ile	cgc Arg	ggg Gly	cgg Arg 140	tgt Cys	tcg Ser	tcg Ser	gta Val	tat Tyr 145	gcc Ala	agt Ser	tcg Ser	ttc Phe	547
						ggc Gly										595
ttg Leu	ggc Gly	atg Met	cgg Arg	tgg Trp 170	ccg Pro	ttc Phe	gcg Ala	att Ile	tat Tyr 175	ggt Gly	gct Ala	tcc Ser	gtt Val	ggc Gly 180	tta Leu	643
gct Ala	gca Ala	ctt Leu	gtt Val 185	gtg Val	tgg Trp	tgg Trp	cgg Arg	atg Met 190	ccg Pro	aaa Lys	acc Thr	aac Asn	gat Asp 195	tca Ser	ctt Leu	691
cgg Arg	aag Lys	gct Ala 200	gat Asp	agc Ser	aat Asn	agt Ser	gtg Val 205	ccg Pro	gcg Ala	ttg Leu	cgc Arg	ttt Phe 210	gct Ala	gag Glu	gca Ala	739
att Ile	aag Lys 215	gat Asp	tct Ser	gcc Ala	tac Tyr	cgc Arg 220	tcg Ser	gcg Ala	ttg Leu	ttt Phe	agt Ser 225	gct Ala	ttt Phe	gcc Ala	aat Asn	787

.

ggt Gly 230	tgg Trp	tcg Ser	aac Asn	ttt Phe	ggt Gly 235	gtg Val	cgt Arg	gtg Val	gcg Ala	gtt Val 240	ctt Leu	cca Pro	ctg Leu	ttt Phe	gcc Ala 245	835
					aat Asn											883
					aat Asn											931
tca Ser	gat Asp	cgc Arg 280	att Ile	ggc Gly	cgt Arg	aaa Lys	ccg Pro 285	atg Met	att Ile	att Ile	tcc Ser	ggg Gly 290	ctg Leu	atc Ile	gtc Val	979
					gca Ala											1027
		_	_		gcg Ala 315	-	-				-		_		_	1075
					gtg Val											1123
gga Gly	aaa Lys	gtc Val	tta Leu 345	gcg Ala	aat Asn	ttc Phe	caa Gln	atg Met 350	gcg Ala	cag Gln	gat Asp	ttc Phe	ggt Gly 355	gcg Ala	att Ile	1171
gtt Val	ggc Gly	ccg Pro 360	att Ile	ctc Leu	gta Val	ggc Gly	atg Met 365	atc Ile	gca Ala	gaa Glu	cag Gln	gca Ala 370	ggc Gly	ttc Phe	caa Gln	1219
					tgt Cys											1267
tgg Trp 390	atc Ile	ttc Phe	ggc Gly	cgg Arg	gag Glu 395	acg Thr	ctg Leu	cca Pro	acg Thr	gcg Ala 400	aaa Lys	gtc Val	gag Glu	cag Gln	gta Val 405	1315
taaa	tgac	gc c	aatt	gtgg	a gt	С										1338

<210> 262 <211> 405

<212> PRT

<213> Corynebacterium glutamicum

<400> 262

Met Leu Thr Gln Lys Ile Glu Leu Glu Ala Lys Pro Lys Ile Pro Glu 1 5 10 15

Glu Ile Trp Val Leu Val Val Ala Ala Phe Ile Ile Ala Leu Gly Tyr Gly Leu Ile Ala Pro Ile Leu Pro Gln Phe Val Val Gly Phe Asp Val Ser Phe Ala Ala Ala Ser Ala Val Val Ser Ile Phe Ala Gly Ala Arg Leu Leu Phe Ala Pro Met Ser Gly Ser Leu Ile Asp Lys Ile Gly Ser Arg Arg Val Tyr Leu Thr Gly Leu Leu Thr Val Ala Ile Thr Thr Gly Leu Val Ala Leu Ala Gln Glu Tyr Trp Gln Ile Leu Leu Leu Arg Gly Ile Ala Gly Ile Gly Ser Thr Met Phe Thr Val Ser Ala Met Gly Leu Ile Val Lys Met Ala Pro Val Glu Ile Arg Gly Arg Cys Ser Ser Val Tyr Ala Ser Ser Phe Leu Phe Gly Asn Ile Ile Gly Pro Val Val Gly 150 Ala Ala Met Ser Gly Leu Gly Met Arg Trp Pro Phe Ala Ile Tyr Gly 170 Ala Ser Val Gly Leu Ala Ala Leu Val Val Trp Trp Arg Met Pro Lys Thr Asn Asp Ser Leu Arg Lys Ala Asp Ser Asn Ser Val Pro Ala Leu Arg Phe Ala Glu Ala Ile Lys Asp Ser Ala Tyr Arg Ser Ala Leu Phe Ser Ala Phe Ala Asn Gly Trp Ser Asn Phe Gly Val Arg Val Ala Val 230 Leu Pro Leu Phe Ala Ala Ala Ala Phe Ser Asn Gly Gly Ala Ile Ala

Gly Phe Ala Met Ala Ala Phe Ala Ala Gly Asn Ala Leu Cys Leu Gln 260 265 270

250

363

245

Phe Ala Gly Asp Leu Ser Asp Arg Ile Gly Arg Lys Pro Met Ile Ile 275 280 285

Ser Gly Leu Ile Val Asn Ala Val Phe Thr Ala Met Ile Gly Phe Gly 290 295 300

Thr Glu Val Trp Ile Leu Ile Thr Val Ser Ala Leu Ala Gly Ala Gly 305 310 315 320

Ala Gly Leu Leu Asn Pro Ser Gln Gln Ala Val Leu Ala Asp Val Ile Asp Ser Arg Pro Gly Gly Lys Val Leu Ala Asn Phe Gln Met Ala Gln Asp Phe Gly Ala Ile Val Gly Pro Ile Leu Val Gly Met Ile Ala Glu Gln Ala Gly Phe Gln Ile Gly Phe Met Leu Cys Gly Val Ile Ser Leu Leu Ala Ala Val Ala Trp Ile Phe Gly Arg Glu Thr Leu Pro Thr Ala 395 Lys Val Glu Gln Val <210> 263 <211> 1239 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(1216) <223> RXA00764 <400> 263 tactgcgtcg gatccgctga tgcttgcaga atcggacagt gatgggccgt ctgcgcctgc 60 acctgggacg actggattat taggggtgga attttcgctc atg aca ctc aag act Met Thr Leu Lys Thr age gtt ttg gca cta ctc tta gat aac gtg cat gtt ctt ctg att gcg Ser Val Leu Ala Leu Leu Leu Asp Asn Val His Val Leu Leu Ile Ala 10 aat cct gag tcg acc acg cag acg cag aaa ctt ttc cgt cgt gtg gtg Asn Pro Glu Ser Thr Thr Gln Thr Gln Lys Leu Phe Arg Arg Val Val 25 30 259 cct gcg ttg atg gcg ctt gat ggt gtg tcg ctt gaa gcg agg ttt acg Pro Ala Leu Met Ala Leu Asp Gly Val Ser Leu Glu Ala Arg Phe Thr 40 307 cac tat gga ggc cat gcg gag gaa atg gtt gcg ggt ttg acg gtg gat His Tyr Gly Gly His Ala Glu Glu Met Val Ala Gly Leu Thr Val Asp 55 60 gat ttt gat gtg att atc ccc gcg ggt ggg gac ggc acc gtc aac gaa Asp Phe Asp Val Ile Ile Pro Ala Gly Gly Asp Gly Thr Val Asn Glu 70 gtg ata aat ggg tta ctt ggg tcg gcg gaa ggt gat ttt aga aac ctt

tronger and the control of the contr

Val	. Ile	e Asr	Gly	/ Let		Gly	/ Ser	Ala	Glu 95	-	Asp	Phe	Arg	Asn 100	Leu	
				Ala					Pro					aat Asn		451
			Ala					Thr					Ala	gct Ala		499
		Val					Lys					Thr		acc Thr		547
ggt Gly 150	Thr	tgg Trp	aag Lys	ggt Gly	gat Asp 155	gat Asp	cag Gln	Gly	act Thr	cgt Arg 160	Trp	ttc Phe	gcg Ala	gtt Val	aat Asn 165	595
														cgg Arg 180		643
														gtg Val		691
														acc Thr		739
gag Glu	gcg Ala 215	gtg Val	gac Asp	agc Ser	aaa Lys	ggg Gly 220	cac His	aaa Lys	ttg Leu	caa Gln	aaa Lys 225	gag Glu	gaa Glu	gtg Val	cca Pro	787
														ccg Pro		835
					Pro									ggg Gly 260		883
														atg Met		931
														atc Ile		979
					Phe									acg Thr		1027
														aaa Lys		1075

310	315	320	325
aca aag gtg gtg ttg (Thr Lys Val Val Leu (330		p Ala Val Arg Val	
ccg aag acg cat ccg a Pro Lys Thr His Pro 1 345			
ttt aag cac gtc cgt o Phe Lys His Val Arg A 360			
taggattcat cggagttttc	c ttc		1239
<210> 264 <211> 372 <212> PRT <213> Corynebacterium	n glutamicum		
<400> 264 Met Thr Leu Lys Thr S 1 5		u Leu Leu Asp Asn O	Val His 15
Val Leu Leu Ile Ala A	Asn Pro Glu Ser Th	r Thr Gln Thr Gln	Lys Leu
20	25	30	
Phe Arg Arg Val Val F	Pro Ala Leu Met Al	a Leu Asp Gly Val	Ser Leu
35	40	45	
Glu Ala Arg Phe Thr H	His Tyr Gly Gly Hi	s Ala Glu Glu Met	Val Ala
50	55	60	
Gly Leu Thr Val Asp A	asp Phe Asp Val II	e Ile Pro Ala Gly	Gly Asp
65		75	80
Gly Thr Val Asn Glu V	al Ile Asn Gly Le	1 -	Glu Gly
85	9		95
Asp Phe Arg Asn Leu G 100	_	a Ile Ala Val Leu 110	Pro Thr
Gly Ser Ala Asn Val P	he Ala Arg Ala Le	u Gly Tyr Pro Thr	Asp Pro
115	120	125	
Tyr Ala Ala Asp A	la Leu Val Glu Leu	lle Arg Lys Asn	His Thr
130	135	140	
Arg Thr Ile Thr Leu G	ly Thr Trp Lys Gly	y Asp Asp Gln Gly	Thr Arg
145	50	155	160
Trp Phe Ala Val Asn A	la Gly Phe Gly Ile		Ile Ala
165	170		175
Arg Val Glu Arg Ala A	rg Ser Phe Gly Phe	e Ala Ala Ser Pro	Leu Leu

180 185 190

Tyr Leu Gln Val Ser Leu Arg Ala Trp Val Lys Thr Gln Ile Lys Pro 195 200 205

Pro Lys Ile Thr Val Glu Ala Val Asp Ser Lys Gly His Lys Leu Gln 210 215 220

Lys Glu Glu Val Pro Met Leu Leu Ala Ser Asn Thr Asn Pro Trp Thr 225 230 235 240

Phe Leu Gly Pro Leu Pro Val Val Thr Asn Pro Gln Asn Ser Phe Asp 245 250 255

Thr Gly Leu Gly Leu Phe Gly Leu Thr Ser Val Arg Gly Phe Gly Gly 260 265 270

Val Ala Ala Met Met His Leu Ile Gly Val Gly His Gly Arg Lys Leu 275 280 285

Glu Lys Leu Ile Ala Lys Arg Thr Ile Ala Phe Asp Asp Ala Glu Lys 290 295 300

Val Thr Leu Thr Cys Asp Ser Asp Gln Arg Phe Gln Val Asp Gly Glu 305 310 315 320

Tyr Glu Gly Lys Pro Thr Lys Val Val Leu Glu Ser Ile Thr Asp Ala 325 330 335

Val Arg Val Tyr Ala Pro Lys Thr His Pro Thr Pro Pro Ile Met Asn 340 345 350

Trp Ala Val His Leu Phe Lys His Val Arg Asp Phe Leu Arg Val Arg 355 360 365

Thr Phe Gly Ile 370

<210> 265

<211> 271

<212> DNA

<213> Corynebacterium glutamicum

<220>

<221> CDS

<222> (101)..(271)

<223> RXN03125

<400> 265

.

tgacaccggc gcgacgtatg gcattactgg cgtcacccca atttacgatg acatctctgc 60

tegectegge gacgteetgg tteettacgt tetgategtt ttg gtt eta geg tte 115

Leu Val Leu Ala Phe
1 5

ctc gtg ctg ttg ctc gtg ttc cgg tcc att tgg gtc cca ttg atc gcg 163

alan alan daga aran basin basin

Leu Val Leu Leu Val Phe Arg Ser Ile Trp Val Pro Leu Ile Ala get etg gge ttt gge ttg tea gtt etg get ace ttt ggt get ace gtg 211 Ala Leu Gly Phe Gly Leu Ser Val Leu Ala Thr Phe Gly Ala Thr Val gcg atc ttc caa gaa ggt gct ttc ggc atc atc gac gat cct cag cca 259 Ala Ile Phe Gln Glu Gly Ala Phe Gly Ile Ile Asp Asp Pro Gln Pro 45 ctg ctg tgc ttc 271 Leu Leu Cys Phe 55 <210> 266 <211> 57 <212> PRT <213> Corynebacterium glutamicum <400> 266 Leu Val Leu Ala Phe Leu Val Leu Leu Val Phe Arg Ser Ile Trp Val Pro Leu Ile Ala Ala Leu Gly Phe Gly Leu Ser Val Leu Ala Thr Phe Gly Ala Thr Val Ala Ile Phe Gln Glu Gly Ala Phe Gly Ile Ile Asp Asp Pro Gln Pro Leu Leu Cys Phe <210> 267 <211> 1443 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(1420) <223> RXN01553 <400> 267 atgatgatgt cctcagcaag tccaagcgcc aagccatgct ggaaacaatt ctcgagctga 60 taccaagcca gacttaaatt tctaccttaa agtcttgagc atg act gtt cag gaa Met Thr Val Gln Glu ttc gac cgc gcg acc aaa ccc aca aaa ccc cca att gtt tct tgg 163 Phe Asp Arg Ala Thr Lys Pro Thr Pro Lys Pro Pro Ile Val Ser Trp 10 15 gcg ttt tgg gat tgg ggt tcc gcc tct ttc aac gcg gtc ctc gtg acc

Ala	Phe	Trp	Asp 25	Trp	Gly	Ser	Ala	Ser 30	Phe	Asn	Ala	Val	Leu 35	Val	Thr	
					tat Tyr											259
					aca Thr											307
					gtt Val 75											355
atc Ile	aag Lys	ggc Gly	act Thr	cgc Arg 90	cgc Arg	agg Arg	tca Ser	ctg Leu	cgc Arg 95	atg Met	tgg Trp	aca Thr	ctt Leu	gtc Val 100	acc Thr	403
					tgt Cys											451
					gta Val											499
					cag Gln											547
cgc Arg 150	gaa Glu	aac Asn	gtg Val	ggc Gly	cga Arg 155	gtt Val	tct Ser	ggt Gly	ttc Phe	ggc Gly 160	tgg Trp	tcc Ser	atg Met	ggt Gly	tac Tyr 165	595
					cta Leu											643
ggt Gly	gat Asp	ggc Gly	gat Asp 185	acc Thr	cgc Arg	gga Gly	ttc Phe	cta Leu 190	aac Asn	ctg Leu	ccc Pro	atc Ile	gaa Glu 195	gac Asp	ggc Gly	691
atg Met	aat Asn	atc Ile 200	cgc Arg	ctc Leu	gtc Val	gca Ala	gtg Val 205	ctt Leu	gca Ala	gcc Ala	gtt Val	tgg Trp 210	ttc Phe	ttg Leu	gtc Val	739
tct Ser	gcg Ala 215	att Ile	ccg Pro	gca Ala	ctt Leu	ctt Leu 220	cga Arg	gtc Val	cca Pro	gaa Glu	att Ile 225	gag Glu	gca Ala	cag Gln	gta Val	787
gct Ala 230	gcc Ala	gaa Glu	gac Asp	cac His	ccc Pro 235	aaa Lys	ggc Gly	ctc Leu	ata Ile	gct Ala 240	gcc Ala	tac Tyr	aag Lys	gat Asp	ctc Leu 245	835
ttt Phe	ggg Gly	cag Gln	atc Ile	gct Ala	gag Glu	ctg Leu	tgg Trp	aaa Lys	caa Gln	gac Asp	cgc Arg	aac Asn	tcc Ser	gtg Val	tat Tyr	883

ttc ctc atc gca gca act gtt ttc cgt gac gga ctc gcc gga gta ttt plant phe Leu Ile Ala Ala Thr Val Phe Arg Asp Gly Leu Ala Gly Val Phe 265

acc ttc ggt gcc atc ctt gcg gtc tct gtg tac gga cta tct gcc ggt properties acc ttc ggt Ala Ile Leu Ala Val Ser Val Tyr Gly Leu Ser Ala Gly

gat gtc ctc ctc ttc ggt gtc gca gcc aac gtg gtc tct gcg ttg gga 1027 Asp Val Leu Leu Phe Gly Val Ala Ala Asn Val Val Ser Ala Leu Gly 295 300 305

gca ctc ctc gga gga ttc cta gac gat cgc gtc ggg cca aaa ccc atc 1075 Ala Leu Leu Gly Gly Phe Leu Asp Asp Arg Val Gly Pro Lys Pro Ile 310 325

atc ttg att tct ctt gcc atc atg atc gcc gat gct gca att ctc ttc 1123
Ile Leu Ile Ser Leu Ala Ile Met Ile Ala Asp Ala Ala Ile Leu Phe
330 335

ttc gtt gaa ggc ccc act aat ttc tgg atc ttc gga tta atc ctc tgt 1171 Phe Val Glu Gly Pro Thr Asn Phe Trp Ile Phe Gly Leu Ile Leu Cys 345 350 355

gcg ttt gtg gga cct gca cag tca gcg tcg aga agc tat tta aca cgt 1219 Ala Phe Val Gly Pro Ala Gln Ser Ala Ser Arg Ser Tyr Leu Thr Arg 360 365 370

ctt tcc cca gat ggc cag gaa ggc cag ctc ttc ggc ctt tat gcc act 1267 Leu Ser Pro Asp Gly Gln Glu Gly Gln Leu Phe Gly Leu Tyr Ala Thr 375 380 385

acc ggc cgt gcc gtg agt tgg atg gtg ccg tcg ctg ttt ggt gta ttt 1315 Thr Gly Arg Ala Val Ser Trp Met Val Pro Ser Leu Phe Gly Val Phe 390 405

gtg ggg ctc acc ggc gat gac cgc act ggt att ttg gcc atc gcg ctg 1363 Val Gly Leu Thr Gly Asp Asp Arg Thr Gly Ile Leu Ala Ile Ala Leu 410 415 420

att ctg cta ttc ggt att gtg ctg ctg agc atg gtg aag cca ccg cac 1411
Ile Leu Leu Phe Gly Ile Val Leu Leu Ser Met Val Lys Pro Pro His
425
430
435

aag gtg aag tagacaaagc gcccacaagg att 1443 Lys Val Lys 440

<210> 268

280

<211> 440 <212> PRT

<213> Corynebacterium glutamicum

<400> 268

Met Thr Val Gln Glu Phe Asp Arg Ala Thr Lys Pro Thr Pro Lys Pro 1 5 10 15

- Pro Ile Val Ser Trp Ala Phe Trp Asp Trp Gly Ser Ala Ser Phe Asn 20 25 30
- Ala Val Leu Val Thr Phe Ile Phe Ser Val Tyr Leu Thr Asp Ser Val 35 40 45
- Gly Ala Thr Leu Pro Glu Gly Ser Asn Ala Thr Ser Leu Tyr Ser Met 50 55 60
- Ala Val Ala Ile Ala Gly Val Ile Val Ala Val Val Ala Pro Val Met
 65 70 75 80
- Gly Arg Arg Ser Asp Ile Lys Gly Thr Arg Arg Arg Ser Leu Arg Met 85 90 95
- Trp Thr Leu Val Thr Val Phe Leu Met Phe Cys Leu Phe Thr Val Lys
 100 105 110
- Asn Thr Asp Pro Thr Phe Phe Trp Phe Gly Val Ala Ile Met Ala Ile 115 120 125
- Ala Asn Ile Thr Phe Glu Phe Ala Glu Val Gin Tyr Tyr Ala Gln Leu 130 135 140
- Ser Gln Ile Ser Thr Arg Glu Asn Val Gly Arg Val Ser Gly Phe Gly 145 150 155 160
- Trp Ser Met Gly Tyr Phe Gly Gly Ile Val Leu Leu Val Cys Tyr 165 170 175
- Leu Gly Phe Val Ala Gly Asp Gly Asp Thr Arg Gly Phe Leu Asn Leu 180 185 190
- Pro Ile Glu Asp Gly Met Asn Ile Arg Leu Val Ala Val Leu Ala Ala 195 200 205
- Val Trp Phe Leu Val Ser Ala Ile Pro Ala Leu Leu Arg Val Pro Glu 210 215 220
- Ile Glu Ala Gln Val Ala Ala Glu Asp His Pro Lys Gly Leu Ile Ala 225 230 235 240
- Ala Tyr Lys Asp Leu Phe Gly Gln Ile Ala Glu Leu Trp Lys Gln Asp 245 250 255
- Arg Asn Ser Val Tyr Phe Leu Ile Ala Ala Thr Val Phe Arg Asp Gly 260 265 270
- Leu Ala Gly Val Phe Thr Phe Gly Ala Ile Leu Ala Val Ser Val Tyr 275 280 285
- Gly Leu Ser Ala Gly Asp Val Leu Leu Phe Gly Val Ala Ala Asn Val 290 295 300

Val Ser Ala Leu Gly Ala Leu Leu Gly Gly Phe Leu Asp Asp Arg Val Gly Pro Lys Pro Ile Ile Leu Ile Ser Leu Ala Ile Met Ile Ala Asp Ala Ala Ile Leu Phe Phe Val Glu Gly Pro Thr Asn Phe Trp Ile Phe Gly Leu Ile Leu Cys Ala Phe Val Gly Pro Ala Gln Ser Ala Ser Arg 360 Ser Tyr Leu Thr Arg Leu Ser Pro Asp Gly Gln Glu Gly Gln Leu Phe Gly Leu Tyr Ala Thr Thr Gly Arg Ala Val Ser Trp Met Val Pro Ser 390 385 395 Leu Phe Gly Val Phe Val Gly Leu Thr Gly Asp Asp Arg Thr Gly Ile Leu Ala Ile Ala Leu Ile Leu Leu Phe Gly Ile Val Leu Leu Ser Met Val Lys Pro Pro His Lys Val Lys <210> 269 <211> 840 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(817) <223> RXN00535 <400> 269 aatcgcatgg ggcaccgtgg tcagacaccg gatcgcgctc cgcaccccaa aagatggctc 60 cctaaggagc tcacctttac tcaatgctct gatgacaccg atg tgg tgg gca ggc 115 Met Trp Trp Ala Gly atg agt acc gcg atg ctg gca tat ttc tta caa aca gta gca ctt ggt 163 Met Ser Thr Ala Met Leu Ala Tyr Phe Leu Gln Thr Val Ala Leu Gly 10 ttc ggc acc ctc ttg gta gtg caa cca gtg ctt gtc ctg tcg ctg atg 211 Phe Gly Thr Leu Leu Val Val Gln Pro Val Leu Val Leu Ser Leu Met . 25 259 ttc acg ctg ccg ctc tca gca cga ttc aat ggc tac cga cta cgc cga Phe Thr Leu Pro Leu Ser Ala Arg Phe Asn Gly Tyr Arg Leu Arg Arg 40 45

	•	10 01	70000	•										FC1/1D00/009
									gcc Ala 65					307
									cac His					355
									gta Val					403
									aaa Lys					451
									gca Ala					499
									acg Thr 145					547
									tta Leu					595
									caa Gln					643
									agt Ser					691
-	_		-			_	 _		gaa Glu				_	739
									att Ile 225					787
			atg Met					taaa	acto	ca a	agtt	ccc	ec	837
cga														840
)> 27 > 23													

PCT/IB00/00922

<211> 239 <212> PRT <213> Corynebacterium glutamicum

WO 01/00804

<400> 270

....

Met Trp Trp Ala Gly Met Ser Thr Ala Met Leu Ala Tyr Phe Leu Gln
1 5 10 15

Thr Val Ala Leu Gly Phe Gly Thr Leu Leu Val Val Gln Pro Val Leu 20 25 30

Val Leu Ser Leu Met Phe Thr Leu Pro Leu Ser Ala Arg Phe Asn Gly 35 40 45

Tyr Arg Leu Arg Arg Thr Glu Ile Phe Trp Ala Thr Leu Leu Thr Val 50 55 60

Ala Val Gly Ile Met Ile Val Leu Gly Arg Pro Leu Pro Gly Asn Pro 65 70 75 80

His Pro Pro Leu Asp Arg Trp Ile Pro Val Leu Val Gly Val Ala 85 90 95

Val Met Gly Gly Met Trp Leu Leu Ala Glu Tyr Val Leu Lys Lys Asp 100 105 110

Lys Ala Leu Ile Leu Gly Leu Val Thr Gly Ala Leu Phe Gly Tyr Val 115 120 125

Ala Val Met Ser Lys Ala Ala Val Asp Leu Phe Val His Gln Gly Ile 130 135 140

Thr Gly Leu Ile Leu Asn Trp Glu Gly Tyr Gly Leu Ile Leu Thr Ala 145 150 155 160

Leu Leu Gly Thr Ile Val Gln Gln Tyr Ser Phe Asn Ala Gly Glu Leu 165 170 175

Gln Lys Ser Leu Pro Ala Met Thr Ile Ala Glu Pro Ile Val Ala Phe 180 185 190

Ser Leu Gly Tyr Leu Val Leu Gly Glu Lys Phe Gln Val Val Asp Trp 195 200 205

Glu Trp Ile Ala Met Gly Ile Ala Leu Leu Val Met Ile Val Ser Thr 210 220

Ile Ala Leu Ser Arg Thr Ser Thr Met Pro Ala Gly Ser Lys Arg 225 230 235

<210> 271

<211> 2472

<212> DNA

<213> Corynebacterium glutamicum

<220>

<221> CDS

<222> (101)..(2449)

<223> RXN00453

<400> 271

tagtggggcg tgaaaaaata gctcatttaa gaggagaagc aaccccgtgg cgaaattgct 60 attcaggttg gggcgatggt cctataatcg caagtggatt gtg att tcg gca tgg 115 Val Ile Ser Ala Trp cta ctt att ttg gcc att gtt ggt ggt ctg gcc ctg acg atg cag aag 163 Leu Leu Ile Leu Ala Ile Val Gly Gly Leu Ala Leu Thr Met Gln Lys 10 ggg ttc agt aac tct ttc act att gaa gac acc cct tcg att gat gcc 211 Gly Phe Ser Asn Ser Phe Thr Ile Glu Asp Thr Pro Ser Ile Asp Ala 25 act gtt tct ctg gtt gaa aat ttc cct gat cag acg aac ccg gtg acg 259 Thr Val Ser Leu Val Glu Asn Phe Pro Asp Gln Thr Asn Pro Val Thr 40 gcc gcc gga gtt aac gtg gtt ttc caa tcc ccg gaa gga acc acg ctt 307 Ala Ala Gly Val Asn Val Val Phe Gln Ser Pro Glu Gly Thr Thr Leu 55 60 gat gat cct cag atg atg act gcg atg gat gca gtc gtt gat tac att 355 Asp Asp Pro Gln Met Met Thr Ala Met Asp Ala Val Asp Tyr Ile 70 gag gac aat ttg cct gat ttt ggt ggg gga gag cgc ttc ggc aat cct 403 Glu Asp Asn Leu Pro Asp Phe Gly Gly Glu Arg Phe Gly Asn Pro 90 95 gtt gag gtg tct cct gcg ttg gaa gag atg gtc atc gag cag atg acc 451 Val Glu Val Ser Pro Ala Leu Glu Glu Met Val Ile Glu Gln Met Thr 105 110 age atg ggg ctt cct gag gaa ace gct gca aag gat gct gcc aat ctg 499 Ser Met Gly Leu Pro Glu Glu Thr Ala Ala Lys Asp Ala Ala Asn Leu 120 125 130 gcg gtg ttg agc gaa gac aaa acc att ggc tac acc tct ttc aac att 547 Ala Val Leu Ser Glu Asp Lys Thr Ile Gly Tyr Thr Ser Phe Asn Ile 140 135 gat gtt gag gcc gca gaa tat gtg gag caa aaa cac cgc gat gtg atc 595 Asp Val Glu Ala Ala Glu Tyr Val Glu Gln Lys His Arg Asp Val Ile 150 155 aac qaa qcq atq caa atc qqt qaa qat tta qqt qtc cqq qtq qaa qcc 643 Asn Glu Ala Met Gln Ile Gly Glu Asp Leu Gly Val Arg Val Glu Ala 170 691 ggt gga cct gct ttc ggt gat cca att cag att gaa acc acc agt gag Gly Gly Pro Ala Phe Gly Asp Pro Ile Gln Ile Glu Thr Thr Ser Glu 185 190 atc atc ggt att ggc atc gcg ttc atc gtg ttg att ttc acc ttt ggt 739 Ile Ile Gly Ile Gly Ile Ala Phe Ile Val Leu Ile Phe Thr Phe Gly 205 210 200

tct Ser	ttg Leu 215	Ile	gct Ala	gca Ala	ggc Gly	ttg Leu 220	Pro	ttg Leu	att	acc Thr	gcg Ala 225	Val	atc Ile	ggc Gly	gtg Val	787
	Ile				gca Ala 235	Ile					Ala					835
aac Asn	aat Asn	gtg Val	act Thr	Pro 250	gtg Val	ctc Leu	gca Ala	gtg Val	atg Met 255	Ile	ggc Gly	ctg Leu	gcc Ala	gtg Val 260	ggc Gly	883
				Leu	ttt Phe											931
cgc Arg	atg Met	cca Pro 280	Arg	gcc Ala	gat Asp	gct Ala	gcc Ala 285	gga Gly	atg Met	gcg Ala	gtg Val	ggc Gly 290	aca Thr	gct Ala	ggt Gly	979
					gct Ala											1027
					atc Ile 315											1075
					gtg Val											1123
					ttt Phe											1171
					cca Pro											1219
	_	-		_	ggt Gly	_			_	_		-	_		-	1267
					gca Ala 395											1315
		-	_		ctg Leu	_	_	Ser	_			-				1363
		_			cag Gln	-	Gln	_	-	_	_	_	_			1411

											atc Ile					1459
	_		_	_			_	_	_		ctg Leu 465			-	-	1507
											gcg Ala					1555
		-		_		_					aac Asn		-		_	1603
											act Thr					1651
									_		gag Glu				•	1699
											gag Glu 545					1747
											cag Gln					1795
											gct Ala					1843
											tcc Ser					1891
											ggt Gly					1939
											ggc Gly 625					1987
											ctc Leu					2035
								Val			gtg Val					2083
gag	cac	tac	acc	cac	cac	aat	ggc	aag	gga	cag	cct	ggt	tcc	aag	tac	2131

															_		
Glu	His	Tyr	Thr 665	His	His	Asn	Gly	Lys 670		Gln	Pro	Gly	Ser 675	_	Tyr		
acc Thr	ccg Pro	gtt Val 680	gag Glu	cag Gln	tca Ser	gtg Val	att Ile 685	Glu	ggc	ttc Phe	acg Thr	cag Gln 690	ggc Gly	tcc Ser	cgc Arg	2179	
gtg Val	gtt Val 695	aca Thr	gca Ala	gcg Ala	gca Ala	ctg Leu 700	Ile	atg Met	att Ile	gcc Ala	gtg Val 705	Phe	gtg Val	gcg Ala	ttt Phe	2227	
att Ile 710	gat Asp	cag Gln	ccg Pro	ttg Leu	cca Pro 715	Phe	att Ile	aag Lys	atc Ile	ttc Phe 720	Gly	ttc Phe	gcg Ala	ttg Leu	ggt Gly 725	2275	
gcg Ala	ggc Gly	gtg Val	ttt Phe	ttc Phe 730	Asp	gct Ala	ttc Phe	ttc Phe	att Ile 735	cgc Arg	atg Met	ggt Gly	ctg Leu	gtc Val 740	ccc Pro	2323	
gcg Ala	tcg Ser	atg Met	ttc Phe 745	ctg Leu	atg Met	ggc Gly	aag Lys	gcc Ala 750	acg Thr	tgg Trp	tgg Trp	atg Met	cct Pro 755	aag Lys	tgg Trp	2371	
ctg Leu	gat Asp	cga Arg 760	att Ile	ctg Leu	cca Pro	agt Ser	ttg Leu 765	gac Asp	att Ile	gaa Glu	ggc Gly	acc Thr 770	gca Ala	ctg Leu	gag Glu	2419	
		tgg Trp								tag	actt	ggc a	accta	atgto	ca	2469	
gat																2472	
<211 <212)> 27 l> 78 !> PF B> Co	33	bact	eriu	un gl	utan	nicum	n									
<400	> 27	12															
		Ser	Ala	Trp 5	Leu	Leu	Ile	Leu	Ala 10	Ile	Val	Gly	Gly	Leu 15	Ala		
Leu	Thr	Met	Gln 20	Lys	Gly	Phe	Ser	Asn 25	Ser	Phe	Thr	Ile	Glu 30	Asp	Thr		
Pro	Ser	Ile 35	Asp .	Ala	Thr	Val	Ser 40	Leu	Val	Glu.	Asn	Phe 45	Pro	Asp	Gln		
Thr	Asn 50	Pro '	Val '	Thr .	Ala	Ala 55	Gly	Val	Asn	Val	Val 60	Phe	Gln	Ser	Pro		
Glu 65	Gly	Thr '	Thr i	Leu .	Asp 70	Asp	Pro	Gln	Met	Met 75	Thr	Ala	Met	Asp	Ala 80		
Val	Val	Asp '	Tyr :	Ile (85	Glu /	Asp .	Asn	Leu	Pro 90	Asp	Phe	Gly	Gly	Gly 95	Glu		

Arg	Pne	сту	100) Val	GIU	ı Val	105		Ala	Leu	GIU	110		va.
Ile	Glu	Gln 115		Thr	Ser	Met	Gly 120		Pro	Glu	Glu	Thr 125		Ala	Lys
Asp	Ala 130		Asn	Leu	Ala	Val 135		Ser	Glu	Asp	Lys 140	Thr	Ile	Gly	Туз
Thr 145	Ser	Phe	Asn	Ile	150		Glu	Ala	Ala	Glu 155	_	Val	Glu	Gln	Lys 160
His	Arg	Asp	Val	Ile 165	Asn	Glu	Ala	Met	Gln 170		Gly	Glu	Asp	Leu 175	Gly
Val	Arg	Val	Glu 180	Ala	Gly	Gly	Pro	Ala 185		Gly	Asp	Pro	Ile 190	Gln	Ile
Glu	Thr	Thr 195	Ser	Glu	Ile	Ile	Gly 200		Gly	Ile	Ala	Phe 205	Ile	Val	Let
Ile	Phe 210	Thr	Phe	Gly	Ser	Leu 215		Ala	Ala	Gly	Leu 220	Pro	Leu	Ile	Thi
Ala 225	Val	Ile	Gly	Val	Gly 230	Ile	Gly	Ala	Leu	Ala 235	Ile	Val	Leu	Ala	Th: 240
Ala	Phe	Thr	Asp	Leu 245	Asn	Asn	Val	Thr	Pro 250	Val	Leu	Ala	Val	Met 255	Ile
Gly	Leu	Ala	Val 260	Gly	Ile	Asp	Tyr	Ala 265	Leu	Phe	Ile	Leu	Ser 270	Arg	Туг
Arg	Ala	Glu 275	Tyr	Lys	Arg	Met	Pro 280	Arg	Ala	Asp	Ala	Ala 285	Gly	Met	Ala
Val	Gly 290	Thr	Ala	Gly	Ser	Ala 295	Val	Val	Phe	Ala	Gly 300	Ala	Thr	Val	Il€
Ile 305	Ala	Leu	Val	Ala	Leu 310	Ile	Ile	Ala	Asp	Ile 315	Gly	Phe	Leu	Thr	Ala 320
Met	Gly	Ile	Ser	Ala 325	Ala	Phe	Thr	Val	Phe 330	Val	Ala	Val	Leu	Ile 335	Ala
Leu	Thr	Phe	Ile 340	Pro	Ala	Leu	Leu	Gly 345	Val	Phe	Gly	Gly	His 350	Ala	Phe
Lys	Gly	Lys 355	Ile	Pro	Gly	Ile	Gly 360	Gly	Asn	Pro	Thr	Pro 365	Lys	Gln	Thr

Trp Glu Gln Ala Leu Asn Arg Arg Ser Lys Gly Arg Ser Trp Val Lys

Leu Val Gln Lys Ala Pro Gly Leu Val Val Ala Val Val Leu Gly

370 375

395

380

 Leu Gly Ala
 Leu Thr 405
 Ile Pro Ala Met Ala Met Ala Leu Gln Leu Ser Leu Ala Met Ala Met Ala Leu Gln Leu Ser Leu Ala Asp Ala Asp Ala Asp Ala Met Ala Gln Gly Phe Gly Ala Gly Val Asn Ala Pro Phe Leu Val Ala Glu Ala Glu Ala Glu Val Asn Ala Pro Phe Leu Val Ala Met Ala Met Ala Glu Glu Pro Glu Glu Gly Glu Ala Leu Gln Pro Ala Ala Ala Ala Arg Phe Ala Thr Tyr Met Tyr Val Thr Gln Thr Tyr Asn Ser Ala Ala Ala Arg Phe Ala Thr Tyr Met Tyr Val Thr Gln Thr Tyr Asn Ser Ala Ala Ala Ala Gln Glu Leu Val Thr Pro Tyr Thr Gly Pro Ala Asp Lys Sis

 Glu Thr Pro Glu Leu Met His Sis Val Leu Arg Ala Gln Glu Phe Thr Ala Val Sis

 Glu Asp Val Thr Gly Thr Glu Leu Gly Thr Thr Gly Phe Thr Ala Val Sis

Gln Leu Asp Ile Thr Glu Gln Leu Glu Asp Ala Met Pro Val Tyr Leu

Ala Val Val Gly Leu Ala Ile Phe Leu Leu Ile Leu Val Phe Arg
580 585 590

Ser Leu Leu Val Pro Leu Val Ala Gly Leu Gly Phe Leu Leu Ser Val 595 600 605

Gly Ala Ala Phe Gly Ala Thr Val Leu Val Trp Gln Glu Gly Phe Gly 610 620

Gly Phe Val Asn Thr Pro Gly Pro Leu Ile Ser Phe Met Pro Ile Phe 625 630 635 . 640

Leu Ile Gly Val Thr Phe Gly Leu Ala Met Asp Tyr Gln Val Phe Leu 645 650 655

Val Thr Arg Met Arg Glu His Tyr Thr His His Asn Gly Lys Gly Gln 660 665 670

Pro Gly Ser Lys Tyr Thr Pro Val Glu Gln Ser Val Ile Glu Gly Phe 675 680 685

Thr Gln Gly Ser Arg Val Val Thr Ala Ala Ala Leu Ile Met Ile Ala 690 695 700

705	e Val	Ala	Phe	Ile 710	Asp	Gln	Pro	Leu	Pro 715	Phe	Ile	Lys	Ile	Phe 720	
Gly Phe	e Ala	Leu	Gly 725	Ala	Gly	Val	Phe	Phe 730	Asp	Ala	Phe	Phe	Ile 735	Arg	
Met Gly	/ Leu	Val 740	Pro	Ala	Ser	Met	Phe 745	Leu	Met	Gly	Lys	Ala 750	Thr	Trp	
Trp Met	Pro 755	Lys	Trp	Leu	Asp	Arg 760	Ile	Leu	Pro	Ser	Leu 765	Asp	Ile	Glu	
Gly Thr		Leu	Glu	Lys	Glu 775	Trp	Glu	Glu	Lys	Gln 780	Ala	Ala	Arg		
<210> 2 <211> 5 <212> E <213> C	97 NA	ebact	teri	um g]	lutan	nicum	n								
<221> C <222> (<223> R	101)		74)												
<400> 2 cccaatt		ttato	rcact	·t cc	rat a s	aatt	act				acat	ac a	aaaa	ccago	60
			,000		,9 -9-	.99-		Cacc	iaay	ayıı	gcgi	-90 -		5-	•
aataagg										atg	acg	cca		aaa	115
	tga 1	tgttt ttt	gca	g at	tagç ctt	gttac	ggt gaa	aggo	ggcc ggt	atg Met 1	acg Thr	cca Pro	cag Gln ctg	aaa Lys 5 ctg	
aataagg	cgt Arg	ttt Phe atg	gca Ala 10	gcc Ala	ctt Leu aaa	tta tta Leu tac	gaa Glu agt	atg Met 15	ggt Gly gtg	atg Met 1 acc Thr	acg Thr tgg Trp	cca Pro acc Thr	cag Gln ctg Leu 20 gta	aaa Lys 5 ctg Leu	115
aataagg ctt cac Leu His	cgt Arg	ttt Phe atg Met 25	gca Ala 10 atc Ile	gcc Ala tta Leu	ctt Leu aaa Lys	tta Leu tac Tyr	gaa Glu agt Ser 30	atg Met 15 gga Gly	ggcc ggt Gly gtg Val	atg Met 1 acc Thr	acg Thr tgg Trp gac Asp	cca Pro acc Thr gcc Ala 35	cag Gln ctg Leu 20 gta Val	aaa Lys 5 ctg Leu acc Thr	115 163
ctt cac Leu His atc atc Ile Ile	cgt Arg ggc Gly gcc Ala 40 atc	ttt Phe atg Met 25 ggc Gly	gca Ala 10 atc Ile ggt Gly	gcc Ala tta Leu atc Ile	ctt Leu aaa Lys cac His	tta Leu tac Tyr ggc Gly 45	gaa Glu agt Ser 30 ttt Phe	atg Met 15 gga Gly ggc Gly	ggt Gly gtg Val ttc Phe	atg Met 1 acc Thr aca Thr ctc Leu	acg Thr tgg Trp gac Asp tgt Cys 50	cca Pro acc Thr gcc Ala 35 ttt Phe	cag Gln ctg Leu 20 gta Val gca Ala	aaa Lys 5 ctg Leu acc Thr gcc Ala	115 163 211
ctt cac Leu His atc atc Ile Ile cct att Pro Ile atc acc Ile Thr	cgt Arg ggc Gly gcc Ala 40 atc Ile	ttt Phe atg Met 25 ggc Gly acc Thr	gca Ala 10 atc Ile ggt Gly gtg Val	gcc Ala tta Leu atc Ile tgg Trp	ctt Leu aaa Lys cac His atc Ile 60	tta Leu tac Tyr ggc Gly 45 aat Asn	gaa Glu agt Ser 30 ttt Phe aat Asn	atg Met 15 gga Gly ggc Gly aag Lys	ggt Gly gtg Val ttc Phe tgg Trp	atg Met 1 acc Thr aca Thr ctc Leu aca Thr 65	acg Thr tgg Trp gac Asp tgt Cys 50 ttc Phe	cca Pro acc Thr gcc Ala 35 ttt Phe ccg Pro	cag Gln ctg Leu 20 gta Val gca Ala cag Gln	aaa Lys 5 ctg Leu acc Thr gcc Ala ggt Gly	115163211259

	-	_		-	-	cca Pro					_	_		-	_	451
			Arg			atc Ile										499
						atc Ile 140										547
	_	_		-		act Thr		-	taa	acaa	cag (cctc	cttca	ac		594
atg																597
<21 <21	0> 27 1> 15 2> PF 3> Co	58 RT	ebac1	teri	um gi	lutar	nicur	n								
<400	0> 27	7 4														
			Gln	Lys 5	Leu	His	Arg	Phe	Ala 10	Ala	Leu	Leu	Glu	Met 15	Gly	
Thr	Trp	Thr	Leu 20	Leu	Ile	Ile	Gly	Met 25	Ile	Leu	Lys	Tyr	Ser 30	Gly	Val	
Thr	Asp	Ala 35	Val	Thr	Pro	Ile	Ala 40	Gly	Gly	Ile	His	Gly 45	Phe	Gly	Phe	·
Leu	Cys 50	Phe	Ala	Ala	Ile	Thr 55	Ile	Thr	Val	Trp	Ile 60	Asn	Asn	Lys	Trp	
Thr 65	Phe	Pro	Gln	Gly	Ile 70	Ala	Gly	Leu	Ile	Val 75	Ser	Val	Ile	Pro	Trp 80	
Ala	Ala	Leu	Pro	Phe 85	Ala	Leu	Trp	Ala	Asp 90	Lys	Lys	Gly	Leu	Val 95	Ala	
Gly	Gly	Trp	Arg 100	Phe	Ser	Asp	Pro	Ser 105	Glu	Lys	Pro	His	Thr 110	Phe	Phe	
Asp	Lys	Ile 115	Leu	Ala	Gln	Leu	Val 120	Arg	His	Pro	Ile	Arg 125	Ser	Ile	Leu	
Ile	Leu 130	Leu	Val	Ile	Ile	Ala 135	Val	Val	Phe	Ser	Ile 140	Leu	Leu	Ala	Met	
Gly 145	Pro	Pro	Tyr	Asp	Pro 150	Asp	Ala	Ile	Ala	Asn 155	Thr	Val	Asp			

```
<210> 275
<211> 534
<212> DNA
<213> Corynebacterium glutamicum
<221> CDS
<222> (65)..(511)
<223> RXN03022
<400> 275
acgcctgtgt catccttttc attagagtgg agaaaagccc atacagaaag ttggcgcccg 60
ageagtg atc atc acc gct ggc atc ttg gta gcg acc gcg acc gcc ctc
    Val Ile Ile Thr Ala Gly Ile Leu Val Ala Thr Ala Thr Ala Leu
cta atg atc acc gcg gtc agc gag tca acg tac atc gtc atc tcc ctc
Leu Met Ile Thr Ala Val Ser Glu Ser Thr Tyr Ile Val Ile Ser Leu
gcc ggc ttc tcc ctt tat ggc ctt ggc ctc gga ctc ttc gcc acc cca
                                                                   205
Ala Gly Phe Ser Leu Tyr Gly Leu Gly Leu Gly Leu Phe Ala Thr Pro
                                 40
                                                                   253
gtc acc gat act gcg ctt gga aca ctt ccc aaa gac cgt acc ggc gct
Val Thr Asp Thr Ala Leu Gly Thr Leu Pro Lys Asp Arg Thr Gly Ala
                             55
         50
ggt gca ggt gta ttc aag atg tcc tct tcc ctc ggc gca gca ctc ggc
                                                                   301
Gly Ala Gly Val Phe Lys Met Ser Ser Ser Leu Gly Ala Ala Leu Gly
                                                                   349
ate gea ate tee act tea gtg tte etc gea ett ege gae gge ace tee
Ile Ala Ile Ser Thr Ser Val Phe Leu Ala Leu Arg Asp Gly Thr Ser
                     85
atc aac tcc gac gtc gca ctc gcc gga aca gtt tca ctt ggc atc aac
                                                                   397
Ile Asn Ser Asp Val Ala Leu Ala Gly Thr Val Ser Leu Gly Ile Asn
                                    105
gtt gta ttc gca gca aca gcc acc atc acc gca gca gtc ctt att cca
                                                                   445
Val Val Phe Ala Ala Thr Ala Thr Ile Thr Ala Ala Val Leu Ile Pro
                                120
aaa gcc gct ggc aaa gtc tca caa acc agc atc acc ctt cct gag cca
                                                                   493
Lys Ala Ala Gly Lys Val Ser Gln Thr Ser Ile Thr Leu Pro Glu Pro
                            135
                                                                   534
gct atc gct gta aaa atc taaaacttca ccaggacaga taa
Ala Ile Ala Val Lys Ile
    145
<210> 276
```

<210> 276 <211> 149 <212> PRT

<213> Corynebacterium glutamicum

<400> 276

Val Ile Ile Thr Ala Gly Ile Leu Val Ala Thr Ala Thr Ala Leu Leu 1 5 10 15

Met Ile Thr Ala Val Ser Glu Ser Thr Tyr Ile Val Ile Ser Leu Ala 20 25 30

Gly Phe Ser Leu Tyr Gly Leu Gly Leu Gly Leu Phe Ala Thr Pro Val 35 40 45

Thr Asp Thr Ala Leu Gly Thr Leu Pro Lys Asp Arg Thr Gly Ala Gly 50 55 60

Ala Gly Val Phe Lys Met Ser Ser Ser Leu Gly Ala Ala Leu Gly Ile 65 70 75 80

Ala Ile Ser Thr Ser Val Phe Leu Ala Leu Arg Asp Gly Thr Ser Ile 85 90 95

Asn Ser Asp Val Ala Leu Ala Gly Thr Val Ser Leu Gly Ile Asn Val
100 105 110

Val Phe Ala Ala Thr Ala Thr Ile Thr Ala Ala Val Leu Ile Pro Lys 115 120 125

Ala Ala Gly Lys Val Ser Gln Thr Ser Ile Thr Leu Pro Glu Pro Ala 130 135 140

Ile Ala Val Lys Ile 145

<210> 277

<211> 586

<212> DNA

<213> Corynebacterium glutamicum

<220>

<221> CDS

<222> (101)..(586)

<223> RXN03151

<400> 277

ccgaacttqq agctttgctg ttggaggcag ccaaatagtc ccaatgtaaa cgcactgggt 60

agtatttgtt taaccatcca cctcaaggag taaaacgcac gtg ctt tcc cac atc 115

Val Leu Ser His Ile

1 5

att gat gtc ctc gcc gac ccg atc gat ggc acc cca ctt gta ggc gcc 163

Ile Asp Val Leu Ala Asp Pro Ile Asp Gly Thr Pro Leu Val Gly Ala

10 15 20

gaa gat ttc tca cgg ttg gtg tct gaa tct ggg cat tcc tac gat gtt 211 Glu Asp Phe Ser Arg Leu Val Ser Glu Ser Gly His Ser Tyr Asp Val

25 . 30 . 35

	cgt Arg														259
	ggc Gly 55	_	_	-	_	_		-		_					307
	ggt Gly						 -	-	-				-		355
_	gtc Val	_	-	_	_		-	-	-	-	_			-	403
	gaa Glu														451
	gtt Val														499
_	aag Lys 135	_	_	-	_	-		-	-		-	-			547
	gca Ala														586

<210> 278

<211> 162

<212> PRT

<213> Corynebacterium glutamicum

<400> 278

Val Leu Ser His Ile Ile Asp Val Leu Ala Asp Pro Ile Asp Gly Thr 1 5 10 15

Pro Leu Val Gly Ala Glu Asp Phe Ser Arg Leu Val Ser Glu Ser Gly 20 25 30

His Ser Tyr Asp Val Ala Arg Gln Gly Tyr Val Thr Leu Ala Gly Gly 35 40 45

Ala Gly Leu Arg Tyr Ser Gly Asp Asp Ala Gln Met Ile Ala Asp Arg 50 55 60

Glu Thr Phe Leu Ser Gly Gly His Phe Ala Pro Phe Val Glu Ala Val 65 70 75 80

Thr Glu His Val Gln Asp Val Val Asp Gln Ala Gly Leu Ser Asp Asp

85 90 95

Ala Gln Pro Val Val Cys Glu Ile Gly Ala Gly Thr Gly Tyr Tyr Leu
100 105 110

Ser His Thr Leu Asp Ser Val Ala Gly Ser Arg Gly Ile Gly Ile Asp 115 120 125

Val Ser Val His Ala Ala Lys Arg Leu Ala Lys Cys His Pro Arg Val 130 135 140

Gly Ala Val Ile Ala Asn Ala Trp Ala Arg Leu Pro Ile Ala Asp Asn 145 150 155 160

Ser Ser

<210> 279

<211> 543

<212> DNA

<213> Corynebacterium glutamicum

<220>

<221> CDS

<222> (1)..(543)

<223> RXN02832

<400> 279

cgc ggg cca gtg atg gat tat aca aat caa tca tta gta gca ttt ttc 48
Arg Gly Pro Val Met Asp Tyr Thr Asn Gln Ser Leu Val Ala Phe Phe
1 5 10 15

ttt aaa gca tta acg tca tat tta aag aaa cac aat tgt tta tat gtc 96 Phe Lys Ala Leu Thr Ser Tyr Leu Lys Lys His Asn Cys Leu Tyr Val 20 25 30

ctt gta gat cca tat tta att gaa aat tta cgc aat gca gac ggt gaa 144 Leu Val Asp Pro Tyr Leu Ile Glu Asn Leu Arg Asn Ala Asp Gly Glu

att gtt aaa tct tat gat aac cga gca ttt gtt aga aca atg gat aaa 192 Ile Val Lys Ser Tyr Asp Asn Arg Ala Phe Val Arg Thr Met Asp Lys

tta ggt tat aaa cac caa ggt ttc cct gta ggt tat gat tca atg agc 240 Leu Gly Tyr Lys His Gln Gly Phe Pro Val Gly Tyr Asp Ser Met Ser 65 70 75 80

caa atc cgt tgg ctg tca gtg tta gat tta aaa gat aag act gaa gac 288 Gln Ile Arg Trp Leu Ser Val Leu Asp Leu Lys Asp Lys Thr Glu Asp 85 90 95

caa ctt tta aaa gaa atg gat tat caa acg aga cgt aat att aaa aaa 336 Gln Leu Leu Lys Glu Met Asp Tyr Gln Thr Arg Arg Asn Ile Lys Lys 100 105 110

			att Ile					_		_			_	384
			ttc Phe	_			_	-		-	_			432
		_	gag Glu				-	-	_		_		_	480
_		_	atg Met		_	_			-					528
	_	_	caa Gln 180											543
		_												

<210> 280

<211> 181

<212> PRT

<213> Corynebacterium glutamicum

<400> 280

Arg Gly Pro Val Met Asp Tyr Thr Asn Gln Ser Leu Val Ala Phe Phe 1 5 10 15

Phe Lys Ala Leu Thr Ser Tyr Leu Lys Lys His Asn Cys Leu Tyr Val 20 25 30

Leu Val Asp Pro Tyr Leu Ile Glu Asn Leu Arg Asn Ala Asp Gly Glu 35 40 45

Ile Val Lys Ser Tyr Asp Asn Arg Ala Phe Val Arg Thr Met Asp Lys
50 55 60

Leu Gly Tyr Lys His Gln Gly Phe Pro Val Gly Tyr Asp Ser Met Ser 65 70 75 80

Gln Ile Arg Trp Leu Ser Val Leu Asp Leu Lys Asp Lys Thr Glu Asp 85 90 95

Gln Leu Leu Lys Glu Met Asp Tyr Gln Thr Arg Arg Asn Ile Lys Lys 100 105 110

Thr Tyr Asp Ile Gly Val Lys Thr Lys Thr Leu Thr Ile Asp Glu Thr 115 120 125

Gln Thr Phe Phe Asp Leu Phe His Met Ala Glu Glu Lys His Gly Phe 130 135 140

Lys Phe Arg Glu Leu Pro Tyr Phe Glu Glu Met Gln Lys Leu Tyr Asp 145 150 155 160

Asp His Ala Met Leu Lys Leu Ala Tyr Ile Asp Leu Asn Glu Tyr Leu 165 170 175

Lys Thr Leu Gln Leu 180

<210> 281 <211> 1539 <212> DNA <213> Corynebacterium glutamicum <220>

<221> CDS <222> (101)..(1516) <223> RXN00165

the second management of the second second

<400> 281

aaacctcccc gggcccggcg cgcgaccgtc caagatgccg gcgttggatg ccaaattatg 60

gactctcaaa gtggcgttgt cgcagcggcc gtggagcttt gtg gcg tct gct ggc 11.
Val Ala Ser Ala Gly
1 5

atg gcg gcg tct ttt atc tgc aat ggg tta acg cct gtg att gtg ggt 163 Met Ala Ala Ser Phe Ile Cys Asn Gly Leu Thr Pro Val Ile Val Gly 10 15 20

aag gcg gtg gat gag gct att ggc acg agc gat ctg cag cga ttg tgg 211 Lys Ala Val Asp Glu Ala Ile Gly Thr Ser Asp Leu Gln Arg Leu Trp 25 30 35

ttc tgg att gcc atg ttg gcg gtt ctt ttc tta acg gcg atg acg gtg 259
Phe Trp Ile Ala Met Leu Ala Val Leu Phe Leu Thr Ala Met Thr Val
40 45 50

aac tgg att gct cgg tac atg ttg gtg cgg agc cag cag ttg gtc agc 307 Asn Trp Ile Ala Arg Tyr Met Leu Val Arg Ser Gln Gln Leu Val Ser 55 60 65

cat gat ttg cgc atg ttg gtg act gat cgg att caa gat ccg cgt ggt 355
His Asp Leu Arg Met Leu Val Thr Asp Arg Ile Gln Asp Pro Arg Gly
70 75 80 85

ttt gct gga aaa gag cgc act gcg ggt gga ttg ttg tcg att gcg tca 403 Phe Ala Gly Lys Glu Arg Thr Ala Gly Gly Leu Leu Ser Ile Ala Ser

tcg gat acg cag cgg gtg ggc gat atc gtc atg atg acg gtg ttc ccg 451 Ser Asp Thr Gln Arg Val Gly Asp Ile Val Met Met Thr Val Phe Pro 105 110 115

gtg gcg gaa ttg gcg tcg att att tat ggc gcc gtg gtg atg tac agc 499
Val Ala Glu Leu Ala Ser Ile Ile Tyr Gly Ala Val Val Met Tyr Ser
120 125 130

att aat ccg tgg ttg agt gtg gct gtg ctg att ggt gga ccg ctg ctg 547

Ile Asn Pro Trp Leu Ser Val Ala Val Leu Ile Gly Gly Pro Leu Leu gtt gtg gtg gct att cag gtc tca aag ccg ttg cag aag cgt tcg ggt 595 Val Val Val Ala Ile Gln Val Ser Lys Pro Leu Gln Lys Arg Ser Gly 155 gct cgt cag cag gcg gtg gca cag gct gcg gct act gca act gat gtg 643 Ala Arg Gln Gln Ala Val Ala Gln Ala Ala Ala Thr Ala Thr Asp Val 170 gtg cag ggc ttg aga att ttg aag ggt ttg ggc gcg att gtc acg gtg 691 Val Gln Gly Leu Arg Ile Leu Lys Gly Leu Gly Ala Ile Val Thr Val 190 cgc cgt cgg tac gag gcg att tct ggt gag gct tat cgg aag acg gtt Arg Arg Arg Tyr Glu Ala Ile Ser Gly Glu Ala Tyr Arg Lys Thr Val 205 cat gcg gat gct gcg gaa gct cgc ttg aat ggt gtc acc gat gcg gcg 787 His Ala Asp Ala Ala Glu Ala Arg Leu Asn Gly Val Thr Asp Ala Ala ggc gcc atc ttt gtg tcc gcg ttg ggt att gga gca gga ttt ttg gcg 835 Gly Ala Ile Phe Val Ser Ala Leu Gly Ile Gly Ala Gly Phe Leu Ala 235 240 ctg caa ggt cag atg agt att ggt gat ttg atc acg gtt gtg gga ctc 883 Leu Gln Gly Gln Met Ser Ile Gly Asp Leu Ile Thr Val Val Gly Leu 255 aca cag ttt ttg atc atg ccg atg acc atg ctt ggt cga aat gtg gca 931 Thr Gln Phe Leu Ile Met Pro Met Thr Met Leu Gly Arg Asn Val Ala 270 tcg cgc tgg gca tcg gcg gag gcg tcg gca aag cgt att agg gga gtg 979 Ser Arg Trp Ala Ser Ala Glu Ala Ser Ala Lys Arg Ile Arg Gly Val 285 ctc ggt gct gat ttt gag aga gtg tct gcg cat gat gcg gac aag gct 1027 Leu Gly Ala Asp Phe Glu Arg Val Ser Ala His Asp Ala Asp Lys Ala 295 300 gag gag att atc caa caa ctt gcc aaa ggt ttg acg gtt att cqa gqc 1075 Glu Glu Ile Ile Gln Gln Leu Ala Lys Gly Leu Thr Val Ile Arg Gly 315 act gat gag cag ctc gtt gag gta tta gag cag ttg cca cgt act cgg 1123 Thr Asp Glu Gln Leu Val Glu Val Leu Glu Gln Leu Pro Arg Thr Arg gtg att gtg gct cct cat gcg gcg gat ctt ttt gat caa agt gtc agg 1171 Val Ile Val Ala Pro His Ala Ala Asp Leu Phe Asp Gln Ser Val Arg gac aat gtg cat ccc gtg gca gag gtc gcg gag aaa gcc att gaa gtt 1219 Asp Asn Val His Pro Val Ala Glu Val Ala Glu Lys Ala Ile Glu Val

360 365 370

gcc tcc tgt gac gat att cca ggt ggt agt tcc aag att gtg ggc gag 1267 Ala Ser Cys Asp Asp Ile Pro Gly Gly Ser Ser Lys Ile Val Gly Glu ggt gga cgg ttg ctc tcg ggt ggt cag cgt cag cgc gtt gca ctg gct 1315 Gly Gly Arg Leu Leu Ser Gly Gly Gln Arg Gln Arg Val Ala Leu Ala 390 cgg gcg att gct ttt gat cca gag gtg ttg gtg ctt caa gat ccc aca 1363 Arg Ala Ile Ala Phe Asp Pro Glu Val Leu Val Leu Gln Asp Pro Thr 410 acg gca gtg gat tot gtg acg gag caa aac att got cag caa gtg gca 1411 Thr Ala Val Asp Ser Val Thr Glu Gln Asn Ile Ala Gln Gln Val Ala 425 430 gca cac cgt gca gga aaa gtg acc att gtg ttt agt gag gca ccc gcg Ala His Arg Ala Gly Lys Val Thr Ile Val Phe Ser Glu Ala Pro Ala 440 445 tgg agt gcg gtg gct gat caa cac gtt gag gca gct gct ttg cgg gag 1507 Trp Ser Ala Val Ala Asp Gln His Val Glu Ala Ala Leu Arg Glu 1539

gtt atg aaa tgagtgggga gacgtcgaaa agc

Val Met Lys

470

<210> 282

<211> 472

<212> PRT

<213> Corynebacterium glutamicum

Val Ala Ser Ala Gly Met Ala Ala Ser Phe Ile Cys Asn Gly Leu Thr 10

Pro Val Ile Val Gly Lys Ala Val Asp Glu Ala Ile Gly Thr Ser Asp

Leu Gln Arg Leu Trp Phe Trp Ile Ala Met Leu Ala Val Leu Phe Leu

Thr Ala Met Thr Val Asn Trp Ile Ala Arg Tyr Met Leu Val Arg Ser

Gln Gln Leu Val Ser His Asp Leu Arg Met Leu Val Thr Asp Arg Ile

Gln Asp Pro Arg Gly Phe Ala Gly Lys Glu Arg Thr Ala Gly Gly Leu

Leu Ser Ile Ala Ser Ser Asp Thr Gln Arg Val Gly Asp Ile Val Met 100 105

Met	Thr	Val 115	Phe	Pro	Val	Ala	Glu 120	Leu	Ala	Ser	Ile	Ile 125	Tyr	Gly	Ala
Val	Val 130	Met	Tyr	Ser	Ile	Asn 135	Pro	Trp	Leu	Ser	Val 140	Ala	Val	Leu	Ile
Gly 145	Gly	Pro	Leu	Leu	Val 150	Val	Val	Ala	Ile	Gln 155	Val	Ser	Lys	Pro	Leu 160
Gln	Lys	Arg	Ser	Gly 165	Ala	Arg	Gln	Gln	Ala 170	Val	Ala	Gln	Ala	Ala 175	Ala
Thr	Ala	Thr	Asp 180	Val	Val	Gln	Gly	Leu 185	Arg	Ile	Leu	Lys	Gly 190	Leu	Gly
Ala	Ile	Val 195	Thr	Val	Arg	Arg	Arg 200	Tyr	Glu	Ala	Ile	Ser 205	Gly	Glu	Ala
Tyr	Arg 210	Lys	Thr	Val	His	Ala 215	Asp	Ala	Ala	Glu	Ala 220	Arg	Leu	Asn	Gly
Val 225	Thr	Asp	Ala	Ala	Gly 230	Ala	Ile	Phe	Val	Ser 235	Ala	Leu	Gly	Ile	Gly 2 4 0
Ala	Gly	Phe	Leu	Ala 245	Leu	Gln	Gly	Gln	Met 250	Ser	Ile	Gly	Asp	Leu 255	Ile
Thr	Val	Val	Gly 260	Leu	Thr	Gln	Phe	Leu 265	Ile	Met	Pro	Met	Thr 270	Met	Leu
Gly	Arg	Asn 275	Val	Ala	Ser	Arg	Trp 280	Ala	Ser	Ala	Glu	Ala 285	Ser	Ala	Lys
_	290	_	_		Leu	295					300				
305		-	_		Glu 310					315					320
				325	Thr				330					335	
			340		Val			345					350		
		355			Asp		360					365			
Lys	Ala 370	Ile	Glu	Val	Ala	Ser 375	Cys	Asp	Asp	Ile	Pro 380	Gly	Gly	Ser	Ser
Lys 385	Ile	Val	Gly	Glu	Gly 390	Gly	Arg	Leu	Leu	Ser 395	Gly	Gly	Gln	Arg	Gln 400
Arg	Val	Ala	Leu	Ala 405	Arg	Ala	Ile	Ala	Phe 410	Asp	Pro	Glu	Val	Leu 415	Val

Leu Gln Asp Pro Thr Thr Ala Val Asp Ser Val Thr Glu Gln Asn Ile 425 Ala Gln Gln Val Ala Ala His Arg Ala Gly Lys Val Thr Ile Val Phe Ser Glu Ala Pro Ala Trp Ser Ala Val Ala Asp Gln His Val Glu Ala Ala Ala Leu Arg Glu Val Met Lys 470 <210> 283 <211> 1470 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)...(1447) <223> RXN01190 <400> 283 caqqqttttq atgagaacaa cacacaccgc ttcaagcatt ctgcgaagaa tgatcaggcg 60 gcagcggggc aaggttgcgt ttggcgcatt ctttttgggg atg tgg cag ctg tcg Met Trp Gln Leu Ser gaa gca ttg gtg ccg att gcg att ggt ttg atc gtt gat cat gcg gtt 163 Glu Ala Leu Val Pro Ile Ala Ile Gly Leu Ile Val Asp His Ala Val ctc aca aaa gat ctc cgc cga tta gtg gtc ggg ctt gtc gct ttt gtt 211 Leu Thr Lys Asp Leu Arg Arg Leu Val Val Gly Leu Val Ala Phe Val 259 gtg ctg ttt gtg gtg ttg agt ttt tct aat cgt ttc ggt tcg cgc gcg Val Leu Phe Val Val Leu Ser Phe Ser Asn Arg Phe Gly Ser Arg Ala 45 ttg aat agg gcc gtg aac ttt gaa tcc cat gcg ctc cgc gta gag gta 307 Leu Asn Arg Ala Val Asn Phe Glu Ser His Ala Leu Arg Val Glu Val gcc gat cat gcg ttg aag aat ctg gat ccg cgc aat ttg gtg cct ggc 355 Ala Asp His Ala Leu Lys Asn Leu Asp Pro Arg Asn Leu Val Pro Gly gag gtg atg tcg cgg tcc acc gca gat gcg gat tct tcg acg cgt att 403 Glu Val Met Ser Arg Ser Thr Ala Asp Ala Asp Ser Ser Thr Arg Ile ttc ggg cag atc gga acc ggt gtt tcg gct gcg acg gga ttt ctt ggt 451 Phe Gly Gln Ile Gly Thr Gly Val Ser Ala Ala Thr Gly Phe Leu Gly

105 110 115

		Tyr	ctg Leu									499
			ccg Pro		Ser							547
Ile			agg Arg									595
			agt Ser 170									643
			cgt Arg	 _		-		_	_	 -	-	691
			gcg Ala									739
			gag Glu									787
			tgg Trp									835
			gtg Val 250				Leu					883
			tcg Ser									931
			aat Asn									979
			aca Thr									1027
-	-	-	ctt Leu			-		_	-			1075
			ttc Phe 330									1123

				Val	cca Pro				Gln							1171
					gag Glu			Gly								1219
		Ser			tcg Ser		Gly									1267
	Ala				gac Asp 395											1315
agc Ser	gcg Ala	gtg Val	gat Asp	tca Ser 410	gtg Val	acg Thr	gag Glu	gtg Val	tct Ser 415	Ile	gcg Ala	cag Gln	ggg Gly	att Ile 420	aag Lys	1363
					aaa Lys											1411
			_		gat Asp						-	taat	tttg	atg		1457
gcatcatcga cac														1470		
<210> 284 <211> 449 <212> PRT <213> Corynebacterium glutamicum																
<40)> 28	R 4														
			Leu	Ser 5	Glu	Ala	Leu	Val	Pro 10	Ile	Ala	Ile	Gly	Leu 15	Ile	
Val	Asp	His	Ala 20	Val	Leu	Thr	Lys	Asp 25	Leu	Arg	Arg	Leu	Val 30	Val	Gly	
Leu	Val	Ala 35	Phe	Val	Val	Leu	Phe 40	Val	Val	Leu	Ser	Phe 45	Ser	Asn	Arg	
Phe	Gly 50	Ser	Arg	Ala	Leu	Asn 55	Arg	Ala	Val	Asn	Phe 60	Glu	Ser	His	Ala	
Leu 65	Arg	Val	Glu	Val	Ala 70	Asp	His	Ala	Leu	Lys 75	Asn	Leu	Asp	Pro	Arg 80	
Asn	Leu	Val	Pro	Gly 85	Glu	Val	Met	Ser	Arg 90	Ser	Thr	Ala	Asp	Ala 95	Asp	

Ser Ser Thr Arg Ile Phe Gly Gln Ile Gly Thr Gly Val Ser Ala Ala

WO 01/00804

100 105 110

PCT/IB00/00922

Thr Gly Phe Leu Gly Ala Ala Thr Tyr Leu Leu Ile Ser Asp Trp Leu 120

Val Gly Leu Val Leu Val Leu Val Pro Ile Ile Ser Gly Val Val

Ala Leu Ala Ser Lys Gly Ile Ser Lys Arg Ser Val Thr Gln Glu

Lys Leu Ala Glu Ser Gly Ala Gln Ala Ser Asp Ile Met Met Gly Leu

Arg Val Ile Lys Ala Ile Gly Gly Glu Arg Trp Ala Val Lys Thr Phe

Glu Lys Ala Ser Gln Ala Ser Ala Arg Ala Ala Val Asp Thr Ala Val 200

Ala Ser Gly Lys Val Ala Gly Ile Gly Glu Leu Ser Ile Ala Val Asn

Leu Ala Ala Val Leu Leu Ala Gly Trp Arg Val Thr Thr Gly Glu 230 235

Leu Gly Pro Gly Gln Leu Ile Ala Ile Val Gly Val Ala Val Tyr Leu

Ser Glu Pro Ile Arg Leu Leu Ser Asn Ser Ile Asn Ala Ser Ala Ile

Ala His Gly Ala Ala Glu Arg Val Ala Asn Phe Leu Asn Leu Asp Glu 280

Ser Gln Ala Gln Tyr Glu Ser Ser Glu Thr Ile Asn Asp Gly Glu Phe

Leu Val Ile Val Pro Pro Ala Ser Thr Leu Pro His Gly Asp Asn Ile 310 315

Leu Ala Thr Pro His Ala Ala Asp Ile Phe Glu Gly Thr Leu Arg Ser 325 330

Asn Ile Ser Met Asn His Glu Asp Asn Val Pro Ile Asp Pro Gln Val 345

Ile Arg Ala Ser Gly Leu Thr Asp Ile Ile Glu Val Asp Gly Leu Asp

Ala Pro Val Arg Asp Thr Gly Ser Asn Leu Ser Gly Gly Gln Arg Gln

Arg Val Ala Leu Ala Arg Ala Leu His Ala Asp Ala Glu Val Leu Val

Leu Met Asp Pro Thr Ser Ala Val Asp Ser Val Thr Glu Val Ser Ile

405 410 415

Ala Gln Gly Ile Lys Gln Leu Arg Ala Gly Lys Thr Thr Ile Val Val 420 425 430

Ser Ser Ser Pro Ala Phe Tyr Asn Leu Ala Asp Arg Val Ile Ser His 435 440 445

Val

<210> 285

<211> 1368

<212> DNA

<213> Corynebacterium glutamicum

<220>

<221> CDS

<222> (101)..(1345)

<223> RXN01102

<400> 285

attctatggt tgttgggaga gatgacttaa tttggaatca cgggctttaa cacgcgctga 60

cattgagcaa cttcccagca tgtggaaaag cccaggtttc gtg gct gtc ctc gtg 115
Val Ala Val Leu Val

gcg gtt gca gcg ttc ggc agt tgg tca ctc ctt ctt ccc gtc gta 163 Ala Val Ala Ala Ala Phe Gly Ser Trp Ser Leu Leu Leu Pro Val Val

ccg cta gcg gtc ctc aac aac ggc gga tca agc gct gtc gcc ggt gcc 211 Pro Leu Ala Val Leu Asn Asn Gly Gly Ser Ser Ala Val Ala Gly Ala 25 30 35

acc act ggc atc ttc atg gca gct aca gtg atc act cag att ttc act 259
Thr Thr Gly Ile Phe Met Ala Ala Thr Val Ile Thr Gln Ile Phe Thr
40 45 50

ccc gct gcg ctg cgg aaa att ggc tac acc cca gtg atg gct ttc gcc 307 Pro Ala Ala Leu Arg Lys Ile Gly Tyr Thr Pro Val Met Ala Phe Ala

gca ttc atg ctg ggt gtg cca gcc atc ggg tac atc ttc agc gtc gag 355 Ala Phe Met Leu Gly Val Pro Ala Ile Gly Tyr Ile Phe Ser Val Glu 70 75 80 85

cca att cca gtg ctg gta gtg tcc gca ctt cga gga att ggg ttc ggt 403 Pro Ile Pro Val Leu Val Val Ser Ala Leu Arg Gly Ile Gly Phe Gly 90 95 100

gcg ctc acc gtc gca gaa tct gcg ttg gtg gct gaa ctc gtt ccc gta 451 Ala Leu Thr Val Ala Glu Ser Ala Leu Val Ala Glu Leu Val Pro Val 105 110 115

cgc Arg	ttc Phe	Leu 120	Gly	aaa Lys	gct Ala	tct Ser	gga Gly 125	Met	ttg Leu	ggc	gta Val	ttt Phe 130	att Ile	ggc	ctt Leu	499
tcc Ser	Gln 135	Met	ctt Leu	tto Phe	ctg Lev	Pro	Ala	Gly	ttg Leu	gcg Ala	tta Leu 145	Gly	gac Asp	caa Gln	ttt Phe	547
ggc Gly 150	Tyr	aac Asn	gtg Val	gtc Val	tat Tyr 155	Val	tta Leu	ggt Gly	gcc Ala	gtt Val 160	Ile	gca Ala	cta Leu	gtt Val	gca Ala 165	595
					Arg	att									cag Gln	643
						cag Gln										691
						gct Ala										739
						cca Pro 220										787
						ggt Gly										835
						ctg Leu										883
						att Ile										931
						aca Thr										979
						atg Met 300										1027
						atg Met										1075
			Ser			tgg Trp										1123
atc	gga	agc	ttc	ctc	ctt	ggc	ata	gtt	gcc	gca	tcg	ctt	gct	tac	agt	1171

Ile Gly Ser Phe Leu Leu Gly Ile Val Ala Ala Ser Leu Ala Tyr Ser ggt gct ttt ggt tcc gga gcc gtg gtg att ttg ttt gga atc gtt ttg 1219 Gly Ala Phe Gly Ser Gly Ala Val Val Ile Leu Phe Gly Ile Val Leu 365 acc acc gcc gat cga atc att ggg cgg cac cgc att act gaa tac aac 1267 Thr Thr Ala Asp Arg Ile Ile Gly Arg His Arg Ile Thr Glu Tyr Asn 380 385 aac acc cgc gcg cgt ttg cgc cag gtg cca gtc gct cgg cgt gca gtg 1315 Asn Thr Arg Ala Arg Leu Arg Gln Val Pro Val Ala Arg Arg Ala Val 395 400 caa ggg ctg cgc aac agg cgc aaa gat cgc taaaacgctt ttcgacgcca 1365 Gln Gly Leu Arg Asn Arg Arg Lys Asp Arg 410 415 ccc 1368 <210> 286 <211> 415 <212> PRT

<213> Corynebacterium glutamicum

<400> 286

Val Ala Val Leu Val Ala Val Ala Ala Ala Phe Gly Ser Trp Ser Leu

Leu Leu Pro Val Val Pro Leu Ala Val Leu Asn Asn Gly Gly Ser Ser

Ala Val Ala Gly Ala Thr Thr Gly Ile Phe Met Ala Ala Thr Val Ile

Thr Gln Ile Phe Thr Pro Ala Ala Leu Arg Lys Ile Gly Tyr Thr Pro

Val Met Ala Phe Ala Ala Phe Met Leu Gly Val Pro Ala Ile Gly Tyr

Ile Phe Ser Val Glu Pro Ile Pro Val Leu Val Val Ser Ala Leu Arq

Gly Ile Gly Phe Gly Ala Leu Thr Val Ala Glu Ser Ala Leu Val Ala

Glu Leu Val Pro Val Arg Phe Leu Gly Lys Ala Ser Gly Met Leu Gly

Val Phe Ile Gly Leu Ser Gln Met Leu Phe Leu Pro Ala Gly Leu Ala

Leu Gly Asp Gln Phe Gly Tyr Asn Val Val Tyr Val Leu Gly Ala Val 145 150

398

Ile Ala Leu Val Ala Ala Val Met Cys Leu Arg Ile Pro Gln Val Lys 165 170 175

Ala Ala Ala Lys Gln Gln Pro Gln Val Ser Glu Gln Glu Arg Ser Val 180 185 190

Ser Thr Trp Lys Leu Val Leu Val Pro Ser Leu Ala Val Thr Ser Leu 195 200 205

Ser Met Thr Phe Gly Ala Val Ser Ser Phe Leu Pro Ala Ala Val Ile 210 215 220

Glu Leu Asp Pro Gly Leu Gly Ala Ala Leu Ala Gly Ile Ile Leu Ser 225 230 235 240

Ile Thr Gly Gly Ser Ser Met Val Phe Arg Tyr Leu Ser Gly Val Ile
245 250 255

Ala Asp Arg Gly Val Pro Gly Thr Thr Met Ile Pro Ala Gln Ile
260 265 270

Ile Gly Phe Leu Gly Val Val Leu Ile Thr Val Thr Ile Phe Gln Gly 275 280 285

Trp Ser Val Trp Leu Leu Ile Ile Gly Ala Val Met Phe Gly Gly Ala 290 295 300

Phe Gly Met Val Gln Asn Glu Ala Leu Leu Ser Met Phe Phe Arg Leu 305 310 315 320

Pro Arg Thr Arg Val Ser Glu Ala Ser Ala Ile Trp Asn Ile Ala Phe 325 330 335

Asp Ser Gly Thr Gly Ile Gly Ser Phe Leu Leu Gly Ile Val Ala Ala 340 345 350

Ser Leu Ala Tyr Ser Gly Ala Phe Gly Ser Gly Ala Val Val Ile Leu 355 360 365

Phe Gly Ile Val Leu Thr Thr Ala Asp Arg Ile Ile Gly Arg His Arg 370 375 380

Ile Thr Glu Tyr Asn Asn Thr Arg Ala Arg Leu Arg Gln Val Pro Val 385 390 395 400

Ala Arg Arg Ala Val Gln Gly Leu Arg Asn Arg Arg Lys Asp Arg 405 410 415

<210> 287

<211> 348

<212> DNA

<213> Corynebacterium glutamicum

<220>

<221> CDS

<222> (101)..(325) <223> RXN00788

<400> 287

cgcatccctc tagttttcca tcacctcaat gaacggcgct aactccggtt cattgcgcaa 60

ttgatccagc actgcttgca gtgaggcctc attagttggc atg gcc tcc tcc atc 115

Met Ala Ser Ser Ile

1

aac atc gga gtg ttc aac ctt gga aat gct gtt gct gcc tgg ctt gct 163 Asn Ile Gly Val Phe Asn Leu Gly Asn Ala Val Ala Ala Trp Leu Ala 10 15 20

ggt gca acc atc acc act tcc ctt gga ctc aca tca gcc gga tta gtt 211 Gly Ala Thr Ile Thr Thr Ser Leu Gly Leu Thr Ser Ala Gly Leu Val 25 30 35

ggc ggt ttg atg acg tcc ctc gga cta gtg ttg gcc atc gtg gct gtg 259 Gly Leu Met Thr Ser Leu Gly Leu Val Leu Ala Ile Val Ala Val 40 45 50

gtt ttg cgt cga aaa gcg caa ggc acc caa gcg acc atc agc gtt gtg 307 Val Leu Arg Arg Lys Ala Gln Gly Thr Gln Ala Thr Ile Ser Val Val 55 60 65

gag cac cag ccc gcc caa taaataattt ctctcttcta att 348 Glu His Gln Pro Ala Gln 70 75

<210> 288

<211> 75

<212> PRT

<213> Corynebacterium glutamicum

<400> 288

Met Ala Ser Ser Ile Asn Ile Gly Val Phe Asn Leu Gly Asn Ala Val 1 5 10 15

Ala Ala Trp Leu Ala Gly Ala Thr Ile Thr Thr Ser Leu Gly Leu Thr 20 25 30

Ser Ala Gly Leu Val Gly Gly Leu Met Thr Ser Leu Gly Leu Val Leu 35 40 45

Ala Ile Val Ala Val Val Leu Arg Arg Lys Ala Gln Gly Thr Gln Ala 50 55 60

Thr Ile Ser Val Val Glu His Gln Pro Ala Gln 65 70 75

<210> 289

<211> 1764

<212> DNA

<213> Corynebacterium glutamicum

<220> <221> CDS <222> (101)..(1741) <223> RXN02119 <400> 289 ttcggtccgc tctggcaaaa atggctggct gccacctcgg cgcagcagct taagggctgg 60 gcttaaattg cttgtcgacg cctagtgcca caatggagac atg acc gaa aca ctt Met Thr Glu Thr Leu gtg gtg aat ggc ctt gca ggc ggc tat ggg cac cgc aca tta ttt aac 163 Val Val Asn Gly Leu Ala Gly Gly Tyr Gly His Arg Thr Leu Phe Asn gat gtg aat ctc acc gta gct gcc ggc gat gtc gtg ggc gtt gtc ggc 211 Asp Val Asn.Leu Thr Val Ala Ala Gly Asp Val Val Gly Val Val Gly gtc aat ggc gct ggt aaa tcc aca ttt cta aaa att ctg gcg ggc gtg 259 Val Asn Gly Ala Gly Lys Ser Thr Phe Leu Lys Ile Leu Ala Gly Val 45 gaa aag cca ctg gct gga act atc gcg ctt tcg cca gcc gat gct ttt 307 Glu Lys Pro Leu Ala Gly Thr Ile Ala Leu Ser Pro Ala Asp Ala Phe gtg ggc tac ttg cca cag gaa cac acc cgc acg tct gga gag acg atc 355 Val Gly Tyr Leu Pro Gln Glu His Thr Arg Thr Ser Gly Glu Thr Ile 75 80 gca gtt tac att gct cgt cga acc ggc tgc caa gct gca aca act gcc 403 Ala Val Tyr Ile Ala Arg Arg Thr Gly Cys Gln Ala Ala Thr Thr Ala 90 95 atg gat gac acc gcc gaa gcg ttt ggt gcg gat cca gac aac gct gcc 451 Met Asp Asp Thr Ala Glu Ala Phe Gly Ala Asp Pro Asp Asn Ala Ala ttg gcc gat gca tac gcc gag gcg ctg gat cgg tgg atg gcc agt ggc 499 Leu Ala Asp Ala Tyr Ala Glu Ala Leu Asp Arg Trp Met Ala Ser Gly 547 gca gcc gat ttg gat gaa cgc atc ccc atc gtg ctc gct gat ttg ggc Ala Ala Asp Leu Asp Glu Arg Ile Pro Ile Val Leu Ala Asp Leu Gly 135 595 ttt gag ett eec ace teg acg etg atg gaa gga ett tea gge ggg eag Phe Glu Leu Pro Thr Ser Thr Leu Met Glu Gly Leu Ser Gly Gly Gln 155 gca gcc cgg gtc ggg ctg gcg gcg tta ctg ttg tca cgt ttt gac att Ala Ala Arg Val Gly Leu Ala Ala Leu Leu Leu Ser Arg Phe Asp Ile 170

			gac Asp 185	Glu					Leu							691
			aat Asn													739
		Asp	cgt Arg													787
ctc Leu 230	gat Asp	ctg Leu	cac His	caa Gln	aat Asn 235	tcc Ser	cac His	cat His	gtt Val	tat Tyr 240	ggc Gly	ggt Gly	gga Gly	tat Tyr	gat Asp 245	835
			gag Glu													883
			ttt Phe 265													931
			gaa Glu													979
_		-	aac Asn	-				_		_	_		_		_	1027
			gct Ala													1075
			gtt Val													1123
		Lys	gcg Ala 345	Ser	Arg	Ser	Ser	Ser	Val	Val	Ser	Thr				1171
			acc Thr													1219
			ggc Gly													1267
			ttg Leu	Leu												1315
ggt	act	gcc	acg	atg	ggc	acg	agc	gtg	gcg	atc	gga	gaa	atc	gat	cag	1363

Gly	Thr	Ala	Thr	Met 410	Gly	Thr	Ser	Val	Ala 415	Ile	Gly	Glu	Ile	Asp 420	Gln	
			tta Leu 425													1411
_			cca Pro	-		_		_			_		-			1459
			ctg Leu		-				-		_	-	_	_		1507
			gag Glu													1555
			gtg Val													1603
			gag Glu 505													1651
			gtc Val													1699
			tgg Trp													1741
taad	ccgtt	tc c	gtat	tgat	g co	a										1764
<210)> 29	90														

<211> 547

<212> PRT

<213> Corynebacterium glutamicum

<400> 290

Met Thr Glu Thr Leu Val Val Asn Gly Leu Ala Gly Gly Tyr Gly His

Arg Thr Leu Phe Asn Asp Val Asn Leu Thr Val Ala Ala Gly Asp Val

Val Gly Val Val Gly Val Asn Gly Ala Gly Lys Ser Thr Phe Leu Lys

Ile Leu Ala Gly Val Glu Lys Pro Leu Ala Gly Thr Ile Ala Leu Ser

Pro Ala Asp Ala Phe Val Gly Tyr Leu Pro Gln Glu His Thr Arg Thr

65 70 75 80 Ser Gly Glu Thr Ile Ala Val Tyr Ile Ala Arg Arg Thr Gly Cys Gln Ala Ala Thr Thr Ala Met Asp Asp Thr Ala Glu Ala Phe Gly Ala Asp Pro Asp Asn Ala Ala Leu Ala Asp Ala Tyr Ala Glu Ala Leu Asp Arg Trp Met Ala Ser Gly Ala Ala Asp Leu Asp Glu Arg Ile Pro Ile Val Leu Ala Asp Leu Gly Phe Glu Leu Pro Thr Ser Thr Leu Met Glu Gly 155 Leu Ser Gly Gly Gln Ala Ala Arg Val Gly Leu Ala Ala Leu Leu Leu Ser Arg Phe Asp Ile Val Leu Leu Asp Glu Pro Thr Asn Asp Leu Asp 185 Leu Asp Gly Leu Glu Gln Leu Glu Asn Phe Val Gln Gly Leu Arg Gly 200 Gly Val Val Leu Val Ser His Asp Arg Glu Phe Leu Ser Arg Cys Val 215 Thr Thr Val Leu Glu Leu Asp Leu His Gln Asn Ser His His Val Tyr Gly Gly Gly Tyr Asp Ser Tyr Leu Glu Glu Arg Ala Val Leu Arg Gln 250 His Ala Arg Asp Gln Tyr Glu Glu Phe Ala Glu Lys Lys Lys Asp Leu Val Ala Arg Ala Arg Thr Gln Arg Glu Trp Ser Ser His Gly Val Arg Asn Ala Ile Lys Arg Ala Pro Asp Asn Asp Lys Leu Arg Lys Lys Ala 295 Ala Ala Glu Ser Ser Glu Lys Gln Ala Gln Lys Val Arg Gln Met Glu 310 315 Ser Arg Ile Ala Arg Leu Glu Glu Val Glu Glu Pro Arg Lys Glu Trp 325 Lys Leu Gln Phe Ser Val Gly Lys Ala Ser Arg Ser Ser Ser Val Val 345 Ser Thr Leu Asn Asp Ala Ser Phe Thr Gln Gly Asp Phe Thr Leu Gly

Pro Val Ser Ile Gln Val Asn Ala Gly Asp Arg Ile Gly Ile Thr Gly

355

370 375 380

Pro Asn Gly Ala Gly Lys Ser Thr Leu Leu Arg Gly Leu Leu Gly Asn 385 390 395 400

Gln Glu Pro Thr Ser Gly Thr Ala Thr Met Gly Thr Ser Val Ala Ile
405 410 415

Gly Glu Ile Asp Gln Ala Arg Ala Leu Leu Asp Pro Gln Leu Pro Leu 420 425 430

Ile Ser Ala Phe Glu Lys His Val Pro Asp Leu Pro Ile Ser Glu Val 435 440 445

Arg Thr Leu Leu Ala Lys Phe Gly Leu Asn Asp Asn His Val Glu Arg
450 455 460

Asp Val Glu Lys Leu Ser Pro Gly Glu Arg Thr Arg Ala Gly Leu Ala 465 470 475 480

Leu Leu Gln Val Arg Gly Val Asn Val Leu Val Leu Asp Glu Pro Thr
485 490 495

Asn His Leu Asp Leu Glu Ala Ile Glu Gln Leu Glu Gln Ala Leu Ala 500 505 510

Ser Tyr Asp Gly Val Leu Leu Leu Val Thr His Asp Arg Arg Met Leu 515 520 525

Asp Ala Val Gln Thr Asn Arg Arg Trp His Val Glu Ala Gly Glu Val 530 535 540

Arg Glu Leu 545

<210> 291

<211> 1638

<212> DNA

<213> Corynebacterium glutamicum

<220>

<221> CDS

<222> (101)..(1615)

<223> RXN01605

<400> 291

attgaagtca gcgccgagga agccgcgagg gaatcagacg acgggcacct actacttcgg 60

cattgaaatt ccgaagaact tcagcgattc tattgccagc gtg acc agc gat tca 115

Val Thr Ser Asp Ser

ccc gcg cca gca acc gtc aac gcg gta ttc aac aac agc aac ggc ttc 163 Pro Ala Pro Ala Thr Val Asn Ala Val Phe Asn Asn Ser Asn Gly Phe 10 15 20

att	gcc Ala	Ser	ato Met	Leu	ggc Gly	aac Asn	cag Gln	gtg Val 30	Val	aac Asn	act Thr	gtt Val	gtg Val 35	Glu	acc Thr	211
atg Met	gac Asp	acg Thr 40	Glu	tto Phe	ggc Gly	gtc Val	cgc Arg 45	Ile	gtg Val	gat Asp	aac Asn	atg Met 50	Leu	gtc Val	ggt Gly	259
		Thr					Met					gaa Glu				307
	Leu											gca Ala				355
												agt Ser				403
												gac Asp				451
ggc Gly	tcc Ser	gcg Ala 120	gct Ala	aca Thr	-ggc Gly	agc Ser	caa Gln 125	acg Thr	ctc Leu	gcc Ala	gac Asp	ggt Gly 130	cta Leu	tcc Ser	agc Ser	499
ctg Leu	tct Ser 135	gcg Ala	ggc Gly	acc Thr	gcc Ala	caa Gln 140	cta Leu	ggc Gly	caa Gln	ggc Gly	gca Ala 145	acc Thr	cag Gln	gtt Val	tca Ser	547
												ctg Leu				595
												gac Asp				643
												tac Tyr				691
												gcc Ala 210				739
												gca Ala				787
				Ser								cag Gln				835
ggc	gca	caa	gca	ctg	cgc	gac	ggc	acc	gtc	cag	ctt	gat	gaa	ggc	tcc	883

Gly	Ala	Gln	Ala	Leu 250		Asp	Gly	Thr	Val 255	Gln	Leu	Asp	Glu	Gly 260	Ser	
_	_		gcc Ala 265					-	ĞÎy	_	_		-			931
			ggc Gly													979
			gac Asp													1027
	Met		gtc Val													1075
			atc Ile													1123
_			ctg Leu 345	-	_						-					1171
			atc Ile													1219
	-		cca Pro	_		_		-		_	-	_				1267
			tcc Ser													1315
-		_	gtg Val	-				-	-			_		_		1363
			cta Leu 425													1411
			tac Tyr													1459
atg Met	atc Ile 455	ttc Phe	aac Asn	gaa Glu	acc Thr	cca Pro 460	tcc Ser	aac Asn	gac Asp	cca Pro	cgc Arg 465	ttc Phe	ata Ile	caa Gln	gca Ala	1507
			ctg Leu													1555

470 475 480 485

ctg gcg aat aga aca aac aag gtt ctt cgc atg aag gac tac cac cca 1603 Leu Ala Asn Arg Thr Asn Lys Val Leu Arg Met Lys Asp Tyr His Pro 490 495 500

gaa ctg aag gtc taaaagcttt tcccgcccgg ttc 1638 Glu Leu Lys Val

<210> 292

<211> 505

<212> PRT

<213> Corynebacterium glutamicum

<400> 292

Val Thr Ser Asp Ser Pro Ala Pro Ala Thr Val Asn Ala Val Phe Asn 1 5 10 15

Asn Ser Asn Gly Phe Ile Ala Ser Met Leu Gly Asn Gln Val Val Asn 20 25 30

Thr Val Val Glu Thr Met Asp Thr Glu Phe Gly Val Arg Ile Val Asp 35 40 45

Asn Met Leu Val Gly Phe Ser Thr Leu Gly Asp Gly Met Asn Gln Ala 50 55 60

Ala Glu Gly Ala Thr Thr Leu Ser Asp Gly Val Gly Ser Ala Asn Asp 65 70 75 80

Gly Ala Val Gln Leu Ala Asp Gly Ala Val Thr Leu Arg Asp Gly Ile 85 90 95

Ala Ser Ala Asn Glu Gly Ala Gln Ser Leu Ala Asp Gly Ala Ser Gln
100 105 110

Leu Asp Thr Gly Leu Gly Ser Ala Ala Thr Gly Ser Gln Thr Leu Ala 115 120 125

Asp Gly Leu Ser Ser Leu Ser Ala Gly Thr Ala Gln Leu Gly Gln Gly 130 140

Ala Thr Gln Val Ser Asp Gly Val Gly Gln Leu Val Asp Gln Val Ala 145 150 155 160

Pro Leu Thr Ala Tyr Val Pro Asp Ile Asn Ser Gln Leu Ile Thr Leu 165 170 175

Arg Asp Gly Ala Ala Thr Ile Ala Ser Glu Leu Ser Asp Pro Ser Ser 180 185 190

Thr Tyr Arg Ser Gly Val Asp Ser Ala Val Ser Ala Ser Gln Gln Leu 195 200 205

Ala Ala Gly Leu Gln Thr Leu Lys Asp Gly Ser Ser Gln Leu Ser Ile

210 215 220

Gly Ala Arg Thr Leu Ala Asp Gly Thr Ser Gln Leu Ala Ala Gly Ser 225 230 235 240

Glu Gln Leu Val Val Gly Ala Gln Ala Leu Arg Asp Gly Thr Val Gln 245 250 255

Leu Asp Glu Gly Ser Ser Glu Leu Ala Leu Lys Leu Thr Asp Gly Ala 260 265 270

Ser Gln Val Pro Thr Phe Ala Asp Gly Ala Asp Thr Thr Ile Ala Thr 275 280 285

Pro Val Glu Thr Glu Gln Ala Gly Asp Thr Thr Pro Leu Phe Gly Ile 290 295 300

Gly Leu Ala Pro Phe Phe Met Ala Val Gly Leu Phe Met Gly Ala Thr 305 310 315 320

Val Ala Trp Met Ile Leu His Pro Ile Ser Arg Arg Ala Leu Asp Ser 325 330 335

Arg Met Gly Gly Phe Arg Gly Thr Leu Ala Ser Tyr Leu Pro Ser Thr 340 345 350

Val Leu Gly Leu Gly Gln Ala Thr Ile Met Trp Ala Val Leu Tyr Phe 355 360 365

Leu Leu Asp Leu Asn Pro Ala His Pro Ala Gly Leu Trp Met Ala Met 370 375 380

Val Ala Ile Ser Trp Val Phe Ile Ser Ile Thr His Met Phe Asn Asn 385 390 395 400

Val Ala Gly Pro Ser Ala Gly Arg Val Leu Ser Ile Val Met Met Ser 405 410 415

Phe Gln Leu Val Ser Ser Gly Gly Leu Tyr Pro Pro Glu Thr Gln Pro 420 425 430

Ala Phe Phe His Trp Phe His Thr Tyr Asp Pro Ile Thr Tyr Ala Val 435 440 445

Asn Leu Val Arg Gln Met Ile Phe Asn Glu Thr Pro Ser Asn Asp Pro 450 455 460

Arg Phe Ile Gln Ala Ile Trp Val Leu Leu Phe Ile Trp Ala Leu Met 465 470 475 480

Leu Ala Ile Ser Thr Leu Ala Asn Arg Thr Asn Lys Val Leu Arg Met 485 490 495

Lys Asp Tyr His Pro Glu Leu Lys Val 500 505

<210> 293 <211> 664 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(664) <223> RXN01091 <400> 293 tcgtcggaaa aactggcgat actattgata acgggcatgg gttcaccttc gataaagcac 60 ggtctatgct ggactatcgc cttttgacac gagtatcgca atg gtc ccg aac aca Met Val Pro Asn Thr gto ott ato cat gac gaa aco goo gat otg gog acg cag ato cag ogg 163 Val Leu Ile His Asp Glu Thr Ala Asp Leu Ala Thr Gln Ile Gln Arg 15 ctg gaa cat atc atg gcg tgc ctg cgc gat ccg gtc agc gga tgc ccg 211 Leu Glu His Ile Met Ala Cys Leu Arg Asp Pro Val Ser Gly Cys Pro tgg gat att gaa cag acc ttt gcc agc atc gcg ccc cac acg att gag 259 Trp Asp Ile Glu Gln Thr Phe Ala Ser Ile Ala Pro His Thr Ile Glu 45 gaa ggc tac gag gtt gcc gac gcc atc gcg cag gaa gac tgg ccc gag 307 Glu Gly Tyr Glu Val Ala Asp Ala Ile Ala Gln Glu Asp Trp Pro Glu cta cgc ggc gag ttg ggc gat ttg ctg ttt cag acc gtg ttt cac gcc 355 Leu Arg Gly Glu Leu Gly Asp Leu Leu Phe Gln Thr Val Phe His Ala 80 caa atg gcg cgc gag gca ggc cat ttc gct ttg gtt gac gtg gtg aag 403 Gln Met Ala Arg Glu Ala Gly His Phe Ala Leu Val Asp Val Val Lys 95 gca att tcg gac aag atg gtt ttg cgc cat ccg cac gtg ttc ggc gcg 451 Ala Ile Ser Asp Lys Met Val Leu Arg His Pro His Val Phe Gly Ala cag tcq aac qcq aaa tcc gcc gac cag cag gtq gaa gat tgg gaa gtc 499 Gln Ser Asn Ala Lys Ser Ala Asp Gln Gln Val Glu Asp Trp Glu Val 125 547 ate aag geg eee gag ege geg gge aaa geg caa aag gge gtt ttg gat Ile Lys Ala Pro Glu Arg Ala Gly Lys Ala Gln Lys Gly Val Leu Asp 135 595 ggc gtc gcg ctg gga ctg cct gcc ctg atg cgc gcg acg aag ctg caa Gly Val Ala Leu Gly Leu Pro Ala Leu Met Arg Ala Thr Lys Leu Gln 150 160

aac aac gcc gcg cgc gtt ggg ttt gat tgg ccc gac att ggg cag gta 643 Asn Asn Ala Ala Arg Val Gly Phe Asp Trp Pro Asp Ile Gly Gln Val 170 175 180

ctt gga aag gtg acc gag gaa Leu Gly Lys Val Thr Glu Glu 664

<210> 294

<211> 188

<212> PRT

<213> Corynebacterium glutamicum

<400> 294

Met Val Pro Asn Thr Val Leu Ile His Asp Glu Thr Ala Asp Leu Ala 1 5 10 15

Thr Gln Ile Gln Arg Leu Glu His Ile Met Ala Cys Leu Arg Asp Pro 20 25 30

Val Ser Gly Cys Pro Trp Asp Ile Glu Gln Thr Phe Ala Ser Ile Ala 35 40 45

Pro His Thr Ile Glu Glu Gly Tyr Glu Val Ala Asp Ala Ile Ala Gln 50 55 60

Glu Asp Trp Pro Glu Leu Arg Gly Glu Leu Gly Asp Leu Leu Phe Gln 65 70 75 80

Thr Val Phe His Ala Gln Met Ala Arg Glu Ala Gly His Phe Ala Leu 85 90 95

Val Asp Val Val Lys Ala Ile Ser Asp Lys Met Val Leu Arg His Pro 100 105 110

His Val Phe Gly Ala Gln Ser Asn Ala Lys Ser Ala Asp Gln Gln Val 115 120 125

Glu Asp Trp Glu Val Ile Lys Ala Pro Glu Arg Ala Gly Lys Ala Gln 130 135 140

Lys Gly Val Leu Asp Gly Val Ala Leu Gly Leu Pro Ala Leu Met Arg 145 150 155 160

Ala Thr Lys Leu Gln Asn Asn Ala Ala Arg Val Gly Phe Asp Trp Pro 165 170 175

Asp Ile Gly Gln Val Leu Gly Lys Val Thr Glu Glu 180 185

<210> 295

<211> 357

<212> DNA

<213> Corynebacterium glutamicum

	<220> <221> CDS <222> (101)(334) <223> RXS02979																
	<400> 295 ctaggtcaag gaacttcact cggctagtcc ttagactcaa atgtgttcag acaaacactg 60															60	
	gca	ccgt	aag	gcac	:gaaa	gt t	accg	aaag	g ac	tggt	tccc				cca Pro		115
						Thr			tct Ser								163
	_	_		_	Ile	-			ttg Leu 30			_	-		-	-	211
				Val					gga Gly								259
									cta Leu								307
				-	aag Lys			_	atc Ile	taa	aacto	ctc a	agtta	agac	ca		354
1	tta																357
•	<213	0> 2: 1> 7: 2> P: 3> C:	B RT	ebac	teri	ım gl	lutar	nicu	n								
		0> 29 Thr		Pro	Asn 5	Thr	Leu	Lys	Gln	Thr 10	Thr	Leu	Arg	Ser	Asp 15	Glu	
I	Phe	Ser	Cys	Pro 20	Ser	Cys	Val	Ser	Lys 25	Ile	Glu	Asn	Lys	Leu 30	Asn	Gly	
I	Leu	Asp	Gly 35	Val	Asp	Asn	Ala	Glu 40	Val	Lys	Phe	Ser	Ser 45	Gly	Arg	Ile	
Ι	Leu	Val 50	Asp	His	Asp	Pro	Ser 55	Lys	Val	Ser	Ile	Lys 60	Asp	Leu	Val	Ala	
F	Ala 65	Val	Ala	Glu	Val	Gly 70	Tyr	Thr	Ala	Lys	Pro 75	Ser	Ala	Ile			

<210> 297 <211> 357 <212> DNA <213> Corynebacterium glutamicum																
<220> <221> CDS <222> (101)(334) <223> RXS02987																
	0> 2 gttt		ccag	gtca	ag g	aatt	aacc	c gg	aaag	gacc	gta	tctt	taa	aggt	gcaagc	60
Met Thr Ala Pro Ala														115		
acg Thr	ctg Leu	aag Lys	aac Asn	acc Thr 10	Thr	ttg Leu	cgc Arg	tct Ser	gat Asp 15	gag Glu	ttc Phe	acc Thr	tgt Cys	ccg Pro 20	agc Ser	163
tgt Cys	gtc Val	gcc Ala	aag Lys 25	atc Ile	gaa Glu	aac Asn	aag Lys	ctg Leu 30	aat Asn	ggt Gly	ttg Leu	gac Asp	ggc Gly 35	gtg Val	gag Glu	211
aat Asn	gcg Ala	gag Glu 40	gtg Val	aag Lys	ttc Phe	tcc Ser	tcc Ser 45	gga Gly	cgc Arg	atc Ile	ctg Leu	atc Ile 50	acc Thr	cac His	gac Asp	259
cca Pro	cag Gln 55	aag Lys	gtc Val	tcc Ser	gta Val	cgt Arg 60	gac Asp	ctg Leu	gtc Val	acc Thr	gcg Ala 65	gta Val	gcc Ala	gag Glu	gtc Val	307
				aag Lys					tgad	cgca	ctc (ccga	ccca	ac		354
aag																357
<213	0> 29 1> 78 2> PF 3> Co	3 RT	ebact	teri	ım gl	Lutan	nicum	n								
	0> 29 Thr		Pro	Ala 5	Thr	Leu	Lys	Asn	Thr 10	Thr	Leu	Arg	Ser	Asp 15	Glu	
Phe	Thr	Cys	Pro 20	Ser	Cys	Val	Ala	Lys 25	Ile	Glu	Asn	Lys	Leu 30	Asn	Gly	
Leu	Asp	Gly 35	Val	Glu	Asn	Ala	Glu 40	Val	Lys	Phe	Ser	Ser 45	Gly	Arg	Ile	
Leu	Ile 50	Thr	His	Asp	Pro	Gln 55	Lys	Val	Ser	Val	Arg 60	Asp	Leu	Val	Thr	

Ala Val Ala Glu Val Gly Tyr Thr Ala Lys Pro Ser Ala Ile
65 70 75

<210> 299 <211> 492 <212> DNA <213> Corynebacterium glutamicum

<220>
<221> CDS
<222> (101)..(469)
<223> RXS03095

<400> 299
aacgcctcaa ttagtgccag accttgccga ccgcagacca aacttcacca tttcaaacca 60

tccctagcca caacaacggc agttgtgcaa tgatctgcgt atg aat gca gat aag 115

Met Asn Ala Asp Lys

1 5

aaa atg tgc gga atg aac ccg gat agc caa tac gtc gaa ctt gcc gtc 163 Lys Met Cys Gly Met Asn Pro Asp Ser Gln Tyr Val Glu Leu Ala Val 10 15 20

gaa gtt ttc gga ctc ctc gcg gac gcc act cga gtt cgc atc atc ttg $\,$ 211 Glu Val Phe Gly Leu Leu Ala Asp Ala Thr Arg Val Arg Ile Ile Leu $\,$ 25 $\,$ 30 $\,$ 35

gca ctt cga aac agt ggt gaa ctt tcc gta aac cac ctc gcg gac atc 259 Ala Leu Arg Asn Ser Gly Glu Leu Ser Val Asn His Leu Ala Asp Ile 40 45 50

gtc gat aaa tcc ccc gca gca gtt tcc caa cac ctc gcc cgg ctg cgc 307 Val Asp Lys Ser Pro Ala Ala Val Ser Gln His Leu Ala Arg Leu Arg

atg gcc cga atc gtg tcc acc cgt caa gaa ggt caa cga gtt ttc tac 355 Met Ala Arg Ile Val Ser Thr Arg Gln Glu Gly Gln Arg Val Phe Tyr 70 75 80 85

aaa ctc acc aat gaa cac gca tca cag cta gtc tcc gac gct att ttt 403 Lys Leu Thr Asn Glu His Ala Ser Gln Leu Val Ser Asp Ala Ile Phe 90 95 100

cag gcg gaa cac acc att gcg gac ggc cag act ccc cca cac cac cac Gln Ala Glu His Thr Ile Ala Asp Gly Gln Thr Pro Pro His His His 105 110 115

cga gaa cga gaa caa tca tgaccaccca cagtcaccaa gaa 492 Arg Glu Arg Glu Gln Ser 120

<210> 300 <211> 123

```
<212> PRT
<213> Corynebacterium glutamicum
<400> 300
Met Asn Ala Asp Lys Lys Met Cys Gly Met Asn Pro Asp Ser Gln Tyr
Val Glu Leu Ala Val Glu Val Phe Gly Leu Leu Ala Asp Ala Thr Arg
Val Arg Ile Ile Leu Ala Leu Arg Asn Ser Gly Glu Leu Ser Val Asn
His Leu Ala Asp Ile Val Asp Lys Ser Pro Ala Ala Val Ser Gln His
Leu Ala Arg Leu Arg Met Ala Arg Ile Val Ser Thr Ara Gln Glu Gly
Gln Arg Val Phe Tyr Lys Leu Thr Asn Glu His Ala Ser Gln Leu Val
Ser Asp Ala Ile PAe Gln Ala Glu His Thr Ile Ala Asp Gly gln Thr
Pro Pro His His Arg Glu Arg Glu Gln Ser
        115
                            120
<210> 301
<211> 10
<212> PRT
<213> Corynebacterium glutamicum
<400> 301
Ala Pro Ala Leu Gly Pro Thr Leu Ser Gly
<210> 302
<211> 10
<21<sup>2</sup>> PRT
<213> Corynebacterium glutamicum
<400> 302
Gly Xaa Xaa Xaa Gly Pro Xaa Xaa Gly Gly
<210> 303
```

<211> 20 <212> DNA

<400> 303

ctccaggatt gctccgaagg

<213> Corynebacterium glutamicum

20





<210> 304 <211> 20 <212> DNA <213> Corynebacterium glutamicum <400> 304 cacagtggtt gaccactggc BGI-124CPPC - 97 -

20